Tools

Continued

Description

Ferrule Remover

Ferrule Remover

PF111PK

Tubing Cutters

Mini Tube Cutter

Tubing Cutter

PF147789 Description

Tubing Cutters

Tubing Cutter 2-1/2"

Description





©2005 MarketFocus Communications, Inc.

Description



Acid Brushes

Сор	per Pipe Tools
No.	Description
PF147726PK*	Copper Cleaning Tool 4-In-1
-,	
	PF147771
No.	Description
PF147770PK*	Copper Deburring Tools Deburring Set of 2 -AL, Br, Steel, Plas
PF147771PK*	Deburring Tool w/Storage
PF147772PK* PF147773PK*	Deburring blade-Cop, Alum, Plas Deburring Blade-Brass, C Iron
T	ubing Tools
	Continued
	anda andati an antala an an
No.	Description
PF147785PK	Swaging Tools 6-In-1 Swaging Tool
S	and Cloth
5	
ļ	$\overline{(\mathbb{C}\mathbb{D})}$
į	
	New Jack Providence
No.	Description 120 Grit Grade 3
PFSC10	1-1/2X10 Yard
PFSC25	1-1/2X25 Yard
PF0502	1-1/2X5 Yard
PF0503	1-1/2X10 Yard
PF0504	1-1/2X25 Yard 180 Grit -Open Mesh
PF0602	1-1/2X5 Yard
PF0603 PF0604	1-1/2X10 1-1/2X25
110004	1-1/2825
Fit	ting Brushes
No.	Description
	Heavy Duty Pro
PFHDFBD PFHDFBF	1/2" 3/4"
PFHDFBG	1″
PFHDFBH PFHDFBJ	<u>1-1/4"</u> 1-1/2"
PFHDFBK	2"

Fitting Brushes





Hex shape. Birch hardwood handle. Tempered carbon steel bristles. Galvanized 2-ply wire stem.

No.	Description	
	Comfort Grip	
PF2023D	1/2	
PF2025F	3/4	
PF2026G	1	
PF2027H	1-1/4	

Ð

No.	Description	
	Power Fitting Brushes w/Hex Shaft	
PF9546	1/2 "	
PF9548	3/4 "	
PF9549	1 "	



No.	Size In.	
Carbon Steel Fitting Brushes w/Plastic Handle		
PF644	1/4	
PF645	3/8	
PF646	1/2	
PF648	3/4	
PF649	1	
PF650	1-1/4	
PF651	1-1/2	
PF652	2	
PF653	3	
PF654	3	
PF655	4	



Size In.		
Carbon Steel Fitting Brushes w/Wire Handle		
1/2		
1/2		
3/4		
3/4		
1		
11/4		
11/2		
2		

**Bulk Pack of 100 per box

ess Steel w/Plastic Handle
1/2
3/4
1

~ Acid Brush with horse hair bristle in tin handle Size In. No. PF10001 3/8 **Pipe Tools** Siz<u>e In.</u> No. Steel Nipple Extractors PF730PK Set of 3 - 3/8", 1/2" and 3/4" PF460PK





No.	Description	
	Ratchet PVC Cutters	
PF460PK*	1/2" to 1"	
PF470	1" to 2"	
PF460BPK*	Blade for PF460PK	
PF470BPK*	Blade for PF470	



No.

Reamers PF14774PK* In-Out Hand Pipe Reamer

* Carded • + Boxed • + Bagged

Description

PFHDFBK

Tools



Pipe Tools



		Pipe Too	s
tinued			Continue
		o Children	
	T . 1	Aluminum	n Pipe
A		200 rest in the second	
7		Iron Pipe	
()	No.		Description
	DE1 40052DI//*	<u>.</u>	Pipe Wrenche
	PF148052PK*		Alum Pipe Wrench 14
53	PF148053PK*		Alum Pipe Wrench 18
	PF148054PK* PF148060PK*		Alum Pipe Wrench 24
	PF148060PK*		Iron Pipe Wrench 10 Iron Pipe Wrench 14
	PF148063PK*		Iron Pipe Wrench 18
133			
J	PF148064PK*	Straight	Iron Pipe Wrench 24
	-	8	
Description	-	C	
Saws Midget Saw			
Pack Of 10	No.		Description
Cable Saw	NO.		
/C Saw 18"			Plier
lj PVC Saw	PF147781PK	50	oft Jaw Plumbing Plier
1		Ĩ	0
	No.		Description
Description			Chain Wrenche
Wrenches	PF147783PK		Reversible 4" Capacit
1/2" & 3/4"			1
		Drain Too	DIS
			Ų
Description			
e Cutters r 1/8" To 2" el For PF2A	PF147752	DETCUARY	DE 414/DIA/DIA
		PFTSWPK	PF4WPWPK Description
	No.		Descriptio Strainer Wrenche
	PF147752PK	Smart F	Dumbell Drain Wrench
	PFTSWPK		d Strainer Nut Wrenc
	PF4WPWPK		-Way PO Plug Wrenc
		4	They i o i lug wiello



Tools



(
Individually boxed.	
No.	Description
	Water Test
PFWTGI300L	0-300# w/Indicator
PFWTG300L	0-300# w/o Indicator
Ć	
Brass connections, steel ca Accuracy, ANSI B40. 1, Gra	se, and ¹ /4" NPT lower mount de G 3-2-3. Individually boxed
Accuracy, ANSI B40. 1, Gra	se, and ¹ /4" NPT lower moun de G 3-2-3. Individually boxed Description
Accuracy, ANSI B40. 1, Gra	de G 3-2-3. Individually boxed Description Pressure Gauges -2" Size
Accuracy, ANSI B40. 1, Gra No. PFG15K	de G 3-2-3. Individually boxed Description Pressure Gauges -2" Size 0-15#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K	de G 3-2-3. Individually boxed Description Pressure Gauges -2" Size 0-15# 0-30#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG60K	de G 3-2-3. Individually boxed Description Pressure Gauges -2" Size 0-15# 0-30# 0-60#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG60K PFG100K	de G 3-2-3. Individually boxed Description Pressure Gauges -2" Size 0-15# 0-60# 0-100#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG60K PFG100K PFG100K	de G 3-2-3. Individually boxed Description Pressure Gauges -2" Size 0-15# 0-30# 0-60#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG60K PFG100K	de G 3-2-3. Individually boxed Description Pressure Gauges -2" Size 0-15# 0-30# 0-60# 0-100# 0-160#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG60K PFG100K PFG160K PFG200K PFG300K	Description Pressure Gauges -2" Size 0-15# 0-30# 0-100# 0-100# 0-200#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG60K PFG100K PFG100K PFG200K PFG300K PFG300K PFG400K PrG	Description Pressure Gauges -2" Size 0-15# 0-30# 0-60# 0-100# 0-100# 0-200# 0-300# 0-400# 0-400# 0-400#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG30K PFG30K PFG100K PFG100K PFG100K PFG200K PFG200K PFG400K PFG400K PFG505L	Description Pressure Gauges -2" Size 0-15# 0-30# 0-100# 0-100# 0-200# 0-300# 0-300# 0-300# 0-300# 0-400# 0-55#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG30K PFG100K PFG100K PFG200K PFG300K PFG300L	Description Pressure Gauges -2" Size 0-15# 0-30# 0-100# 0-100# 0-200# 0-300# 0-400# 0-5# 0-30# 0-400# 0-30# 0-30#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG30K PFG100K PFG100K PFG200K PFG300K PFG300K PFG400K PFG50L PFG30L PFG60L	Description Pressure Gauges -2" Size 0.15# 0.30# 0.60# 0.100# 0.160# 0.100# 0.300# 0.400# essure Gauges -2.1/2" Size 0.30# 0.400# 0.5# 0.30# 0.30# 0.40#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG60K PFG100K PFG160K PFG200K PFG200K PFG300K PFG400K PFG00L PFG00L PFG00L PFG00L	Description Pressure Gauges -2" Size 0-15# 0-30# 0-100# 0-100# 0-100# 0-200# 0-300# 0-300# 0-300# 0-300# 0-300# 0-400# 0-5# 0-30# 0-60# 0-100#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG30K PFG300K PFG100K PFG200K PFG200K PFG300K PFG300K PFG300L PFG30L PFG60L PFG100L PFG160L	Description Pressure Gauges -2" Size 0-15# 0-30# 0-60# 0-100# 0-200# 0-300# 0-300# 0-300# 0-300# 0-300# 0-400# 0-30# 0-40# 0-30# 0-5# 0-30# 0-100# 0-100# 0-100# 0-100#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG60K PFG160K PFG160K PFG200K PFG300K PFG400K PFG300K PFG400K PFG05L PFG05L PFG30L PFG00L PFG100L PFG100L PFG100L PFG100L PFG200L	Description Pressure Gauges -2" Size 0-15# 0-30# 0-60# 0-100# 0-200# 0-300# 0-200# 0-300# 0-300# 0-54# 0-54# 0-30# 0-60# 0-100# 0-54# 0-100# 0-100# 0-100# 0-100# 0-100# 0-100# 0-100# 0-200#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG30K PFG100K PFG100K PFG200K PFG200K PFG300K PFG300K PFG300L PFG100L PFG100L PFG200L PFG300L	Description Pressure Gauges -2" Size 0-15# 0-30# 0-60# 0-100# 0-100# 0-300# 0-300# 0-400# 0-30# 0-30# 0-400# 0-30# 0-30# 0-10# 0-10# 0-30# 0-30# 0-10# 0-10# 0-10# 0-10# 0-10# 0-10# 0-10# 0-200#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG30K PFG100K PFG100K PFG200K PFG300K PFG300K PFG300K PFG300L PFG160L PFG160L PFG100L PFG100L PFG200L PFG200L PFG300L	Description Pressure Gauges -2" Size 0-15# 0-30# 0-60# 0-100# 0-200# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-54 0-30# 0-54 0-30# 0-60# 0-100# 0-100# 0-100# 0-100# 0-200#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG60K PFG100K PFG100K PFG200K PFG200K PFG300K PFG300L PFG30L PFG30L PFG60L PFG30L PFG100L PFG100L PFG100L PFG100L PFG100L PFG100L PFG200L PFG20L PFG20L PFG20L PFG20L PFG20L PFG20L PFG20L PFG20L PFG20L PFG20	Description Pressure Gauges -2" Size 0-15# 0-30# 0-60# 0-100# 0-100# 0-200# 0-300# 0-400# essure Gauges -2-1/2" Size 0-30# 0-400# 0-5# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30#
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG30K PFG100K PFG100K PFG200K PFG300K PFG300K PFG300K PFG300L PFG160L PFG160L PFG100L PFG100L PFG200L PFG200L PFG300L	Description Pressure Gauges -2" Size 0-15# 0-30# 0-60# 0-100# 0-160# 0-200# 0-300# 0-400# essure Gauges -2-1/2" Size 0-5# 0-30# 0-60# 0-100# 0-100# 0-100# 0-160# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-300# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0-30# 0
Accuracy, ANSI B40. 1, Gra No. PFG15K PFG30K PFG60K PFG100K PFG100K PFG200K PFG300K PFG300K PFG300L PFG60L PFG60L PFG60L PFG100L PFG100L PFG100L PFG100L PFG100L PFG100L PFG200L PFG100L PFG200L PFG20L PFG2	Description Pressure Gauges -2" Size 0-15# 0-30# 0-66# 0-100# 0-100# 0-200# 0-300# 0-300# 0-300# 0-300# 0-300# 0-400# essure Gauges -2-1/2" Size 0-30# 0-100# 0-100# 0-100# 0-200# 0-300# 0-200# 0-300# 0-200# 0-200# 0-200#

Gauges



		FLO®
	Gaug	zes
	0	Continued
PFPPB No.		PFPPD Description
РЕРРВ		1/4" Pete's Plug
PFPPD		1/2" Pete's Plug
No. PFBBV4		Description 1/4" Brass Needle Valve
No.	•1	Description
PF9S0120AAT PF9S0160AAT		ustable Angle Thermometer ustable Angle Thermometer
PF9S0240AAT		ustable Angle Thermometer
Тар	es & Co	mpounds
PTFE Seal Tape. I 0.004″ (=0.1 mm	$D = 1.2 \pm 0.1$ (h	high density). Thickness:
No.		Description
PFMTTD260	Teflon®	Pipe Tape -Heavy Duty 1/2" X 260"
PFMTTD520 PFMTTF260 PFMTTF520		1/2" X 520" 3/4" X 260" 3/4" X 520"
Meets MIL. SPEC	. T27730A	

No.	Description
	Teflon® Pipe Tape -Standard Duty
PFTTD260	1/2" X 260"
PFTTD520	1/2" X 520"
PFTTF260	3/4" X 260"
PFTTF520	3/4" X 520"
PFTTG260	1″ X 260″
PFTTG520	1′ X 520″
	* Carded • + Boxed • ‡ Bagged



Tapes & Compounds	Sealants	Caulking Gur
Continued	Continued	E
No. Description	Vacuumized to remove all microscopic air and to ensure maximum in durability and gunability. Paintable with latex	
Gas Teflon® Pipe Tape PFGTTD260 1/2" X 260"	or oil based paints. Soap and water clean-up. Mildew protected. 15 year life expectancy.	
FGTTD520 1/2" X 520" Pipe Wrap Tape	No. Description Interior & Exterior Caulk	
PFPW110 1" X100' - 10 Mil PFPW210 2" X100' - 10 Mil	PFL300 Latex Acrylic 10.3 Oz.	
PFPW220 2" X100' - 20 Mil PFPW410 4" X100' - 10 Mil	Silicone	
<u>~~~</u>	Silicone 550 sealant for filleting and caulking joints in sheet	No.
(\bigcirc)	metal stacks, duct work and equipment housing; adhering auto and appliance trim, including metal, fabric and fabric-	PF147749PK*
	backed plastics; bonding gaskets in heating and refrigeration units; attaching screwless brackets or nameplates, and tacking plastic material to metaly nearly in place acadets for	Nut Splitter
No. Description	plastic material to metal; providing formed in place gaskets for gear boxes, compressors and pumps; sealing trailers and travel cabs; bonding signs and sign letters; and creating anti-	
Electrical Tape	abrasion coatings.	
FET PF LBL 3/4" -Black	No. Description 100% Silicone	
	PFL5501 Caulk 10.3 OzWhite PFL55010 Caulk 10.3 OzClear	
Sealants	Fills holes and cracks. Paintable.	1
	No. Description	No.
	Expanding Polifoams PFGE32200 16oz.	PF147784PK*
olybond™ multi-purpose adhesive caulk is particularly suitable for nterior or exterior applications such as boats, tubs, sinks, cabinets,		
hower, and tiles. Not recommended for use on mirrors, aquariums, or under the waterline. Bonds tenaciously to metal, glass, wood,		Levels
eramic tile, Formica, and other common surfaces. May be used as n adhesive as well as a caulk.	Supplied in caulking gun cartridge. Very easily applied as opposed to one-component urethane sealants. Free of toxic hazards. Non-flammable. No obnoxious odor. Non-	
o. Description White Caulk	yellowing, Paintable. Soap and water clean up. VOC compliant. Can be used to positively seal and tenaciously	
L007 Tub & Tile 10.3 Oz Caulk	adhere to wide range of substrates including:	Ę.
	No. Description Acrylic Urethane	t.
	PFL5851 Caulk 10.3 OzWhite PFL58510 Caulk 10.3 OzClear	
	Brushes	
ybond™ tub and tile adhesive caulk is excellent for ling around tubs, wash stands, shower doors, windows,		РF147795РК РF
out. Also excellent for boat use. Not recommended for		No.
e underwater. Description	With round tapered wooden handle.	PF147795PK* PF147796PK*
Tube & Tile Caulk	No. Description Pipe Dope Brushes	Street Keys
FL009 5.5 OzWhite	PF10007 3/4"	
	No	
acuumized to remove all microscopic air and to ensure aximum in durability and gunability. Paintable with latex	No. Description Chip Oil Brushes	
oil based paints. Soap and water clean-up. 35-year life pectancy. Exceeds ASTM Spec. C-834.	PF67191 1/2" PF67192 1"	No.
o. Description	PF67193 1-1/2" PF67194 2"	PFSK36 5/8" Di PFSK60 5/8" Di
Interior & Exterior Caulk	PF67195 2-1/2"	5/0 21
FL200 Latex Acrylic w/Silicone 10.3 OzWhite	PF67196 3"	

©2005 MarketFocus Communications, Inc.





Pocket Level Torpedo Level

Description

5/8" Dia. With Rod 36"

5/8" Dia. With Rod 60"