

"Apollo" Valves

SUBMITTAL SHEET

LEAD FREE

4C-100 Series

Carbonate Beverage Backflow Preventer



Job Name:	
Job Location:	
Engineer:	
Contractor:	
Tag:	
PO Number:	
Representative:	
Wholesale Distributor:	



DESCRIPTION

The Apollo® 4C-100 Series Carbonated Beverage Backflow Preventer (Model CBBP) is designed to prevent contamination of potable water due to backflow when installed on water distribution lines serving beverage dispensing equipment.

FEATURES

- Compact design
- Lowest head loss
- Atmospheric vent provides indication of problems
- Integral strainer for equipment protection
- Repairable check assemblies
- Non-metallic body for corrosion resistance

PERFORMANCE RATING

- Maximum Supply Pressure: 150 psi
- Working Temperature Range: 33°F – 130°F

APPROVALS

- NSF/ANSI 372 Lead Free
- ASSE 1022, CSA B64.3.1 compliant
- IAPMO listed

STANDARD MATERIALS LIST

Part Name	Material
Body	Acetal
End Cap	Acetal
Strainer	PVC/Stainless Steel
O-Ring	Nitrile
Upstream Check Valve	Nitrile/Stainless Steel/Acetal
Downstream Check Valve	EPDM/Stainless Steel

ORDERING INFORMATION

4C - 10 X - 0 X

CONNECTION




- 1 – Flare
- 2 – MNPT (3/8" only)

SIZE

- 1 – 1/4"
- 2 – 3/8"

DIMENSIONS

Size	1/4"	3/8"
A	3.5	3.7



* **LEAD FREE:** The wetted surfaces of this product shall contain no more than 0.25% lead by weighted average. Complies with Federal Public Law 111-380. ANSI 3rd party approved and listed.

Apollo Valves, Manufactured by **Conbraco Industries, Inc.**
701 Matthews Mint-Hill Road, Matthews, NC 28105 USA
www.apollovalves.com | (704) 841-6000

This specification is provided for reference only. Conbraco Industries Inc. reserves the right to change any portion of this specification without notice and without incurring obligation to make such changes to Conbraco products previously or subsequently sold. Please visit our website @ www.apollovalves.com for the most current information.

