




Evaporator Coil Reference

Use this table to locate an evaporator coil to match your size requirement. Use this table to locate the page for visual identification of a selected coil. In addition, refer to individual OEM sections for additional coils not listed here.

NOTE:

- Overall dimensions are measured from the outermost brackets, in the absence of brackets the overall dimensions will reflect the outmost part of the tubing.
- Due to manufacturing tolerances, measurements may vary $\pm 1/8$ in.



Order No.	MFG.	Dimension Overall			Finned Dimension			Details Page #
		Long	Wide	High	Long	Wide	High	
38-082	Jordon	9 3/4	10"	1 3/4	7 3/4	10"	1 1/4	293
28-106	Glenco/ Star Metal	10"	4"	6"	8"	4"	6"	261/370
17-039	Delfield	10 1/4	7"	4 1/2	8"	7"	3 3/4	244
17-126	Delfield	10 1/4	7"	6 3/4	8"	7"	6"	243
17-124	Delfield	10 3/8	6"	7"	8"	5 1/4	7"	243
32-175	Hobart-Koch	10 3/8	3"	10"	8 1/2	3"	10"	280
32-250	Hobart-Koch	10 1/2	4"	10"	8 3/8	4"	10"	279
27-071	Beverage Air	11"	4"	7 3/8	9"	4"	7"	216
27-063	Beverage Air	11 1/2	6"	7 1/4	9"	6"	7 1/4	216
53-060	Randell	11 3/4	6"	2 1/4	10 1/4	6"	2 1/4	350
53-061	Randell	11 7/8	6"	3 1/2	10 1/4	6"	3 1/2	350
32-034	Hobart-Koch	12"	6 3/8	8 7/8	9 1/2	6"	8"	279
17-046	Delfield	12"	6"	2 3/8	10 3/8	6"	2 1/4	244
17-047	Delfield	12 1/4	3"	6"	10"	3"	6"	243
32-249	Hobart-Koch	12 3/8	9 3/4	1 1/4	9 5/16	9 3/4	1 1/4	280
57-080	Norris							
	Silver-King	12 3/4	11 1/4	2 1/4	11 1/4	11 1/4	2 1/4	363
28-115	Glenco/ Star Metal	13 1/8	4 7/8	14"	10 7/8	2"	10"	261/370
72-080	Stanley Knight	13 3/8	7 1/2	4 1/8	11 1/4	7"	4"	368
26-067	Perlick	13 3/4	4 1/8	6 1/4	10 3/4	4"	6"	334
60-055	Traulsen	13 7/8	6"	2 1/4	12 3/8	6"	2 1/4	385
60-056	Traulsen	14"	6"	6"	12"	6"	6"	386
10-050	Duke	14"	8 1/4	2 1/4	12 3/8	6"	1 7/8	247
17-028	Delfield	15 1/4	6 3/8	3 1/2	13 3/4	6"	3 1/2	243
17-045	Delfield	15 3/8	7 1/2	2 5/8	12 1/4	6"	2 5/8	244
17-016	Delfield	15 3/8	7 1/2	2 1/4	12 1/4	6"	2 1/4	243
62-125	Victory	15 1/2	6"	6"	13"	5"	6"	418
32-148	Hobart-Koch	15 1/2	6"	4 1/2	14"	6"	4 3/8	279
33-060	Herrick	15 1/2	8"	2 7/8	14"	8"	2 5/8	267
62-256	Victory	15 1/2	6"	6"	13"	5"	6"	418
33-071	Herrick	16 3/8	4"	6"	14"	4"	6"	268
32-253	Hobart-Koch	16"	6 3/8	5 1/2	13 3/8	6"	4"	279
32-252	Hobart-Koch	16"	6 3/8	7 1/2	13 1/2	6"	6"	280
60-053	Traulsen	16 1/8	6"	3 7/8	13 5/8	6"	3 7/8	386
62-128	Victory	16	5 1/4	12 3/4	13"	5 1/8	10 1/2	418
32-041	Hobart-Koch	16 1/8	4"	6"	14 1/2	4"	6"	279
72-081	Stanley Knight	16 1/4	4 5/8	6 3/8	13 5/8	4"	6 3/8	368
28-102	Glenco	16 1/2	4"	3"	14"	4"	3"	261
09-082	Continental	16 3/4	7"	4"	13 1/8	7"	4"	232
60-047	Traulsen	16 3/4	3"	8 1/2	14"	3"	8 3/8	385

Order No.	MFG.	Dimension Overall			Finned Dimension			Details Page #
		Long	Wide	High	Long	Wide	High	
60-048	Traulsen	16 5/8	6"	8"	14"	6"	8"	385
60-050	Traulsen	16 1/2	6"	8"	14"	6"	8"	385
60-054	Traulsen	16 5/8	3"	8 3/8	14"	3"	8 3/8	385
28-103	Glenco	16 3/4	4 1/2	16"	14 1/2	1 3/4	16"	261
10-130	La Crosse	17"	6"	4 1/2	16 1/8	6"	3 1/2	300
10-280	Howard	17"	8"	4 1/8	14"	6"	4"	285
62-124	Victory	17 1/4	4 1/2	8"	14 3/4	4"	8"	418
26-063	Perlick	17 7/16	7 1/2	3 3/8	15"	7 1/2	3 1/4	333
33-062	Herrick	17 1/2	3 1/4	8 5/8	16"	3"	8 1/8	267
27-066	Beverage Air	17 1/2	6"	2 3/4	16"	6"	2"	215
33-061	Herrick	17 5/8	8	2 1/2	16"	8"	2 1/4	267
53-059	Randell	17 7/8	10"	1 1/4	15 3/4	10"	1"	349
53-063	Randell	18"	4"	6"	15 1/2	4"	6"	350
25-070	Foster	18"	4"	4 1/2	16 1/2	4"	3 1/2	255
25-072	Foster	18"	4"	6"	15 1/2	4"	6"	255
25-073	Foster	18"	4 1/4	5"	16 1/2	4"	5"	255
61-050	True	18 1/4	8 3/4	3 1/4	15 1/4	8 3/4	3 1/4	398
62-129	Victory	18 1/4	4"	9"	15 3/4	4"	9"	418
17-125	Delfield	18 1/4	7"	3"	16"	7"	3"	244
61-046	True	18 1/4	5"	2 3/16	16"	5"	2 3/16	398
17-035	Delfield	18 1/4	10"	1 1/4	16 1/4	10"	1"	243
17-129	Delfield	18 3/4	4"	6 3/8	16 1/2	3 3/4	4"	243
28-104	Glenco	18 5/8	10"	2"	16 1/2	10"	1 3/4	261
60-052	Traulsen	18 3/4	6"	3 3/8	16 1/2	6"	3"	386
28-100	Glenco	18 3/4	8"	4 3/4	16"	8"	4"	261
38-081	Jordon	19"	12 1/2	4"	2 @ 11"	2 @ 6"	2 @ 3"	293
26-058	Perlick	19 3/8	4"	3"	17 1/4	4"	3"	333
62-126	Victory	19 1/2	5 3/8	7 1/2	17 1/4	3"	7"	417
26-131	Perlick	19 7/8	4"	5"	17"	4"	5"	333
62-119	Victory	19 3/4	6 1/4	7 1/2	17 1/2	4"	7"	418
62-116	Victory	19 7/8	9 7/8	3"	17 7/8	9"	3"	417
28-117	Glenco	20"	4"	8"	17"	4"	6"	261
73-071	Progressive/ Golden Chef	20"	1 1/2	9 3/4	2 @ 8 1/2	2 @ 8"	2 @ 7/8	339
17-128	Delfield	20"	8"	2 1/2	17 1/2	8"	2 1/2	243
17-049	Delfield	20 1/4	3"	6"	18"	2 1/2	6"	243
33-075	Herrick	20 1/4	4"	6"	18"	4"	6"	267
32-036	Koch - Hobart	20 1/2	4"	6 5/8	19"	4"	6"	279
32-038	Koch - Hobart	20 1/2	4"	6"	19"	4"	6"	279
32-040	Koch - Hobart	20 1/2	6 3/8	6 1/8	18 7/8	6 3/8	6"	278
28-146	Glenco	20"	5"	9 1/2	17"	4"	5"	261
62-254	Victory	21"	3"	6"	16"	3"	6"	418
26-060	Perlick	21"	4 1/8	4 1/8	18"	4"	4"	333
26-064	Perlick	21"	4 1/8	4 1/8	18"	4"	4"	333
26-065	Perlick	21"	4 1/8	4 1/8	18"	4"	4"	333
38-087	Jordon	21"	13"	4"	2 @ 6"	11"	3"	293
32-146	Koch - Hobart	21 1/8	6 3/8	7 1/8	18 7/8	6 3/8	6"	278
32-044	Koch - Hobart	21 1/8	7 3/16	6 3/8	18 7/8	6"	6"	279
32-037	Koch - Hobart	21 1/8	4"	6 3/8	19"	4"	6"	278
62-255	Victory	21 1/4	4"	9"	18 3/4	4"	9"	418
17-036	Delfield	18 1/2	14"	3 3/4	18"	10"	1"	243
33-077	Herrick	21 3/8	4"	13"	19 1/2	4"	5"	267
33-082	Herrick	20 1/4	4"	13"	19 5/8	4"	7"	267
33-088	Herrick	20 1/4	4"	13"	19 5/8	4"	10"	267
27-199	Beverage Air	21 1/2	4"	8 1/2	19 1/2	4"	7"	216

Evaporator Coil Reference



Order No.	MFG.	Dimension Overall			Finned Dimension			Details Page #
		Long	Wide	High	Long	Wide	High	
27-074	Beverage Air	21 1/2	4 1/4	4 3/4	20"	4"	4"	217
27-075	Beverage Air	21 1/2	4 1/4	4 7/8	20"	4"	3"	215
28-107	Glenco/ Star Metal	21 1/2	4 3/4	14"	19 3/8	2"	8"	261/370
44-121	Nor-Lake	21 1/2	8"	8"	19 1/2	8"	4 1/2	322
60-044	Traulsen	22 5/8	6"	8"	20"	4"	8"	385
27-069	Beverage Air	21 3/4	4"	3"	20 1/8	4"	3"	215
28-101	Glenco	22 1/2	4 1/2	15 1/8	20"	1 3/4	12"	261
32-147	Koch - Hobart	21 3/4	3"	6 1/8	18 3/8	3"	6"	279
32-059	Koch - Hobart	21 3/4	4"	6"	18 1/2	4"	6"	279
32-056	Koch - Hobart	21 3/4	6"	6"	18 1/2	6"	6"	279
44-120	Nor-Lake	21 7/8	8"	8"	19"	8"	5 1/4	322
27-148	Beverage Air	22"	3"	6"	20"	3"	6"	279
27-149	Beverage Air	22"	3"	6"	20"	3"	6"	281
27-205	Beverage Air	23"	7"	4"	20"	7"	4"	274
33-063	Herrick	22"	8"	6 1/4	20 1/2	8"	6"	267
62-123	Victory	22"	5 1/4	12 3/4	19"	5"	10"	417
61-053	True (R/H Side)	22 1/2	8 3/4	3 1/4	19 5/8	8 3/4	3 1/4	398
61-054	True (L/H Side)	22 1/2	8 3/4	3 1/4	19 5/8	8 3/4	3 1/4	398
62-127	Victory	22 1/2	6"	6"	20"	6"	6"	417
09-081	Continental	22 1/2	7"	4"	19 1/8	7"	4"	232
60-051	Traulsen	22 5/8	4"	8"	20"	4"	8"	386
60-043	Traulsen	22 5/8	4"	8"	20"	4"	8"	386
60-041	Traulsen	22 5/8	3"	8 3/8	20"	3"	8 3/8	386
60-042	Traulsen	22 5/8	3"	8 3/8	20"	3"	8 3/8	386
60-046	Traulsen	22 5/8	6"	8"	20"	6"	8"	385
60-045	Traulsen	22 5/8	3"	8 1/8	20"	3"	8 1/8	386
27-146	Beverage Air	22 3/4	6"	3 1/2	20"	6"	3"	216
27-068	Beverage Air	21 5/8	7"	4 5/8	20"	7"	4"	215
26-068	Perlick	22 3/4	4"	4 1/2	15"	4"	2"	334
27-079	Beverage Air	23"	4"	7 3/8	21 1/8	4"	7"	215
27-077	Beverage Air	23"	6"	7 1/4	21"	6"	7 1/4	216
26-062	Perlick	23"	4 1/8	4 1/8	20"	4"	4"	333
28-140	Glenco/ Star Metal	23 1/2	4"	4"	21"	4"	4"	261/370
53-062	Randell	23 1/2	4"	7 1/2	21"	4"	7"	350
28-141	Glenco	23 1/2	4 1/2	12 3/4	21 3/4	1 3/4	12"	261
62-251	Victory	24 1/8	8 1/4	7 1/2	21 3/4	6"	7"	418
62-120	Victory	24 1/8	6 3/8	7 1/2	21 3/4	4"	7"	418
17-044	Delfield	24 1/8	7"	4 3/4	21 1/2	7"	4"	244
17-037	Delfield	24 1/4	6 3/4	7"	21 1/2	6"	7"	244
10-282	Howard	24 1/2	4"	9"	21 3/8	4"	7"	285
26-128	Perlick	24 1/2	7 5/8	3 3/8	22"	7 1/2	3 1/4	333
27-059	Beverage Air	24 3/4	4"	11"	23"	4"	11"	216
39-050	McCall	23 1/2	6"	3 7/8	22 1/2	6"	3 1/2	315
27-076	Beverage Air	25 3/8	4"	4"	24"	4"	3"	215
27-064	Beverage Air	25 3/4	4"	3"	24"	4"	3"	215
39-051	McCall	23 5/8	6"	3"	22 1/2	6"	2 5/8	315
56-108	Northland	26"	21 1/2	2"	24"	20"	2"	326
26-066	Perlick	26"	4 1/8	4 1/8	23"	4"	4"	333
26-061	Perlick	26"	4 1/8	4 1/8	23"	4"	4"	333
26-059	Perlick	26"	4 1/8	4 1/8	23"	4"	4"	333
62-117	Victory	26 1/4	6"	8"	20 3/4	6"	8"	417
32-031	Koch - Hobart	26 1/2	6 3/8	6 1/8	25"	6 3/8	6"	278
61-048	True	27"	8 3/4	4 3/8	24"	8 3/4	4 3/8	399

Order No.	MFG.	Dimension Overall			Finned Dimension			Details Page #
		Long	Wide	High	Long	Wide	High	
61-051	True	27"	8 3/4	3 1/4	24 1/8	8 3/4	3 1/4	399
61-052	True	27"	8 3/4	4 3/8	24"	8 3/4	4 3/8	398
62-250	Victory	27 3/8	4"	8"	21 7/8	4"	8"	418
32-042	Hobart-Koch	27 3/8	4"	7"	22"	4"	6"	279
62-253	Victory	27 1/2	6"	4"	25"	6"	4"	417
62-121	Victory	27 1/2	6"	6"	25"	6"	6"	417
27-072	Beverage Air	28"	6"	2 3/4	25 5/8	6"	2"	215
32-035	Hobart-Koch	28"	4 3/16	6 3/8	24 7/8	4"	6"	278
10-049	United	28"	9"	4"	25"	7"	3 1/2	405
32-039	Koch - Hobart	27 5/8	6 3/8	7 1/8	24 3/8	6 3/8	6"	278
32-177	Hobart-Koch	28"	7 1/4	6 3/8	24 7/8	6"	6"	279
38-080	Jordon	28"	11 3/4	4"	2 @ 10 7/8	2 @ 6"	2 @ 3"	293
32-144	Hobart-Koch	28 1/4	6"	6"	24 7/8	6"	6"	279
32-145	Hobart-Koch	28 1/4	4"	6"	24 7/8	4"	6"	278
28-105	Glenco	28 1/4	10"	2"	26"	10"	1 3/4	261
09-080	Continental	29 1/2	7"	4"	26"	7"	4"	232
27-147	Beverage Air	30 1/2	4"	8 1/2	28 1/2	4"	7"	216
44-122	Nor-Lake	30 5/8	6"	4"	28 1/4	5 1/4	4"	322
53-064	Randell	31"	4"	7 3/8	27 1/2	4"	7"	350
28-147	Glenco	30 7/8	4"	6 3/4	27 3/4	4"	6"	261
27-078	Beverage Air	31"	7"	4"	28 1/2	7"	4"	216
28-114	Glenco Star Metal	31 1/4	5"	9 1/2	29 3/4	4 1/2	5"	261/370
32-032	Hobart-Koch	31 1/2	4"	6"	30"	4"	6"	278
32-057	Koch - Hobart	31 1/2	4"	6 5/8	30"	4"	6"	279
27-067	Beverage Air	31 1/2	4 1/4	4 3/4	30"	4"	4"	215
10-283	Howard	32"	4"	9"	29"	4"	7"	285
39-052	McCall	32"	6"	3 1/2	30 3/4	6"	3 1/2	315
62-118	Victory	32"	6 3/8	7 1/2	29 7/8	4"	7"	417
62-252	Victory	32"	8 3/16	7 1/2	29 3/4	6"	7 3/16	418
38-089	Jordon	32"	11 3/4	4 1/8	2 @ 9"	11"	3"	293
61-171	True	32 1/4	5"	2 3/16	30"	5"	2 3/16	398
28-108	Glenco	32 1/4	8"	4 3/4	29 1/2	8"	4"	261
17-048	Delfield	34 3/8	7"	5"	29 1/2	7"	4"	243
27-073	Beverage Air	37"	4"	7 3/8	35"	4"	7"	215
26-127	Perlick	39"	4"	1 5/8	36"	4"	1 1/2	334
28-148	Glenco	39 5/8	4"	6 3/4	36 1/2	4"	6"	261
28-230	Glenco	41"	5"	9 1/2	38"	5"	4"	261
28-109	Glenco	41 5/8	8"	4 3/4	38 3/4	8"	4"	261
61-055	True	47"	5"	2 1/4	45"	5"	2 1/4	398
28-149	Glenco	48"	4"	6 3/4	44 1/2	4"	6"	261
27-062	Beverage Air	49 3/4	4"	3"	48 1/8	4"	3"	215
27-065	Beverage Air	54"	4"	7"	52 1/8	4"	7"	215
27-207	Beverage Air	56"	8 1/2	4 1/8	54"	7"	4"	216
27-208	Beverage Air	86"	9"	1 3/4	84"	9"	1 3/8	216

*We also custom fabricate
coils to your specifications
see next page.*

Sales Department :
24 hr. Fax:
www.rhsc.net

Colorado (800) 716-7788
Colo. Fax (800) 835-6655
sales@rhsc.net

California (800) 537-8300
Calif. Fax (800) 833-3515
rhsupply@qwest.net

Soft copper tubing may be soldered to coil and suction line. Tubing is sold by the foot or in 100 ft. coils



Per Foot Order No.	100 ft. Rolls Order No.	Size ID. x OD.
50-145	50-144	.036 x .091
50-151	50-150	.042 x .093
50-157	50-156	.046 x .096
50-163	50-162	.049 x .099
50-169	50-168	.054 x .106
50-175	50-174	.059 x .112

OEM Capillary Assemblies



No. 26-049
Perlick cap tube.



No. 27-262
Beverage Air .042 x 68 in. capillary tubing.




No. 27-263
Beverage Air capillary tube with suction line. (RI-HGS/-22)



No. 27-264
Beverage Air .049 x 70 in. capillary tube.



No. 27-358
Beverage Air .042 x 144 in. capillary tube.



No. 32-273
Hobart capillary assembly with strainer for Q1 series.



No. 32-274
Hobart capillary tubing only for QF2 series. .049 ID x 10 ft.



No. 27-204
Beverage Air



No. 32-275
Hobart capillary tube for dual circuit coil.



No. 32-276
Hobart capillary tube for H2 series. .054 I.D. x 164 in.



Replacement Capillary Tubing

OEM Capillary Assemblies



No. 32-277
Hobart capillary tube assembly for dual circuit HE3 series.



No. 32-278
Hobart .036 I.D. x 108 in. capillary tubing for QF1 series.



No. 32-286
Hobart .036 I.D. x 108 in. capillary tubing for QF2 and DAF2 series.



No. 39-012
McCall capillary tube, .036 in. x 89 in.



No. 60-028
Traulsen capillary assembly. (.054 in. x 5 ft. 6 in. cap w/ vertical accumulator).



No. 60-029
Traulsen capillary assembly. (.042 in. x 5 ft. cap w/ vertical accumulator).



No. 60-023
Traulsen capillary assembly. (.064 in. x 5 ft. cap w/ vertical accumulator).



No. 60-024
Traulsen capillary assembly. (.075 in. x 4 ft. cap w/ vertical accumulator).



No. 60-034
Traulsen capillary assembly. (.042 in. x 5 ft. cap w/ horizontal accumulator).



No. 60-035
Traulsen capillary assembly. (.042 in. x 10 ft. cap w/ horizontal accumulator).



No. 60-030
Traulsen capillary assembly. (.042 in. x 12 ft. cap w/ vertical accumulator).



No. 60-033
Traulsen capillary assembly. (.054 in. x 6 ft. 6 in. cap w/ vertical accumulator).



No. 62-333
Victory .036 x 10 ft. capillary tubing.



ORDERS OVER \$100⁰⁰

Remember, your order for \$100⁰⁰ or more earns you an added 4% discount.*

* NOTE: Some exceptions apply – See terms and policies.

OEM Capillary Assemblies



No. 60-533

Traulsen liquid line to dryer.



No. 61-058

True .046 x 8ft. tubing for all $\frac{1}{3}$ -HP units.

No. 61-059

True .046 x 8ft. tubing for all $\frac{1}{2}$ -HP units.

No. 61-280


True .046 x 12ft. capillary tubing.

No. 61-368

True .046 x 10ft. capillary tubing.

No. 61-369

True .042 x 14ft. capillary tubing.



No. 60-025

Traulsen capillary assembly.
(.064 in. x 6 ft. 6 in. cap
w/ vertical accumulator).

24 Hour Fax



TOLL FREE Sales Dept.

Colorado Fax (800) 835-6655

California Fax (800) 833-3515

Drain Pan Tubing



Order No.	Description
08-350	$\frac{3}{8}$ in. stainless steel hose clamp
08-351	$\frac{1}{2}$ in. stainless steel hose clamp
08-352	$\frac{5}{8}$ in. stainless steel hose clamp



- **FDA Sanctioned Tubing**
- **Oil, acid, alkali, and abrasion resistant**
- **Temperature range: -20° F to +190° F**

Order No.	Description	Length
08-320	$\frac{3}{8}$ in. I.D. Clear Vinyl Tubing,	100 ft rolls
08-321	$\frac{3}{8}$ in. I.D. Clear Vinyl Tubing,	25 ft rolls
08-322	$\frac{3}{8}$ in. I.D. Clear Vinyl Tubing,	per ft.
08-323	$\frac{1}{2}$ in. I.D. Clear Vinyl Tubing,	100 ft rolls
08-324	$\frac{1}{2}$ in. I.D. Clear Vinyl Tubing,	25 ft rolls
08-325	$\frac{1}{2}$ in. I.D. Clear Vinyl Tubing,	per ft.
08-326	$\frac{5}{8}$ in. I.D. Clear Vinyl Tubing,	100 ft rolls
08-327	$\frac{5}{8}$ in. I.D. Clear Vinyl Tubing,	25 ft rolls
08-328	$\frac{5}{8}$ in. I.D. Clear Vinyl Tubing,	per ft.

**National TOLL FREE
Order Desk
(800) 423-2446**

For additional accumulators not listed, refer to individual OEM sections or call our customer service department with model and serial number of the unit.



No. 09-089
6 in. Long, 1 1/2 in. Wide,
1/2 in. tube holes
(Continental see page 231)



No. 62-192
4 1/2 in. Long, 1 5/8 in. Dia.,
3/8 in. outlet hole
(Victory see page 417)



No. 27-140
9 1/2 in. Long, 1 1/4 in. Dia.,
1/2 in. & 3/8 in. tube holes
(Beverage Air see page 212)



No. 61-057
9 in. Long, 1 3/8 in. Wide.,
1/2 in. tube holes (True
see page 399)



No. 27-260
5 1/2 in. Long, 1 1/2 in. Dia.,
3/8 in. tube holes
(Beverage Air see page 212)



No. 62-191
4 in. Long, 2 1/4 in. Dia.,
1/2 in. & 3/8 in. tube holes
(Victory see page 417)



No. 27-331
4 1/2 in. Long, 1 5/8 in. Dia.,
1 @ 1/2 in. & 2 @ 3/8 in. tube
holes (Beverage Air see
page 212)



No. 62-190
4 in. Long, 2 1/4 in. Dia.,
1/2 in. outlet hole
(Victory see page 417)



No. 27-261
8 in. Long, 1 5/8 in. Dia.,
1 @ 1/2 in. & 2 @ 3/8 in. tube
holes (Beverage Air see
page 212)



No. 27-141
6 1/2 in. Long, 1 3/16 in. Dia.,
5/16 in. & 3/8 in. tube holes
(Beverage Air see page 212)



No. 32-171
8 in. Long, 1 5/8 in. Dia.,
1 @ 1/2 in. & 2 @ 3/8 in. tube
holes (Hobart see page
280)

No. 27-142
6 1/2 in. Long, 1 3/16 in. Dia.,
3/8 in. tube holes
(Beverage Air see page 212)

No. 32-170
9 in. Long, 1 1/4 in. Dia.,
3/8 in. tube holes
(Hobart see page 280)



No. 32-172
9 in. Long, 1 3/8 in. Dia.,
3/8 in. tube holes
(Hobart see page 280)



No. 32-173
6 in. Long, 2 in. Dia.,
3/8 in. tube holes
(Hobart see page 280)



No. 53-105
6 in. Long, 1 3/8 in. Dia.,
3/8 in. tube holes (Randell see page 348)



No. 28-137
9 in. Long, 1 1/4 in. Dia.,
3/8 in. tube holes (Glenco see page 260)

No. 28-138
4 in. Long, 1 1/2 in. Dia.,
3/8 in. tube holes (Glenco see page 260)


No. 28-202
6 in. Long, 1 1/4 in. Dia.,
3/8 in. tube holes (Glenco see page 260)

No. 28-203
9 in. Long, 1 1/2 in. Dia.,
1/2 in. tube holes (Glenco see page 260)

Expansion Valves



For additional expansion valves not listed, refer to individual OEM sections or call our customer service department with model and serial number of the unit.



No. 17-083

Danfoss expansion valve
 $\frac{3}{8}$ in. and $\frac{1}{2}$ in. flare connection
 (MFG. No. 351-6127)
 (Delfield see page 243)



No. 33-068

$\frac{1}{4}$ ton expansion valve (Herrick see page 267)


No. 33-069

$\frac{1}{2}$ ton R-12 expansion valve
 $\frac{1}{2}$ in. and $\frac{1}{2}$ in. flare connection
 (Herrick see page 267)



No. 53-145

$\frac{1}{4}$ ton R-12 expansion valve
 $\frac{1}{4}$ in. and $\frac{3}{8}$ in. sweat connection
 (Randell see page 348)



No. 17-165

$\frac{1}{4}$ ton Sporlan expansion valve
 $\frac{1}{4}$ in. and $\frac{3}{8}$ in. sweat connection
 (Delfield see page 243)



No. 44-148

Expansion valve for R502, R404, R402A, R507
 $\frac{1}{4}$ in., $\frac{3}{8}$ in. and $\frac{1}{2}$ in. flare connection
 (Norlake see page 322)




No. 53-146

$\frac{1}{4}$ ton R134A expansion valve
 $\frac{1}{4}$ in. and $\frac{3}{8}$ in. sweat connection
 (Randell see page 348)



No. 26-069

$\frac{1}{2}$ ton R-12 expansion valve
 $\frac{1}{4}$ in. and $\frac{1}{2}$ in. flare connection
 (Perlick see page 336)



No. 53-144

Solenoid valve
 (Randell see page 348)



No. 53-256

$\frac{1}{8}$ ton R134A expansion valve freon systems medium to high temperature. $\frac{1}{4}$ in. and $\frac{3}{8}$ in. sweat connection (Randell see page 348)

**National TOLL FREE
 Order Desk
 (800) 423-2446**

Sales Department :
 24 hr. Fax:
 www.rhsc.net

Colorado (800) 716-7788
 Colo. Fax (800) 835-6655
 sales@rhsc.net

California (800) 537-8300
 Calif. Fax (800) 833-3515
 rhsupply@qwest.net