

Part No.	Description
ACC00075	ACCUMULATOR;SUCTION
ACC00078	ACCUMULATOR; 5.00 DIA X 13.00 LG
ACC00085	ACCUMULATOR; CHARGE ROBBER
ACC00087	ACCUMULATOR; 1-3/8 CONN, 18.00 LG
ACC00106	ACCUMULATOR;TANK .50 OD 2.70 OD X 5.42 LG
ACC00129	ACCUMULATOR; SUCTION LINE,3/4 IN OD 4 LBS HOLDING CAP - R22 (A-AS4106)
ACC00131	ACCUMULATOR; SUCTION LINE,7/8 IN ODF 6 LBS HOLDING CAP - R22 (A-AS597)
ACC00133	ACCUMULATOR; SUCTION LINE,7/8 IN ODF, 8 LBS HOLDING CAP R22 (A-AS5127)
ACC00134	ACCUMULATOR; SUCTION LINE,7/8 IN ODF 8.5 LBS HOLDING CAP - R22 (A-AS5137)
ACC00135	ACCUMULATOR; SUCTION LINE,1-1/8 IN ODF 8.5 LBS HOLDING CAP - R22 (A-AS5139)
ACC00136	ACCUMULATOR; SUCTION LINE,1-1/8 IN ODF 12 LBS HOLDING CAP - R22 (A-AS5179)
ACC00137	ACCUMULATOR; SUCTION LINE,1-3/8 IN ODF 12 LBS HOLDING CAP - R22 (A-AS51711)
ACC00138	ACCUMULATOR; SUCTION LINE,7/8 IN ODF 10 LBS HOLDING CAP - R22 (A-AS6117)
ACC00140	ACCUMULATOR; SUCTION LINE,1-1/8 IN ODF 12 LBS HOLDING CAP - R22 (A-AS6139)
ACC00142	ACCUMULATOR; SUCTION LINE,1-5/8 IN ODF 16 LBS HOLDING CAP - R22 (A-AS61713)
ACC00148	ACCUMULATOR;CHARGE ROBBER
ACC00163	ACCUMULATOR; 3000 PSI, 10 CU IN CAPACITY, 1/2 NPT
ACT00034	ACTUATOR; DIRECT COUPLED, SPDT FLOATING CONTROL INPUT
ACT00037	ACTUATOR; DCA, SPDT FLOATING CONTROL INPUT, 35LB-IN TORQUE
ACT00039	ACTUATOR; DCA, SPDT FLOATING CONTROL INPUT,35LB-IN TORQUE
ACT00041	ACTUATOR; DCA, SPDT FLOATING CONTROL INPUT. 35LB-IN TORQUE
ACT00093	ACTUATOR; MTR-LNKGE, DCA, ELEC. CNT INPUT, FEEDBACK
ACT00105	ACTUATOR;DIRECT COUPLED 2-10 VDC OR 4-20 MA CONTROL
ACT00109	ACTUATOR;DIRECT MOUNT VALVE, POWER FAIL SPRING RETURN STEM DOWN
ACT00193	ACTUATOR; DAMPER
ACT00211	ACTUATOR; VALVE
ACT00216	ACTUATOR; VALVE
ACT00222	ACTUATOR; VALVE
ACT00229	ACTUATOR; VALVE
ACT00257	LINKAGE; VALVE TO ACTUATOR
ACT00259	ACTUATOR; VALVE
ACT00261	ACTUATOR; VC VALVE, SERIES 60 FLOATING CONTROL
ACT00264	ACTUATOR; VC VALVE, ON-OFF CONTROL
ACT00267	ACTUATOR; VC VALVE, SERIES 70 MODULATING CONTROL
ACT00290	ACTUATOR; DIRECT COUPLED
ACT00306	ACTUATOR; ELECTRIC, SIZE 6
ACT00307	ACTUATOR; ELECTRIC, SIZE 8 AND 10
ACT00311	ACTUATOR, WITH GEARS
ACT00312	ACTUATOR; DAMPER 24V 50/60
ACT00314	ACTUATOR; ASSEMBLY COMPLETE WITH GEARS
ACT00316	ACTUATOR; N.C., 24VAC 50/60HZ
ACT00317	ACTUATOR; N.O., 24VAC 50/60HZ
ACT00319	ACTUATOR; DAMPER, 120V, 60HZ, 90 DEGREE STROKE/260 SECONDS, 200 IN-LBS TORQUE
ACT00327	ACTUATOR; DAMPER
ACT00329	ACTUATOR; DIRECT COUPLED SPDT FLOATING CONTROL INPUT 35LB-IN. TORQUE

Part No.	Description
ACT00331	ACTUATOR; 2 POSITION (ON/OFF), 24V (60HZ) 2 WIRE+COMMON ACTUATOR, 1 METER CABLE
ACT00336	ACTUATOR; 35 IN-LBS MIN TORQUE, SPRING RETURN DIRECT COUPLED, DAMPER
ACT00338	ACTUATOR; DAMPER, SPRING RETURN DIRECT COUPLED,35 IN/LBS MIN TORQUE
ACT00339	ACTUATOR; DAMPER, 24 VAC, 35 IN-LBS MIN TORQUE, 0-95 DEG ACTUATION 80-110 SEC
ACT00340	ACTUATOR; DAMPER, 24VAC, 35 IN-LBS MIN TORQUE, 0-90 DEG ACTUATION/150 SEC
ACT00341	ACTUATOR; W/13" LEADS & CONNECTORS, NON-SPRING RETURN
ACT00342	ACTUATOR; W/16" LEADS & CONNECTORS, NON-SPRING RETURN
ACT00343	ACTUATOR; 35 IN-LBS MIN TORQUE, SPRING RETURN, W/CLAMP, DIRECT COUPLED
ACT00346	ACTUATOR; 24 VAC, 2-10 VDC CONTROL INPUT SIGNAL, SPRING RETURN
ACT00353	ACTUATOR; VALVE
ACT00358	ACTUATOR; HOT WATER VALVE
ACT00362	ACTUATOR; 24 VOLT
ACT00367	ACTUATOR; COMMUNICATING LINEAR STEPPER DRIVE
ACT00370	ACTUATOR; W/PROOF OF CLOSURE
ACT00371	ACTUATOR; DIRECT COUPLED, NON-SPRING RETURN
ACT00372	ACTUATOR; 2-WAY NO/3-WAY 24VAC 50/60HZ
ACT00373	ACTUATOR; 2-WAY 24VAC 50/60HZ
ACT00374	ACTUATOR; ELECTRONIC VALVE ACTUATOR, 24 VAC, 50/60 HZ
ACT00384	ACTUATOR; VENT
ACT00386	ACTUATOR; 2/3 WAY MODULATING, 24 VAC
ACT00387	ACTUATOR; 2/3 WAY, N.O./N.C., 24 VAC
ACT00390	ACTUATOR; 115V, N.C. POP TOP FOR VT ERIE VALVE
ACT00391	ACTUATOR; 115V N.O. POP TOP FOR VT ERIE VALVE
ACT00392	ACTUATOR; 24 V 50/60 HZ, VALVE
ACT00398	ACTUATOR; MCC, MULTI-ZONE COLD DECK, PROGRAMMED ADJ-SPAN 6-10 VDC
ACT00399	ACTUATOR; 24 VOLT 50/60 HZ,NON-SPRING RETURN,NORMALLY OPEN, W/CONDUIT
ACT00400	ACTUATOR; 24 VOLT 50/60 HZ,NON-SPRING RETURN,NORMALLY CLOSED, W/CONDUIT
ACT00401	ACTUATOR; 24 VOLT 50/60 HZ,NON-SPRING RETURN W/CONDUIT
ACT00403	ACTUATOR; 24 VOLT 50/60 HZ,SPRING RETURN, NORMALLY OPEN, W/CONDUIT
ACT00404	ACTUATOR; 24 VOLT 50/60 HZ,SPRING RETURN,NORMALLY OPEN, W/CONDUIT
ACT00405	ACTUATOR; 24 VOLT 50/60 HZ,SPRING RETURN,NORMALLY OPEN, W/CONDUIT
ACT00406	OPERATOR; ASSEMBLY, 1ST STAGE VANE, EXTENDED CAPACITY
ACT00408	ACTUATOR; VALVE ECONOMIZER
ACT00411	ACTUATOR; 24 VOLT 50/60 HZ,SPRING RETURN, NORMALLY CLOSED, W/CONDUIT
ACT00412	ACTUATOR; 24 VOLT 50/60 HZ,SPRING RETURN, NORMALLY CLOSED, W/CONDUIT
ACT00415	ACTUATOR; COMMUNICATING LINEAR STEPPER DRIVE, WITH MALE GLOBAL CONNECTOR
ACT00417	ACTUATOR; ROTARY, NON-SPRING RETURN
ACT00421	ACTUATOR; MAIN GAS SAFETY SHUTOFF VALVE
ACT00425	ACTUATOR;
ACT00427	ACTUATOR; BELIMO, ROTARY, DAMPER NON-SPRING RETURN
ACT00428	ACTUATOR; MODULATING DAMPER 24VAC, ROTATRY
ACT00430	ACTUATOR; VALVE, 24 VAC
ACT00431	ACTUATOR; ROTARY, W/NON-SPRING RETURN
ACT00432	ACTUATOR; ROTARY, W/NON-SPRING RETURN
ACT00433	ACTUATOR; ROTARY, W/NON-SPRING RETURN, VARITRAC

Part No.	Description
ACT00450	ACTUATOR; SPRING RETURN, DIRECT COUPLED
ACT00451	ACTUATOR; ROTARY, W/SPRING RETURN
ACT00459	ACTUATOR; ROTARY, DMPR 150SEC
ACT00463	ACTUATOR; Two-position, SPST Actuator - 175 lb-in, Spring Return , 120 Vac +/-10%, 60 Hz
ACT00464	ACTUATOR; DAMPER 230VAC
ACT00465	ACTUTOR; VALVE, NORMALLY OPEN, UV, 2/3WY
ACT00468	OPERATOR; ASSEMBLY, 2ND STAGE VANE, EXTENDED CAPACITY
ACT00471	ACTUATOR; ROTARY, NON SPRING RETURN
ACT00473	ACTUATOR; VALVE, 110-120 VAC, 50/60 HZ, 20VA, AIR/GAS RATIO CONTROLLING
ACT00475	ACTUATOR; VALVE, 220V
ACT00477	ACTUATOR;VALVE, 277VAC-50/60
ACT00480	ACTUATOR; VALVE, 2/3 WAY MODULATING, 24V, 50/60HZ, MODULATING
ACT00481	ACTUATOR; SOS, BELIMO AMP 2 POSITION 2 WAY
ACT00482	ACTUATOR; 24VAC/DC, NEMA 2, FOR USE W/ 0.375 TO 0.625 SHAFTS
ACT00485	ACTUATOR; DAMPER, 24V, 50/60 HZ
ACT00486	ACTUATOR, 2/3 WAY MODULATING, 24V, 50-60 HZ
ACT00487	ACTUATOR; 3-WAY, 25CV, 1/2-14NPT
ACT00495	ACTUATOR; ROTARY, DAMPER
ACT00496	ACTUATOR; NON-SPRING RETURN
ADH00007	ADHESIVE; SPRAY 3M-77
ADH00011	ADHESIVE; SPRAY - DUCT LINER
ADH00022	ADHESIVE; LOCTITE 480
ADH00023	ADHESIVE; LOCTITE 409 SUPERBONDER, GEL, INSTANT ADHESIVE, 20 GRAM TUBE
ADH00024	ADHESIVE; LOCTITE 409 SUPERBONDER, GEL, INSTANT ADHESIVE, 3 GRAM TUBE
ADH00025	ADHESIVE; LOCTITE 383 OUTPUT, LOCTITE # 21086, PKG 5
ADH00027	ADHESIVE; FOR USE ON PIPE AND TUBING INSULATION, 12 OZ.
ADH00028	ADHESIVE; AEROSOL, ADHESIVE, 11 OZ. AEROSOL CAN
ADH00029	ADHESIVE; CLOSED CELL ELASTOMERIC INSULATION
ADH00030	ADHESIVE; SPRAY-N-BOND WIDE WEB SPRAY ADHESIVE, 12 OZ. SPRAY
ADH00031	ADHESIVE; LOCTITE QUICK SET 404 INDUSTRIAL ADHESIVE, 1/3 OZ. BOTTLE
ADH00034	SUPER GLUE; 2 GRAM TUBE
ADP00002	ADAPTER; (10 EA/CASE);1.13 X 1, WC-401, CXM
ADP00003	ADAPTER; .62C X .50 NPTE 5/8 OD X 1/2 MPT
ADP00005	ADAPTER; (25EA/CASE) .88 X .75
ADP00012	ADAPTER; .25 MFL X .12 NPTE, HALF UNION-REDUCER-FLARE, BRASS
ADP00016	ADAPTER; .25 MFL X .25 NPTE
ADP00018	ADAPTER; UNION; HALF, FLARE TO NPTFE, 1/4 X 3/8, U1-4C
ADP00029	ADAPTER; RIGHT ANGLE SWEAT, 3/8
ADP00055	ADAPTER; FITTING .50 FTG X .25 NPTI
ADP00066	ADAPTER; (50 EA/CASE); .50 X .50
ADP00067	ADAPTER; TERMINAL SCREW,
ADP00074	ADAPTER; CONNECTOR, HALF UNION, .25 ODS X .25 MFL
ADP00076	ADAPTER; SUCTION & DISCHARGE CONNECTION
ADP00081	ADAPTER; HOSE,ABS. PURGE PUMP
ADP00082	ADAPTER; COMPRESSION ELBOW, 5/8 IN. OD X 3/8 IN. MPT

Part No.	Description
ADP00089	ADAPTER; HOSE
ADP00090	ADAPTER; ASM.
ADP00091	ADAPTER; SEAL, 1.875 OD X .25 THICK
ADP00092	ADAPTER; (10 EA/CASE); .50 MFL X .50 NPTE, HALF UNION, BRASS
ADP00119	FRAME; FAN DISCHARGE ADAPTER
ADP00120	FRAME; FAN DISCHARGE ADAPTER
ADP00121	FRAME; FAN DISCHARGE ADAPTER
ADP00122	FRAME; FAN DISCHARGE ADAPTER
ADP00123	FRAME; FAN DISCHARGE ADAPTER
ADP00124	FRAME; FAN DISCHARGE ADAPTER
ADP00139	ADAPTOR; HOSE
ADP00146	ADAPTER; FUSE SA 6 1/4 DD VENT
ADP00147	ADAPTER;FLANGE
ADP00148	ADAPTER; FLANGE
ADP00149	ADAPTER; FLANGE
ADP00150	ADAPTER; FLANGE
ADP00151	ADAPTER; FLANGE
ADP00152	ADAPTER; FLANGE
ADP00153	ADAPTER; FLANGE
ADP00159	ADAPTER; LINKAGE, ZONE ACTUATOR
ADP00169	ADAPTER;10IN. AND 12IN. FREE, COOLING VALVE
ADP00171	ADAPTER; (25 EA/CASE); FLARE, .38 MFL X .38 NPTE, HALF UNION-FLARE, BRASS
ADP00183	ADAPTER; ACCESS FITTING
ADP00210	ADAPTER; .17 ID X .09 ID TUBE
ADP00211	ADAPTER;DISCHARGE VALVE MALE
ADP00212	ADAPTER;SUCTION VALVE MALE
ADP00213	ADAPTER; .25 COPPER X .125 NPTI
ADP00219	ADAPTER; PNEUMATIC ACTUATOR
ADP00220	ADAPTER; FLOW CONTROL
ADP00226	ADAPTER; ASSEMBLY
ADP00229	ADAPTER; FLAME SENSOR TESTER
ADP00230	ADAPTER; VENT, 4 IN. ROUND
ADP00234	ADAPTER; 24 VOLT AC, PORTABLE EDIT TERMINAL
ADP00238	ADAPTER; TRANSITION ASSEMBLY(FLUE TO DRAFTOR)
ADP00242	ADAPTER; FLUE TO DRAFTER
ADP00247	ADAPTER; VENT
ADP00256	ADAPTER; MALE RAJAH TO 1/4 IN.FEMALE QUICK CONNECT
ADP00258	ADAPTER;SURFACE MOUNTING FOR UHAA
ADP00262	ADAPTER; CABLE
ADP00263	ADAPTER; FITTING, HOSE FOR VACUUM VALVE
ADP00264	ADAPTER; KIT
ADP00269	ADAPTER; COPPER, 0.625 INCH ODM X 0.500 INCH NPTI
ADP00272	ADAPTER; 1.38C X 1.25 NPTE
ADP00273	ADAPTER; .88 FTG X .75 NPTE
ADP00274	ADAPTER; .88C X .75 NPTE

Part No.	Description
ADP00281	ADAPTER; VANE ACTUATOR
ADP00282	ADAPTER;7/16IN.20 UNF (FITTING)
ADP00294	ADAPTER; FLUE TRANSITION ASSEMBLY
ADP00295	ADAPTER;FLUE TRANSITION ASSEMBLY
ADP00301	ADAPTER; FEMALE, .88 ODS X .75 HOSE
ADP00303	ADAPTER; .50 C X .50 NPTI, MUELLER STYLE WC-402, 50/BOX
ADP00306	ADAPTER; 9 PIN DE FEMALE TO RJ12
ADP00307	ADAPTER; 25 PIN DB FEMALE TO RJ12
ADP00308	ADAPTER; 25 PIN MALE FOR USE WITH TANDY 102
ADP00312	ADAPTER; CABLE, COMFORTRAC TO HP PALMTOP
ADP00316	ADAPTER; FUSTAT FUSE, SA 15 4 PIECE MINIMUM
ADP00321	ADAPTER; SUCTION PORT
ADP00322	ADAPTER; (25 EA/CASE); .88 C X .75 NPTI, WC-402, CXF
ADP00323	ADAPTER; .75 C X .75 NPTI
ADP00326	ADAPTER;HOSE, 3/4 MPT
ADP00328	ADAPTER; .25 FL X .12 OD
ADP00329	ADAPTER; EXHAUST NW40
ADP00331	ADAPTER; FUSTAT FUSE
ADP00333	ADAPTER;ANGLE VALVE, .75 NPT X 1.25-12
ADP00335	ADAPTER; 3/8 MPT X 1/4 FLARE-MALE
ADP00336	ADAPTER; FLUE TRANSITION ASSEMBLY
ADP00337	ADAPTER; FLUE TRANSITION ASSEMBLY
ADP00338	ADAPTER; FLUE, TRANSITION ASSEMBLY
ADP00340	ADAPTER;FLUE OUTLET
ADP00341	ADAPTER; BRASS
ADP00343	ADAPTER; .50 FTG X .25 NPTI
ADP00344	ADAPTER;FEMALE
ADP00345	ADAPTER; .88 OD X 1.25-12 UNF
ADP00347	ADAPTER; .38C X .25NPTE
ADP00348	ADAPTER; .62 FTG X .38 NPTE
ADP00350	ADAPTER; .62C X .38 NPTE
ADP00356	ADAPTER; FITTING TO NPT 1-3/8 OD X 1-1/4 NPT 2-9/32 LONG, WROT CU
ADP00359	ADAPTER; ADAPTER MODEM RJ12 TO DB25
ADP00361	ADAPTER; .25 MFL X .13 NPTI, HALF UNION
ADP00362	ADAPTOR;QUICK SEAL 90
ADP00363	ADAPTER; QUICK SEAL
ADP00364	ADAPTER; FLU CONNECTOR
ADP00367	ADAPTER; MLO OFFSET
ADP00368	ADAPTER; TANK RETURN KIT
ADP00369	ADAPTER; .25 NPTF MALE X .375 NPTF FEMALE
ADP00370	ADAPTER; .75 X .50
ADP00371	ADAPTER; HYDRAULIC, .25 MALE BSPT, .25 FEMALE NPTF
ADP00372	ADAPTER; .63 OD TUBE FOR OIL LINE CONNECTION INCLUDES RINGS
ADP00373	ADAPTER; .25C X .12 NPTE
ADP00374	ADAPTER; .62 OD X .50 NPTI

Part No.	Description
ADP00375	ADAPTER; REDUCER, .75 X .50 NOM
ADP00376	ADAPTER; .88C X 1 NPTE
ADP00377	ADAPTER; DROP EAR .75 CU X.75 FPT
ADP00378	ADAPTER; DRAIN PAN, 3/4 OD X 1/2 NPTI
ADP00382	ADAPTER; VOLT, 6-9V
ADP00383	ADAPTER; (50EA/CASE) .62 C X .50 NPTE, WC-401, CXM
ADP00384	ADAPTER; .25 FL X.25 O-RING SEAL X .25 ACCESS TEE
ADP00424	ADAPTER; .38 ODS X .13NPTI
ADP00426	ADAPTER; 1.13 X 1, WC-402, CXF
ADP00428	ADAPTER; 2.13 X 2, WC-402, CXF
ADP00431	ADAPTER; RELAY MOUNTING STRIP, TYPE LR2 D1 OVERLOAD, CLASS 10
ADP00433	ADAPTER; RELAY, MOUNTING STRIP, TYPE LR2 D3 OVERLOAD, CLASS 10
ADP00434	ADAPTER; AIR/FUEL VERSA TORCH
ADP00435	ADAPTER; VERSA TORCH
ADP00436	ADAPTER; ELBOW 1.00 OD
ADP00437	ADAPTER; 1.00 OD TUBE
ADP00438	ADAPTER; (B TO MC) ACETYLENE REGULATOR
ADP00439	ADAPTER; A - B OXY HOSE
ADP00440	ADAPTER; A - B FUEL HOSE
ADP00441	ADAPTER; TIP
ADP00442	ADAPTER;F FLARE X M FLARE 3/8IN.X 1/4IN. (CONTAINS 4 UNIONS)
ADP00443	ADAPTER;F FLARE X M FLARE 1/4IN.X 3/8IN. (CONTAINS 3 UNIONS)
ADP00444	ADAPTER;F FLARE X M FLARE 3/8IN.X 1/2IN. (CONTAINS 3 UNIONS)
ADP00445	ADAPTER;F FLARE X M FLARE 1/2IN.X 3/8IN. (CONTAINS 3 UNIONS)
ADP00446	ADAPTER; INLET, 3" DIA
ADP00448	ADAPTER; .88 X 1.0 OD SWIVEL, W/HARDWARE
ADP00449	ADAPTER; HOSE, .38 OD X .25 NPTE, BRASS
ADP00453	ADAPTER; 2 IN DIA, PLASTIC
ADP00454	ADAPTER; 3 IN DIA, PLASTIC
ADP00455	ADAPTER; .385 ID INCH SWEAT CONNECTION FOR EQUALIZER LINE X 3/4-14 NPTF
ADP00456	ADAPTER; ECONOMIZER
ADP00460	ADAPTER, REDUCER, 2.63 X 2.13
ADP00461	ADAPTER; (10EA/CASE) .62 MFL X .50 NPTE, BRASS
ADP00464	ADAPTER; .38 C X .38 NPTE
ADP00469	ADAPTER; 5/16 ID X 1/2 OD (1 = 5 PCS)
ADP00471	ADAPTER; 3/8 ID X 1/2 OD (1 Bag = 5 Pieces)
ADP00477	FLANGE ADAPTER; 12 NPS, STYLE 741
ADP00478	ADAPTER; PCMCIA ARCNET (PCM20) CARD FOR OS/2
ADP00479	ADAPTOR; VACUUM PUMP INTAKE FITTING 3/8FFL TO 1/4MFL
ADP00480	ADAPTER; EVERYWARE PC
ADP00481	ADAPTER; QF II TIP VERSA TORCH
ADP00482	ADAPTER; SWAGE-LOK
ADP00483	ADAPTER; 7/8-14 X 1-14
ADP00484	ADAPTER; 1 5/16-12 X 1 7/16-12
ADP00485	ADAPTER; 1 7/8-12 X 2-12, INCLUDES O-RING

Part No.	Description
ADP00486	ADAPTER; .25FTG X .25NPTE
ADP00487	ADAPTER; 1 5/16-12 X 1 11/16-12, Includes O-Ring
ADP00488	ADAPTER; 3.8 HOSE 3/8 NPTE
ADP00493	ADAPTER; .510 INCH ID SWEAT CONNECTION FOR EQUALIZER LINE X 15/16-20 UNEF-2A THREAD
ADP00494	ADAPTER; ROVER QUICK CONNECT ADAPTER
ADP00815	ADAPTER; VALVE
ADP00816	ADAPTER; 1.0 IN NPT X SNUB, W/NORMAL SWIVIL
ADP00825	ADAPTER; REGULATOR TO ACO2
ADP00826	ADAPTER; F TO F BANANA (ASMM2 TO ACC. HEAD)
ADP00827	ADAPTER; QUICK CONNECTS TO ALLIGATOR CLIPS
ADP00828	ADAPTER; MALE BANANAS TO QUICK CONNECTS
ADP00829	ADAPTER; QUICK CONNECTS TO MINIPLUG
ADP00830	ADAPTER; .50-20 UNF X .13 NPTE
ADP00831	ADAPTER; 1/2-20 UNF X 1/8 NPTE
ADP00832	ADAPTER; ROTALOCK, 90 DEG
ADP00833	ADAPTER; PROPANE (INJECTOR), VERSATORCH
ADP00834	ADAPTER; PREST-O-LINE
ADP00835	ADAPTER; UNIWELD
ADP00841	ADAPTER; ACCESS FITTING (1 CTN = 10 PCS)
ADP00842	ADAPTER; PNEUMATIC ACTUATOR (1 CTN = 10 PCS)
ADP00843	ADAPTER; MALE RAJAH TO 1/4 INCH FEMALE (1 CTN = 10 PCS)
ADP00844	ADAPTER; (1 CTN=20 PCS), .25 MFL X .25 NPTE, HALF UNION-FLARE, BRASS
ADP00845	ADAPTER; 1/2 CPVC, MPT X S
ADP00846	ADAPTER; 1/2 CPVC, FPT X S
ADP00847	ADAPTER; 3/4 CPVC, FEMALE MPT X S
ADP00848	ADAPTER; 3/4 CPVC, MALE FPT X S
ADP00849	ADAPTER; 1/2 FPT X 1/2 S ,PVC
ADP00850	ADAPTER; 3/4 FPT X 1/2 S, PVC
ADP00851	ADAPTER; 1/2 MPT X 1/2 S, PVC
ADP00852	ADAPTER; 3/4 MPT X 1/2 S, PVC
ADP00853	ADAPTER; 3/4 FPT X 3/4 S, PVC
ADP00854	ADAPTER; 3/4 MPT X 3/4 S, PVC
ADP00855	ADAPTER; 3/4 MGHT X 3/4 S , PVC
ADP00856	ADAPTER; 1 FPT X 1 S , PVC
ADP00857	ADAPTER; 1 MPT X 1 S , PVC
ADP00859	ADAPTOR; ORING FACE SEAL, 7/8-14 UNF-2A X 1 3/16-12 UNF-2A
ADP00861	ADAPTER; .50 SWEAT X .50 NPT
ADP00863	ADAPTER; ANGLE VALVE, 1/2 NPT TO 1-14 UNS
ADP00864	ADAPTER; .25 MFL X .12 NPTE HALF UNION BRASS
ADP00865	ADAPTER; PIPE NIPPLE 1" X 2 7/8"
ADP00866	ADAPTER; PIPE NIPPLE 1/2" X 1 1/2"
ADP00867	ADAPTER; Y MACHINED, 2.6 X 2.6 X 4.1
ADP00868	ADAPTER; HANDLE, ACCESSORY HEAD W/LEADS
ADP00880	ADAPTER; DISCHARGE SWEAT ADAPTOR, 1 1/8 (144K BTU) 90 DEG
ADP00885	ADAPTER; 1/2 - 1/4 SAE FLARE

Part No.	Description
ADP00889	ADAPTER; DEEP SUMP KIT
ADP00890	ADAPTER; WITH ORINGS, TUBE TO SAE O-RING PORT SEAL-LOK, .56-18 X .56-18
ADP00891	ADAPTER; TRANSITION ASSEMBLY
ADP00904	ADAPTER; PVC FITTING, 1" MPT X 3/4S
ADP00905	ADAPTER;(50 EA/CASE);.50 Cx.38 NPTI, WC-402, CxF
ADP00906	ADAPTER; 2.62 Cx2.50 NPTI, WC-402,CxF
ADP00907	ADAPTER; .38 Cx.25 NPTE, WC-401, CxM
ADP00908	ADAPTER; 2.12 Cx2 NPTE, WC-401,CxM
ADP00909	ADAPTER; .38 OD TUBE X .7/16-20 SAE, O-RING SEAL HEX
ADP00913	ADAPTER; PIPE 1" X 3 3/8"
ADP00915	ADAPTER VACUUM PUMP INTAKE ADAPTER, 3/8 IN FE FL X 1/2 IN M FL ADAPTER
ADP00916	ADAPTER; (15EA/CASE) F FLARE X M FLARE .50 IN. X .38 IN.
ADP00917	ADAPTER;3/4" NPS finger tight cylinder adapter with 1/4" male flare, for 125 and 145lb cylinders
ADP00918	ADAPTER;3/4" NPS finger tight cylinder adapter with 3/8" male flare, for 125 and 145lb cylinders
ADP00919	ADAPTER;1/4" Yellow FlexFlow Adapter
ADP00921	ADAPTER; PUMP INTAKE FITTING ADAPTER. 1/2" FE FL X 3/8 M FL
ADP00922	ADAPTER; 1/4" X 1/4", MUELLER STYLE WC-402, 100/BOX
ADP00923	ADAPTER, 5/8" X 1/4", MUELLER SYLE WC-402,50/BOX
ADP00927	ADAPTER; 1 1/8" X3/4", MUELLER STYLE WC-401, 10/BOX
ADP00928	ADAPTR;44-20 ORBx.44-20F
ADP00932	ADAPTER; 3/8" X 3/8", MUELLER STYLER WC-401,50/BOX
ADP00933	ADAPTER; 7/8" X 1", MUELLER STYLE WC-401, 25/BOX
ADP00935	ADAPTER; PCMCIA ADAPTOR CARD (PCM20E)
ADP00936	ADAPTER; 1 5/8IN C X 1 1/4F COPPER
ADP00937	ADAPTER, ACR COPPER, MUELLER STYLE WC-402, 5/8" X 1/2", 50/BOX
ADP00938	ADAPTER; 3/8IN FE FL X 1/4IN M FL
ADP00939	ADAPTER; 1/2IN FE FL X 1/4IN M FL
ADP00941	ADAPTER; 1/4-28 NPTE X 1/8 NPTI
ADP00942	ADAPTER; .75 C X .75 NPTI
ADP00946	ADAPTER; 800 ND RATING PLUG (600A)
ADP00957	ADAPTER;.25 MFLx .25 NPTI
ADP00958	ADAPTER; 11/16-16 X 3/8-18 SAE
ADP00959	ADAPTOR; AC POWER ADAPTER FOR ROBINAIR 14010A
ADP00960	ADAPTER; FUSTAT FUSE ADAPTER, SA1
ADP00971	ADAPTER, FUSTAT FUSE ADAPTER, SA15
ADP00976	ADAPTER; BANANA PLUG
ADP00977	ADAPTOR; ADAPTS TYPE-K THERMOCOUPLE MINI-CONNECTOR TO DUAL BANANA PLUG INPUTS
ADP00978	ADAPTER; OFFICE PRO NOZZEL, OP12
ADP00979	ADAPTER;NOZZLE 6 IN, OP60
ADP00980	ADAPTER;DUCT 8IN,OP60
ADP00982	ADAPTER; ACME 1/2IN YELLOW FLEXFLOW ADAPTER
ADP00985	ADAPTER; APCKAGED NYLON ADAPTER, 1/2 BARB X 1/2 MPT, 6 PER PACKAGE
ADP00986	ADAPTER; PACKAGED NYLON ADAPTER, 1/2 BARB X 3/4 MPT, 4 PER PACKAGE
ADP00987	ADAPTER; PACKAGED NYLON ADAPTER, 5/8 BARB X 3/4 MPT, 4 PER PACKAGE
ADP00988	ADAPTER; PACKAGED NYLON ADAPTER, 3/4 BARB X 3/4 MPT, 4 PER PACKAGE

Part No.	Description
ADP00989	ADAPTER; PACKAGED NYLON SWIVEL ADAPTER, 1/2 BARB X 3/4 FPT, 4 PER PACKAGE
ADP00990	ADAPTER; PACKAGED NYLON SWIVEL ADAPTER, 5/8 BARB X 3/4 FPT, 4 PER PACKAGE
ADP00991	ADAPTER; PACKAGED NYLON SWIVEL ADAPTER, 3/4 BARB X 3/4 FPT, 4 PER PACKAGE
ADP00992	ADAPTOR; 60 TO 30 REDUCER FOR CLASS R, 250V FUSE
ADP00998	ADAPTER; 1/2 DRUM, A08276
ADP01015	ADAPTER; 1.50 ROTALOCK W/VENT-SUCTION UNS G11170 STEEL
ADP01016	ADAPTER; 1.25-12 UNF - ROTALOCK SPECIAL VALVE CORE UNS G11170 STEEL 15 TON UNIT
ADP01017	ADAPTER; NYLON ADAPTER, 3/4 MPT X 3/8 BARB, 2 PER PACK
ADP01018	ADAPTER; REVERSE BEND ADAPTER FOR RITCHIE 60331 RATCHET HAND BENDER
ADP01019	ADAPTER;PCMCIA COMM4 PC ADAPTER
ADP01020	ADAPTER; PCMCIA, COMM5 PC ADAPTER
ADP01021	ADAPTER; ADAPTER CARD
ADP01022	ADAPTER; ADAPTER BRASS COUPLER FOR SUPEREVAC VACUUM GAUGE
ADP01025	ADAPTER; FLUKE PM9081/001 ADAPTER
ADP01026	ADAPTER; CAPACITY SETTING
ADP01027	ADAPTER; CAPACITY SETTING
ADP01028	ADAPTER; B-MC MCT ADAPT ACETYLENE TANK
ADP01029	ADAPTER; MIXER-ADAPTER FOR TURBO-TORCH OXY-ACETYLENE HANDLES
ADP01030	ADAPTER; MC13 ETEHERNET MEDIA CONVERTER
ADP01033	ADAPTER; FITTING
ADP01034	ADAPTER; 1/2IN MPT X 5/8IN BARB, NYLON
ADP01035	ADAPTER; 3/4IN MPT X 3/4IN BARB, NYLON
ADP01036	ADAPTER; DUCT
ADP01037	ADAPTER; 60 TO 30 REDUCER FOR CLASS H, 250V
ADP01038	ADAPTER; 3/4IN MPT X 5/8IN BARB, NYLON
ADP01040	ADAPTOR; PURGE COMPRESSOR MOUNTING PLATE, WITH ISOLATORS AND MOUNTING SCREWS
ADP01044	ADAPTER; .75 NPTI X 2.25 X 1.69 OVAL FLG, SPECIALTY
ADP01049	ADAPTER; 1/4 INCH LIQUID CHARGING ADAPTER
ADP01050	ADAPTER; 5/16 INCH LIQUID CHARGING ADAPTER
ADP01052	ADAPTER; FLUE CONNECTOR WITH PERFORATED AIR DIFFUSER, 2 INCH DIAMETER, PLASTIC
ADP01053	ADAPTER; FLUE CONNECTOR WITH PERFORATED AIR DIFFUSER, 3 INCH DIAMETER, PLASTIC
ADP01055	ADAPTER; COPPER ADAPTER FITTING, 2-1/8 X 1-1/4
ADP01056	ADAPTER; 3/4 MPT X 3/8 BARB NYLON ADAPTER, 2 PER PACK
ADP01059	ADAPTER; 7/8 OD X 1/2 F COPPER ADAPTER
ADP01060	ADAPTER; 7/8 OD X 1/2 M COPPER ADAPTER
ADP01064	ADAPTER; 1.63 FTG X 1.50 NPTI
ADP01066	ADAPTER; MUELLER W01180 COPPER ADAPTER, 1-5/8 X 1-1/4
ADP01068	ADAPTER; MUELLER W01181 COPPER ADAPTER, 1-5/8 X 1
ADP01069	ADAPTER; REDUCING ADAPTER, 3/4" DOWN TO 1/2", MNPT x MNPT
ADP01070	ADAPTER; REDUCING ADAPTER, 1" DOWN TO 3/4", MNPT x MNPT
ADP01072	ADAPTER; FLUSHING ADAPTER, 1/2" FNPT x 1/2" FNPT
ADP01073	ADAPTER; FLUSHING ADAPTER, 3/4" FNPT x 3/4" FNPT
ADP01074	ADAPTER; FLUSHING ADAPTER, 1" FNPT x 1" FNPT
ADP01075	ADAPTER; 1-1/8 X 1/2 COPPER ADAPTER
ADP01076	ADAPTER; 1-3/8 X 1 COPPER ADAPTER

Part No.	Description
ADP01077	ADAPTER; 1-3/8 X 3/4 COPPER ADAPTER
ADP01078	ADAPTER; 1 INCH FEMALE SLIP X FIPT ADAPTER, SCH. 40 PVC
ADP01079	ADAPTER; 1 INCH X 3/4 INCH MALE REDUCER, MIPT X SLIP ADAPTER, SCH. 40 PVC
ADP01080	ADAPTER; 1 INCH MALE, MIPT X SLIP ADAPTER, SCH. 40 PVC
ADP01081	ADAPTER; QUICK COUPLER, .75 TO .88 X 1.22, STEEL
ADP01087	ADAPTER; FEMALE REDUCING, SCH 40 PVC, 1/2 SLIP X 3/4 FIPT
ADP01090	ADAPTER; 3/8 BARB X 1/2 MPT, NYLON
ADP01092	ADAPTER; 1/2 BARB X 3/4 MPT, NYLON
ADP01093	ADAPTER; 5/8 BARB X 3/4 MPT, NYLON
ADP01095	ADAPTER; W01188 WROT COPPER MALE ADAPTER, 2 INCH SWEAT X 1-1/2 INCH MPT
ADP01097	ADAPTER; REFRIGERANT DRUM, 1/4" FLARE, K1-1
ADP01099	ADAPTER; 1/4" LIQUID CHARGING, 41123
ADP01103	ADAPTER, DWYER A-339 BRASS ADAPTER
ADP01106	ADAPTER; ELBOW, .63 W/1-14 NPTE & 3/4-16 NPTE ENDS, 90 DEGREE
ADP01107	ADAPTER; STRAIGHT, 1/2-20 SAE FEMALE X 1/4 NPT MALE, STEEL
ADP01108	ADAPTER; GREASE FITTING X 1/16 NPT MALE
ADP01109	ADAPTER; 1-40A
ADP01113	ADAPTER; SFJ-77-I FLEXIBLE ADAPTER
ADP01118	ADAPTER; FLUE TRANSITION
ADP01121	ADAPTER; 1/2" PUMP ADAPTER WITH 1/4" FLARE AND 1/2" ACME MALE FITTING, RITCHIE 36018
ADP01122	ADAPTER; 3/8" PUMP ADAPTER WITH 1/4" FLARE AND 1/2" ACME MALE FITTING, RITCHIE 36018
ADP01123	ADAPTER; SPECIALTY, LIQUID LINE
ADP01124	ADAPTER; REFRIGERANT DRUM, 3/8" FLARE, K1-3
ADP01125	ADAPTER; 1/4" LIQUID CHARGING ADAPTER
ADP01127	ADAPTER; DUAL BANANA PLUG TO FEMALE BNC ADAPTER, FLUKE PM9081/001
ADP01129	ADAPTER; FLOW CONTROL
ADP01131	AC ADAPTER (120V)
ADP01132	ADAPTER; 45 DEGREE ADAPTER
ADP01133	ADAPTER; 90 DEGREE ADAPTER
ADP01134	ADAPTER; 3/4" MIPT X SLIP MALE ADAPTER, 5-436007
ADP01135	ADAPTER; CMP ADAPTER 1/2" BRASS
ADP01136	ADAPTER; CMP ADAPTER 3/4" BRASS
ADP01143	ADAPTER; 3/8 HEX HEAD
ADP01144	ADAPTER; COUPLING .50 OD X .88 HEX W/5/8-20 THREAD CL-38
ADP01145	ADAPTER; CMP ADAPTER 1" BRASS
ADP01148	ADAPTER; 1/4" NPT/METRIC ADAPTER
ADP01149	ADAPTER; 3/8" NPT/METRIC ADAPTER
ADP01159	ADAPTER; THERMOCOUPLE ADAPTER ACCESSORY
ADP01160	ADAPTER; THERMOCOUPLE ADAPTER ACCESSORY
ALC00001	ALCOHOL; 2-ETHYL-1-EXANOL, 2.5 LITER ALL ABS EXCEPT ABTD
ALC00003	ALCOHOL; FLUORAL, 250ML, ABTD TWO STAGE ONLY.
ALY00007	ALLOY; BRAZE 560 1/16 IN. DIA X 1 OZ PKG
ALY00008	ALLOY; BRAZE 560 1/16 IN. DIA X 3 OZ PKG
ALY00009	ALLOY; BRAZE 560 1/16 IN. DIA X 5 OZ PKG
ALY00010	ALLOY; BRAZE 505 1/16IN. DIA X 1 OZ PKG

Part No.	Description
ALY00011	ALLOY; BRAZE 505 1/16IN. DIA X 3 OZ PKG
ALY00012	ALLOY; BRAZE 505 1/16IN. DIA X 5 OZ PKG
ALY00013	ALLOY; BRAZE 450 1/16IN. DIA X 1 OZ PKG
ALY00014	ALLOY; BRAZE 450 1/16IN. DIA X 3 OZ PKG
ALY00015	ALLOY; BRAZE 450 1/16IN. DIA X 5 OZ PKG
ALY00017	ALLOY; SIL-FOS 15 .125SQX20IN.(1#TUBE)
ALY00028	ALLOY; SIL-FOS 6 .125IN.X.050IN.X20IN.(1# TUBE)
ALY00051	ALLOY; SIL-FOS 6M .062DIA X20IN. 25# CARTON
ALY00086	ALLOY; BRAZE 452 1/16IN. DIA X 1 OZ PKG
ALY00089	ALLOY; BRAZE 401 1/16IN. DIA X 1 OZ PKG
ALY00092	ALLOY; EASY FLO 45 1/16IN. DIA X 1 OZ PKG
ALY00093	ALLOY; EASY FLO 45 1/16IN. DIA X 3 OZ PKG
ALY00095	ALLOY; WJT SILVALOY 15, .05 X 1/8 X 20 IN., 1# TUBE
ALY00096	ALLOY, WJT SILVALOY 5, .050 X 1/8 X 20 IN., 1# TUBE, 25/BOX
ALY00097	ALLOY; SILVALOY A45, 1/16 IN. X 1 TROY OZ., CANISTER, 5/BOX
ALY00098	ALLOY, SILVALOY A50N, 1/16 IN. X 1 TROY OZ., CANISTER, 6/BOX
ALY00099	ALLOY; SILVALOY 6, .50 X 1/8 IN. X 1# TUBE, 25/BOX
ALY00105	ALLOY; SILVALOY 45, 1/16 IN. X 1 TROY OZ CANISTER, 5/BOX, CONTAINS CADMIUM
ALY00113	ALLOY; SILVALOY 34, 1/16 IN. X 3 TROY OZ, CANISTER, 6/BOX, CONTAINS CADMIUM
ALY00119	ALLOY; HANDY 1 FLUX CORED BRAZE 505, .075" DIA X 20" X 8 sticks
ALY00120	ALLOY; HANDY 1 FLUX CORED BRAZE 380, .075" DIA X 20" X 1/4#
ALY00121	ALLOY; HANDY 1 FLUX CORED BRAZE AL 802, .078" DIA X 20" X 4 STICKS
AMP00007	AMPLIFIER; SERIES 44
AMP00008	AMPLIFIER, SERIES 14
AMP00013	AMPLIFIER; 2-4 SEC, CONTROL
AMP00017	AMPLIFIER; UV FLAME
AMP00018	AMPLIFIER; ELECTRONIC RELAY
AMR00021	ARMATURE; MAGNET FRAME, FREEDOM AND CITIATION NEMA SIZE 4-5, 200A AND 360A
AMR00023	ARMATURE; LOWER CONTACTOR MAGNET FRAME
ANG00625	ANGLE, FILTER RETAINER 15 X .31 GALVANIZED
ANG00715	ANGLE; DISCHARGE, 2.205IN. X 18.328IN.
ANG00717	ANGLE; DISCHARGE, 2.205IN. X 20.453IN.
ANG00718	ANGLE; DISCHARGE, 2.205IN. X 19.890IN.
ANG00721	ANGLE; DISCHARGE, 2.205IN. X 24.578IN.
ANG00722	ANGLE; DISCHARGE, 2.205IN. X 24.515IN.
ANG00776	ANGLE; DISCHARGE, 3.868IN. X 55.375IN.
ANG00792	ANGLE; DISCHARGE, 2.205IN. X 50.729IN.
ANG00793	ANGLE; DISCHARGE, 2.205IN. X 57.840IN.
ANG00805	ANGLE; 47.14 X 1.89 X 1.67
ANG00831	ANGLE; OUTDOOR TOP COVER
ANG00836	ANGLE; OUTDOOR TOP COVER
ANG00858	ANGLE; FILTER
ANG00859	ANGLE; FILTER
ANG00863	ANGLE; DUCT INLET
ANG00873	ANGLE; DUCT TOP

Part No.	Description
ANG00907	ANGLE; DRIP HORIZONTAL
ANG00914	ANGLE; MOTOR ADJUSTMENT
ANG00915	ANGLE; END PANEL
ANG00920	ANGLE; FILTER GUIDE RIGHT HAND
ANG00921	ANGLE; FILTER GUIDE LEFT HAND
ANG00936	ANGLE; 24.77 X 2.81 X 1.60
ANG00937	ANGLE; 24.77 X 2.81 X 1.60
ANG00972	ANGLE; ASSEMBLY
ANG01085	ANGLE; TSC EXTERNAL PIPE CABINET BASE SUPPORT
ANG01129	ANGLE; BLOWER, 036-042
ANG01171	ANGLE; 3.89 X 36.94, HOUSING
ANG01181	ANGLE; BLOWER
ANG01271	ANGLE; 2.00 X 3.868, HOOD ATTACHMENT
ANG01273	ANGLE; 2.87 X 31.80, TSC #40, SIDE HOOD, SUPPORT
ANG01274	ANGLE; 2.87 X 38.90, TSC #50, SIDE HOOD, SUPPORT
ANG01279	ANGLE; 2.87 X 39.50, TSC #50, BACK HOOD, SUPPORT
ANG01291	ANGLE; OUTSIDE AIR LINKAGE CONNECTION, 6.6 X 4.5
ANG01292	ANGLE; RETURN AIR LINKAGE CONNECTION
ANG01294	ANGLE; HORIZONTAL RETURN AIR LINKAGE CONNECTOR
ANG01333	ANGLE; ECONOMIZER MOUNT
ANG01377	ANGLE; 18.250 LONG, DISCHARGE
ANG01378	ANGLE; 18.116 LONG, DISCHARGE
ANG01543	ANGLE; ACTUATOR TO DRIVE ROD
ANG01684	ANGLE; 1.66 X 22.12
ANG01685	ANGLE; 1.66 X 22.00
ANG01688	ANGLE; 1.66 X 16.34
ANG01723	ANGLE; 1.50 X 39.50
ANG01724	ANGLE; 1.50 X 31.54
ANG01738	ANGLE; 1.50 X 44.65 , DISCHARGE
ANG01792	ANGLE; 2.91 X 27.00, COIL SUPPORT
ANG01793	ANGLE; 2.91 X 44.00, COIL SUPPORT
ANO00027	ANODE; MAGNESIUM, 2" DIA X 6" LENGTH, 1 1/2-11 1/2 NPT
ANO00033	ANODE; PLUG, 2"NPT, ZINC, 2" DIA X 10.0 OVERALL LENGTH
APL00001	APPAREL; BASEBALL STYLE CAP W/FIELDPIECE LOGO
APL00002	APPAREL; QUILT LINED SUPPLEX, W/FIELDPIECE LOGO
APL00003	APPAREL; BLACK,COLLARED SHIRT W/FIELDPIECE LOGO
APL00004	APPAREL; T-SHIRT W/FIELDPIECE LOGO
APL00005	APPAREL; SWEATSHIRT W/FIELDPIECE LOGO
APL00006	APPAREL; 8 OZ COTTON CANVAS GLOVE
APL00007	APPAREL; 9 OZ BROWN JERSEY GLOVE
APL00008	APPAREL; 9 OZ BROWN JERSEY GLOVE W/PVC DOT
APL00009	APPAREL; LEATHER PALM GLOVE WITH RUBBERIZED CUFF
APL00010	APPAREL; LEATHER PALM GLOVE WITH KNIT WRIST
APL00011	APPAREL; SPLIT LEATHER DRIVERS GLOVE
APL00012	APPAREL; SELECT LEATHER DRIVERS GLOVE WITH KEYSTONE THUMB

Part No.	Description
APL00013	APPAREL; COTTON/POLYESTER STRING KNIT GLOVE
APL00014	APPAREL; 8 OZ COTTON CANVAS GLOVE W/PVC DOTS
APL00015	APPAREL; RED LINED BROWN JERSEY GLOVE
APL00016	APPAREL; 8 OZ COTTON CANVAS GLOVE
APL00017	APPAREL; AMBER PVC COATED GLOVE
APL00018	APPAREL; WRINKLE FINISH COATED GLOVE
APL00019	APPAREL; 9 OZ COTTON JERSEY HOB-NOB
APL00020	APPAREL; 8 OZ COTTON JERSEY HOB-NOB
APL00021	APPAREL; NYLON KNIT WITH PVC OVERLAY
APL00022	APPAREL; 8 OZ BROWN COTTON JERSEY
APL00023	APPAREL; COTTON FLANNEL CHORE GLOVE
APL00024	APPAREL; COTTON FLANNEL CHORE GLOVE 18 OZ
APL00025	APPAREL; SPLIT LEATHER WELDER'S GLOVE
APL00026	APPAREL; SPLIT LEATHER PALM SAFETY CUFF
APL00027	APPAREL; SPLIT LEATHER PALM KNIT WRIST
APL00028	APPAREL; PILE LINED SPLIT LEATHER
APL00029	APPAREL; PILE LINED SPLIT LEATHER
APL00030	APPAREL; RUST COLORED SPLIT LEATHER
APL00031	APPAREL; LEATHER WITH GUNN CUT
APL00032	APPAREL; LEATHER WITH GUNN CUT
APL00033	APPAREL; BACK SUPPORT S(25-30)
APL00034	APPAREL; BACK SUPPORT M(30-34)
APL00035	APPAREL; BACK SUPPORT L(34-38)
APL00038	APPAREL; BACK SUPPORT XXXL (46-50)
APL00039	APPAREL; BACK SUPPORT W/SUSPENDERS S(25-30)
APL00041	APPAREL; BACK SUPPORT W/SUSPENDERS L(34-38)
APL00044	APPAREL; BACK SUPPORT W/SUSPENDERS XXXL(46-50)
APL00045	APPAREL; RIGHT WRIST SUPPORT S
APL00046	APPAREL; RIGHT WRIST SUPPORT M
APL00047	APPAREL; LEFT WRIST SUPPORT S
APL00048	APPAREL; LEFT WRIST SUPPORT M
APL00049	APPAREL; LEFT WRIST SUPPORT L
APL00050	APPAREL; ANTI-VIBRATION GLOVES (PAIR)M
APL00052	APPAREL; ANTI-VIBRATION GLOVES (PAIR)XL
APL00053	APPAREL; TENNIS ELBOW SUPPORT L
APL00054	APPAREL; POWER KNEE PAD
APL00055	APPAREL; PRO KNEE PAD
APL00056	APPAREL; KNEE KEEPER KNEE PAD
APL00057	APPAREL; OVER-EAR HEARING PROTECTOR
APL00058	APPAREL; FOAM EAR PLUGS WITH CORD (200/PAK)
APL00059	APPAREL; WHITE HARD HAT
APL00060	APPAREL; YELLOW HARD HAT
APL00061	APPAREL; BLUE HARD HAT
APL00062	APPAREL; QUILTED NYLON, FLEECE LINING HARD HAT WINTER LINER
APL00063	APPAREL; 3M NON-TOXIC PARTICLE MASK (50/BOX)

Part No.	Description
APL00065	APPAREL; BIB APRON
APL00076	APPAREL; BLACK/CLEAR STING-RAY EYEWEAR
APL00077	APPAREL; BLACK/SMOKE STING-RAY EYEWEAR
APL00078	APPAREL; BLUE/CLEAR STING-RAY EYEWEAR
APL00079	APPAREL; BLUE/SMOKE STING-RAY EYEWEAR
APL00095	APPAREL; BRAMEC SHOP TOWELS 25/BAG
APL00096	APPAREL; 100 BOX, SMALL LATEX GLOVES
APL00097	APPAREL; 100/BOX, MEDIUM LATEX GLOVES
APL00098	APPAREL; 100/BOX LARGE LATEX GLOVES
APL00101	APPAREL, BLACK PVC COATED GLOVE WITH KNIT WRIST
APL00102	APPAREL, BLACK PVC COATED GLOVE, 12 INCH GAUNTLET STYLE
APL00103	APPAREL; BLACK PVC COATED GLOVE, 14 INCH GAUNTLET STYLE
APL00104	APPAREL; LEATHER WORK GLOVE WITH SAFETY CUFF
APL00105	APPAREL; LEATHER WORK GLOVE WITH 4-1/2 INCH WATERPROOF CUFF
APL00106	APPAREL; LEATHER WORK GLOVE WITH FULL RED JERSEY LINING
APL00107	APPAREL; RENEGADE PERFORMANCE GLOVE WITH KEVLAR THREAD
APL00108	APPAREL; COTTON STRING KNIT GLOVE
APL00112	APPAREL; 9 OZ. BROWN JERSEY GLOVE
APL00113	APPAREL; DISPOSABLE NUISANCE DUST MASK FOR NON-TOXIC PARTICLES
APL00114	APPAREL; EXTRA LARGE SHOE COVERS, BULK PACK, 50 PAIR/BOX
APL00121	APPAREL; CLEAR LENS SPLASH GUARD GOGGLE
APL00122	APPAREL; CLEAR FOGLESS LENS SPLASH GUARD GOGGLE
APL00123	APPAREL; DISPOSABLE NITRILE GLOVE, LARGE, 100/CTN
APL00125	APPAREL; SAFE-T-LIFT BACK SUPPORT SYSTEM, SM, FITS WAIST 30 IN. TO 33 IN., HIPS 34 IN. TO 37 IN.
APL00126	APPAREL; SAFE-T-LIFT BACK SUPPORT SYSTEM, MED, FITS WAIST 34 IN. TO 37 IN. HIPS 38 IN. TO 41 IN.
APL00127	APPAREL; SAFE-T-LIFT BACK SUPPORT SYSTEM, LG, FITS WAIST 38 IN. TO 41 IN. HIPS 42 IN. TO 45 IN.
APL00128	APPAREL; SAFE-T-LIFT BACK SUPPORT SYSTEM, X-LG, FITS WAIST 42 IN. TO 45 IN. HIPS 46 IN. TO 49 IN.
APL00131	APPAREL; HEATSHIELD COOLING VEST, XL, FITS UP TO 250 LB
APL00132	APPAREL; HEATSHIELD COOLING VEST, XXL, FITS 350 LB +
APL00133	APPAREL; MECHPRO MACHINE WASHABLE MECHANICS GLOVE, STYLE 7711XL
APL00134	APPAREL; MECHPRO MACHINE WASHABLE MECHANICS GLOVE, STYLE 7711L
APL00135	APPAREL; MECHPRO MACHINE WASHABLE MECHANICS GLOVE, STYLE 7711M
APL00136	APPAREL; MECHPRO MACHINE WASHABLE MECHANICS GLOVE, STYLE 7721XL
APL00137	APPAREL; MECHPRO MACHINE WASHABLE MECHANICS GLOVE, STYLE 7721L
APL00138	APPAREL; MECHPRO MACHINE WASHABLE MECHANICS GLOVE, STYLE 7721M
APL00139	APPAREL; MECHPRO MACHINE WASHABLE MECHANICS GLOVE, STYLE 7701XL
APL00140	APPAREL; MECHPRO MACHINE WASHABLE MECHANICS GLOVE, STYLE 7701L
APL00141	APPAREL; MECHPRO MACHINE WASHABLE MECHANICS GLOVE, STYLE 7701M
APL00142	APPAREL; X-LARGE LATEX GLOVE, 100/BOX
APL00143	APPAREL; X-LARGE NITRILE GLOVES, 100 PER BOX
APL00144	APPAREL; MEDIUM SIZE MECHPRO ECONOMY MECHANICS GLOVE
APL00145	APPAREL; LARGE SIZE MECHPRO ECONOMY MECHANICS GLOVE
APL00146	APPAREL; X-LARGE SIZE MECHPRO ECONOMY MECHANICS GLOVE
APL00147	APPAREL; 3M NON-TOXIC PARTICLE MASK (50/BOX)
APL00148	APPAREL; MECHPRO 7700S ECONOMY MECHANICS GLOVE

Part No.	Description
APL00149	APPAREL; NITRILE GLOVE, SIZE MEDIUM, 100/BOX
APL00150	APPAREL; GLOVES, UNLINED SUEDED-DEERSKIN WORK, MEDIUM
APL00151	APPAREL; GLOVES, UNLINED SUEDED-DEERSKIN WORK, LARGE
APL00152	APPAREL; PROTECTIVE EYEWEAR, BLUE FRAME WITH CLEAR LENS
APL00154	APPAREL; TERI REINFORCED TOWELS/126 TOWELS/BOX
APL00155	APPAREL: HARD CAP, WHITE
APL00156	HAT; (12 EA/CASE) HARD HAT, WHITE
APL00157	RESPIRATOR; (3 EA/CASE) MULTI PURPOSE W/CARTRIDGES
APL00158	RESPIRATOR; (5 EA/CASE) MULTI PURPOSE REPLACEMENT CARTRIDGE, 2 PACK
APL00159	HARNESS; VEST STYLE STANDARD SIZE FP PRO
APL00160	RESPIRATOR; (4 EA/CASE)TOXIC DUST RESPIRATOR W/CARTRIDGES
APL00161	RESPIRATOR; (6 EA/CASE) TOXIC DUST RESPIRATOR REPLACEMENT CARTRIDGES, 2 PACK
APL00162	HARNESS; VEST STYLE, STD SIZE, TONGUE BUCKLE LEG STRAPS, 1 BACK D-RING
APL00163	GLOVE, ANSELL KEVLAR PALM COATED
APL00164	GLOVE, NITRILE CHEMICAL RESISTANT
APL00165	GLOVE, RADNOR LEATHER
APL00166	APPAREL; LATEX GLOVE, 23010
APL00167	APPAREL; LATEX GLOVE, 23010, 50 PAIR/BOX
APL00168	APPAREL; LATEX GLOVE, 23010,50 PAIR/BOX
APL00169	APPAREL; STEELERS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00170	APPAREL; COWBOYS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00171	APPAREL; BRONCOS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00172	APPAREL; PACKERS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00173	APPAREL; CHIEFS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00174	APPAREL; RAIDERS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00175	APPAREL; RAMS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00176	APPAREL; BANTUM TERMINATOR GLOVE, 1-RSP-M GL
APL00179	APPAREL; CARDINALS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00180	APPAREL; FALCONS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00181	APPAREL; RAVENS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00182	APPAREL; BILLS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00183	APPAREL; PANTHERS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00184	APPAREL; BEARS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00185	APPAREL; BENGALS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00186	APPAREL; BROWNS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00187	APPAREL; LIONS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00189	APPAREL;COLTS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00190	APPAREL; JAGUARS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00191	APPAREL; DOLPHINS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00192	APPAREL; VIKINGS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00193	APPAREL; PATRIOTS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00194	APPAREL; SAINTS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00195	APPAREL; GIANTS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00196	APPAREL; JETS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00197	APPAREL; EAGLES NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G

Part No.	Description
APL00198	APPAREL; CHARGERS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00199	APPAREL; 49ERS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00200	APPAREL; SEAHAWKS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00201	APPAREL; BUCS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00202	APPAREL; TITANS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00203	APPAREL; REDSKINS NFL HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00206	APPAREL; HARMFUL DUST RESPIRATOR, NIOSH APPROVED N95 CLASS, ONE EACH EQUALS 2 PACK
APL00207	APPAREL; MICHIGAN WOLVERINES HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00208	APPAREL; NORTH CAROLINA TARHEELS HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00209	APPAREL; FLORIDA GATORS HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00210	APPAREL; ALABAMA CRIMSON TIDE HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00211	APPAREL; GEORGIA BULLDOGS HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
APL00212	APPAREL; LOUISIANA STATE TIGERS HARD HAT, ANSI Z89.1 1997, TYPE I, CLASS E AND G
ARM00011	ARM; VANE LINKAGE
ARM00020	ARM, DAMPER LEVER
ARM00025	ARM; LEVER
ARM00026	ARM; 4.43IN. LG, .28IN. DIA HOLE
ARM00029	ARM, VANE SHAFT LEVER
ARM00058	ARM, CRANK, .380 DIA
ARM00072	ARM; POWER EXHAUST DAMPER
ARM00073	ARM, DAMPER
ARM00089	ARM, BASE MOUNT
ARM00091	ARM, BASE MOUNT
ARM00092	ARM, BASE MOUNT
ARM00093	ARM, BASE MOUNT
ARM00094	ARM, BASE MOUNT
ARM00096	ARM, MOTOR MOUNT
ARM00110	ARM, MOTOR SUPPORT
ARM00148	ARM; MOTOR MOUNT
ARM00150	ARM; CRANK
ARM00152	ARM, MOTOR MOUNT
ARM00156	ARM, MOTOR MOUNTING
ARM00157	ARM; MOTOR MOUNTING
ARM00162	ARM; SHORTING ARM ASSEMBLY
ARM00164	ARM, MOTOR MOUNT
ARM00167	ARM; MOTOR MOUNT
ARM00168	ARM;MOTOR MOUNT
ARM00171	ARM; MOTOR MOUNT
ARM00191	ARM; MOTOR MOUNT
ARM00192	ARM; MOTOR MOUNT
ARM00196	ARM; MOTOR MOUNT, INCLUDES GROMMET.
ARM00200	ARM;CRANK
ARM00205	ARM; DAMPER CRANK, .50 DIA SHAFT
ARM00206	ARM; MOTOR MOUNT, INCLUDES GROMMETS AND FERRULE
ARM00207	ARM; FAN MOTOR MOUNT

Part No.	Description
ARM00217	ARM; (1 CTN=3 PCS), 7.69 X 6.32
ARM00221	LEVER; CLAMP & CRANK ARM
ARM00820	ARM; CRANK, HORIZONTAL OUTSIDE AIR DAMPER
ARM00835	ARM; CONNECTING ARM
ARM00836	ARM; CONNECTING ARM
ARM00837	ARM; MOTOR MOUNT
ARM00846	ARM; MOTOR MOUNT
ATT00058	ATTENUATOR; SIZE 24, SLIP & DRIVE
ATT00081	ATTENUATOR; SOUND ENCLOSURE, 53.50 WIDTH X 20 HEIGHT
ATT00100	ATTENUATOR; SIZE 03 AND 06
ATT00108	ATTENUATOR; COMPRESSOR SOUND
ATT00114	ATTENUATOR; ENCLOSURE-NOISE (1-CYL), 12.10 ID TOP, 12.55 ID BOTTOM, 15.15 HEIGHT
ATT00130	ATTENUATOR; ENCLOSURE-NOISE (2-CYL), 14.81 ID BOTTOM, 9.00 HEIGHT
ATT00131	ATTENUATOR; ENCLOSURE-NOISE (1-CYL), 13.53 ID BOTTOM, 9.00 HEIGHT
ATT00132	ATTENUATOR; COMPRESSOR ONLY SOUND BLANKET
ATT00134	ATTENUATOR; OIL SEPARATOR
ATT00152	ATTENUATOR; COMPRESSOR SOUND
ATT00160	ATTENUATOR; B FMLY SOUND BLANKET
ATT00164	ATTENUATOR; ENCLOSURE-NOISE (2-CYL), 14.81 ID BOTTOM, 17.51 HEIGHT
ATT00165	ATTENUATOR; PUTTY
ATT00166	ATTENUATOR; SOUND ABSORBING PUTTY
ATT00167	ATTENUATOR; SOUND ABSORBING PUTTY
ATT00168	ATTENUATOR; SOUND ABSORBING PUTTY
ATT00169	ATTENUATOR; PUTTY
ATT00170	ATTENUATOR; OIL SEPARATOR CAP
ATT00171	ATTENUATOR; SUCTION ELBOW
ATT00172	ATTENUATOR; SUCTION PIPE
ATT00173	ATTENUATOR; SUCTION PIPE WRAP
ATT00174	ATTENUATOR; DISCHARGE ELBOW
ATT00176	ATTENUATOR; DISCHARGE PIPE
ATT00202	ATTENUATOR; COMPRESSOR SOUND ENCLOSURE, 7.5 TON, CSHB OR CSHC SCROLL
ATT00203	ATTENUATOR; COMPRESSOR SOUND ENCLOSURE, 10 TON, CSHA SCROLL
ATT00204	ATTENUATOR; COMPRESSOR SOUND ENCLOSURE, 10 TON, CSHB OR CSHC SCROLL
ATT00205	ATTENUATOR; COMPRESSOR SOUND ENCLOSURE, 15 TON, CSHA SCROLL
ATT00214	ATTENUATOR; ENCLOSURE-NOISE (1-CYL), 12.55 ID BOTTOM, 15.51 HEIGHT
ATT00249	ATTENUATOR; SOUND BLANKET FOR DISCHARGE LINE
ATT00254	ATTENUATOR; BOTTOM PNL LO NS
ATT00257	ENCLOSURE; NOISE, SCROLL, 10.0 ID, 15.59 HEIGHT
ATT00258	ENCLOSURE; NOISE, SCROLL, 10.5 ID, 18.19 HEIGHT
ATT00259	ENCLOSURE; NOISE, (1-CYL), 12.50 ID, 15.50 HEIGHT
ATT00260	ENCLOSURE; NOISE, (1-CYL), 12.50 ID, 15.50 HEIGHT
ATT00261	ENCLOSURE; NOISE, (2-CYL), 14.80 ID, 17.50 HEIGHT
ATT00264	ATTENUATOR; ASSY, L.H. PAR, FAN SIZE 08SQ, 09SQ, 1.00 FOIL INSL.
ATT00278	ENCLOSURE; NOISE, (1-CYL), 12.5 ID, 15.50 HEIGHT
ATT00285	ENCLOSURE; NOISE, (2-CYL)

Part No.	Description
ATT00292	ATTENUATOR; TOP SOUND ENCLOSURE PANEL
ATT00293	ATTENUATOR; SOUND, DISCHARGE LINE
ATT00294	ATTENUATOR; SOUND, DISCHARGE LINE
ATT00295	ATTENUATOR; SOUND, DISCHARGE LINE
ATT00296	ATTENUATOR; SOUND, DISCHARGE LINE
B00001	BELT;V (FHP),4L320,32.0 OUTSIDE LG. X 31.0 PITCH LG.
B00002	BELT;V (FHP), 5L410, 41.0 OUTSIDE LG. X 39.8 PITCH LG.
B00004	BELT;V (FHP), 5L380, 38.0 OUTSIDE LG. X 36.8 PITCH LG.
B00005	BELT;V (FHP), 4L350, 35.0 OUTSIDE LG. X 34.0 PITCH LG.
B00007	BELT;V (FHP), 4L360, 36.0 OUTSIDE LG. X 35.0 PITCH LG.
B00008	BELT;V (FHP), 4L370, 37.0 OUTSIDE LG. X 36.0 PITCH LG.
B00009	BELT;V (FHP), 4L740, 74.0 OUTSIDE LG. X 73.0 PITCH LG.
B00011	BELT; 5L720 72.0 OD X 70.8 PITCH
B00031	BELT;V (FHP), 4L440, 44.0 OUTSIDE LG. X 43.0 PITCH LG.
B00032	BELT; 4L790 79.0 OD X 78.0 PITCH
B00035	BELT;V (A), A68, 70.2 OUTSIDE LG. X 69.3 PITCH LG.
B00036	BELT;V (A), A71, 73.2 OUTSIDE LG. X 72.3 PITCH LG.
B00038	BELT;V (FHP), 4L720, 72.0 OUTSIDE LG. X 71.0 PITCH LG.
B00040	BELT;V (A), A90, 92.2 OUTSIDE LG. X 91.3 PITCH LG.
B00041	BELT;V (A), A85, 87.2 OUTSIDE LG. X 86.3 PITCH LG.
B00042	BELT;V (A), A42, 44.2 OUTSIDE LG. X 43.2 PITCH LG.
B00045	BELT;V (A), A75, 77.2 OUTSIDE LG. X 76.2 PITCH LG.
B00046	BELT;V (B), 86.0 OUTSIDE LG. X 84.8 PITCH LG.
B00047	BELT;V (B), 88.0 OUTSIDE LG. X 86.8 PITCH LG.
B00048	BELT;V (B), 108.0 OUTSIDE LG. X 106.8 PITCH LG.
B00049	BELT;V (B), 115.0 OUTSIDE LG. X 113.8 PITCH LG.
B00050	BELT;V (B), 131.0 OUTSIDE LG. X 129.8 PITCH LG.
B00051	BELT;V (B), 123.0 OUTSIDE LG. X 121.8 PITCH LG.
B00052	BELT;V (A), A62, 64.3 OUTSIDE LG. X 63.3 PITCH LG.
B00053	BELT;V (A), A55, 57.2 OUTSIDE LG. X 56.3 PITCH LG.
B00061	BELT;V (FHP),3L230,23.0 OUTSIDE LG. X 22.3 PITCH LG.
B00062	BELT;V (FHP), 4L700, 70.0 OUTSIDE LG. X 69.0 PITCH LG.
B00063	BELT;V (A), A80, 82.2 OUTSIDE LG. X 81.3 PITCH LG.
B00065	BELT;V (FHP), 4L520, 52.0 OUTSIDE LG. X 51.0 PITCH LG.
B00067	BELT;V (FHP), 4L530, 53.0 OUTSIDE LG. X 52.0 PITCH LG.
B00068	BELT;V (A), A58, 60.2 OUTSIDE LG. X 59.3 PITCH LG.
B00069	BELT;V (A), A56, 58.2 OUTSIDE LG. X 57.3 PITCH LG.
B00070	BELT;V (B), 59.0 OUTSIDE LG. X 57.8 PITCH LG.
B00071	BELT;V (FHP), 5L780, 78.0 OUTSIDE LG. X 76.8 PITCH LG.
B00072	BELT;V (FHP),3L210,21.0 OUTSIDE LG. X 20.3 PITCH LG.
B00073	BELT;V (A), A54, 56.3 OUTSIDE LG. X 55.3 PITCH LG.
B00074	BELT;V (FHP), 4L510, 51.0 OUTSIDE LG. X 50.0 PITCH LG.
B00075	BELT;V, A43, 45.2 OUTSIDE LG. X 44.3 PITCH LG.
B00076	BELT;V (A), A48, 50.2 OUTSIDE LG. X 39.3 PITCH LG.
B00077	BELT;V (FHP), 4L330, 33.0 OUTSIDE LG. X 32.0 PITCH LG.

Part No.	Description
B00078	BELT;V (A), A38, 40.2 OUTSIDE LG. X 39.3 PITCH LG.
B00084	BELT;V (FHP), 4L470, 47.0 OUTSIDE LG. X 46.0 PITCH LG.
B00085	BELT;V (FHP), 4L690, 69.0 OUTSIDE LG. X 68.0 PITCH LG.
B00086	BELT;V (A), A96, 98.2 OUTSIDE LG. X 97.3 PITCH LG.
B00088	BELT;V (FHP), 4L340, 34.0 OUTSIDE LG. X 33.0 PITCH LG.
B00089	BELT;V (A), A53, 55.2 OUTSIDE LG. X 54.3 PITCH LG.
B00090	BELT;V (B), 55.0 OUTSIDE LG. X 53.8 PITCH LG.
B00093	BELT;V (A), A105, 107.2 OUTSIDE LG. X 106.3 PITCH LG.
B00095	BELT;V (B), 103.0 OUTSIDE LG. X 101.8 PITCH LG.
B00096	BELT;V (B), 100.0 OUTSIDE LG. X 98.8 PITCH LG.
B00099	BELT;V (FHP), 4L540, 54.0 OUTSIDE LG. X 53.0 PITCH LG.
B00100	BELT;V (B), B95, 98.0 OUTSIDE LG. X 96.8 PITCH LG.
B00101	BELT;V (FHP), 4L630, 63.0 OUTSIDE LG. X 62.0 PITCH LG.
B00102	BELT;V (A), A78, 80.2 OUTSIDE LG. X 79.3 PITCH LG.
B00105	BELT;V (FHP), 4L430, 43.0 OUTSIDE LG. X 42.0 PITCH LG.
B00113	BELT;V, B124, 127.0 OUTSIDE LG. X 125.8 PITCH LG.
B00120	BELT;V (B), 45.0 OUTSIDE LG. X 43.8 PITCH LG.
B00122	BELT;V (B), 64.0 OUTSIDE LG. X 62.8 PITCH LG.
B00123	BELT;V, 65.0 OUTSIDE LG., X 63.8 PITCH LG.
B00126	BELT;V (FHP), 4L390, 39.0 OUTSIDE LG. X 38.0 PITCH LG.
B00128	BELT;V (A), A51, 53.2 OUTSIDE LG. X 52.3 PITCH LG.
B00132	BELT;V (FHP), 4L650, 65.0 OUTSIDE LG. X 64.0 PITCH LG.
B00133	BELT;V (FHP), 4L620, 62.0 OUTSIDE LG. X 61.0 PITCH LG.
B00134	BELT;V (A), A66, 68.2 OUTSIDE LG. X 67.3 PITCH LG.
B00141	BELT;V (FHP), 4L550, 55.0 OUTSIDE LG. X 54.0 PITCH LG.
B00142	BELT;V (FHP), 5L500, 50.0 OUTSIDE LG. X 48.8 PITCH LG.
B00143	BELT;V (A), A46, 48.2 OUTSIDE LG. X 47.3 PITCH LG.
B00144	BELT;V (FHP), 4L580, 58.0 OUTSIDE LG. X 57.0 PITCH LG.
B00145	BELT;V (FHP), 4L590, 59.0 OUTSIDE LG. X 58.0 PITCH LG.
B00147	BELT;V, 7MR545B, 21.5 OUTSIDE LG.
B00148	BELT;V, 7MR560B, 22.0 OUTSIDE LG.
B00149	BELT;V, 7MR580B, 22.9 OUTSIDE LG.
B00152	BELT;V (B), B53, 56.0 OUTSIDE LG. X 54.8 PITCH LG.
B00153	BELT;V (B), 53.0 OUTSIDE LG. X 51.8 PITCH LG.
B00154	BELT;V (A), A64, 66.2 OUTSIDE LG. X 65.3 PITCH LG.
B00156	BELT;V, AX60, 62.2 OUTSIDE LG. X 61.3 PITCH LG.
B00157	BELT;V (AX), AX80, 82.2 OUTSIDE LG. X 81.3 PITCH LG.
B00158	BELT;V (BX), 88.0 OUTSIDE LG. X 86.8 PITCH LG.
B00160	BELT;V (BX), BX80, 83.0 OUTSIDE LG. X 81.8 PITCH LG.
B00162	BELT;V (BX), BX93, 96.0 OUTSIDE LG. X 84.8 PITCH LG.
B00163	BELT;V (CX), CX105, 109.2 OUTSIDE LG. X 107.9 PITCH LG.
B00164	BELT;V (CX), CX96, 100.2 OUTSIDE LG. X 98.9 PITCH LG.
B00166	BELT;V (AX), AX53, 55.2 OUTSIDE LG. X 54.3 PITCH LG.
B00167	BELT;V (BX), BX56, 59.0 OUTSIDE LG. X 57.8 PITCH LG.
B00169	BELT;V (BX), BX55, 58.0 OUTSIDE LG. X 56.8 PITCH LG.

Part No.	Description
B00173	BELT;V (AX), AX54, 56.2 OUTSIDE LG. X 55.3 PITCH LG.
B00174	BELT;V (BX), BX97, 100.0 OUTSIDE LG. X 98.8 PITCH LG.
B00175	BELT;V (BX), BX105, 108.0 OUTSIDE LG. X 106.8 PITCH LG.
B00176	BELT;V (BX), BX95, 98.0 OUTSIDE LG. X 96.8 PITCH LG.
B00177	BELT;V (B), 91.0 OUTSIDE LG. X 89.8 PITCH LG.
B00178	BELT;V (A), A70, 72.7 OUTSIDE LG. X 89.8 PITCH LG.
B00184	BELT;V (AX), AX56, 58.2 OUTSIDE LG. X 57.3 PITCH LG.
B00185	BELT;V (AX), AX51, 53.2 OUTSIDE LG. X 52.3 PITCH LG.
B00187	BELT;V (BX), BX52, 55.0 OUTSIDE LG. X 53.8 PITCH LG.
B00188	BELT;V (BX), BX50, 53.0 OUTSIDE LG. X 51.8 PITCH LG.
B00189	BELT;V, BX48, 51.0 OUTSIDE LG. X 49.8 PITCH LG.
B00190	BELT; BX46, 21/32 X 7/16, 49.0 OUTSIDE LENGTH, 47.8 PITCH LENGTH
B00191	BELT;V (AX), AX55, 57.2 OUTSIDE LG. X 56.3 PITCH LG.
B00192	BELT;V (BX), BX59, 62.0 OUTSIDE LG. X 60.8 PITCH LG.
B00193	BELT;V (BX), BX64, 67.0 OUTSIDE LG. X 65.8 PITCH LG.
B00194	BELT;V (BX), BX62, 65.0 OUTSIDE LG. X 63.8 PITCH LG.
B00195	BELT;V (BX), BX60, 63.0 OUTSIDE LG. X 61.8 PITCH LG.
B00196	BELT;V (AX), AX64, 66.2 OUTSIDE LG. X 65.3 PITCH LG.
B00197	BELT;V (AX), AX62, 64.2 OUTSIDE LG. X 63.3 PITCH LG.
B00200	BELT;V (BX), BX67, 70.0 OUTSIDE LG. X 68.8 PITCH LG.
B00201	BELT;V (BX), BX65, 68.0 OUTSIDE LG. X 66.8 PITCH LG.
B00202	BELT;V (AX), AX78, 80.2 OUTSIDE LG. X 79.3 PITCH LG.
B00203	BELT;V (AX), AX85, 87.2 OUTSIDE LG. X 86.3 PITCH LG.
B00204	BELT;V (BX), 86.0 OUTSIDE LG. X 84.8 PITCH LG.
B00205	BELT;V (BX), 103.0 OUTSIDE LG. X 101.8 PITCH LG.
B00206	BELT; 93.0 OD X 91.8 PITCH
B00207	BELT;V (BX), BX54, 57.0 OUTSIDE LG. X 55.8 PITCH LG.
B00208	BELT;V (BX), BX63, 66.0 OUTSIDE LG. X 64.8 PITCH LG.
B00209	BELT;V (BX), BX71, 74.0 OUTSIDE LG. X 72.8 PITCH LG.
B00210	BELT;V (AX), AX96, 98.2 OUTSIDE LG. X 97.3 PITCH LG.
B00211	BELT;V (AX), 92.2 OUTSIDE LG. X 91.3 PITCH LG.
B00212	BELT;V, BX96, 99.0 OUTSIDE LG. X 97.8 PITCH LG.
B00213	BELT;V (FHP),3L240,24.0 OUTSIDE LG. X 23.3 PITCH LG.
B00214	BELT;V (FHP), 3L250, 25.0 OUTSIDE LG. X 24.3 PITCH LG.
B00215	BELT;V (FHP),3.260,26.0 OUTSIDE LG. X 25.3 PITCH LG.
B00216	BELT;V (FHP), 3L270, 27.0 OUTSIDE LG. X 26.3 PITCH LG.
B00217	BELT;V (BX), BX77, 80.0 OUTSIDE LG. X 78.8 PITCH LG.
B00218	BELT;V (BX), BX78, 81.0 OUTSIDE LG. X 79.8 PITCH LG.
B00219	BELT;V (CX), CX81, 85.2 OUTSIDE LG. X 83.9 PITCH LG.
B00220	BELT;V 62.2 OUTSIDE LG. X 61.3 PITCH LG.
B00221	BELT; A45, 47.2 OD X 46.3 PITCH
B00222	BELT; A41, 43.2 OD X 42.3 PITCH
B00225	BELT;V (AX), AX75, 77.2 OUTSIDE LG. X 76.3 PITCH LG.
B00227	BELT;V (BX), BX61, 64.0 OUTSIDE LG. X 62.8 PITCH LG.
B00229	BELT; BX75, 78.0 OUTSIDE LG. X 76.8 PITCH LG.

Part No.	Description
B00230	BELT;V (BX), 106.0 OUTSIDE LG. X 104.8 PITCH LG.
B00233	BELT;V (C), C105, 109.2 OUTSIDE LG. X 107.9 PITCH LG.
B00237	BELT;V, BX68, 71.0 OUTSIDE LG. X 69.8 PITCH LG.
B00239	BELT;V (C), C96, 100.2 OUTSIDE LG. X 98.9 PITCH LG.
B00240	BELT;V (C), C112, 116.2 OUTSIDE LG. X 114.9 PITCH LG.
B00241	BELT;V (CX), CX112, 116.2 OUTSIDE LG. X 114.9 PITCH LG.
B00242	BELT;V (B), 83.0 OUTSIDE LG. X 81.8 PITCH LG.
B00243	BELT;V (B), 73.0 OUTSIDE LG. X 71.8 PITCH LG.
B00248	BELT;V (B), 71.0 OUTSIDE LG. X 69.8 PITCH LG.
B00249	BELT;V,(FHP),4L280,28.0 OUTSIDE LG. X 27.3 PITCH LG.
B00253	BELT;V (B), 61.0 OUTSIDE LG. X 59.8 PITCH LG.
B00254	BELT; B75 21/32" X 7/16", 78.0 OUTSIDE LENGTH, 76.8 PITCH LENGTH
B00259	BELT;V, AX48, 50.2 OUTSIDE LG. X 49.3 PITCH LG.
B00260	BELT;V (AX), AX46, 48.2 OUTSIDE LG. X 47.3 PITCH LG.
B00261	BELT;V (B), B96, 99.0 OUTSIDE LG. X 97.8 PITCH LG.
B00262	BELT;V, AX66, 68.2 OUTSIDE LG. X 67.3 PITCH LG.
B00263	BELT;V (A), A26, 28.2 OUTSIDE LG., X 27.3 LG
B00264	BELT;V (B), 80.0 OUTSIDE LG. X 78.8 PITCH LG.
B00265	BELT;V (B), 93.0 OUTSIDE LG. X 91.8 PITCH LG.
B00266	BELT;V (BX), BX116, 119.0 OUTSIDE LG. X 117.8 PITCH LG.
B00267	BELT;V (BX), 115.0 OUTSIDE LG. X 113.8 PITCH LG.
B00269	BELT;V (BX), BX136, 139.0 OUTSIDE LG. X 137.8 PITCH LG.
B00270	BELT;V (A), A110, 112.2 OUTSIDE LG. X 111.3 PITCH LG.
B00271	BELT;V (A), A112, 114.2 OUTSIDE LG. X 113.3 PITCH LG.
B00272	BELT;V (A), A120, 122.2 OUTSIDE LG. X 121.3 PITCH LG.
B00273	BELT;V (A), A128, 130.2 OUTSIDE LG. X 129.3 PITCH LG.
B00276	BELT; 49.0 OD X 47.8 PITCH
B00277	BELT;V (B), 51.0 OUTSIDE LG. X 49.8 PITCH LG.
B00278	BELT;V (B), 54.0 OUTSIDE LG. X 52.8 PITCH LG.
B00279	BELT;V (B), 57.0 OUTSIDE LG. X 55.8 PITCH LG.
B00280	BELT;V (B), 58.0 OUTSIDE LG. X 56.8 PITCH LG.
B00281	BELT;V (B), B59, 62.0 OUTSIDE LG. X 60.8 PITCH LG.
B00282	BELT;V (B), 63.0 OUTSIDE LG. X 61.8 PITCH LG.
B00283	BELT;V (B), 66.0 OUTSIDE LG. X 64.8 PITCH LG.
B00284	BELT;V (B), 67.0 OUTSIDE LG. X 65.8 PITCH LG.
B00285	BELT;V (B), 68.0 OUTSIDE LG. X 66.8 PITCH LG.
B00286	BELT;V (B), B66, 69.0 OUTSIDE LG. X 67.8 PITCH LG.
B00287	BELT; 70.0 OD X 68.8 PITCH
B00288	BELT;V (B), 74.0 OUTSIDE LG. X 72.8 PITCH LG.
B00289	BELT;V (B), 81.0 OUTSIDE LG. X 79.8 PITCH LG.
B00290	BELT;V (B), 82.0 OUTSIDE LG. X 80.8 PITCH LG.
B00291	BELT;V (B), 84.0 OUTSIDE LG. X 82.8 PITCH LG.
B00292	BELT;V (B), 85.0 OUTSIDE LG. X 83.8 PITCH LG.
B00293	BELT;V (B), 96.0 OUTSIDE LG. X 94.8 PITCH LG.
B00294	BELT;V (B), B99, 102.0 OUTSIDE LG. X 100.8 PITCH LG.

Part No.	Description
B00295	BELT;V (B), 106.0 OUTSIDE LG. X 104.8 PITCH LG.
B00296	BELT;V (B), 111.0 OUTSIDE LG. X 109.8 PITCH LG.
B00297	BELT;V,(B), 119.0 OUTSIDE LG. X 117.8 PITCH LG.
B00298	BELT;V (B), 136.0 OUTSIDE LG. X 134.8 PITCH LG.
B00299	BELT;V (B), 139.0 OUTSIDE LG. X 137.8 PITCH LG.
B00300	BELT;V (B), 143.0 OUTSIDE LG. X 141.8 PITCH LG.
B00301	BELT;V (B), B144, 147.0 OUTSIDE LG. X 145.8 PITCH LG.
B00302	BELT; B158 161.0 OD X 159.8 PITCH
B00303	BELT; C75 79.2 OD X 77.9 PITCH
B00306	BELT;V (C), C90, 94.2 OUTSIDE LG. X 92.9 PITCH LG.
B00307	BELT; C109, 113.2 OD X 111.9 PITCH
B00308	BELT;V (C), C120, 124.2 OUTSIDE LG. X 122.9 PITCH LG.
B00309	BELT;V (C), C128, 132.2 OUTSIDE LG. X 130.9 PITCH LG.
B00310	BELT;V (C), C136, 140.2 OUTSIDE LG. 138.9 PITCH LG.
B00311	BELT;V (C), C144, 148.2 OUTSIDE LG. X 146.9 PITCH LG.
B00312	BELT;V (C), C158, 162.2 OUTSIDE LG. X 160.9 PITCH LG.
B00313	BELT;V (A31), 33.2 OUTSIDER LG. X 32.3 PITCH LG.
B00314	V-BELT; A32 33.3 PL
B00315	BELT;V (A)M A33, 35.2 OUTSIDE LG. X 34.3 PITCH LG.
B00317	BELT;V (A), A35, 37.2 OUTSIDE LG. X 36.3 PITCH LG.
B00318	BELT; V, A36, 38.2 OD X 37.3 PITCH
B00319	V-BELT; A39, 40.3 PL
B00320	BELT; A49, 51.2 OD X 50.3 PITCH
B00323	BELT;V (AX), AX70, 72.2 OUTSIDE LG. X 71.3 PITCH LG.
B00324	BELT; AX71, 72.2" OUTSIDE LG. X 72.3" PITCH LG.
B00325	BELT;V (AX), AX105, 107.2 OUTSIDE LG. X 106.3 PITCH LG.
B00326	BELT;V (AX), 114.2 OUTSIDE LG. X 113.2 PITCH LG.
B00327	BELT;V (AX), AX120, 122.2 OUTSIDE LG. X 121.3 PITCH LG.
B00328	BELT;V (BX), BX51, 54.0 OUTSIDE LG. X 52.8 PITCH LG.
B00329	BELT;V (BX), BX66, 69.0 OUTSIDE LG. X 67.8 PITCH LG.
B00330	BELT;V, BX70, 73.0 OUTSIDE LG. X 71.8 PITCH LG.
B00331	BELT;V (BX), BX79, 82.0 OUTSIDE LG. X 80.8 PITCH LG.
B00332	BELT;V (BX), BX81, 84.0 OUTSIDE LG. X 82.8 PITCH LG.
B00333	BELT;V (CX), CX101, 105.2 OUTSIDE LG X 103.9 PITCH LG
B00334	BELT;V (BX), 123.0 OUTSIDE LG. X 121.8 PITCH LG.
B00335	BELT;V (BX), 127.0 OUTSIDE LG. X 125.8 PITCH LG.
B00336	BELT;V (BX), BX128, 131.0 OUTSIDE LG. X 129.8 PITCH LG.
B00337	BELT;V (BX), BX144, 147.0 OUTSIDE LG. X 145.8 PITCH LG.
B00338	BELT;V (BX), BX150, 153.0 OUTSIDE LG. X 151.8 PITCH LG.
B00339	BELT;V (BX), BX158, 161.0 OUTSIDE LG. X 159.8 PITCH LG.
B00340	BELT;V (BX), BX162, 165.0 OUTSIDE LG. X 163.8 PITCH LG.
B00341	BELT;V (BX), BX173, 176.0 OUTSIDE LG. X 174.8 PITCH LG.
B00342	BELT; V CX85
B00344	BELT;V (CX), CX120, 124.2 OUTSIDE LG. X 122.9 PITCH LG.
B00345	BELT;V (CX), CX128, 132.2 OUTSIDE LG. X 130.9 PITCH LG.

Part No.	Description
B00346	BELT;V (CX), 140.2 OUTSIDE LG. X 138.9 PITCH LG.
B00347	BELT;V (CX), CX144, 148.2 OUTSIDE LG. X 146.9 PITCH LG.
B00348	BELT;V (CX), CX158, 162.2 OUTSIDE LG. X 160.9 PITCH LG.
B00349	BELT;V (CX), CX150, 154.2 OUTSIDE LG. X 152.9 PITCH LG.
B00350	BELT;V (FHP), 3L280, 28.0 OUTSIDE LG. X 27.3 PITCH LG.
B00351	BELT;V (FHP), 3L410, 41.0 OUTSIDE LG. X 40.3 PITCH LG.
B00352	BELT;V (FHP), 3L430, 43.0 OUTSIDE LG. X 42.3 PITCH LG.
B00354	BELT;V (FHP), 4L480, 48.0 OUTSIDE LG. X 47.0 PITCH LG.
B00355	BELT;V (FHP), 4L560, 56.0 OUTSIDE LG. X 55.0 PITCH LG.
B00356	BELT;V (FHP), 4L570, 57.0 OUTSIDE LG. X 56.0 PITCH LG.
B00357	BELT;V (FHP), 4L600, 60.0 OUTSIDE LG. X 59.0 PITCH LG.
B00358	BELT;V (FHP), 4L660, 66.0 OUTSIDE LG. X 65.0 PITCH LG.
B00359	BELT;V (FHP), 4L680, 68.0 OUTSIDE LG. X 67.0 PITCH LG.
B00360	BELT;V (FHP), 4L710, 71.0 OUTSIDE LG. X 70.0 PITCH LG.
B00361	BELT; 4L780, 78.0 OD X 77.0 PITCH
B00362	BELT;V, 5L490, FHP, 49.0 OUTSIDE LG., 47.8 PITCH LG.
B00363	BELT;V (FHP), 5L520, 52.0 OUTSIDE LG. X 50.8 PITCH LG.
B00364	BELT; V 5L630
B00365	BELT;V (FHP), 5L680, 68.0 OUTSIDE LG. X 66.8 PITCH LG.
B00367	BELT;V (C), C115, 119.2 OUTSIDE LG. X 117.9 PITCH LG.
B00368	BELT;V (B), 76.0 OUTSIDE LG. X 74.8 PITCH LG.
B00370	BELT;V (FHP), 5L600, 60.0 OUTSIDE LG. X 58.8 PITCH LG.
B00371	BELT;V (A), A136, 138.2 OUTSIDE LG. X 137.3 PITCH LG.
B00372	BELT;V (C), C100, 104.2 OUTSIDE LG. X 102.9 PITCH LG.
B00378	BELT;V, A44, 46.2 OD X 45.3 PITCH
B00381	BELT; V A40, 42.2 OD X 41.3 PITCH
B00382	BELT;V, 5VX2000
B00383	BELT; V 47.0 OD X 45.8 PITCH
B00384	BELT;V (AX), 70.2 OUTSIDE LG. X 69.3 PITCH LG.
B00388	BELT; V, 52.2 OD X 51.3 PITCH
B00389	BELT; V A52, 54.2 OD X 53.3 PITCH
B00390	BELT;V, 5L650
B00392	BELT;V (B), 157.0 OUTSIDE LG. X 155.8 PITCH LG.
B00394	BELT;V (CX), CX109, 113.2 OUTSIDE LG. X 111.9 PITCH LG.
B00396	BELT;V (AX), AX43, 45.2 OUTSIDE LG. X 44.3 PITCH LG.
B00398	BELT;V (B), 79.0 OUTSIDE LG. X 77.8 PITCH LG.
B00399	BELT;V (CX), CX90, 94.2 OUTSIDE LG. X 92.9 PITCH LG.
B00400	BELT;V (B), 52.0 OUTSIDE LG. X 50.8 PITCH LG.
B00402	BELT; A89
B00403	BELT; A81
B00404	BELT;V (B), 60.0 OUTSIDE LG. X 58.8 PITCH LG.
B00418	BELT; AX42, 44.2 OUTSIDE LENGTH
B00419	BELT;V (FHP), 3L220, 22.0 OUTSIDE LG. X 21.3 PITCH LG.
B00420	BELT;V (FHP), 3L290, 29.0 OUTSIDE LG. X 28.3 PITCH LG.
B00421	BELT;V, 3L300

Part No.	Description
B00423	BELT;V (FHP), 3L320, 32.0 OUTSIDE LG. X 31.3 PITCH LG.
B00424	BELT;V (FHP), 3L330, 33.0 OUTSIDE LG. X 32.3 PITCH LG.
B00425	BELT;V (FHP), 3L340, 34.0 OUTSIDE LG. X 33.3 PITCH LG.
B00426	BELT;V (FHP), 3L350, 35.0 OUTSIDE LG. X 34.3 PITCH LG.
B00428	BELT;V (FHP), 3L370, 37.0 OUTSIDE LG. X 36.3 PITCH LG.
B00429	BELT;V (FHP), 3L390, 39.0 OUTSIDE LG. X 38.3 PITCH LG.
B00430	BELT;V (FHP), 3L400, 40.0 OUTSIDE LG. X 39.3 PITCH LG.
B00432	BELT;V (FHP), 3L440, 44.0 OUTSIDE LG. X 43.3 PITCH LG.
B00433	BELT;V (FHP), 3L450, 45.0 OUTSIDE LG. X 44.3 PITCH LG.
B00434	BELT;V (FHP), 3L460M 46.0 OUTSIDE LG. X 45.3 PITCH LG.
B00435	BELT;V (FHP), 3L470, 47.0 OUTSIDE LG. X 46.3 PITCH LG.
B00436	BELT;V (FHP), 3L480, 48.0 OUTSIDE LG. X 47.3 PITCH LG.
B00437	BELT;V (FHP), 3L490, 49.0 OUTSIDE LG. X 48.3 PITCH LG.
B00438	BELT;V, (FHP), 4L290, 28.0 OUTSIDE LG. X 28.0 PITCH LG.
B00439	BELT;V (FHP), 4L610, 61.0 OUTSIDE LG. X 60.0 PITCH LG.
B00440	BELT;V (FHP), 4L640, 64.0 OUTSIDE LG. X 63.0 PITCH LG.
B00441	BELT;V (FHP), 4L670, 67.0 OUTSIDE LG. X 66.0 PITCH LG.
B00442	BELT;V (FHP), 4L730, 73.0 OUTSIDE LG. X 72.0 PITCH LG.
B00443	BELT;V, 5L390
B00444	BELT;V (FHP), 5L400, 40.0 OUTSIDE LG X 38.8 PITCH LG
B00446	BELT;V (FHP), 5L440, 44.0 OUTSIDE LG. X 42.8 PITCH LG.
B00447	BELT;V, 5L470, 47.0 OUTSIDE LG. X 45.8 PITCH LG.
B00448	BELT;V (FHP), 5L510, 51.0 OUTSIDE LG. X 49.8 PITCH LG.
B00449	BELT;V (FHP), 5L530, 53.0 OUTSIDE LG. X 51.8 PITCH LG.
B00450	BELT;V, 5L550
B00451	BELT;V (FHP), 5L570, 57.0 OUTSIDE LG. X 55.8 PITCH LG.
B00452	BELT;V (FHP), 5L590, 59.0 OUTSIDE LG. X 57.8 PITCH LG.
B00453	BELT;V (A), A30, 32.2 OUTSIDE LG. X 31.3 PITCH LG.
B00454	BELT; V, A47, 49.2 OD X 48.3 PITCH
B00457	BELT; 5VX1250, 125.0" OUTSIDE LENGTH
B00458	BELT; V, 5VX1120,112.0" OUTSIDE LENGTH
B00465	BELT; V 5VX600, 60.0" OUTSIDE LENGTH
B00466	BELT; 5VX630, 63.0" OUTSIDE LENGTH
B00467	BELT; V, 5VX670, 67.0 OUTSIDE LENGTH
B00468	BELT; BX99, 102.0 OD X 100.8 PITCH
B00469	BELT;V (5VX), 5VX900, 90.0 OUTSIDE LG.
B00470	BELT;V (5VX), 5VX1060, 106.0 OUTSIDE LG.
B00471	BELT; V, 5VX1000, 100.0 OUTSIDE LENGTH
B00472	BELT; 75.0IN.OUTSIDE LENGTH
B00473	BELT;V (5VX), 5VX850, 85.0 OUTSIDE LG.
B00474	BELT; BX53, 56.0 OD X 54.8 PITCH
B00476	BELT; 5VX560 56.0 OUTSIDE LENGTH
B00477	BELT; V, AX38 40.0 OD X 39.3 PITCH
B00486	BELT;V (5VX), 5VX950, 95.0 OUTSIDE LG.
B00491	BELT; V A69, 71.2 OD X 70.3 PITCH

Part No.	Description
B00492	BELT; V A72, 74.2 OD X 73.3 PITCH
B00493	BELT; V A73, 75.2 OD X 74.3 PITCH
B00494	BELT; V, 79.2 OD X 78.3 PITCH
B00495	BELT;V (B), 72.0 OUTSIDE LG. X 70.8 PITCH LG.
B00496	BELT; 92.0IN.OUTSIDE LG. X 90.8IN. PITCH LG.
B00498	BELT; V, 5VX1320, 132.0 OUTSIDE LENGTH
B00499	BELT; V, 85.0 OD X 83.8 PITCH
B00505	BELT; V, 75.0 OD X 73.8 PITCH
B00506	BELT;V (B), 77.0 OUTSIDE LG X 75.8 PITCH LG
B00507	BELT;V (A), A82, 84.2 OUTSIDE LG X 83.3 PITCH LG
B00508	BELT;V (B), 101.0 OUTSIDE LG X 99.8 PITCH LG
B00509	BELT; V, 71.0 OUTSIDE LG
B00511	BELT; V, 5VX800, 80.0 OUTSIDE LENGTH
B00522	BELT; V, SIZE A, 55.2 OD X 54.3 PITCH
B00800	BELT;V, 5L450
B00801	BELT;V (FHP), 5L540, 54.0 OUTSIDE LG. X 52.8 LG.
B00802	BELT; V 4L240, 24.0 OD X 23.0 PITCH
B00807	BELT; V 4L230, 23.0 OD X 22.0 PITCH
B00816	BELT;V (FHP), 4L310, 31.0 OUTSIDE LG. X 30.0 PITCH LG.
B00818	BELT;V (FHP),4L300,30.0 OUTSIDE LG. X 29.0 PITCH LG.
B00821	BELT;V (FHP), 5L480, 48.0 OUTSIDE LG. X 46.8 PITCH LG.
B00823	BELT;V (FHP), 5L430, 43.0 OUTSIDE LG. X 41.9 PITCH LG.
B00827	BELT; V GRIPNOTCH BX TYPE
BAF00130	BAFFLE;ASSEMBLY
BAF00137	BAFFLE; COIL SIDE
BAF00140	BAFFLE; COIL SIDE
BAF00141	BAFFLE; COIL SIDE
BAF00173	BAFFLE;FLUE
BAF00174	BAFFLE;FLUE
BAF00176	BAFFLE;FRESH AIR
BAF00234	BAFFLE;RECUP CELL
BAF00236	BAFFLE;TOP
BAF00304	BAFFLE;COMBUSTION BLOWER
BAF00354	BAFFLE; AIR SENSOR BRACKET
BAF00373	BAFFLE; RAIN
BAF00745	BAFFLE;END
BAF00747	BAFFLE; TOP, 17.26 X 1.75
BAF00748	BAFFLE;HAIRPIN
BAF00752	BAFFLE; TOP, 17.26 X 2.00, (NARROW BAFFLE)
BAF00837	BAFFLE;COIL
BAF00842	BAFFLE; AIR
BAF00854	BAFFLE; HEAT EXCHANGER
BAF00862	BAFFLE;& GASKET ASSEMBLY
BAF00865	BAFFLE;FRONT
BAF00866	BAFFLE;FRONT

Part No.	Description
BAF00867	BAFFLE; FRONT
BAF00868	BAFFLE; TOP ASSEMBLY (CONSISTS OF BAF01118-QTY 1 & BAF01150-QTY 1)
BAF00870	BAFFLE; TOP ASSEMBLY (CONSISTS OF BAF01149-QTY 1 & BAF01153-QTY 1)
BAF00872	BAFFLE; REAR
BAF00876	BAFFLE; COIL, 17.56 X 2.50
BAF00878	BAFFLE;FRONT
BAF00879	BAFFLE; TOP ASSEMBLY (CONSISTS OF BAF01148-QTY 1 & BAF01152-QTY 1)
BAF00893	BAFFLE; BURNER
BAF00894	BAFFLE; ASSEMBLY, INSULATED BURNER
BAF00895	BAFFLE; BURNER
BAF00896	BAFFLE; ASSEMBLY, BURNER
BAF00899	BAFFLE; HEAT EXCHANGER
BAF00900	BAFFLE; HEAT EXCHANGER
BAF00908	BAFFLE; HEAT EXCHANGER
BAF00912	BAFFLE; FRONT
BAF00916	BAFFLE; TOP ASSEMBLY (CONSISTS OF BAF01147-QTY 1 & BAF01151-QTY 1)
BAF00981	BAFFLE; TOP
BAF00983	BAFFLE; COIL
BAF01012	BAFFLE; CABINET, 3.75 X 20
BAF01016	BAFFLE; DRAIN PAN, 18 X 2
BAF01024	BAFFLE; BLOWER
BAF01053	BAFFLE; ACOUSTIC AIR INLET, 40.58 X 16.08, WHITE
BAF01054	BAFFLE; ACOUSTIC AIR INLET, 42.08 X 20.08, WHITE
BAF01055	BAFFLE; TOP, 19 IN LENGTH
BAF01068	BAFFLE; CONDENSER WATERBOX, PLATE AND CHANNEL ASSEMBLY
BAF01075	BAFFLE; CONDENSER WATERBOX, PLATE AND CHANNEL ASSEMBLY
BAF01091	BAFFLE; SLIDING, MANUAL OA DAMPER, 29.50 X 5.00
BAF01092	BAFFLE; SLIDING, MANUAL OA DAMPER, 38.50 X 8.00
BAF01099	BAFFLE; WATER BLOWOFF, 17.06 X 2.50
BAF01101	BAFFLE; TOP, 19.57 LG
BAF01145	BAFFLE; TOP, 16.38 X 10.00, (BOTTOM OF BAFFLE IS SHAPED LIKE A SHARK'S FIN)
BAF01146	BAFFLE; TOP, 19.50 X 4.06, (NARROW BAFFLE)
BAF01154	BAFFLE; TOP, 19.50 X 2.90, (NARROW BAFFLE)
BAF01160	BAFFLE; TOP ASSEMBLY (CONSISTS OF BAF01172-QTY 1 & BAF01173-QTY 1)
BAF01161	BAFFLE; TOP ASSEMBLY (CONSISTS OF BAF01167-QTY 1 & BAF01168-QTY 1)
BAF01162	BAFFLE; TOP ASSEMBLY (CONSISTS OF BAF01106-QTY 1 & BAF01107-QTY 1)
BAF01163	BAFFLE; TOP ASSEMBLY (CONSISTS OF BAF01112-QTY 1 & BAF01111-QTY 1)
BAF01190	BAFFLE; COIL
BAF01191	BAFFLE; HAIR PIN
BAF01192	BAFFLE; RETURNBEND
BAF01201	BAFFLE; DRAIN, 1.27 X 20.75, V-SHAPED CHANNEL
BAF01215	BAFFLE; TOP
BAF01220	BAFFLE; TOP COIL
BAF01221	BAFFLE; TOP, 18.77 X 5.62 W/150 DEGREE BEND
BAF01222	BAFFLE; COIL BLOCKOFF, VUVE125

Part No.	Description
BAF01228	BAFFLE; COIL TOP, 18.5 INCHES LONG
BAL00008	BALL; FLOAT, 5IN. DIA.
BAL00014	BALL, FLOAT VALVE
BAL00016	BALL; PIN, .31IN.DIA. X 1.25IN.LG.
BAL00017	BALL;JOINT FOR CTV VANE ASSEMBLY
BAL00026	BALL; DOUBLE JOINT, VANE LINKAGE
BAL00033	BALL;JOINT, .25/.31IN. DIA. ROD
BAL00034	BALL;JOINT
BAL00035	BALL;JOINT, .63 IN. ROD
BAL00037	BALL; RELAY,PILOT, MAGNETIC LEVEL
BAL00039	BALL; FLOAT, STAINLESS, 2.5IN. DIA.
BAL00047	BALL; JOINT, CCW
BAL00053	BALL; JOINT, .31 IN. DIA
BAL00054	BALL; JOINT, 90 DEG. (RIGHT HAND)
BAL00062	BALL; .312 DIA
BAL00801	BALL; (1 CTN=50 PCS), 5/16 DIA. STAINLESS STEEL
BAR00006	BAR; BUSS, COPPER,
BAR00007	BAR, BUSS, COPPER,
BAR00036	BAR; HEX, .75 IN DIA 3.875 IN LONG
BAR00047	BAR; BUSS, MODEL R COMPRESSOR
BAR00074	BAR; BUSS
BAR00081	BAR; BUSS, 1.43 X 1.48 X .064 CU.
BAR00082	BAR; BUSS, 1.94 X 4.25 X .064 CU.
BAR00083	BAR; BUSS, 2.03 X 2.84 X .064 CU.
BAR00119	BAR;BUSS ASSEMBLY,(ECLIP) 2 POLES
BAR00131	BAR; JUMPER ASSEMBLY, 2 POLES
BAR00132	BAR; JUMPER ASSEMBLY, 3 POLES
BAR00133	BAR; JUMPER, 5 POLES, 30 AMP
BAR00134	BAR; JUMPER, 2 POLES, 50 AMP
BAR00163	BAR; BUSS ASSEMBLY KIT, (3) 1.62 X 7.46 BUSS BARS, (12) .75-16 HEX JAM NUTS
BAR00165	BAR; BUSS ASSEMBLY
BAR00170	BAR; JUMPER, 4 POLE
BAR00171	BAR; JUMPER, 10 POLE
BAR00172	BAR; BUSS, CIRCUIT BREAKER
BAR00176	BAR; BUSS ASSEMBLY (KIT OF 3 BUSSBARS AND 12 .75-16 HEX NUTS)
BAR00177	BAR; BUSS, ONLY
BAR00178	BAR; STEEL, 3.70 X .75 DIA
BAR00197	BAR; FLEXIBAR, 3 METERS LONG X 5 LAMINATES X 40 MM X 1 MM
BAR00242	BAR; FLEX-BUS, 3 METERS LONG X 3 LAMINATES X 40MM WIDE X 1MM THICK, INSULATED BLACK
BAR00253	BAR; JUMPER, 5 POLE, TYPE BJD6.5
BAR00254	BAR; JUMPER, 2 POLE, TYPE BJDPL68
BAR00255	BAR; JUMPER, 2 POLE, TYPE BJDL6.2
BAR00256	BAR; JUMPER, 4 POLE, TYPE BJDL6.4
BAR00264	BUSSBAR; 1PH. FORKTYPE, NO AUX. 12 UNITS, 55A/480V
BAR00301	BAR; CONNECTING, VERTICAL VANE

Part No.	Description
BAR00388	BAR; KLEIN 54486 LOCKING BAR FOR KLEIN 54476 AND 54477 SLIDE RACKS
BAR00400	BAR; SPREADER EVAP WATERBOX LIFTER
BAR00406	BAR; PIVOT, DRIVE PIN
BAR00408	BAR; PIVOT, DRIVE PIN
BAR00410	BAR; FORMED FLEXIBAR, T1, CPSZ 048, EVSZ 080, FRAM 440E, SRRL 608
BAS00102	BASE; BLOCK, FUSE
BAS00154	BASE; CONTROL RELAY, 10 AMPS
BAS00326	BASE;SHAFT
BAS00333	BASE;FUSE
BAS00388	BASE; CRADLE
BAS00432	BASE; SUB, THERMOSTAT
BAS00434	BASE;SUB.THERMOSTAT, OFF/HEAT/AUTO/COOL SYS, AUTO/ON FAN, 24-30 VAC
BAS00438	BASE;HEATING/COOLING,NO SYSTEM OR FAN SWITCHING,WALL PLATE
BAS00439	BASE;SUB, SWITCH LABELS FOR HEAT/OFF/COOL, AUTO/OFF/ON AND HEAT/OFF/FAN, HEAVY DUTY
BAS00441	BASE; SUB,THERMOSTAT, AUTO/OFF OR HEAT/OFF, LINE VOLTAGE
BAS00442	BASE; SUB,THERMOSTAT, LINE VOLTAGE, HEAT/OFF/COOL
BAS00445	BASE; SUB, THERMOSTAT, 2 STG HEAT/2 STG COOL, 24 VAX, 7 DAY PROGRAM, BATTERY BACKUP
BAS00446	BASE; SUB, THERMOSTAT, 2 STG HEAT/2 STG COOL, SYSTEM & FAN SWITCHES
BAS00457	BASE; CONTROL SUBBASE
BAS00472	BASE;SUB, THERMOSTAT
BAS00487	BASE;SUB, THERMOSTAT, 2STG HEAT/1STG COOL
BAS00571	BASE; SUBBASE (BAYBASE001AA)
BAS00572	BASE; SUBBASE ASSEMBLY (BAYBASE002AA)
BAS00575	BASE; SUBBASE ASSEMBLY (BAYBASE004AA)
BAS00710	BASE; THERMOSTAT, OFF-AUTO SYSTEMB SWITCHING, AUTO-ON FAN SWITCHING
BAS00711	BASE; SUB, OFF-AUTO/AUTO-ON, W/LIGHT INDICATING DIODE (LED)
BAS00714	BASE; THERMOSTAT, COOL-OFF SYSTEM SWITCHING, ON-AUTO FAN SWITCHING
BAS00743	BASE; BELT TIGHTENER
BAS00744	ANGLE; BELT TIGHTENER
BAS00828	BASE; SUB ASSEMBLY (BAYBASE205)
BAS00853	BASE;SUB, 8IN.
BAS00920	BASE;BEARING (5/8 X 8)
BAS00979	BASE; SUBBASE, THERMOSTAT
BAS00981	BASE;SUB,THERMOSTAT
BAS00986	BASE; (SUB-BASE) FOR UNIT MTD T-STAT
BAS00991	BASE; PANEL
BAS01005	BASE;COMPRESSOR, RTWA/RTUA
BAS01006	BASE; (BRACKET) FOR WALL/UNIT MTD T-STAT
BAS01009	BASE; FC020-120,VERT. CAB & SLOPETOP W/STD END POCK, D DESIGN
BAS01010	BASE; FC020-120, VERT. CAB & SLOPE TOP W/EXT END POC,
BAS01059	BASE; RELAY
BAS01062	BASE; RELAY MOUNTING, W/TERMINALS
BAS01078	BASE;8415.90.8085 REC.BOX PCB BOARD
BAS01079	BASE; SUB, WIRING UNIVERSAL
BAS01089	BASE; MOUNTING, SIZE K FRAME

Part No.	Description
BAS01090	BASE; MOUNTING, SIZE F FRAME
BAS01099	BASE; SUB, 1200 CFM UNIT, STANDARD POCKET, 2FT. HEIGHT
BAS01122	BASE; SUB, 300 CFM UNIT, STANDARD POCKET, 6IN. HEIGHT
BAS01123	BASE; SUB, 400 CFM UNIT, STANDARD POCKET, 6IN. HEIGHT
BAS01124	BASE; SUB, 600 CFM UNIT, STANDARD POCKET, 6IN. HEIGHT
BAS01138	SUBBASE; 600 CFM UNIT, EXTENDED POCKET, 2FT. HEIGHT
BAS01145	BASE; SUB, 600 CFM UNIT, EXTENDED POCKET, 3FT. HEIGHT
BAS01150	SUBBASE; 300 CFM UNIT, EXTENDED POCKET,4FT.HEIGHT
BAS01180	BASE; SUBBASE,2IN.HIGH FOR 2IN. FALSEBACK DRIFTWOOD GREY
BAS01354	BASE; CABINETS
BAS01439	BASE; SUBBASE, 6" HIGH FOR 8" FALSEBACK SOFT DOVE
BAS01450	BASE; RELAY DIN RAIL MOUNT
BAS01453	BASE; PLATE, 23.715 X 27.209, MOTOR
BAS01536	BASE; SUB,SWITCHING FOR HEATING-COOLING/COOLING ONLY SYSTEM USE W/ A T87F THERMOSTAT
BAS01539	BASE; T87F T-STAT HEAT/COOL, PREMEIR WHITE, SUBBASE
BAS01542	BASE; SWITCHING, FOR USE WITH W/T874 THERMOSTAT, HEAT-AUTO-COOL, FAN SW:AUTO-ON
BAS01544	BASE; THERMOSTAT, OFF-AUTO SYSTEM SWITCHING AUTO-ON FAN SWITCHING
BAS01546	BASE-SUB; HEAT/COOL SWITCHING FOR CHRONOTHERM THERMOSTAT
BAS01555	BASE; THERMOSTAT, 1-HEAT/1-COOL SYSTEMS, CONVENTIONAL APPLICATIONS
BAS01556	BASE; THERMOSTAT, 2-HEAT/2-COOL, CONVENTIONAL APPLICATIONS
BAS01557	BASE; THERMOSTAT, 2-HEAT/1-COOL SYSTEMS, CONVENTIONAL APPLICATIONS
BAS01558	BASE; THERMOSTAT, 2-HEAT/2-COOL SYSTEMS, CONVENTIONAL SYSTEMS
BAS01559	BASE; THERMOSTAT, 2-HEAT/1-COOL, HEAT PUMP APPLICATIONS
BAS01560	BASE; THERMOSTAT, 3-HEAT/2-COOL, HEAT PUMP APPLICATIONS
BAS01561	BASE; SUB,HEAT PUMP FOR T7300 SERIES 2000,3H/2C
BAS01562	BASE; THERMOSTAT, 3-HEAT/2-COOL, HEAT PUMP APPLICATIONS, TWO CONFIGURABLE LED'S, TAUPE
BAS01564	BASE; THERMOSTAT, 3-HEAT/3-COOL, CONVENTIONAL APPLICATIONS
BAS01565	BASE:ASSEMBLY TTZ,TWZ036 THRU 060
BAS01566	BASE; SUBBASE, SWITCHING, PROVIDES HEAT, OFF, COOL
BAS01567	BASE; SUBBASE, SWITCHING, FOR AUTO-OFF OPERATION HONEYWELL #Q473B2005
BAS01580	BASE; SWITCHING SUBBASE, SWITCH POSITION LABELS: HEAT-OFF-COOL AUTO-OFF-ON HEAT-OFF FAN
BAS01586	BASE; SUBBASE, SWITCHING, THERMOSTAT SYSTEM SWITCH: OFF-AUTO FAN SWITCH: AUTO-ON
BAS01589	BASE; SUBBASE, SWITCHING
BAS01618	BASE; SUBBASE, STANDARD HEAT PUMP Q7300 HONEYWELL #Q7300D1053
BAS01621	BASE; SUBBASE, CONVENTIONAL FAN ONLY, 24VAC, 50/60HZ HONEYWELL #Q7300E1001
BAS01633	BASE; MCC 50,57 P-FAN, MOTOR
BAS01634	BASE; 21.166 X 22.416, MOTOR
BAS01636	BASE; 21.166 X 23.854, MOTOR
BAS01642	BASE; THERMOSTAT SUB-BASE
BAS01645	BASE; PAN
BAS01647	BASE; AUX. CONTACT, N.O., SIZE 3
BAS01648	BASE; AUX. CONTACT, N.O./N.C., SIZE 3
BAS01649	BASE; AUX. CONTACT, N.O., SIZE 4,5
BAS01650	BASE; AUX. CONTACT, N.O./N.C., SIZE 4,5
BAS01666	BASE; 3 INCH PUMP-UP

Part No.	Description
BAS01667	BASE; 6 INCH PUMP-UP
BAS01678	BASE; SUBBASE, AUTO/MANUAL CHANGEOVER
BAS01679	BASE; SUBBASE, MANUAL CHANGEOVER
BAS01682	BASE; 25, STEEL, GRAY
BAS01707	BASE; CABINETS
BAS01711	BASE; UNIT ASSEMBLY
BAS01733	BASE; COMPRESSOR
BAS01734	BASE; COMPRESSOR
BAS01757	BASE; RELAY SOCKET
BAS01788	BASE; HEATER STAND, 20 GAUGE GALVANIZED STEEL, 9 X 30
BAS01789	BASE; HEATER STAND, 20 GAUGE GALVANIZED STEEL, 6 X 30
BAS01833	BASE; 36.26 X 36.41 DIAGONALLY
BAS01834	BAS01834 304.14 BASE; 41.78 X 41.81 DIAGONALLY
BAS01836	BASE, 6" - 7 1/2" SCREW-UP FROM BRAMEC
BAS01844	BASE; (12 EA/CARTON) GALVANIZED FLASHING BASE-1.25 IN X 2 IN, W/ELASTOMERIC COLLAR
BAS01845	BASE, GALVANIZED FLASHING BASE-2 IN. WITH ELASTOMERIC COLLAR
BAS01846	BASE; GALVANIZED FLASHING BASE-3 IN. W/ELASTOMERIC COLLAR
BAS01847	BASE; GALVANIZED FLASHING BASE-4 IN, W/ELASTOMERIC COLLAR
BAS01848	BASE; ALUMI-FLASH, W/126 BLACK CAP
BAS01849	BASE; ALUMI-FLASH 2/212 BLACK CAP (5 EA/CTN)
BAS01853	BASE; DECK-MATE DM#3 EPDM 1/4 IN.-4 IN.
BAS01854	BASE; DECK-MATE DM#5 EPDM 4 IN. - 7 IN.
BAS01855	BASE; DECK-MATE DM#8 EPDM 7 IN.-13 IN.
BAS01856	BASE; DECK-MATE DM#10 EPDM 13 IN.-26 IN.
BAS01867	BASE; 38.44 X 38.29 DIAGONALLY
BAS01868	BASE, 43.80 X 43.81 DIAGONALLY
BAS01869	BASE; BASE AND FOOT ASSEMBLY FOR ROBINAIR PUMPS 15400, 15600, AND 15434
BAS01870	BASE; 3 INCH HEAT PUMP RISER
BAS01871	BASE; (36EA/CASE), 6 INCH HEAT PUMP RISER
BAS01872	BASE; 12 INCH HEAT PUMP RISER
BAS01873	BASE;BLACK STEEL AIR HANDLER, ADJUSTIBLE
BAS01884	BASE; 31.31 X 31.49 DIAGONALLY
BAS01886	BASE; 33.41 X 33.42 DIAGONALLY
BAS01889	BASE; 4" PUMP-UP EXTENSION, CONCRETE GRAY COLOR
BAS01891	BASE; GOJO CARTRIDGE DISPENSER FOR USE WITH 4.5 LB CARTRIDGE
BAS01900	BASE; BRAMEC PUMP-UP IN ANTHRACITE GRAY, 3IN
BAS01901	BASE; BRAMEC PUMP-UP IN ANTHRACITE GRAY, 6IN
BAS01902	BASE; BRAMEC 4IN PUMP-UP EXTENSION IN ANTHRACITE GRAY
BAS01903	BASE; BRAMEC PUMP-UP IN ANTHRACITE GRAY, 10IN, INCLUDES 6IN PUMP-UP PLUS 4IN EXTENSION
BAS01904	BASE; BRAMEC PUMP-UP IN ANTHRACITE GRAY, 14IN, INCLUDES 6IN PUMP-UP PLUS (2)4IN EXTENSIONS
BAS01906	BASE; ONLY FOR CON01166 (1 BAG = 5 PIECES)
BAS01908	BASE; THERMOSAT, 18-32V, 50/60 HZ, GAS AND ELECTRIC, 2 STAGE HEAT AND 2 STAGE COOLING
BAS01909	BASE; THERMOSTAT SUBBASE, 18-32V, 50/60HZ, .50 AMPS TO 1.50 AMPS
BAS01910	BASE; THERMOSTAT 18-32V, 50/60HZ, GAS AND ELECTRIC, 1 STAGE HEAT AND 1 STAGE COOLING
BAS01914	BASE; SUBBASE 230/208V, 20A

Part No.	Description
BAS01923	BASE, DIN RAIL SNAP-MOUNT SOCKET, 1 POLE
BAS01924	BASE,DIN RAIL SNAP-MOUNT SOCKET, 2 POLE
BAS01925	BASE, DIN RAIL SNAP-MOUNT SOCKET, 3 POLE
BAS01926	BAS, DIN RAIL SNAP-MOUNT SOCKET, 4 POLE
BAS01941	BASE; 3 INCH CONE-HEAD EQUIPMENT STAND
BAS01943	BASE; SWING MOTOR
BAS01944	BASE; MOTOR
BAS01950	BASE; I/O MODULES, METAL ENCLOSURE
BAS01968	BASE; MOTOR MOUNTING
BAS01985	BASE; HPR-6-2P TWO PIECE RISER, 6 INCH
BAS01987	BASE; HPR-6-2P TWO PIECE DARK GRAY RISER, 6 INCH
BAS02004	BASE; LARGE BYPASS-POLYSLATE GREY
BAS02005	BASE; POWER HUMIDIFIER, POLYSLATE GREY, LFP
BAS02006	BASE; POLYSLATE GREY, SMALL BYPASS
BAS02012	BASE; 8 PIN BLADE STYLE SOCKET SCREW/DIN
BAS02013	BASE; 5 PIN BLADE STYLE SOCKET SCREW/DIN
BAS02033	BASE; TANG OPERATOR, GREASE STYLE
BAS02039	BASE; DECKMATE DM#7, 6 THRU 11 INCHES
BAS02046	BASE;(20 EA/CASE) SLIMDUCT PR-351N-I PLAROCK 4 INCH RISER, 14 IN. LONG
BAS02047	BASE;(20 EA/CASE) SLIMDUCT PR-351N-M PLAROCK 4 INCH RISER, 18 IN. LONG
BAS02052	BASE; HEATER STAND, 20 GAUGE GALVANIZED STEEL, 9 X 30
BAS02053	BASE; HEATER STAND, 20 GAUGE GALVANIZED STEEL, 6 X 30
BAS02059	BASE; RELAY, SQUARE 11 PIN
BAS02068	BASE; Horizontal Blower Coil Platform, 56X30
BAS02069	BASE; Horizontal Blower Coil Platform, 66X32
BAS02070	BASE; Horizontal Blower Coil Platform, 76X32
BAS02071	BASE; Horizontal Furnace Platform, 30X48
BAS02083	BASE; RELAY, PANEL MOUNT
BAS02153	BASE; SMALL BYPASS (WITH DAMPER)
BAS02156	BASE; PAN, 58.06 X 43.81
BAS02163	BASE; PRIMARY CONTROL SUB-BASE
BAS02164	BASE; SMOKE DETECTOR, 24 VAC/DC, 4 WIRE LOOP
BAS02168	BASE; MOTOR, SPECIAL FOR GE
BAS02175	BASE; SUBBASE
BAT00003	BATTERY; 2.4 VDC, NICKEL CADMIUM
BAT00005	BATTERY; MEMORY CARD
BAT00006	BATTERY;ALKALINE, C SIZE 72 BATTERIES
BAT00007	BATTERY; ALKALINE,D SIZE 72 BATTERIES
BAT00008	BATTERY;ALKALINE,AA SIZE 96 BATTERIES
BAT00009	BATTERY; ALKALINE, AAA SIZE, 96 BATTERIES
BAT00010	BATTERY; ALKALINE, 9 V SIZE, 72 BATTERIES
BAT00011	BATTERY; H.D., 6 V CELL, 12 PCS. TO A CASE
BAT00012	BATTERY; MEMORY CARD
BAT00015	BATTERY;LITHIUM, 2/3 AMP
BAT00022	BATTERY; LITHIUM PHOTO/ELECTRONIC, 123A, 3.0 VOLT, CARDED 2 PER CARD

Part No.	Description
BAT00023	BATTERY; TWO ALKALINE C CELLS, CARDED
BAT00024	BATTERY; TWO ALKALINE AA CELLS, CARD
BAT00025	BATTERY; TWO AAA CELLS, CARDED
BAT00026	BATTERY; ONE ALKALINE 9-VOLT CELL CARD
BAT00027	BATTERY; TWO ALKALINE D CELLS, CARDED
BAT00028	BATTERY, 2 POST SPORTSMAN LANTERN BATTERY
BAT00031	BATTERY; NICAD PACK
BAT00034	BATTERY; TIF ZX-4 NICKEL CADMIUM BATTERY PACK
BAT00035	BATTERY; RITCHIE 69794 BATTERY, 2/PACK
BAT00036	BATTERY; ALKALINE AA, SHRINK WRAPPED
BAT00037	BATTERY; ALKALINE AAA, SHRINK WRAPPED
BAT00038	BATTERY; ALKALINE C, SHRINK WRAPPED
BAT00039	BATTERY; ALKALINE D, SHRINK WRAPPED
BAT00040	BATTERY; ALKALINE 9V, SHRINK WRAPPED
BAT00041	BATTERY; 6 VOLT HEAVY DUTY MAXIMUM, SPRING TERMINALS
BAT00043	BATTERY; NICKEL-METAL HYDRIDE BATTERY PACK, TIF ZX-7
BAT00046	BATTERY; AA ALKALINE BATTERY, CONTRACTOR PACK, 24 PER PACK
BAT00047	BATTERY; AAA ALKALINE BATTERY, CONTRACTOR PACK, 18 PER PACK
BAT00048	BATTERY; C ALKALINE BATTERY, CONTRACTOR PACK, 12 PER PACK
BAT00049	BATTERY; D ALKALINE BATTERY, CONTRACTOR PACK, 12 PER PACK
BAT00050	BATTERY; 9V ALKALINE BATTERY, CONTRACTOR PACK, 8 PER PACK
BAT00053	BATTERY PACK, BP120
BAT00054	BATTERY; RLR44(2) FOR SPK1, 2 PACK
BAT00055	BATTERY FOR H10P AND H10PM
BAT00056	BATTERY; HIGH CAPACITY BATTERY PACK FOR FLUKE 180 SERIES
BEL00001	BELLOWS;AND LEVER ASSEMBLY
BEL00002	BELLOWS; ASSEMBLY, CONSISTS OF: BEL-12 & SLV-5
BEL00006	BELLOWS;AND LEVER ASSEMBLY, 2ND STAGE
BEL00008	BELLOWS; W/CENTER ROD, 1ST STAGE
BEL00011	BELLOWS;AND LEVER ASSEMBLY
BEL00046	BELLOWS; VERTICAL TRAPS SIZE 1/2IN. B-1
BKR00094	BREAKER; CIRCUIT, 50A, 3P, 600V, MAGNETIC TRIP (CB)
BKR00099	BREAKER;CIRCUIT, 30 AMP
BKR00100	BREAKER, CIRCUIT, 40 AMP
BKR00101	BREAKER, CIRCUIT, 60 AMP
BKR00102	BREAKER, CIRCUIT, 70 AMP
BKR00105	BREAKER, CIRCUIT 30 AMP, 2P
BKR00106	BREAKER, CIRCUIT, 60 AMP
BKR00116	BREAKER; CIRCUIT, MIN 100AC, MAX 240AC
BKR00132	BREAKER; CIRCUIT, 30 A, 2 P, 120/240 V, THERMAL MAGNETIC
BKR00136	BREAKER;CIRCUIT,50 VOLTS
BKR00244	BREAKER;CIRCUIT, 10A, 100V, 2 POLE/ WITH AUXILIARY SWITCH
BKR00246	BREAKER;CIRCUIT,225A,240V, W/LINE END TERMINALS
BKR00275	BREAKER; CIRCUIT, 93.5 A 3 P, 240 V, MAGNETIC TRIP
BKR00325	BREAKER; CIRCUIT, 49 A, 3 P, 480 V, TIME DELAY

Part No.	Description
BKR00326	BREAKER, CIRCUIT, 65.9 A 3 P, 480 V, TIME DELAY
BKR00327	BREAKER; CIRCUIT, 71.4A, 480V, 3P, TIME DELAY
BKR00328	BREAKER;CIRCUIT
BKR00329	BREAKER; CIRCUIT, 18.6 A 3 P, 480 V, TIME DELAY
BKR00349	BREAKER;CIRCUIT
BKR00351	BREAKER;CIRCUIT
BKR00352	BREAKER;CIRCUIT
BKR00353	BREAKER;CIRCUIT
BKR00354	BREAKER; CIRCUIT, 103 A, 3 P, 240 V, TIME DELAY
BKR00356	BREAKER;CIRCUIT
BKR00357	BREAKER;CIRCUIT
BKR00358	BREAKER;CIRCUIT
BKR00359	BREAKER; CIRCUIT, 35 A, 3 P, 480 V, TIME DELAY
BKR00360	BREAKER; CIRCUIT, 44.1 A 3 P, 480 V, TIME DELAY
BKR00361	BREAKER; CIRCUIT, 51.8 A 3 P, 480 V, TIME DELAY
BKR00362	BREAKER;CIRCUIT
BKR00370	BREAKER; CIRCUIT, 78 A, 3 P, 240 V, TIME DELAY
BKR00372	BREAKER; CIRCUIT, 88 A, 3 P, 240 V., TIME DELAY
BKR00373	BREAKER; CIRCUIT, 113 A, 3 P, 240 V, TIME DELAY
BKR00375	BREAKER;CIRCUIT
BKR00400	BREAKER;CIRCUIT
BKR00401	BREAKER;CIRCUIT
BKR00402	BREAKER; CIRCUIT, 25.2A
BKR00403	BREAKER; CIRCUIT, 34.7 A 3 P, 480 V, TIME DELAY
BKR00404	BREAKER; CIRCUIT, 40.6 A 3 P, 480 V, TIME DELAY
BKR00408	BREAKER;CIRCUIT
BKR00412	BREAKER;CIRCUIT
BKR00414	BREAKER; CIRCUIT, 79 A, 3 P, 240 V, TIME DELAY
BKR00416	BREAKER; CIRCUIT, 93 A, 3 P, 240 V, TIME DELAY
BKR00430	BREAKER; SWITCH DISCONNET, J FRAME, 250 AMP, 3P
BKR00432	BREAKER; DISCONNECT SWITCH, 600 AMP, 3P
BKR00441	BREAKER; CIRCUIT, STANDARD, 0241-0320 RLA,USED ONCVSD
BKR00442	BREAKER; CIRCUIT
BKR00443	BREAKER; CIRCUIT, STANDARD, 0401-0480 RLA,USED ON CVSD
BKR00444	BREAKER; CIRCUIT
BKR00445	BREAKER; CIRCUIT, STANDARD, 0561-0640 RLA, USED ON CVSD3 - 5 DAVS LEADTIME
BKR00454	BREAKER; CIRCUIT, WITH 120V SHUNT TRIP
BKR00458	BREAKER; CIRCUIT, WITH 120 V SHUNT TRIP 0481-0560 RLA
BKR00459	BREAKER; CIRCUIT, WITH 120 V SHUNT TRIP 0561-0640 RLA
BKR00461	BREAKER; CIRCUIT, 1200A, WITH 120 V SHUNT TRIP 0801-0960 RLA
BKR00468	BREAKER; CIRCUIT, HIGH INTERRUPTING CAPACITY 0181-0240 RLA
BKR00469	BREAKER; CIRCUIT, HIGH INTERRUPTING CAPACITY 0241-0320
BKR00471	BREAKER;CIRCUIT, HIGH INTERRUPTING CAPACTY 0401-0480 RLA
BKR00473	BREAKER; CIRCUIT, HIGH INTERRUPTING CAPACITY 0561-0640 RLA
BKR00476	BREAKER; CIRCUIT, HIGH INTERRUPTING CAPACITY W/120 V SHUNT TRIP

Part No.	Description
BKR00480	BREAKER; CIRCUIT, HI INTERRUPTING CAPACITY W/120 V SHUNT TRIP
BKR00481	BREAKER; CIRCUIT, HI INTERRUPTING CAPACITY W/120 V SHUNT TRIP
BKR00491	BREAKER; CIRCUIT, CURRENT LIMITING, TYPE LA, 400 AMP
BKR00558	BREAKER;CIRCUIT, 17.8 TRIP AMPS, 240V/60 HZ, 3 POLE
BKR00570	BREAKER; DISCONNECT SWITCH, 250A, 600V, 3P, WITH TA250KB LINE AND LOAD LUGS (J FRAME)
BKR00571	BREAKER;CIRCUIT, NON-AUTOMATIC, 3 POLE, 400 AMP, 240V
BKR00573	BREAKER; SWITCH, DISCONNECT 225 AMP, W/LINE AND LOAD END TERMINALS
BKR00603	BREAKER;CIRCUIT, 208-240V, 1 PHASE
BKR00604	BREAKER;CIRCUIT, 277V, 50-60 HZ, CIRCUIT BRKR, ON/OFF TOGGLE
BKR00612	BREAKER, CIRCUIT, 58.7 AMP, 240 VOLT
BKR00613	BREAKER, CIRCUIT, 58.0 AMP, 240 VOLT
BKR00614	BREAKER; CIRCUIT, 25.5 AMP, 480 VOLT
BKR00615	BREAKER; CIRCUIT, 19.2 AMP, 600 VOLT
BKR00616	BREAKER; CIRCUIT, 76.0 MUST HOLD AMPS, 87.4 MUST TRIP AMPS, 342 LRC, 240V
BKR00617	BREAKER;CIRCUIT, 80.1 AMP, 240 VOLT
BKR00618	BREAKER; CIRCUIT, 480 VOLT, MUST HOLD 33 AMPS, MUST TRIP 38 AMPS
BKR00619	BREAKER;CIRCUIT,28.3 AMP,600 VOLT
BKR00658	BREAKER;CIRCUIT,12A 250V
BKR00664	BREAKER;CIRCUIT, 60 AMP
BKR00665	BREAKER;CIRCUIT, 30 AMP
BKR00666	BREAKER;CIRCUIT, 25 AMP
BKR00667	BREAKER;CIRCUIT, 30 AMP
BKR00668	BREAKER;CIRCUIT, 50 AMP
BKR00673	BREAKER; CIRCUIT, 480V, 24.4A, 3 POLE
BKR00675	BREAKER, CIRCUIT, 480V, 24.8A, 3 POLE
BKR00686	BREAKER; CIRCUIT, STANDARD 0210-0248 RLA
BKR00720	BREAKER;CIRCUIT, 3 AMP
BKR00723	BREAKER;CIRCUIT
BKR00724	BREAKER, 20AMP, 240VOLT, 1 POLE (MINIATURE)
BKR00753	SHUNT TRIP; LS/LH, CIRCUIT BREAKER
BKR00755	BREAKER; CIRCUIT 58.0A, 240V, 3P
BKR00756	BREAKER; CIRCUIT 25.3A 480V, 3P ...4 WK LEADTIME
BKR00759	BREAKER; CIRCUIT 84.7A 240V, 3P
BKR00760	BREAKER; CIRCUIT 36.8A 480V, 3P
BKR00764	BREAKER; 400A 600V 3P, NON-AUTOMATIC, W/LUGS
BKR00770	BREAKER; CIRCUIT 32.2A 480V 3P
BKR00772	BREAKER; CIRCUIT, 74.2A 240V, 3P
BKR00774	BREAKER; CIRCUIT, 24.2A 480V, 3P
BKR00776	BREAKER; CIRCUIT, 55.7A 240V, 3P
BKR00778	BREAKER; CIRCUIT, 17.5A 480V, 3P
BKR00788	BREAKER; CIRCUIT, 14.7A 480V, 3P
BKR00791	BREAKER; CIRCUIT, 42.8A, 240V, 3P
BKR00792	BREAKER; CIRCUIT, 27.2A, 240V, 3P
BKR00793	BREAKER; CIRCUIT, 18.5A, 480V, 3P
BKR00796	BREAKER; CIRCUIT, 61.6A, 240V, 3P

Part No.	Description
BKR00798	BREAKER; CIRCUIT, 27.3A, 480V, 3P
BKR00801	BREAKER; CIRCUIT, 78.4A, 240V, 3P
BKR00804	BREAKER; CIRCUIT, 16.5A, 480V, 3P
BKR00805	BREAKER; CIRCUIT, 21.0A, 480V, 3P
BKR00806	BREAKER; CIRCUIT, 30.8A, 480V, 3P
BKR00807	BREAKER; CIRCUIT, 37.8A, 480V, 3P
BKR00808	BREAKER; CIRCUIT, 4A
BKR00809	BREAKER; CIRCUIT, 6A
BKR00817	BREAKER; CIRCUIT, 3.0A, 250V
BKR00820	FRAME; L HIGH INTERRUPTING CIRCUIT BREAKER, 600 AMP, 3 POLE
BKR00829	BREAKER;CIRCUIT, 58.0A 240V 3P CKT
BKR00830	BREAKER; CIRCUIT, 25.3A 480V 3P CKT
BKR00831	BREAKER;CIRCUIT, 58.0A 240V 3P CKT
BKR00832	BREAKER;CIRCUIT, 20.2A 600V 3P CKT
BKR00834	BREAKER; CIRCUIT 84.7A 240V 3P CKT
BKR00835	BREAKER; CIRCUIT, 36.8A 480V 3P CKT
BKR00836	BREAKER;CIRCUIT, 84.7A 240V 3P CKT
BKR00837	BREAKER;CIRCUIT, 29.4A 600V 3P CKT
BKR00838	BREAKER;CIRCUIT, 36.7A 480V 3P CKT
BKR00840	BREAKER; CIRCUIT, 15A, 600V, 3P
BKR00841	BREAKER; CIRCUIT, 20A, 600V, 3P
BKR00842	BREAKER; CIRCUIT, 25A, 600V, 3P
BKR00843	BREAKER; CIRCUIT, 30A, 600V, 3P
BKR00844	BREAKER; CIRCUIT, 35A, 600V, 3P
BKR00845	BREAKER; CIRCUIT, 40A, 500V, 3P
BKR00846	BREAKER; CIRCUIT, 45A, 600V, 3P
BKR00847	BREAKER; CIRCUIT, 50A, 600V, 3P
BKR00848	BREAKER; CIRCUIT, 60A, 600V, 3P
BKR00849	BREAKER; CIRCUIT, 70A, 600V, 3P
BKR00850	BREAKER; CIRCUIT, 80A, 600V, 3P
BKR00851	BREAKER; CIRCUIT, 90A, 600V, 3P
BKR00852	BREAKER; CIRCUIT, 100A, 600V, 3P
BKR00855	BREAKER; CIRCUIT, 150A, 600V, 3P
BKR00862	BREAKER; CIRCUIT NON AUTOMATIC, RLA 0181-0320
BKR00867	BREAKER; STANDARD CIRCUIT, 200A
BKR00873	BREAKER; STANDARD CIRCUIT, 450A
BKR00879	BREAKER; STANDARD CIRCUIT, 1200A
BKR00880	BREAKER; STANDARD CIRCUIT W/GROUND FAULT, 1000A
BKR00883	SHUNT TRIP; MS/MH, STANDARD CIRCUIT BREAKER
BKR00886	SHUNT TRIP; LAP, STANDARD CIRCUIT BREAKER
BKR00915	BREAKER; CIRCUIT INCLUDES LUGS AND LUG KIT LAXKG
BKR00918	BREAKER; CIRCUIT, 3POLE 1200 AMP
BKR00920	BREAKER; SWITCH DISCONNECT, 400A
BKR00944	BREAKER; CIRCUIT, 51.8A, 240V, 3 POLE
BKR00945	BREAKER; CIRCUIT, 24.4A, 480V, 3 POLE

Part No.	Description
BKR00946	BREAKER; CIRCUIT, 19.5A, 600V, 3 POLE
BKR00947	BREAKER; CIRCUIT, 58,9A, 240V, 3 POLE
BKR00964	BREAKER; CIRCUIT 30A, 480V, 3P THERMAL MAGNETIC
BKR00997	BREAKER; CIRCUIT
BKR01004	BREAKER; CIRCUIT, N-FRAME DIGITRIP RMS310 FRAME ONLY, 1200 AMP 600V 3P
BKR01010	BREAKER; CIRCUIT, 2A, 250VAC, .25 Q.C., 100 MEGOHM
BKR01013	BREAKER; 15A 120/240V 1 POLE
BKR01014	BREAKER; 20A 120/240V 1 POLE
BKR01015	BREAKER; 30A 120/240V 1 POLE
BKR01016	BREAKER; 40A 120/240V 1 POLE
BKR01017	BREAKER; 50A 120/240V 1 POLE
BKR01018	BREAKER; 15A 120/240V 2 POLE
BKR01019	BREAKER; 20A 120/240V 2 POLE
BKR01020	BREAKER; 25A 120/240V 2 POLE
BKR01021	BREAKER; 30A 120/240V 2 POLE
BKR01022	BREAKER; 40A 120/240V 2 POLE
BKR01023	BREAKER; 50A 120/240V 2 POLE
BKR01024	BREAKER; 60A 120/240V 2 POLE
BKR01025	BREAKER; 70A 120/240V 2 POLE
BKR01026	BREAKER; 100A 120/240V 2 POLE
BKR01027	BKR01027 188.94 BREAKER; 125A 120/240V 2 POLE
BKR01028	BREAKER; 15A 120/240V 1 POLE
BKR01029	BREAKER; 20A 120/240V 1 POLE
BKR01030	BREAKER; 30A 120/240V 1 POLE
BKR01031	BREAKER; 40A 120/240V 1 POLE
BKR01032	BREAKER; 50A 120/240V 1 POLE
BKR01033	BREAKER; 15A 120/240V 2 POLE
BKR01034	BREAKER; 20A 120/240V 2 POLE
BKR01035	BREAKER; 25A 120/240V 2 POLE
BKR01036	BREAKER; 30A 120/240V 2 POLE
BKR01037	BREAKER; 40A 120/240V 2 POLE
BKR01038	BREAKER; 50A 120/240V 2 POLE
BKR01039	BREAKER; 60A 120/240V 2 POLE
BKR01040	BREAKER; 40A DOUBLE POLE CKT
BKR01047	BREAKER; CIRCUIT
BKR01053	BREAKER; CIRCUIT, 49.7 AMPS, 240V
BKR01054	BREAKER; CIRCUIT, 49.7 AMPS, 240 V, 3 POLE
BKR01055	BREAKER; CIRCUIT, 21.7 AMPS, 480 V, 3 POLE
BKR01057	BREAKER; CIRCUIT, 55 AMPS, 240 V, 3 POLE
BKR01059	BREAKER; CIRCUIT, 23.9 AMPS, 480 V, 3 POLE
BKR01061	BREAKER; CIRCUIT, 77.7 AMPS, 240 V, 3 POLE
BKR01062	BREAKER; CIRCUIT, 77.7 AMPS, 240 V, 3 POLE
BKR01063	BREAKER; CIRCUIT, 33.9 AMPS, 480 V, 3 POLE
BKR01068	BREAKER; DISCONNECT,J-MOLDED CASE SWITCH, WITH LUGS AND MECHANISM
BKR01070	BREALER; CIRCUIT, 79.7 AMPS, 240V, 3 POLE

Part No.	Description
BKR01072	BREAKER; CIRCUIT, 35.3 AMPS, 480 V, 3 POLE
BKR01076	SHUNT TRIP: BREAKER, 120 VAC
BKR01105	BREAKER; SHUNT TRIP MD 800 AMP MAX
BKR01106	BREAKER; SHUNT TRIP ND/HND 1200 AMP MAX
BKR01110	BREAKER; CKT, 39.3A, 240V, 3P, 60HZ, HI-EFFICIENCY
BKR01112	BREAKER; CKT, 75.5A, 240V, 3P, 60HZ, HI-EFFICIENCY
BKR01118	BREAKER; CKT, 17.5A, 480V, 3P, 60HZ, HI-EFFICIENCY
BKR01119	BREAKER; CKT, 24.6A, 480V, 3P, 60HZ, HI-EFFICIENCY
BKR01124	BREAKER; CKT, 26.3A, 600V, 3P, 60HZ, HI-EFFICIENCY
BKR01125	BREAKER; CKT, 30.9A, 240V, 3P, 60HZ, STD-EFFICIENCY
BKR01126	BREAKER; CKT, 40.3A, 240V, 3P, 60HZ, STD-EFFICIENCY
BKR01128	BREAKER; CKT, 79.8A, 240V, 3P, 60HZ, STD-EFFICIENCY
BKR01130	BREAKER; CKT, 36.1A, 240V, 3P, 60HZ, STD-EFFICIENCY
BKR01133	BREAKER; CKT, 13.6A, 480V, 3P, 60HZ, STD-EFFICIENCY
BKR01134	BREAKER; CKT, 18.1A, 480V, 3P, 60HZ, STD-EFFICIENCY
BKR01135	BREAKER; CKT, 26.9A, 480V, 3P, 60HZ, STD-EFFICIENCY
BKR01136	BREAKER; CKT, 34.7A, 480V, 3P, 60HZ, STD-EFFICIENCY
BKR01137	BREAKER; CKT, 10.8A, 600V, 3P, 60HZ, STD-EFFICIENCY
BKR01143	BREAKER; CKT, 33.6A, 480V, 3P, 50HZ, STD-EFFICIENCY
BKR01146	BREAKER; CKT, 21.7A, 480V, 3P, 50HZ STD-EFFICIENCY
BKR01147	BREAKER; CKT, 36.4A, 480V, 3P, 50HZ, STD-EFFICIENCY
BKR01160	BREAKER; 6.2A 240V 3 POLE W/LUG TERMINALS
BKR01161	BREAKER; 12.0A 240V 3 POLE W/LUG TERMINALS
BKR01172	BREAKER; 12.7A 480V 3 POLE W/LUG TERMINALS
BKR01173	BREAKER; 17.5A 480V 3 POLE W/LUG TERMINALS
BKR01189	BREAKER; 6.9A 240V 3 POLE W/LUG TERMINALS
BKR01192	BREAKER; 30.9 A 240V 3 POLE W/LUG TERMINALS
BKR01210	BREAKER; 5.9A 480V 3 POLE W/LUG TERMINALS
BKR01212	BREAKER; 13.6A 480V 3 POLE W/LUG TERMINALS
BKR01213	BREAKER; 18A 480V 32 POLE W/LUG TERMINALS
BKR01233	BREAKER; 33.6A 480V 3 POLE W/LUG TERMINALS
BKR01236	BREAKER; 65.8A 480V 3 POLE W/LUG TERMINALS
BKR01247	BREAKER; CIRCUIT HIGH INTR CAP, W/GR FAULT 1200 AMP
BKR01253	BREAKER; CIRCUIT, 3P, 600V
BKR01254	BREAKER; CIRCUIT, 3P, 600V
BKR01255	BREAKER; CIRCUIT, 3P, 600V
BKR01258	BREAKER; CIRCUIT, 3P, 600V
BKR01260	BREAKER; CIRCUIT, 3P, 600V
BKR01262	BREAKER; CIRCUIT, 3P, 600V
BKR01263	BREAKER; CIRCUIT, 3P, 600V
BKR01264	BREAKER; CIRCUIT, 3P, 600V
BKR01266	BREAKER; CIRCUIT, 3P, 600V
BKR01268	BREAKER; CIRCUIT 5.5A 600V 3-POLE
BKR01270	BREAKER; CIRCUIT, 3P, 600V
BKR01273	BREAKER; CIRCUIT, 3P, 600V

Part No.	Description
BKR01275	BREAKER; CIRCUIT, 3P, 600V
BKR01276	BREAKER; CIRCUIT 9.8A 600V 3-POLE
BKR01278	BREAKER; CIRCUIT, 3P, 600V
BKR01281	BREAKER; CIRCUIT, 3P, 600V
BKR01282	BREAKER; CIRCUIT, 3P, 600V
BKR01284	BREAKER; CIRCUIT, 3P, 600V
BKR01288	BREAKER; CIRCUIT, 3P, 600V
BKR01289	BREAKER; CIRCUIT, 3P, 600V
BKR01293	BREAKER; CIRCUIT, 3P, 600V
BKR01298	BREAKER; 82.0A, 480V, 3P, TIME DELAY
BKR01308	BREAKER; CIRCUIT, NON-FUSED
BKR01310	BREAKER; CIRCUIT
BKR01330	BREAKER; 100 A FRAME, 3 POLE, 150-550 AMPERE, ADJ TRIP RANGE, CIRCUIT
BKR01332	BREAKER; 100A, 600V, 250VDC, 3P, 50/60 HZ, W/ADJUSTABLE AMP RANGE OF 150 TO 580, CIRCUIT
BKR01374	BREAKER; CIRCUIT, 240V, 3P, 62.7A TRIP, 54.5A HOLD
BKR01375	BREAKER; CIRCUIT, 480V, 3P, 27.3A TRIP, 23.7A HOLD
BKR01400	BREAKER; 4 AMP
BKR01402	BREAKER; PIGTAIL SHUNT TRIP, 110/240VAC, LEFT SIDE MOUNT FOR A 1200AF, ND BREAKER
BKR01405	BREAKER; SWITCH, DISCONNECT 225 AMP, W/LINE AND LOAD END TERMINALS
BKR01406	BREAKER; CIRCUIT, 3 POLE, 200V, 40.17A HOLD/46.2A TRIP
BKR01407	BREAKER; CIRCUIT, 3 POLE, 460V, 17.65 HOLD/20.3 TRIP
BKR01409	BREAKER; CIRCUIT, 3 POLE, 200V, 56.0A HOLD/64.4A TRIP
BKR01410	BREAKER; CIRCUIT, 3 POLE, 575V, 20.09 HOLD/23.1 TRIP
BKR01413	BREAKER; CIRCUIT, CABLE-IN/CABLE-OUT, 1/2 WIDE, 45 AMP, 1-POLE, REAR DIN RAIL MOUNT
BKR01438	BREAKER; M-FRAME, MOLDED CASE SWITCH, 800 AMP, 3 POLE
BKR01439	BREAKER; CIRCUIT, 15 AMP, 120VAC
BKR01448	BREAKER; 10AMP, 120VAC CIRCUIT BREAKER
BKR01456	BREAKER; CIRCUIT, 3P, 240V, 105.9A HOLD, 121.8A TRIP
BKR01467	BREAKER; CIRCUIT, 3P, 600V, 48.7A HOLD, 56.0A TRIP
BKR01475	BREAKER; CIRCUIT, 30 AMP, 2-POLE
BKR01476	BREAKER; CIRCUIT, 60 AMP, 2-POLE
BKR01477	BREAKER; CIRCUIT, 3-POLE, 200V, MUST HOLD 44.80A, MUST TRIP 51.52A
BKR01479	BREAKER; CIRCUIT, 3 POLE, 200V, MUST HOLD 46.75A, MUST TRIP 53.76A
BKR01480	BREAKER; CIRCUIT, 3 POLE, 200V, MUST HOLD 66.96A, MUST TRIP 77.00A
BKR01485	BREAKER; CIRCUIT, 3 POLE, 480V, MUST HOLD 19.84A, MUST TRIP 22.82A
BKR01486	BREAKER; CIRCUIT, 3 POLE, 480V, MUST HOLD 31.65A, MUST TRIP 36.40A
BKR01487	BREAKER; CIRCUIT, 3 POLE, 480V, MUST HOLD 20.33A, MUST TRIP 23.38A
BKR01488	BREAKER; CIRCUIT, 3 POLE, 480V, MUST HOLD 29.34A, MUST TRIP 33.74A
BKR01494	BREAKER; 125A, 600V, 3P, CKT
BKR01508	BREAKER; CIRCUIT, 15A, 240V, 2P, THERMAL MAGNETIC
BKR01510	BREAKER; CIRCUIT, 15A, 480V, 2P
BKR01512	BREAKER; CIRCUIT, 1200 AMP
BKR01525	BREAKER; CIRCUIT, STANDARD 100% RATED, N-FRAME, 3 POLE, 1200 AMP
BKR01527	BREAKER; CIRCUIT, HIGHER INTERRUPT, 100% RATED, N-FRAME, 3 POLE, 1200 AMP
BKR01533	BREAKER; CIRCUIT, 65KAIC, 1600 AMP, 3 POLE, 600 VAC

Part No.	Description
BKR01536	BREAKER; CIRCUIT, 600 AMP
BKR01547	BREAKER; CIRCUIT, 39.2A, 200/230V, 3P, 34.1A MUST HOLD 60HZ
BKR01555	BREAKER; CIRCUIT, 65kAIC, 1200 AMP
BKR01556	BREAKER; CIRCUIT, DISCONNECT SWITCH
BKR01560	BREAKER; CIRCUIT, 3-POLE, 480V, 22.4 TRIP AMPS
BKR01561	BREAKER; CIRCUIT, 3-POLE, 480V, 32.2 TRIP AMPS
BKR01562	BREAKER; CIRCUIT, 480V, 3-POLE, 16.7 TRIP AMPS
BKR01563	BREAKER; CIRCUIT, 240V, 3-POLE, 18.5 TRIP AMPS
BKR01564	BREAKER; CIRCUIT, 240V, 3-POLE, 28.0 TRIP AMPS
BKR01568	BREAKER; CIRCUIT, 3-POLE, 240V, 60.2 TRIP AMPS
BKR01569	BREAKER; CIRCUIT, 3-POLE, 240V, 64.4 TRIP AMPS
BKR01570	BREAKER; CIRCUIT, 3-POLE, 240V, 67.2 TRIP AMPS
BKR01571	BREAKER; CIRCUIT, 3-POLE, 240V, 71.4 TRIP AMPS
BKR01572	BREAKER; CIRCUIT, 3-POLE, 230V, 49.0 TRIP AMPS
BKR01574	BREAKER; CIRCUIT, 40 AMP, 480 VOLT, E-FRAME, 3 POLE
BKR01575	BREAKER; 60 AMP
BKR01576	BREAKER; 90 AMP
BKR01577	BREAKER; CIRCUIT, 15 AMP, 480 VOLT, E-FRAME, 3 POLE
BKR01588	BREAKER; 400 AMP, KD CIRCUIT BREAKER, WITHOUT OVERLOAD
BKR01621	BREAKER; CIRCUIT, 26.9 AMP, 480 VOLT, 3 POLE, 23.4 AMP - MUST HOLD, 60HZ, STANDARD EFFICIENCY
BKR01631	BREAKER; CIRCUIT, 70-250 AMP, 600 VOLT
BKR01632	BREAKER; CIRCUIT, 15-100 AMP, 600 VOLT
BKR01633	BREAKER; CIRCUIT, 25-400 AMP, 600 VOLT
BKR01643	BREAKER; CIRCUIT, MINIATURE, 15 AMP, 240 VOLT, SINGLE POLE
BKR01646	BREAKER; CIRCUIT, 30 AMP
BKR01647	BREAKER; CIRCUIT, 60 AMP
BKR01658	BREAKER; CIRCUIT, 3-POLE, 600V, 11.0 FLA, 72.0 LRA
BKR01663	BREAKER; HIGH INTERRUPTING, 800 AMP, 3 POLE
BKR01664	BREAKER; CIRCUIT, 600A, 600V, 3P
BKR01665	BREAKER; CIRCUIT, 600-800 AMP, 600 VOLT
BKR01679	BREAKER; HIGH INTERRUPTING, 600 AMP, 3 POLE
BKR01691	BREAKER; CIRCUIT, 3-POLE, 600VAC, 90A
BKR01694	BREAKER; CIRCUIT, DISCONNECT, 60 AMP
BKR01720	BREAKER; CIRCUIT, 15 AMP, TYPE S280
BKR01722	BREAKER; CIRCUIT, 27.3A, 480V, 3P
BKR01742	BREAKER; CIRCUIT, 39.1A, 240V, 3P
BKR01752	BREAKER; CIRCUIT, 15A, 600V, 3P
BKR01756	BREAKER; 25.3 AMPS
BKR01757	BREAKER; E 3P 60A 25KA @ 415 & 480V FIXED THERMAL, FIXED MAG
BKR01760	BREAKER; 90A 600V 3 POLE
BKR01763	BREAKER; 150A, 600V, 3 POLE
BKR01765	BREAKER; 15 AMP BREAKER SWITCH
BKR01768	BREAKER; CIRCUIT 175A 600V 3P W/O LUGS
BKR01771	BREAKER; CIRCUIT 300A 600V 3P HI W/O LUGS
BKR01777	BREAKER; CIRCUIT 500A 600V 3P HI W/O LUGS

Part No.	Description
BKR01778	BREAKER; CIRCUIT 600A 600V 3P HI W/O LUGS
BKR01784	BREAKER; CIRCUIT 250A 600V 3P W/O LUGS
BKR01785	BREAKER; CIRCUIT 300A 600V 3P W/O LUGS
BKR01787	BREAKER; CIRCUIT 400A 600V 3P W/O LUGS
BKR01791	BREAKER; CIRCUIT 500A 600V 3P W/O LUGS
BKR01792	BREAKER; CIRCUIT 600A 600V 3P W/O LUGS
BKR01808	BREAKER; CIRCUIT 300A 600V 3P GFI W/O LUGS
BKR01809	BREAKER; CIRCUIT 400A 600V 3P GFI W/O LUGS
BKR01813	BREAKER; CIRCUIT 400A 600V 3P HIGFI W/O LUGS
BKR01834	BREAKER; 125A 600V 3POLE
BKR01853	BREAKER; CIRCUIT, 3 POLE, 240 V, 251 LRA, 54.6 AMPS
BKR01871	BREAKER; CIRCUIT, 30 AMP
BKR01872	BREAKER; CIRCUIT, 60 AMP
BKR01877	SINGLE-POLE BREAKER PRINZING, RSP-OS
BKR01889	BREAKER; ASSEMBLY, M-SERIES 60A 3P 600/347V C-H
BKR01892	BREAKER; ASSEMBLY WITH HANDLE MECHANISM ASSEMBLY
BKR01957	BREAKER; CIRCUIT, 100A 480V 3POLE
BKR01958	BREAKER; CIRCUIT, 40A, 48V, 3POLE
BKR03127	BREAKER; SQUARE D HOMELINE CIRCUIT BREAKER, SINGLE POLE, 15 A
BKR03128	BREAKER; SQUARE D HOMELINE CIRCUIT BREAKER, SINGLE POLE, 20 A
BKR03132	BREAKER; SQUARE D HOMELINE CIRCUIT BREAKER, DOUBLE POLE, 15 A
BKR03133	BREAKER; SQUARE D HOMELINE CIRCUIT BREAKER, DOUBLE POLE, 20A
BKR03134	BREAKER; SQUARE D HOMELINE CIRCUIT BREAKER, DOUBLE POLE, 30A
BKR03135	BREAKER, SQUARE D HOMELINE CIRCUIT BREAKER DOUBLE POLE, 40A
BKR03136	BREAKER; SQUARE D HOMELINE CIRCUIT BREAKER, DOUBLE POLE 50A
BKR03137	BREAKER; SQUARE D HOMELINE CIRCUIT BREAKER, DOUBLE POLE, 60 A
BLD00002	BLADE;ASSY
BLD00008	BLADE; VANE CONTROL
BLD00030	BLADE;DAMPER ASSY.
BLD00033	BLADE; DAMPER
BLD00038	BLADE; DAMPER ASSY
BLD00040	BLADE;DAMPER ASSY. (CACD)
BLD00042	BLADE;DAMPER ASSY. (CACD)
BLD00043	BLADE;DAMPER ASSY. (CACD)
BLD00055	BLADE; 7 X 38.6875, DAMPER
BLD00057	BLADE; 7 X 53.6875, DAMPER
BLD00070	BLADE;DAMPER (CACD)
BLD00074	BLADE;DAMPER ASSY
BLD00085	BLADE; ASSY (CPD)
BLD00088	BLADE; ASSY (CPD)
BLD00091	BLADE; ASSY (CPD)
BLD00126	BLADE;INLET VANE
BLD00127	BLADE;INLET VANE
BLD001434	BLADE; DAMPER ASSEMBLY(TOP BLADE)
BLD00145	BLADE; DAMPER ASSEMBLY

Part No.	Description
BLD00146	BLADE; DAMPER ASSEMBLY
BLD00156	BLADE; DAMPER ASSEMBLY,
BLD00168	BLADE;ASSEMBLY (CPD)
BLD00183	BLADE;DAMPER ASSEMBLY
BLD00185	BLADE;DAMPER ASSEMBLY
BLD00221	BLADE;DAMPER, 64 13/32 X 6 3/16
BLD00224	BLADE;DAMPER 53 27/32 X 6 3/16
BLD00228	BLADE; 79 5/32 X 6 3/16
BLD00265	BLADE;DAMPER
BLD00277	BLADE;DAMPER ASSEMBLY
BLD00278	BLADE;DAMPER
BLD00279	BLADE;DAMPER ASSEMBLY
BLD00280	BLADE;DAMPER
BLD00293	BLADE;DAMPER
BLD00307	BLADE;DAMPER ASSEMBLY
BLD00314	BLADE; DAMPER
BLD00315	BLADE;DAMPER ASSEMBLY
BLD00316	BLADE; DAMPER
BLD00317	BLADE;DAMPER ASSEMBLY
BLD00318	BLADE; DAMPER
BLD00322	BLADE; DAMPER
BLD00327	BLADE;ASSEMBLY, INLET VANES
BLD00328	BLADE;ASSEMBLY, INLET VANES
BLD00329	BLADE;ASSEMBLY, INLET VANES
BLD00330	BLADE;ASSEMBLY, INLET VANES
BLD00331	BLADE;ASSEMBLY, INLET VANES
BLD00332	BLADE;ASSEMBLY, INLET VANES
BLD00333	BLADE;ASSEMBLY, INLET VANES
BLD00334	BLADE;ASSEMBLY, INLET VANES
BLD00335	BLADE;ASSEMBLY
BLD00336	BLADE;ASSEMBLY
BLD00337	BLADE;ASSEMBLY
BLD00338	BLADE;ASSEMBLY
BLD00367	BLADE; DAMPER ASSEMBLY (MR)
BLD00435	BLADE;DAMPER
BLD00439	BLADE;DAMPER
BLD00442	BLADE;DAMPER
BLD00446	BLADE;DAMPER ASSEMBLY
BLD00479	BLADE;ASSEMBLY
BLD00504	BLADE;FAN (5 BLADE)
BLD00505	BLADE;FAN (6 BLADES)
BLD00614	BLADE;FAN
BLD00616	BLD00616 44.76 BLADE;FAN
BLD00630	BLADE;VANE CONTROL
BLD00631	BLADE;VANE CONTROL

Part No.	Description
BLD00635	BLADE;BAROMETRIC RELIEF
BLD00637	BLADE; FAN, 4, ST, 20IN. DIA, 26 DEG PITCH, CCW, .50 BORE, DISCHARGE LOCK
BLD00641	BLADE; CW ROTATION, INLET VANE
BLD00645	BLADE;OUTSIDE AIR
BLD00646	BLADE; OUTSIDE AIR
BLD00647	BLADE; OUTSIDE AIR
BLD00650	BLADE;BAROMETRIC RELIEF
BLD00651	BLADE;BAROMETRIC RELIEF
BLD00668	BLADE; DAMPER
BLD00669	BLADE;DAMPER, OUTSIDE AIR #1
BLD00704	BLADE;BAROMETRIC RELIEF
BLD00708	BLADE;DAMPER
BLD00709	BLADE;DAMPER
BLD00712	BLADE;DAMPER
BLD00713	BLADE;DAMPER
BLD00716	BLADE;BAROMETRIC RELIEF
BLD00717	BLADE;BAROMETRIC RELIEF
BLD00718	BLADE;BAROMETRIC RELIEF
BLD00719	BLADE;DAMPER ASSEMBLY
BLD00725	BLADE;ASSEMBLY, DAMPER
BLD00732	BLADE;ASSEMBLY, INLET VANES
BLD00733	BLADE;ASSEMBLY, INLET VANES
BLD00734	BLADE;ASSEMBLY, INLET VANES
BLD00735	BLADE;ASSEMBLY, INLET VANES
BLD00754	BLADE; ASSEMBLY, DAMPER LH & RH
BLD00755	BLADE;ASSEMBLY-DAMPER, L.H. & R.H.
BLD00756	BLADE;ASSEMBLY-DAMPER, L.H. & R.H.
BLD00761	BLADE;DAMPER
BLD00764	BLADE; DAMPER
BLD00769	BLADE; FAN, 10-15 KW
BLD00770	BLADE; FAN, 20-30 KW
BLD00772	BLADE;8415.90.8085 REAR
BLD00773	BLADE;8415.90.8085 FRONT EXTENSION
BLD00774	BLADE;8415.90.8085 REAR EXT,PLASTIC
BLD00778	BLADE;8415.90.8085 FRONT EXT,PLASTIC
BLD00781	BLADE; DAMPER
BLD00782	BLADE; RETURN AIR DAMPER
BLD00783	BLADE; FRESH AIR DAMPER
BLD00785	BLADE; FRESH AIR DAMPER
BLD00787	BLADE; RETURN AIR DAMPER
BLD00788	BLADE; FRESH AIR DAMPER
BLD00822	BLADE; ASSEMBLY, GUIDE VANE, INCLUDES SHAFT AND RIVETS
BLD00823	BLADE; OUTSIDE AIR
BLD00829	BLADE; DAMPER ASSEMBLY F**B030, COMPLETE WITH ROD, SCREWS AND INSULATION
BLD00848	BLADE, ASSEMBLY, VANE, INCLUDES SHAFT AND RIVETS

Part No.	Description
BLD00850	BLADE; 9.289 X 29.625, DAMPER
BLD00851	BLADE; 9.289 X 41.625, DAMPER
BLD00852	BLADE; 9.289 X 50.625, DAMPER
BLD00853	BLADE; 9.289 X 43.125, DAMPER
BLD00854	BLADE; 9.289 X 34.625, DAMPER
BLD00855	BLADE; 9.289 X 36.625, DAMPER
BLD00856	BLADE; 9.289 X 28.125, DAMPER
BLD00857	BLADE; 9.289 X 32.625, DAMPER
BLD00877	BLADE; DAMPER ASSEMBLY
BLD00878	BLADE; DAMPER ASSEMBLY
BLD00879	BLADE, DAMPER ASSEMBLY
BLD00883	BLADE; DAMPER
BLD00884	BLADE; DAMPER
BLD00889	BLADE ASSEMBLY, INCLUDES SHAFT AND RIVETS
BLD00891	BLADE ASSEMBLY, INCLUDES SHAFT AND RIVETS
BLD00892	BLADE ASSEMBLY, INCLUDES SHAFT AND RIVETS
BLD00893	BLADE ASSEMBLY, INCLUDES SHAFT AND RIVETS
BLD00894	BLADE;8415.90.8085 FAN
BLD00899	BLADE; 7.25 X 41.625, DAMPER
BLD00900	BLADE; 7.25 X 50.625, DAMPER
BLD00901	BLADE; 7.25 X 43.125, DAMPER
BLD00902	BLADE; 7.25 X 34.625, DAMPER
BLD00904	BLADE; 7.25 X 37.625, DAMPER
BLD00905	BLADE; 7.25 X 22.125, DAMPER
BLD00906	BLADE; 7.25 X 26.375, DAMPER
BLD00907	BLADE; 7.25 X 40.250, DAMPER
BLD00908	BLADE; 7.25 X 32.625, DAMPER
BLD00917	BLADE; ASSEMBLY, INCLUDES SHAFT AND RIVETS
BLD00919	BLADE; TYPE EF 18.25 FC FAN WHEEL
BLD00920	BLADE; TYPE EF 16.5 FC FAN WHEEL
BLD00921	BLADE; TYPE EF 15 FC FAN WHEEL
BLD00922	BLADE; TYPE EF 12.25 FC FAN WHEEL
BLD00923	BLADE; 22.25 FC FAN WHEEL
BLD00924	BLADE; 22.25 FC FAN WHEEL
BLD00925	BLADE; TYPE EF 13.5 FC FAN WHEEL
BLD00931	BLADE; FAN, 18 INCH, 4 BLADE, 20 DEG. PITCH., PLASTIC
BLD00938	BLADE, VANE 2ND STAGE 500TON CCGC
BLD00940	BLADE; VANE 2ND STAGE 400 TON CCGC
BLD00945	BLADE; DAMPER ASSEMBLY
BLD00951	BLADE;8415.90.8085 FAN
BLD00959	BLADE; 1ST STAGE VANE ASSEMBLY, GEAR DRIVE
BLD00960	BLADE; FAN
BLD00962	BLADE; VANE 800 TON
BLD00963	BLADE; VANE 2ND STAGE 650 TON
BLD00966	BLADE; VANE, 2ND STAGE, 800 TON

Part No.	Description
BLD00967	BLADE; VANE 1000 TON
BLD00969	BLADE; DAMPER ECONOMIZER
BLD00970	BLADE; AXIAL FLOW FAN
BLD00971	BLADE; AXIAL FLOW FAN
BLD00972	BLADE; AXIAL FLOW FAN
BLD00974	BLADE; AXIAL FLOW FAN, PLASTIC
BLD00975	BLADE; FIELD INSTALLED RG CONVECTOR DAMPER BLADE
BLD00976	BLADE; BAROMETRIC RELIEF, 10.72 X 8.44
BLD00977	BLADE; RETURN AIR DAMPER, METAL, 23.6 X 13.9
BLD00978	BLADE; DAMPER, DOWNFLOW, METAL, 23.7 X 8.8
BLD00979	BLADE; ECONOMIZER, DAMPER, 21.9 X 7.0
BLD00984	BLADE; REPLACEMENT BLADES FOR SWITCHBLADE SELF-RETRACTING KNIFE
BLD00986	BLADE; UTILITY KNIFE REPLACEMENT BLADES
BLD00987	BLADE; REPLACEMENT BLADES FOR KUT-ALL PLASTIC TUBE AND HOSE CUTTER
BLD00988	BLADE; REPLACEMENT BLADES FOR LITTLE HELPER - ALL PURPOSE CUTTER
BLD00993	BLADE, HACKSAW REPLACEMENT BLADE
BLD00994	BLADE; BI-METAL REPCIPROCATING SAW BLADE, 6" X 6T WOOD AND NAIL SLOPE 3/4" X 6" X .050
BLD00995	BLADE; BI-METAL REPCIPROCATING SAW BLADE, 6" X 6T WOOD AND NAIL SCROLL 3/4" X 6" X .050
BLD00996	BLADE; BI-METAL REPCIPROCATING SAW BLADE, 9" X 6T WOOD AND NAIL 3/4" X 9" X .050
BLD00997	BLADE; BI-METAL REPCIPROCATING SAW BLADE, 12" X 6T WOOD AND NAIL 3/4" X 12" X .050
BLD00999	BLADE; BI-METAL REPCIPROCATING SAW BLADE, 4" X 18T SHORT METAL CUTTING 5/8" 4" X .035
BLD01001	BLADE, BI-METAL REPCIPROCATING SAW BLADE, 6" X 10T HD METAL CUTTING 3/4" X 6" X .035
BLD01002	BLADE; BI-METAL REPCIPROCATING SAW BLADE, 6" X 14T HD METAL CUTTING 3/4" X 6" X .035
BLD01003	BLADE; BI-METAL REPCIPROCATING SAW BLADE, 6" X 18T HD METAL CUTTING 3/4" X 6" X .035
BLD01004	BLADE; BI-METAL REPCIPROCATING SAW BLADE, 6" X 24T HD METAL CUTTING 3/4" X 6" X .035
BLD01005	BLADE; BI-METAL REPCIPROCATION SAW BLADE, 8" X 10T HD METAL CUTTING 3/4" X 8" X .035
BLD01006	BLADE; BI-METAL REPCIPROCATING SAW BLADE, 8" X 14T HD METAL CUTTING 3/4" X 8" X .035
BLD01010	BLADE; RETURN AIR DAMPER, METAL, 32.60 X 15.06
BLD01011	BLADE; DAMPER, DOWNFLOW, METAL, 27.62 X 11.44
BLD01012	BLADE; ECONOMIZER DAMPER, 30.80 X 11.00
BLD01013	BLADE; BAROMETRIC RELIEF, 15.21 X 9.94
BLD01014	BLADE; REPLACEMENT BLADES FOR GTC-203 AND GTC-204
BLD01015	BLADE; REPLACEMENT FOR GTC-205
BLD01016	BLADE; REPLACEMENT FOR GTC-206
BLD01022	BLADE; FAN, 26 IN. PROP, 9 BLADE HD, 5/8 IN BORE
BLD01023	BLADE; DAMPER
BLD01028	BLADE; INLET GUIDE VANE, 485 TON, BLADE AND SHAFT ASSEMBLY
BLD01029	BLADE; 7" 5 PEDAL 30 DEG. COND. FAN
BLD01036	BLADE; FAN, LFP
BLD01043	BLADE; KLEIN 1224BI-P, BI-METAL HACKSAW BLADE, 10 PACK
BLD01046	BLADE; UTILITY KNIFE BLADE, 5 PACK
BLD01047	BLADE; RETURN AIR, ECONOMIZER, PLASTIC, 23.80 X 14.60
BLD01048	BLADE; RETURN AIR ECONOMIZER, PLASTIC, 32.70 X 17.70
BLD01062	BLADE; ASSEMBLY, DAMPER
BLD01063	BLADE; ASSEMBLY, DAMPER

Part No.	Description
BLK00004	BLOCK; TERMINAL,
BLK00017	BLOCK; TERMINAL, 3 P, 225 A, 600 V
BLK00022	BLOCK; TERMINAL
BLK00040	BLOCK; FUSE
BLK00049	BLOCK;FUSE
BLK00056	BLOCK; FUSE
BLK00071	BLOCK; HOLDER, FUSE
BLK00073	BLOCK; FUSE, 60A/600V, 3 POLE
BLK00074	BLOCK; FUSE, 3 POLE 30 AMP, 250 VOLT
BLK00076	BLOCK; FUSE, 60A/250V, 3 POLE
BLK00083	BLOCK; FUSE, 30A/250V, 3 POLE
BLK00084	BLOCK;FUSE
BLK00089	BLOCK;FUSE, 100A, 600V, 3P
BLK00096	BLOCK; TERMINAL, 12P, 20 AMP, 250V, 6 X 5.687 X .546
BLK00143	BLOCK; TERMINAL, 3 POLE, 150 AMP, 600 VOLT
BLK00148	BLOCK; TERMINAL,30A, 300V, 4 POLE
BLK00158	BLOCK;TERMINAL 380A, 600V
BLK00162	BLOCK; TERMINAL
BLK00163	BLOCK; TERMINAL
BLK00164	BLOCK; TERMINAL, CONNECT PLASTIC
BLK00170	BLOCK;TERMIANL
BLK00236	BLOCK; TERMINAL,3 POLE
BLK00245	BLOCK, POWER TERMINAL
BLK00247	BLOCK;POWER TERMINAL
BLK00260	BLOCK; FUSE, 30 A, 250 V
BLK00262	BLOCK; FUSE, 3P, 30 A, 600 V
BLK00269	BLOCK;TERMINAL, 3 POLE, #22-8 CU
BLK00284	BLOCK; FUSE, 3 POLE, 30 AMP, 600 VOLT
BLK00286	BLOCK; TERMINAL, 14P, 20A, 250V
BLK00289	BLOCK; FUSE, 6 POLE, 30/60 AMP, 250V
BLK00296	BLOCK;FUSE, 3 POLE
BLK00301	BLOCK;TERMINAL
BLK00305	BLOCK; TERMINAL, 3 POLE 600 VOLT
BLK00308	BLOCK; FUSE, 1-60 AMP,1-30 AMP 250 VOLT, QC TERMINALS
BLK00325	BLOCK;FUSE,60 AMP,250 VOLT,2 POLE
BLK00332	BLOCK; FUSE, 30/60 AMP, 4 POLE
BLK00333	BLOCK; FUSE, 60 AMP, 4 POLE
BLK00336	BLOCK; FUSE, 60 AMP, 250 VOLT, 6 POLE
BLK00340	BLOCK;TERMINAL, 5 POLE
BLK00343	BLOCK;TERMINAL STRIP
BLK00353	BLOCK; FUSE, 30/60 AMP, 6 POLE
BLK00362	BLOCK; TERMINAL, 3 POLE 175 AMP, 600 VOLT
BLK00374	BLOCK; FUSED, 31-60A, 600V,3P
BLK00375	BLOCK; FUSE, 3 POLE, 31-60 AMP, 300 VOLT
BLK00379	BLOCK, TERMINAL STRIP, 20 POLE

Part No.	Description
BLK00380	BLOCK; FUSE, 3-POLE
BLK00381	BLOCK;FUSE, 3P, 60A, 250V
BLK00382	BLOCK;FUSE, 3P, 100A, 250V
BLK00388	BLOCK;FUSE, 3P, 60A, 600V
BLK00389	BLOCK;FUSE, 101-200A, 250/300V
BLK00390	BLOCK;FUSE, 3P, 30A, 600V
BLK00391	BLOCK;FUSE, 3P, 101-200A, 600V
BLK00401	BLOCK;POWER, 2 POLE, 70 AMP
BLK00404	BLOCK; TERMINAL, 6P, 15A, 250V, 2.91 X 2.62 X .44
BLK00422	BLOCK;TERMINAL, 5-POLE
BLK00453	BLOCK; 3P, 70A, 600V, TERMINAL
BLK00454	BLOCK; 4P, 70A, 600V, TERMINAL
BLK00457	BLOCK;TERMINAL, 10 P
BLK00467	BLOCK;FUSE, 31-60A, 300V, 2 POLE
BLK00474	BLOCK;TERMINAL, 5 POLE, 20A, 300V
BLK00482	BLOCK;LOW VOLTAGE TERMINAL STRIP
BLK00492	BLOCK, TERMINAL 22P
BLK00493	BLOCK; TERMINAL, 2P, 20A 250V.
BLK00495	BLOCK; FUSE 30A, 600V 3 POLE
BLK00496	BLOCK; 22-POLE TERMINAL
BLK00497	BLOCK; INSULATOR, TERMINAL
BLK00499	BLOCK; TERMINAL/DOUBLE DECK, 30A, 600V
BLK00500	BLOCK; TERMINAL/4 CLAMP, 20A, 600V
BLK00501	BLOCK, TERMINAL END SECTION
BLK00502	BLOCK, TERMINAL END SECTION
BLK00503	BLOCK, TERMINAL/GROUND, 600V
BLK00504	BLOCK; FUSE, 30A, 600V, 3 POLE, TYPE CC, PRESSURE PLATE WITH QUICK CONNECT
BLK00508	BLOCK; TERMINAL, 50A, 600V
BLK00509	BLOCK; FUSE
BLK00510	BLOCK; TERMINAL
BLK00511	BLOCK; FUSE, 1P, CC
BLK00512	BLOCK; FUSE, 101-200A, 600V, 3P
BLK00519	BLOCK;6-POLE,FF ELEC HEAT,UCM CONTROL,CONTROL BOX W/OFUSES
BLK00520	BLOCK; 2-FUSE,60A,480V, FF ELEC HEAT, CONTROL BOX W/O FUSES
BLK00521	BLOCK; 3-FUSE, 60A, 480V FF ELEC HEAT, CONTROL BOX W/FUSES
BLK00535	BLOCK, PRIMARY FUSE, J-R FUSE BLOCK ASSY, 30A, 600V
BLK00536	BLOCK; SECONDARY FUSE, R FUSE BLOCK ASSY, 30A, 600V
BLK00537	BLOCK; TERMINAL, 30A, 9 POINT
BLK00542	BLOCK; TERMINAL, 3 POLE
BLK00557	BLOCK; FUSE, 61-100A, 600V, 3P, CLASS T
BLK00559	BLOCK; SWITCH, 2 NO, 2NC AUX CONTACT, 200/230/460/575V
BLK00560	BLOCK; SWITCH, 1 NO, 3NC AUX CONTACT, 200/230/460/575V
BLK00576	BLOCK;TERMINAL 3P 460A 600V
BLK00581	BLOCK;TERMINAL 30P 20A 250V
BLK00587	BLOCK;FUSEHOLDER, 31-60A 600V, 3P, CLASS T, TYPE JJS

Part No.	Description
BLK00588	BLOCK; BEARING (STOP) 2-1/8
BLK00590	BLOCK; BEARING (STOP) 2-7/16
BLK00599	BLOCK; FUSE, 60 AMP, 250V, 6 POLE
BLK00609	HOLDER; 3P, 60A, 250V, FUSE
BLK00807	HOLDER; 3P, 30A, 600V, FUSE
BLK00832	BLOCK; FUSE, SECONDARY 250V 1 POLE
BLK00833	BLOCK; HEATER
BLK00837	BLOCK; TERMINAL, SET OF 3
BLK00840	BLOCK; TERMINAL, 30 A, 300 V, 24 POLE
BLK00842	BLOCK; TERMINAL, 3 POLE, 20 AMP, 300V (1 CTN = 20 PCS)
BLK00843	BLOCK; TERMINAL, 1 POLE, 30 AMP, 600 VOLT (1 CTN = 10 PCS)
BLK00855	BLOCK; TERMINAL, 8 PIN PLUG
BLK00862	BLOCK; TERMINAL, 40A, 600V, 3 POLE
BLK00863	BLOCK; TERMINAL, PULL APART, 3 CKT
BLK00866	BLOCK; FUSE, 3P, 30A, 600V
BLK00870	BLOCK; FUSE, 60 AMP, 6 POLE
BLK00871	BLOCK; FUSE, 60 AMP, 3 POLE
BLK00882	BLOCK; 3P, 600V, 60A, TERMINAL
BLK00883	BLOCK; 600V, 30A, FUSIBLE TERMINAL
BLK00887	BLOCK; PRIMARY/SECONDARY, FUSE
BLK00890	HOLDER; 3P, 60A, 600V, FUSE
BLK00902	BLOCK; TERMINAL 9 POINT
BLK00905	BLOCK; TERMINAL, 4P, 20A, 250V, DOUBLE ROW
BLK00906	BLOCK; TERMINAL, 18P
BLK00911	BLOCK; TERMINAL, 3 POLE, SUMMIT
BLK00912	BLOCK; TERMINAL, MOUNTING SUMMIT
BLK00914	FUSEHOLDER; 30 AMP, 600 VOLT, 2 POLE, TYPE CC, PRESSURE PLATE WITH QUICK CONNECT
BLK00915	TERMINAL; POWER DISTRIBUTION BLOCK, 3 POLE
BLK00917	TERMINAL; AUXILIARY CONTACT BLOCK SCREW CLAMP CONNECTOR
BLK00920	BLOCK; FUSE, TUTCO
BLK00928	BLOCK; TERMINAL, 4-ROW, 1TB2 THRU 1TB5
BLK00931	BLOCK; POWER TERMINAL
BLK00933	BLOCK; POWER TERMINAL
BLK00935	BLOCK; FUSE HOLDER, 3 POLE, CLASS T, 300V, 400A
BLK00940	BLOCK; 6 TERMINALS (LVTB)
BLK00946	BLOCK; TERMINAL, 25 AMP, 2 POLE, GREY, TYPE D4/6.2L
BLK00947	BLOCK; TERMINAL, 40 AMP, GREY, 2 POLE, TYPE D6/8.2L
BLK00948	BLOCK; END SECTION, GREY
BLK00949	BLOCK; TERMINAL, 40 AMP, 2 POLE, GREEN/YELLOW GROUND, TYPE D6/8.P.2L
BLK00950	BLOCK; TERMINAL, 25 AMP, 2 POLE, GREEN/YELLOW GROUND, TYPE D4/6.P.2L
BLK00951	BLOCK; END STOP, GREY,
BLK00955	FUSEHOLDER: 30A. 600V. CLASS CC (2 POLE)
BLK00956	BLOCK; TERM WIRED SIZE 3
BLK00959	BLOCK; TERMINAL
BLK00960	BLOCK; TERMINAL 6 POSITION RIGHT ANGLE

Part No.	Description
BLK00965	BLOCK; FUSEBLOCK, 3 POLE SCREW CLASS H, 250V
BLK00971	BLOCK; TERMINAL
BLK00974	BLOCK; TERMINAL BLOCK/SOCKET, CL10, CL18
BLK00975	BLOCK; BUSS FUSE BLOCK, 2 POLE CLASS M, 600V
BLK00976	BLOCK; BUSS FUSE BLOCK, 3 POLE CLASS M, 600V
BLK00977	BLOCK; BUSS FUSE BLOCK, 1 POLE CLASS M, 600V
BLK00978	BLOCK; BUSS FUSE BLOCK, 3 POLE BOX LUG CL H , 250V
BLK00979	BLOCK; BUSS FUSE BLOCK, 2 POLE BOX LUG CL H , 250V
BLK00987	BLOCK; FUSE
BLK00993	BLOCK; TERMINAL, 6 POSITION
BLK00994	BLOCK; TERMINAL BLOCK, 32 PIN
BLK00999	BLOCK; TERMINAL (2)
BLK01002	BLOCK; CONTACT
BLK01004	BLOCK; TERMINAL BLOCK
BLK01012	BLOCK; TERMINAL
BLK01013	BLOCK; 2 POLE, TERMINAL
BLK01014	BLOCK; TERMINAL, SINGLE ROW, 3 POLE, 600V
BLK01015	BLOCK; TERMINAL, 2 POLE, BOX LUG, 6 AWG WIRE
BLK01016	BLOCK; TERMINAL
BLK01023	BLOCK; BC6032P FUSEBLOCK FOR USE WITH LP-CC, KTK-R AND FNQ-R FUSES
BLK01027	BLOCK; TERMINAL
BLK01028	BLOCK; TERMINAL
BLK01031	BLOCK; TERMINAL
BLK01051	BLOCK; TERMINAL
BLK01053	BLOCK; FUSE MTG STUD .31-18x1.75
BLK01054	BLOCK; 1-30A, CLS T, 600V 2P, FUSE
BLK01055	BLOCK; 30A, 600V, 3P, CLS T, FUSE
BLK01061	BLOCK; END SECTION
BLK01067	BLOCK; AUXILIARY
BLK01069	BLOCK; 10 POSITION TERMINAL
BLK01074	BLOCK; TERMINAL, 600V, 2 POLE, 2 FLAG, W/45 DEGREE CONNECTOR
BLK01078	BLOCK; TERMINAL, 5 POLE W/90 DEG STAB
BLK01082	BLOCK; TERMINAL, 760A, 600V, 3P
BLK01092	BLOCK; 3P 30A 600V FUSE BLOCK
BLK01094	BLOCK; TERMINAL FOR CL60
BLK01098	BLOCK; TERMINAL WITH HARNESS
BLK01099	BLOCK; TERMINAL WITH HARNESS
BLK01100	BLOCK; TERMINAL WITH HARNESS
BLK01101	BLOCK; TERMINAL
BLK01106	BLOCK; TERMINAL HIGH VOLTAGE 750VAC/135A/ WIRE RANGE 2-6 AWG
BLK01108	FUSEBLOCK; 3P, 100A, 600V, CLASS J
BLK01112	TERMINAL BLOCK; ASSEMBLY, DIN RAIL MOUNTED, 1X1
BLK01115	TERMINAL BLOCK; 4 POLE, EURO STYLE WITH WIRE PROTECTOR
BLK01121	BLOCK; FUSE, 600V, 30A, 1 POLE
BLK01122	BLOCK; FUSE, 600V, 60A, 1 POLE

Part No.	Description
BLK01127	BLOCK; TERMINAL, 2P, 70A, 600V
BLK01128	BLOCK; TERMINAL, 3P, 70A, 600V
BLK01132	BLOCK; TERMINAL, 4 POLE
BLK01133	BLOCK; FUSE, 3P 100A 600V CLASS T
BLK01134	BLOCK; TERMINAL, Phoenix 717542
BLK01135	BLOCK; FUSIBLE TERMINAL
BLK01139	BLOCK; FUSE, 3 POLE, 60 AMP, 300V, CLASS T
BLK01143	BLOCK; MARATHON
BLK01144	FUSE BLOCK; 3P 60A 300V CLASS T
BLK01145	BLOCK; TERM BLOCK - UDC-, UDC+/R-, R+ - IP20
BLK01147	BLK01147 71.71 BLOCK; FUSEBLK, 3P, 60A, 600V, CLASS T
BLL00001	BELT; A57, 59.2 OD X 58.3 PITCH
BLL00019	V-BELT; BX108 NOTCHED 109.8 PL
BLL00034	BELT; 39IN. OUTSIDE LENGTH, 38.0 PITCH, 1/2IN. WIDE
BLL00035	BELT;V (A), A34, 36.2 OUTSIDE LG. X 35.3 PITCH LG.
BLL00036	BELT; 39.2 OUTSIDE LENGTH,1/2IN.X5/16IN. 38.3 PITCH
BLL00037	BELT; V, A84
BLL00038	BELT; 94.2 OUTSIDE LENGTH, 93.3 PITCH, 1/2IN. X 5/16IN.
BLL00041	BELT; 81.2 OUTSIDE LENGTH, 80.3 PITCH, 1/2IN. X 5/16IN.
BLL00043	BELT; 85.2 OS LG X 84.3 PITCH
BLL00044	BELT; 28.2 INCH OUTSIDE LENGTH
BLL00045	BELT; OUTSIDE 43.0, PITCH 41.8
BLL00046	BELT; B45, 21/32 X 7/16, 48.0 OUTSIDE LENGTH, 46.8 PITCH LENGTH
BLL00047	BELT;V (B), 87.0 OUTSIDE LG. X 85.8 PITCH LG.
BLL00048	BELT; V, B87, 90.0 OUTSIDE, 88.8 PITCH
BLL00049	BELT; V, B94
BLL00077	BELT;V (FHP), 4L270, 27.0 OUTSIDE LG. X 26.0 PITCH LG.
BLL00078	BELT; AX31,33.2IN.OUTSIDE LENGTH
BLL00079	BELT; AX36,38.2IN.OUTSIDE LENGTH
BLL00080	BELT; AX35,37.2IN.OUTSIDE LENGTH
BLL00083	BELT; AX33,35.2IN.OUTSIDE LENGTH
BLL00084	BELT; AX28, NOTCHED, 29.3 PL, 30.2 OL
BLL00092	BELT;94.0IN.OUTSIDE LENGTH, 92.8 PITCH
BLL00138	BELT; BX42, OUTSIDE 45.0, PITCH 43.8
BLL00139	BELT; B39, OUTSIDE 42.0, PITCH 40.8
BLL00156	BELT;V, 45.0 OD; 3VX450
BLL00201	BELT; A59
BLL00202	BELT; 3VX250,25.0IN.OUTSIDE LENGTH
BLL00203	BELT; 3V265, 26.5 IN OS LENGTH
BLL00204	BELT; 3V280, 28.0 OS LENGTH
BLL00205	BELT; 3V300, 30.0 OS LENGTH
BLL00206	BELT; 31.5
BLL00207	BELT; 33.5
BLL00209	BELT; 375
BLL00210	BELT; 40.0

Part No.	Description
BLL00212	BELT; 3VX450,45.0IN.OUTSIDE LENGTH
BLL00213	BELT; 47.5
BLL00214	BELT; 50.0
BLL00215	BELT; 53.0
BLL00216	BELT; 56.0
BLL00217	BELT; 60.0
BLL00218	BELT; 63.0
BLL00219	BELT; 67.0
BLL00220	BELT; 71.0
BLL00221	BELT; 75.0 OUTSIDE LENGTH, 3/8 WIDTH, 3VX750
BLL00222	BELT; 80.0
BLL00223	BELT; 85.0
BLL00224	BELT; 90.0
BLL00225	BELT; 95.0
BLL00226	BELT; 100.00
BLL00227	BELT; 106.00
BLL00228	BELT; 112.00
BLL00229	BELT; 125.00
BLL00230	BELT; 132.00
BLL00231	BELT; 140.00
BLL00232	BELT; 5VX450,45.0IN.OUTSIDE LENGTH
BLL00233	BELT; 5VX470,47.0IN.OUTSIDE LENGTH
BLL00234	BELT; 5VX490,49.0IN.OUTSIDE LENGTH
BLL00235	BELT; 5VX500,50.0IN.OUTSIDE LENGTH
BLL00236	BELT; 5VX510,51.0IN.OUTSIDE LENGTH
BLL00237	BELT; 5VX530,53.0IN.OUTSIDE LENGTH
BLL00238	BELT; 5VX540,54.0IN.OUTSIDE LENGTH
BLL00239	BELT; 5VX550,55.0IN.OUTSIDE LENGTH
BLL00240	BELT; 5VX570,57.0IN.OUTSIDE LENGTH
BLL00241	BELT; 5VX580,58.0IN.OUTSIDE LENGTH
BLL00242	BELT; 5VX590,59.0IN.OUTSIDE LENGTH
BLL00243	BELT; 5VX610,61.0IN.OUTSIDE LENGTH
BLL00244	BELT; 5VX650,65.0IN.OUTSIDE LENGTH
BLL00245	BELT; 5VX660,66.0IN.OUTSIDE LENGTH
BLL00246	BELT; 5VX680,68.0IN.OUTSIDE LENGTH
BLL00247	BELT; 5VX690,69.0IN.OUTSIDE LENGTH
BLL00248	BELT; 5VX730,73.0IN.OUTSIDE LENGTH
BLL00249	BELT; 5VX740,74.0IN.OUTSIDE LENGTH
BLL00250	BELT; 5VX780,78.0IN.OUTSIDE LENGTH
BLL00251	BELT; 5VX810,81.0IN.OUTSIDE LENGTH
BLL00252	BELT; 5VX830,83.0IN.OUTSIDE LENGTH
BLL00253	BELT; 5VX840,84.0IN.OUTSIDE LENGTH
BLL00254	BELT; 5VX860,86.0IN.OUTSIDE LENGTH
BLL00255	BELT; 5VX880,88.0IN.OUTSIDE LENGTH
BLL00256	BELT; 5VX930,93.0IN.OUTSIDE LENGTH

Part No.	Description
BLL00257	BELT; V TYPE NOTCHED 96.0 OL
BLL00258	BELT; 5VX1030,103.0IN.OUTSIDE LENGTH
BLL00259	BELT; 5VX1080,108.0IN.OUTSIDE LENGTH
BLL00260	BELT; 5VX1150,115.0IN.OUTSIDE LENGTH
BLL00261	BELT; 5VX1180,118.0IN.OUTSIDE LENGTH
BLL00262	BELT; 5VX1230,123.0IN.OUTSIDE LENGTH
BLL00263	BELT; 5VX1400,140.0IN.OUTSIDE LENGTH
BLL00265	BELT; 5VX1600,160.0IN.OUTSIDE LENGTH
BLL00266	BELT; 5VX1700,170.0IN.OUTSIDE LENGTH
BLL00267	BELT; 5VX1800,180.0IN.OUTSIDE LENGTH
BLL00268	BELT; 5VX1900,190.0IN.OUTSIDE LENGTH
BLL00269	BELT; AX34, 36.2 OUTSIDE LENGTH
BLL00270	BELT; AX37, 39.2 OUTSIDE LENGTH
BLL00271	BELT; AX110, 112.2 OUTSIDE LENGTH
BLL00275	BELT; V TYPE NOTCHED 26.0 PL
BLL00276	BELT; 4L415,41.5IN.OUTSIDE LENGTH
BLL00279	BELT; 5L320,32IN.OUTSIDE LENGTH
BLL00280	BELT; 5L330,33IN.OUTSIDE LENGTH
BLL00282	BELT; 5L350,35IN.OUTSIDE LENGTH
BLL00284	BELT; 5L370,37IN.OUTSIDE LENGTH
BLL00285	BELT; 5L640,64IN.OUTSIDE LENGTH
BLL00286	BELT; 5V2120, 212.0" OUTSIDE LENGTH
BLL00287	BELT; A65,67.2IN.OUTSIDE LENGTH,66.3IN.PITCH LENGTH
BLL00288	BELT; A76,78.2IN.OUTSIDE LENGTH
BLL00289	BELT; B41,44.0IN.OUTSIDE LENGTH
BLL00290	BELT; B43,46.0IN.OUTSIDE LENGTH
BLL00291	BELT; B173,176.0IN.OUTSIDE LENGTH
BLL00292	BELT; C173, 177.2 OUTSIDE LG. X 175.9 PITCH LG.
BLL00293	BELT; C210, 214.2 OUTSIDE LG. X 2.2.9 PITCH LG.
BLL00296	BELT; CX75,79.2IN.OUTSIDE LENGTH
BLL00297	BELT; CX162,166.2IN.OUTSIDE LENGTH
BLL00300	BELT; CX195,199.2IN.OUTSIDE LENGTH
BLL00303	BELT;V (B), B37, 40.0 OUTSIDE LG. X 38.8 PITCH LG.
BLL00304	BELT;V (B), B35, 38.0 OUTSIDE LG. X 36.8 PITCH LG.
BLL00305	BELT; (A), A29, 31.2 OUTSIDE LG. X 30.3 PITCH LG.
BLL00312	BELT; V, B38
BLL00315	V-BELT; 4L220 NOTCHED 21.0 PL
BLL00316	BELT; 4L250 0.5 WIDE, 25.0 OUTSIDE LENGTH, 24.0 PITCH LENGTH
BLL00317	BELT; 4L260 0.5 WIDE, 26.0 OUTSIDE LENGTH, 25.0 PITCH LENGTH
BLL00319	BELT; 3L190 3/8 WIDE, 19.0 OUTSIDE LENGTH, 18.3 PITCH LENGTH
BLL00321	BELT; AX92
BLL00322	BELT; BX35, NOTCHED 36.8 P
BLL00325	BELT; V TYPE NOTCHED 75.0 PLCH
BLL00326	BELT; 38 IN O.D. 5/8 KNOTCHED
BLL00330	BELT; 34.8 PL

Part No.	Description
BLL00332	BELT; V TYPE, BX58, 61.0 OS LG X 59.8 PITCH, NOTCHED
BLL00333	BELT; 1/2 X 5/16 89.3 PITCH
BLL00334	BELT; V 112.8 PL
BLL00335	BELT; NOTCHED V 116.8 PL
BLL00336	BELT; V 96.3 PL
BLL00338	BELT; V TYPE BX OUTSIDE LENGTH = 116.0 PITCH = 114.8
BLL00342	BELT; FHP PITCH = 21.6 OUTSIDE LENGTH = 22
BLL00343	BELT; 4L190, NOTCHED, 18.0 PL, V-BELT
BLL00344	BELT; 4L210, NOTCHED, 20.0 PL, V-BELT
BLL00345	BELT; 4L200, NOTCHED, 19.0 PL, V-BELT
BLL00346	BELT; V-TYPE 25.2 OD 24.3 PITCH
BLL00347	BELT; V-TYPE 27.2 OD 26.3 PITCH, A25
BLL00348	BELT; V-TYPE 30.2 OD 29.3 PITCH
BLL00350	BELT; FHP 20 INCH OD 19.3 PITCH
BLL00355	BELT; V TYPE 29.8 PL
BLL00356	BELT; V TYPE 32.8 PL
BLL00357	BELT; V TYPE 33.8 PL
BLL00358	BELT; V TYPE 37.8 PL, B36
BLL00359	BELT; V TYPE 28.3 PL, A27
BLL00360	BELT; V-TYPE NOTCHED 17.3 PL 3L180
BLL00362	BELT; V-TYPE 26.2 O.D. 25.3 PITCH
BLL00370	BELT; V TYPE 62.9 PL
BLL00372	BELT; NOTCHED 60.8 PL
BLL00373	BELT; V-TYPE 191.8 PL
BLL00380	BELT; ENERGY RECOVERY REPLACEMENT
BLL00381	BELT; BX113
BLL00382	BELT; V, 143.3 PL
BLL00388	V-BELT; C68 70.9 PL
BLL00390	V-BELT; C180, 182.9 PL
BLL00392	V-BELT; 98.3 PL
BLL00394	BELT; V, 24.21 LG, POLYURETHANE
BLL00395	V-BELT; TYPE-A
BLL00399	BELT; C108, O.D. 112.2, PITCH 110.9
BLL00400	BELT; V-BELT, NOTCHED, 58.8 PL, BX57
BLL00428	BELT; NOTCHED
BLL00429	BELT; V-BELT, 164.9 PL
BLL00430	BELT;V (B), B150, 153.0 OUTSIDE LG X 151.8 PITCH LG
BLL00431	V-BELT; AX21 NOTCHED 22.3 PL
BLL00432	V-BELT; AX22 NOTCHED 23.3 PL
BLL00433	V-BELT; AX23 NOTCHED 24.3 PL
BLL00434	V-BELT; AX24 NOTCHED 25.3 PL
BLL00435	V-BELT; AX25 NOTCHED 26.3 PL
BLL00436	V-BELT; AX27 NOTCHED 28.3 PL
BLL00437	V-BELT; AX29 NOTCHED 30.3 PL
BLL00438	V-BELT; AX30 NOTCHED 31.3 PL

Part No.	Description
BLL00439	V-BELT; AX32 NOTCHED 33.3 PL
BLL00440	V-BELT; AX39 NOTCHED 40.3 PL
BLL00441	V-BELT; AX40 NOTCHED 41.3 PL
BLL00442	V-BELT; AX41 NOTCHED 42.3 PL
BLL00443	V-BELT; AX44 NOTCHED 45.3 PL
BLL00444	V-BELT; AX45 NOTCHED 46.3 PL
BLL00445	V-BELT; AX47 NOTCHED 48.3 PL
BLL00446	V-BELT; AX49 NOTCHED 50.3 PL
BLL00447	V-BELT; AX50 NOTCHED 51.3 PL
BLL00448	V-BELT; AX52
BLL00449	V-BELT; AX57 NOTCHED 58.3 PL
BLL00450	V-BELT; AX58 NOTCHED 59.3 PL
BLL00451	V-BELT; AX59 NOTCHED 60.3 PL
BLL00452	V-BELT; AX61 NOTCHED 62.3 PL
BLL00453	V-BELT; AX63 NOTCHED 64.3 PL
BLL00454	V-BELT; AX65 NOTCHED 66.3 PL
BLL00455	V-BELT; AX67 NOTCHED 68.3 PL
BLL00456	V-BELT; AX69 NOTCHED 70.3 PL
BLL00457	V-BELT; AX72 NOTCHED 73.3 PL
BLL00458	V-BELT; AX73 NOTCHED 74.3 PL
BLL00459	V-BELT; AX74 NOTCHED 75.3 PL
BLL00460	BELT; AX76 NOTCHED 77.3 PL
BLL00461	V-BELT; AX77 NOTCHED 78.3 PL
BLL00462	V-BELT; AX79 NOTCHED 80.3 PL
BLL00463	V-BELT; AX81 NOTCHED 82.3 PL
BLL00464	V-BELT; AX82 NOTCHED 83.3 PL
BLL00465	V-BELT; AX83 NOTCHED 84.3 PL
BLL00466	V-BELT; AX84 NOTCHED 85.3 PL
BLL00467	V-BELT; AX86 NOTCHED 87.3 PL
BLL00468	V-BELT; AX87 NOTCHED 88.3 PL
BLL00469	V-BELT; AX88 NOTCHED 89.3 PL
BLL00470	V-BELT; AX89 NOTCHED 90.3 PL
BLL00471	V-BELT; AX91 NOTCHED 92.3 PL
BLL00472	V-BELT; AX93 NOTCHED 94.3 PL
BLL00473	V-BELT; AX94 NOTCHED 95.3 PL
BLL00474	V-BELT; AX95 NOTCHED 96.3 PL
BLL00475	V-BELT; AX97 NOTCHED 98.3 PL
BLL00477	V-BELT; AX100 NOTCHED 101.3 PL
BLL00478	V-BELT; BX28 NOTCHED 29.8 PL
BLL00479	V-BELT; BX32 NOTCHED 33.8 PL
BLL00480	V-BELT; BX34 NOTCHED 35.8 PL
BLL00481	V-BELT; BX36 NOTCHED 37.8 PL
BLL00482	V-BELT; BX40 NOTCHED 41.8 PL
BLL00483	V-BELT; BX41 NOTCHED 42.8 PL
BLL00484	V-BELT; BX43 NOTCHED 44.8 PL

Part No.	Description
BLL00485	V-BELT; BX44 NOTCHED 45.8 PL
BLL00486	V-BELT; BX45 NOTCHED 46.8 PL
BLL00487	V-BELT; BX47 NOTCHED 48.8 PL
BLL00488	V-BELT; BX49 NOTCHED 50.8 PL
BLL00489	V-BELT; BX72 NOTCHED 73.8 PL
BLL00490	V-BELT; BX73 NOTCHED 74.8 PL
BLL00491	V-BELT; BX74 NOTCHED 75.8 PL
BLL00492	V-BELT; BX76 NOTCHED 77.8 PL
BLL00493	V-BELT; BX84 NOTCHED 85.8 PL
BLL00494	V-BELT; BX86 NOTCHED 87.8 PL
BLL00495	V-BELT; BX87 NOTCHED 88.8 PL
BLL00496	V-BELT; BX88 NOTCHED 89.8 PL
BLL00497	BLLV-BELT; BX89 NOTCHED 90.8 PL
BLL00498	V-BELT; BX91 NOTCHED 92.8 PL
BLL00499	V-BELT; BX92 NOTCHED 93.8 PL
BLL00500	V-BELT; BX94 NOTCHED 95.8 PL
BLL00501	V-BELT; BX98 NOTCHED 99.8 PL
BLL00502	V-BELT; BX106 NOTCHED 107.8 PL
BLL00504	V-BELT; BX123 NOTCHED 124.8 PL
BLL00505	V-BELT; BX126 NOTCHED 127.8 PL
BLL00506	V-BELT; BX140 NOTCHED 141.8 PL
BLL00507	V-BELT; BX148 NOTCHED 149.8 PL
BLL00508	V-BELT; BX154 NOTCHED 155.8 PL
BLL00511	V-BELT; CX55 NOTCHED 57.9 PL
BLL00513	V-BELT; CX78 NOTCHED 80.9 PL
BLL00604	BELT; 5V2360, 236.0 OUTSIDE LENGHT, IS NOT NOTCHED CONSTRUCTION
BLL00605	V-BELT; A93, 94.3 PL
BLL00606	BELT; V-BELT; A103, 104.3 PL
BLL00609	BELT; V-BELT, 102.8 PL
BLL00649	BELT; ENERGY RECOVERY REPLACEMENT
BLL00650	BELT; VACUUM PUMP
BLL00655	BELT; V, 3L170 NOTCHED 16.3 PL
BLL00658	BELT; V-BELT, B26, 27.8 PL
BLL00664	BELT; 5L280 NOTCHED 26.8 PL
BLL00665	BELT; 5L290 NOTCHED 27.8 PL
BLL00695	BELT; 5L610 NOTCHED 59.8 PL V-BELT
BLL00700	BELT; 5L670 NOTCHED 65.8 PL V-BELT
BLL00703	BELT; 5L700 NOTCHED 68.8 PL V-BELT
BLL00706	BELT; 5L730 NOTCHED 71.8 PL V-BELT
BLL00709	BELT; 5L760 NOTCHED 74.8 PL V-BELT
BLL00710	BELT; 5L770 NOTCHED 75.8 PL V-BELT
BLL00712	BELT; 5L790 NOTCHED 77.8 PL V-BELT
BLL00719	BELT; 5L860 NOTCHED 84.8 PL V-BELT
BLL00721	BELT; 5L880 NOTCHED 86.8 PL V-BELT
BLL00725	BELT; 5L920 NOTCHED 90.8 PL V-BELT

Part No.	Description
BLL00726	BELT; 5L930 NOTCHED 91.8 PL V-BELT
BLL00729	BELT; 5L960 NOTCHED 94.8 PL V-BELT
BLL00735	BELT; 4L820 NOTCHED 81.0 PL V-BELT
BLL00741	BELT; 4L880 NOTCHED 87.0 PL V-BELT
BLL00743	BELT; 4L900 NOTCHED 89.0 PL V-BELT
BLL00748	BELT; 4L950 NOTCHED 94.0 PL V-BELT
BLL00753	BELT; 4L170 NOTCHED 16.0 PL V-BELT
BLL00754	BELT; 4L180 NOTCHED 17.0 PL V-BELT
BLL00756	BELT; 4L415 NOTCHED 40.5 PL V-BELT
BLL00757	BELT; 4L770 NOTCHED 76.0 PL
BLL00759	BELT; A87 88.3 PL V-BELT
BLL00760	BELT; A91 92.3 PL V-BELT
BLL00761	BELT; A94 95.3 PL V-BELT
BLL00762	BELT; A98 99.3 PL V-BELT
BLL00765	BELT; B270 270.3 PL V-BELT
BLL00770	BELT; B205 206.9 PL V-BELT
BLL00771	BELT; B25 26.8 PL V-BELT
BLL00772	BELT; B29 30.8 PL V-BELT
BLL00773	BELT; B30 31.8 PL V-BELT
BLL00775	BELT; B162 163.8 PL V-BELT
BLL00776	BELT; B180 181.8 PL V-BELT
BLL00777	BELT; B210 211.8 PL V-BELT
BLL00782	BELT; C150 152.9 PL V-BELT
BLL00796	V-BELT; 5V2240 224.0 OL
BLL00797	BELT; 5V2500 250.0 OL V-BELT
BLL00800	BELT; 5V3350 335.0 OL V-BELT
BLL00802	BELT; 8V1000 100.0 OL V-BELT
BLL00843	V-BELT; 5L1000 NCH 98.9 PL
BLL00844	BELT; V-BELT 4L630 NOTCH 62.0 PL
BLL00912	BELT; V (B126), 129 IN OUTSIDE LG X 127.8 IN PITCH LG
BLL00918	BELT; FOR DFOA225DNA
BLL00935	V-BELT; 21IN
BLL00947	BELT; V-BELT, 22INCH
BLL00950	BELT; AX52
BLL00951	BELT; ACCU-LINK V-BELT, A 1/2", 5 FOOT LENGTH
BLL00952	BELT; ACCU-LINK V-BELT, B 5/8", 6 FOOT LENGTH
BLL00953	BELT; SUPER GRIPBELT, B123
BLL01111	BELT; 3L160
BLL01543	BELT; 4010.32.3000, 86.4 VULCANIZED RUBBER
BLL01570	BELT; A21
BLL01571	BELT; B30
BLL01572	BELT; 3/B136
BLL01573	BELT; 3/B144
BLL01577	BELT; 4L180
BLL01580	BELT; 3-BAND, 3GBB124

Part No.	Description
BLL01587	BELT; BANDED, 3GBBX100
BLL01597	BELT; FOR 104.00 DIAMETER, ENERGY WHEEL
BLL01598	BELT; FOR 110.00 DIAMETER, ENERGY WHEEL
BLL01599	BELT; FOR 30.00 DIAMETER, ENERGY WHEEL
BLL01600	BELT; FOR 41.00 DIAMETER, ENERGY WHEEL
BLL01601	BELT; FOR 46.00 DIAMETER, ENERGY WHEEL
BLL01602	BELT; FOR 52.00 DIAMETER, ENERGY WHEEL
BLL01603	BELT; FOR 58.00 DIAMETER, ENERGY WHEEL
BLL01604	BELT; FOR 64.00 DIAMETER, ENERGY WHEEL
BLL01605	BELT; FOR 68.00 DIAMETER, ENERGY WHEEL
BLL01606	BELT; FOR 74.00 DIAMETER, ENERGY WHEEL
BLL01607	BELT; FOR 81.00 DIAMETER, ENERGY WHEEL
BLL01608	BELT; FOR 86.00 DIAMETER, ENERGY WHEEL
BLL01609	BELT; FOR 92.00 DIAMETER, ENERGY WHEEL
BLL01617	BELT; GRIPTWIST, AP, 10 FT LENGTH
BLL01618	BELT; GRIPTWIST, BP, 10 FT LENGTH
BLL01622	BELT; V BELT NOTCHED 40.8 PL
BLL01623	BELT; V BELT 38.8 PL
BLL01630	BELT; BX30
BLL01631	BELT; BX31
BLL01632	BELT; BX37
BLL01634	BELT; AX20 BROWNING GRIPNOTCH BELT
BLL01635	BELT; 1BX58
BLL01636	BELT; 1BX61
BLL01640	BELT; V 3R5VX1400
BLL01641	BELT; V 3RBP103
BLL01642	BELT; V 3RBP120
BLL01643	BELT; V 3RBP93
BLL01644	BELT; V 3RBX103
BLL01645	BELT; V 3RBX120
BLL01646	BELT; V 3RBX136
BLL01647	BELT; V 4R5VX1400
BLL01648	BELT; V 4RBP105
BLL01649	BELT; V 4RBP120
BLL01650	BELT; V 4RBP124
BLL01651	BELT; V 4RBX103
BLL01652	BELT; V 4RBX108
BLL01653	BELT; V 4RBX112
BLL01654	BELT; V 4RBX120
BLL01655	BELT; V 4RBX136
BLL01656	BELT; V 4RBX90
BLL01657	BELT; V 3RBX93
BLL01658	BELT; V 4RBX95
BLL01659	BELT; V 5R5VX1400
BLL01660	BELT; V 5RBP112

Part No.	Description
BLL01661	BELT; V 5RBP133
BLL01662	BELT; V 5RBP136
BLL01663	BELT; V 5RBX105
BLL01664	BELT; V 5RBX120
BLL01665	BELT; V 5RBX136
BLL01666	BELT; V 5RBX80
BLL01667	BELT; V 5RBX98
BLL01677	BELT; FOR ENERGY WHEEL
BLL01678	BELT; A22
BLL01685	BELT; BX29
BLL01690	BELT; BX33 NOTCHED
BLL01691	BELT; FOR 104.00 DIAMETER, ENERGY WHEEL
BLL01704	BELT; FOR WHEEL ERC-5245-03
BLL01709	BELT; 4GB5V1600
BLT00022	BOLT;SHOULDER
BLT00057	BOLT; HEX HEAD, 5/8-11 X 1 1/4
BLT00065	BLT00065 121.02 BOLT; SHOULDER
BLT00067	BOLT; SPACER
BLT00068	BOLT; SPACER
BLT00168	BOLT, #11, WALL FIN
BLT00252	BOLT; ANCHOR
BLT00265	BOLT, .31-18 X .62 LG.
BLT00802	BOLT; .63-11 X 3.50, ZINC PLATED, CARRIAGE
BLT00804	BOLT; .50-13 X 3.50, THREADED FULL LENGTH, ZINC PLATED, HEX HEAD
BLT00805	BOLT;.50-13 X 3.00, ROUND HEAD, SQUARE NECK, THREADED FULL LENGTH, CARRAIGE
BLT00810	BOLT; (1 CTN = 10 PCS)
BLT00811	BOLT; .44-20 X 2.00 (1 CTN = 10 PCS)
BLT00813	BOLT; SHOULDER (1 CTN = 10 PCS) .31-18 X .50 LONG THREAD, .375 DIA X .375 LONG SHOULDER
BLT00817	BOLT; .38-16 X 2.50 (CTN = 25 PIECES)
BLT00819	BOLT; THRU, 316 SS
BLT00828	BOLT; .50-13 X 6.00, ROUND HEAD, SQUARED NECK
BLT00838	BOLT; .38-16 X 2.75 ROUND HEAD SHORT SQUARE NECK - WITHOUT NUTS
BLT00842	BOLT; W/WASHER- PANEL ASSY, LEFT, CL40, CL60
BLT00845	BOLT; CARRIAGE BD, .38-16 X 1.75 CRG, W/O NUT, STEEL-ZINC PLT, THREADED FULL LENGTH, GR5
BLT00848	BOLT; MOTOR MOUNT
BLT00850	BOLT; 3/8 INCH X 1 INCH SUPERSTRUT BOLT
BLT00853	BOLT; W/WASHER
BLT00865	BOLT; SA193-B7 3/8-16 HEX
BLT00866	BOLT; EMKA, INSERT HEX FEMALE 10
BOD00054	BODY; VALVE
BOD00059	BODY;RELIEF VALVE
BOD00074	BODY; VALVE (FOR VAL02547 & VAL02723)
BOD00075	BODY;VALVE (FOR VAL2548 & VAL2724)
BOD00805	BODY; VALVE
BOD00806	BODY; VALVE

Part No.	Description
BOD00809	BODY;STATIC PRESSURE SENSOR LESS MOUNTING HARDWARE AND TUBING
BOD00825	BODY; HFKS, 3/8 X 1/2 ODF S/T, KT-20298-7
BOD00826	BODY; HFKS, 3/8 X 5/8 ODF S/T, KT-20298-8
BOD00828	BODY; HFKS, 1/2 X 7/8 ODF S/T, KT-20298-10
BOD00829	BODY; HFKES, 3/8 X 1/2 ODF S/T, KT-20298-11
BOD00830	BODY; HFKES, 3/8 X 5/8 ODF S/T, KT-20298-12
BOD00831	BODY; HFKES, 1/2 X 5/8 ODF S/T, KT-20298-13
BOD00897	BODY; 1.50 NPTI, 2-WAY, NORMALLY OPEN, GLOBE VALVE
BOD00904	BODY; .75 NPTI, 2-WAY, NORMALLY CLOSED, GLOBE VALVE
BOD00907	BODY; 1.50 NPTI, 2-WAY, NORMALLY CLOSED, GLOBE VALVE
BOD00908	BODY; 2.00 NPTI, 2-WAY, NORMALLY CLOSED, GLOBE VALVE
BOD00924	BODY; .75 NPTI, 3-WAY, GLOBE VALVE
BOD00927	BODY; 1.50 NPTI, 3-WAY, GLOBE VALVE
BOD00931	BODY; 2.50 NPTI, 2-WAY, GLOBE VALVE
BOD00933	BODY; 4.0 NPTI, 2-WAY, GLOBE VALVE
BOD00952	BODY; 0.50 NPTI, 3-WAY, GLOBE VALVE
BOD00954	BODY; .75 NPTI, 3-WAY, GLOBE VALVE
BOD00964	BODY; .75 NPTI, 2-WAY, NORMALLY CLOSED, BALL VALVE
BOD00968	BODY; 2.00 NPTI, 2-WAY, NORMALLY CLOSED,BALL VALVE
BOD00974	BODY; .75 NPTI, 3-WAY, BALL VALVE
BOD00975	BODY; 1.00 NPTI, 3-WAY, BALL VALVE
BOD00976	BODY; 1.25 NPTI, 3-WAY, BALL VALVE
BOD00978	BODY; 2.00 NPTI, 3-WAY, BALL VALVE
BRD00025	BOARD; TERMINAL, R123, LCF2200 460
BRD00059	BOARD; FAN ASSY
BRD00088	BOARD; TERMINAL
BRD00089	BOARD; TERMINAL R-123 COMPATIBLE
BRD00094	BOARD; CIRCUIT ASSEMBLY, STANDARD & REHEAT PULSER - DRILL DETAIL
BRD00127	BOARD; FAN ASSEMBLY-DIRECT DRIVE
BRD00131	BOARD; CIRCUIT
BRD00136	BOARD, PRINTED CIRCUIT
BRD00139	BOARD; 6 TERMINAL HERMETIC
BRD00162	BOARD; PRNT CRCT BD
BRD00307	BOARD;TERMINAL ...ASK FOR QTY BREAKS
BRD00367	BOARD; LINE TIME CLOCK
BRD00370	BOARD; MEMORY, STANDARD TRACER 10
BRD00373	BOARD; ANALOG INPUT, LEAD, TR10/TR100
BRD00374	BOARD; BINARY/ANALOG INPUT, TR10/TR100
BRD00375	BOARD; BINARY OUTPUT, TR10/TR100
BRD00385	BOARD; TERMINAL, FAN, 24V, 1 POLE
BRD00399	BOARD; ANALOG INPUT MASTER, TRSWING NUMBER
BRD00400	BOARD; ANALOG INPUT SLAVE, TRS
BRD00402	BOARD;RELAY DRIVE
BRD00443	BOARD; LINE TIME CLOCK, TR100
BRD00445	BOARD; PROCESSOR, TR100

Part No.	Description
BRD00448	BOARD; ANALOG INPUT, SLAVE, TR100
BRD00449	BOARD; ANALOG TERMINATOR, TR100
BRD00450	BOARD; BINARY TERMINATOR, TR100
BRD00451	BOARD; BOP TERMINATOR CARD
BRD00453	BOARD; TERMINAL, 6 LEADS, 15.80 X 11.80
BRD00454	BOARD; 4 RELAY SOCKET CARD, RELAYS NOT INCLUDED
BRD00455	BOARD; UCM COMMUNICATIONS CARD A (OPTION 1)
BRD00456	BOARD; COMMUNICATIONS TERMINATOR
BRD00457	BOARD; TERMINAL, 6 LEADS, 11.80 X 20.80
BRD00458	BOARD; TERMINAL, 3 LEADS, 23.30 X 11.80
BRD00459	BOARD; TERMINAL, 6 LEADS, 23.30 X 11.80
BRD00460	BOARD; TERMINAL, 6 LEADS, 23.30 X 11.80
BRD00477	BOARD;TERMINAL, 11 POLE
BRD00487	BOARD;TRACER INTERFACE MODULE
BRD00488	BOARD, TERMINAL
BRD00495	BOARD;PRINTED CIRCUIT
BRD00496	BOARD; MAIN MICRO MODULE ASSEMBLY
BRD00497	BOARD; SIDE OPTION
BRD00516	BOARD; HEAT SOURCE SWITCH, SINGLE STAGE, INCLUDES RELAY AND TERMINAL STRIP
BRD00522	BOARD-PRINTED CIRCUIT
BRD00525	BOARD; IMPU2, STANDALONE MICRO PROCESSOR, TRS
BRD00528	BOARD; MEMORY EXPANSION, TRS
BRD00551	BOARD;P.C., GENERIC BAS CHILLED WATER RESET INTERFACE
BRD00576	BOARD; TERMINATOR, UCM COMMUNICATION (CARD B,(OPTION 2),
BRD00596	BOARD, MAN/MACHINE INTERFACE/KEYBOARD
BRD00599	BOARD;PRINTED CIRCUIT (COOLING W/CHANGEOVER & 3-STG REHEAT)
BRD00602	BOARD;PRINTED CIRCUIT (2-RELAY)
BRD00605	BOARD; CIRCUIT, W/CHANGEOVER AND THREE STAGE REHEAT
BRD00613	BOARD; DEFROST, PRINTED CIRCUIT
BRD00623	BOARD; MEMORY, REV. 8 AND HIGHER, TR100
BRD00643	BOARD;P.C.(POWER SUPPLY)
BRD00644	BOARD; P.C.(RELAY)
BRD00645	BOARD; P.C.(RELAY)
BRD00646	BOARD; INCLUDES CABLE, CAB00130
BRD00659	BOARD; EMI FILTER
BRD00660	BOARD; CONTACT
BRD00664	BOARD; TERMINAL, 5 POLE
BRD00682	BOARD; LINE TIME CLOCK, 120 VOLT
BRD00703	BOARD, CIRCUIT, DOES NOT HAVE 2 SPD CAPABILITY
BRD00705	BOARD; COMMUNICATIONS INTERFACE RIBBON CABLE INCLUDED AND NOT AVAILABLE SEPARATELY
BRD00708	BOARD;TERMINAL
BRD00741	BOARD; PRINTED CIRCUIT
BRD00742	BOARD;PRINTED CIRCUIT, DEFROST MODULE
BRD00743	BOARD;PRINTED CIRCUIT
BRD00744	BOARD; PRINTED CIRCUIT

Part No.	Description
BRD00745	BOARD;PRINTED CIRCUIT
BRD00746	BOARD;PRINTED CIRCUIT
BRD00747	BOARD;PRINTED CIRCUIT
BRD00748	BOARD;PRINTED CIRCUIT
BRD00751	BOARD; TERMINAL
BRD00754	BOARD; PCM LOGIC, STANDARD AMBIENT, 10 POINT
BRD00767	BOARD;PRINTED CIRCUIT
BRD00768	BOARD;PRINTED CIRCUIT
BRD00769	BOARD; PRINTED CIRCUIT
BRD00770	BOARD, PRINTED CIRCUIT, LOW TEMP HOT WATER UNIT
BRD00771	BOARD; PRINTED CIRCUIT
BRD00772	BOARD; PRINTED CIRCUIT
BRD00773	BOARD; PRINTED CIRCUIT, LOW TEMP HOT WATER UNIT
BRD00781	BOARD;RELAY, PRINTED CIRCUIT, HEAT PUMP CONTROL
BRD00792	BOARD;ASSEMBLY,RELAY
BRD00841	BOARD; TERMINATOR, TRACKER
BRD00842	BOARD; LCD DISPLAY, TRACKER/COMFORTRAC
BRD00844	BOARD;PRINTED CIRCUIT (UCM MAIN)
BRD00845	BOARD;PRINTED CIRCUIT, 120V (UCM-POWER SUPPLY)
BRD00901	BOARD, ICEMAKER CONTROL
BRD00903	BOARD; MAIN
BRD00907	BOARD, PRINTED CIRCUIT, HIGH TEMP HOT WATER UNIT
BRD00908	BOARD, PRINTED CIRCUIT, HIGH TEMP HOT WATER UNIT
BRD00916	BOARD; CIRCUIT FAN
BRD00919	BOARD; EXTENDER TOOL
BRD00922	BOARD; TOWER CONTROL STAGES 1 & 2
BRD00933	BOARD; ISOLATED COM 3
BRD00934	BOARD; NON ISOLATED COM 3
BRD00935	BOARD; COM 2
BRD00936	BOARD; COM 4
BRD00937	BOARD; SUMMIT EXPANSION CARD
BRD00955	BOARD; FAN, RH
BRD00956	BOARD; FAN, LH, "OLD STYLE"
BRD00957	BOARD; FAN, LH
BRD00958	BOARD; FAN, RH OR LH
BRD00959	BOARD; FAN, RH OR LH
BRD00960	BOARD; FAN, RH OR LH
BRD00962	BOARD; FAN, RH OR LH
BRD00968	BOARD; CONVENTIONAL THERMOSTAT INTERFACE
BRD00975	BOARD; POWER SUPPLY 24VAC, 6-TABS
BRD00981	BOARD; EXPANDER (ZZEXPDAL0100)
BRD00985	BOARD; PRINTED CIRCUIT, UCM INFRD
BRD00986	BOARD, INTEGRATED COMMUTATED MOTOR CONTROL
BRD00990	BOARD; UPCM BINARY INPUT
BRD00991	BOARD; UPCM ANALOG OUTPUT W/ OVERRIDE

Part No.	Description
BRD00992	BOARD; UPCM ANALOG OUTPUT W/O OVERRIDE
BRD00993	BOARD; UPCM BINARY OUTPUT W/ OVERRIDE
BRD00994	BOARD; UPCM BINARY OUTPUT W/O OVERRIDE
BRD00997	BOARD; UPCM 400 MA POWER SUPPLY
BRD01011	BOARD; COMBO, WITHOUT OVERRIDE
BRD01012	BOARD; COMBO, WITH OVERRIDE
BRD01016	BOARD; UPCM OPERATOR INTERFACE
BRD01017	BOARD, LCP CONTROLLER WITH CABLE
BRD01018	BOARD, LCP SUPERVISOR
BRD01019	BOARD; LCP NORMALLY OPEN ELECTRICALLY HELD RELAYS
BRD01023	BOARD, LIGHTED SWITCH
BRD01029	BOARD; STAT 4 TERMINATOR TRACKER/COMFORTRAC
BRD01033	BOARD; ZONE CARD (ZZCARDAL0100)
BRD01034	BOARD; FAN ASSY, HORIZONTAL, 700 CFM
BRD01035	BOARD; FAN ASSY, HORIZONTAL, 1000 CFM
BRD01036	BOARD; FAN ASSY, HORIZONTAL, 1250 CFM
BRD01037	BOARD; FAN ASSY, HORIZONTAL, 1500 CFM
BRD01042	BOARD; TERMINAL, 3 LEADS, 11.80 X 23.30 HV
BRD01076	BOARD; RETROFIT TUC, STANDARD AMBIENT
BRD01077	BOARD; RETROFIT TUC, EXTENDED AMBIENT
BRD01079	BOARD; (ITEM SHIPS FROM TRANE JAPAN)
BRD01085	BOARD; PCB ASSEMBLY, POW-KS1812B
BRD01114	BOARD; 3 COAX HUB
BRD01115	BOARD; 1 FIBER/2 COAX HUB CARD
BRD01116	BOARD; 2 FIBER/1 COAX HUB CARD
BRD01159	BOARD;8537.109070 CIRCUIT
BRD01165	BOARD;8415.90.9000 INST PLATE,METAL
BRD01168	BOARD; PRINTED CIRCUIT
BRD01176	BOARD, PRINTED CIRCUIT, IGBT GATING
BRD01181	BOARD; PRINTED CIRCUIT CONSISTS OF QTY 1 RLY1940, QTY 6 RLY1941 AND QTY 7 RLY1942
BRD01185	BOARD; TERMINAL, R123 , LCF1944
BRD01201	BOARD; TERMINAL, R123
BRD01203	BOARD; 6 STUD TERMINAL, R123
BRD01207	BOARD; TERMINAL R123
BRD01208	BOARD; TERMINAL R123
BRD01213	BOARD; TERMINAL R123
BRD01253	BOARD; LOGIC EXTENDED AMBIENT
BRD01254	BOARD; LOGIC STANDARD AMBIENT
BRD01255	BOARD; PCB-ASSY
BRD01257	BOARD;8537.10.9070 PCB ASSEMBLY
BRD01263	BOARD; DUAL/TRI MAIN CONNECTION
BRD01270	BOARD;(A1)
BRD01278	BOARD; FAN ASSEMBLY
BRD01327	BOARD, 10 STUD TERMINAL, R-123 COMPATIBLE
BRD01335	BOARD; MAIN CONNECTION, 24VAC, 50/60 HZ W/MOUNTING

Part No.	Description
BRD01340	BOARD, TERMINAL ASSEMBLY (R-123 COMPATIBLE)
BRD01370	BOARD;8537.10.9070 MAIN PCB
BRD01372	BOARD;8537.10.9070 MAIN PCB
BRD01376	BOARD; RECEIVER PCB, POPULATED PRINTED CIRCUIT BOARD
BRD01398	BOARD; EC PCM, 4-6-4-6 STANDARD TEMPERATURE
BRD01403	BOARD; FAN, RH OR LH, 1000 CFM
BRD01410	BOARD; CIRCUIT, 2 STAGE, CELL USE W/ F50, F51, F52
BRD01414	FAN; BOARD
BRD01421	BOARD; FAN, 400 CFM
BRD01432	BOARD; GATE DRIVER
BRD01435	BOARD; GATE DRIVER
BRD01478	BOARD; LOGIC, TRACER L, VERSION 15.3
BRD01479	BOARD; LOGIC,TRACER 100I VERSION 15.3 W/COMMUNICATION
BRD01480	BOARD; LOGIC, CHILLER PLANT MANAGER, VER 15.3
BRD01497	BOARD; KEYPAD/DISPLAY FOR WATER LOOP CONTROLLER
BRD01669	BOARD; BMTW BCU STANDARD CAPACITY CARD
BRD01670	BOARD; COMM5, BCU II
BRD01671	BOARD; BMTW BCU 16 BIT BUS
BRD01672	BOARD; BMTW BCU I/O
BRD01678	BOARD; KEYBOARD FOR ESPRIT 5510A (SEE CRT00006 FOR ESPRIT MONITOR)
BRD01700	BOARD; SCI
BRD01701	BOARD; COM-5 REPEATER
BRD01703	BOARD; PCB SUMMIT LOGIC V3/V4
BRD01706	BOARD; PC BUSS CONTROL ASSEMBLY
BRD01713	BOARD; HIGH CAPACITY CARD, FOR BMTW
BRD01717	BOARD; PCM EC UPCM ANALOG OUTPUT (FERRITES INCLUDED)
BRD01719	BOARD; PCB EC UPCM COMBO OUTPUT (FERRITES INCLUDED)
BRD01724	CHIP; ROM VAVT2CCP V2.2
BRD01725	BOARD; REPLACEMENT FOUR-WIRE POWER BOARD FOR INNOVAIR 4-WIRE DUCT SMOKE DETECTORS
BRD01728	BOARD; VT2CCP CSO V2.2
BRD01729	BOARD; VT2CCP DSO V2.2
BRD01732	BOARD; TRL PCB COMM4 ADAPT W/STANDOFFS
BRD01744	BOARD; PCM 20-POINT STANDARD AMBIENT
BRD01745	BOARD; PCM 20-POINT EXTENDED AMBIENT
BRD01749	BOARD; ARCNET CARD, INPUT NODE CARD, 1 FIBER OPTIC, BCU
BRD01753	BOARD; RELAY. POPULATED PRINTED CIRCUIT BOARD
BRD01754	BOARD; VT2CCP RELAY BOARD ASSEMBLY
BRD01775	BOARD; CUII BOARD
BRD01776	BOARD; BIC BOARD
BRD01783	BOARD;8537.10.9070 CIRCUIT
BRD01788	BOARD; PCB UPCM MAIN STD TEMP
BRD01789	BOARD; PCM UPCM MAIN EXT TEMP
BRD01806	BOARD;8537.10.9070 LED DISPLAY
BRD01807	BOARD; MICRO. POPULATED PRINTED CIRCUIT BOARD
BRD01809	BOARD; POWER MODULE CONTROL (PMC)

Part No.	Description
BRD01810	BOARD;8537.10.9070 MAIN PC
BRD01811	BOARD;8537.10.9070 PCB CONTROL
BRD01812	BOARD;8537.10.9070 DISPLAY PC
BRD01816	BOARD; CIRCUIT, HEAT MODULE/EXHAUST COMPARATIVE ENTHALPY
BRD02077	BOARD; STARTER LOGIC BOARD ASSEMBLY, SOLID STATE STARTER
BRD02079	BOARD; PCB US UPCM UNIVERSAL
BRD02080	BOARD; DISPLAY, A-2, 40X2 LCD
BRD02081	BOARD; MOTHER, B1, HYPERWATT STUFFING
BRD02084	BOARD; POWER SUPPLY, +/-12VDC +5VDC
BRD02088	BOARD; SL CONTACTOR CONTROL PC
BRD02093	BOARD; CIRCUIT, FRONT PANEL
BRD02102	BOARD; POWER SUPPLY, CH530, 27 VAC INPUT, 24 VDC OUTPUT
BRD02103	BOARD; DUAL HIGH VOLTAGE BINARY INPUT, PROGRAMMING REQUIRED
BRD02108	BOARD; MAIN LOGIC BOARD LOOP CONT
BRD02111	BOARD; RESISTOR
BRD02113	BOARD; FAN, 12.318 X 32.679 X 18 GA, SIZE 009 - 018
BRD02124	BOARD; RESISTOR, SIZE 5, 60 HZ
BRD02125	BOARD; RESISTOR, SIZE 6, 60 HZ
BRD02131	BRD02131 148.37 BOARD; D-LINK ETHERNET CARD
BRD02136	BOARD; SYSTEM CONTROLLER INTEGRATED ZONE SYSTEM (VERSION 2.8)
BRD02147	BOARD; PROGRAMMED TRACER ZN.010, 2 PIPE CHANGEOVER, N/O COOLING
BRD02148	BOARD; PROGRAMMED TRACER ZN.010, 2 PIPE CHANGEOVER, N/O COOLING
BRD02149	BOARD; PROGRAMMED TRACER ZN.010, 2 PIPE CHANGEOVER, N/O COOLING
BRD02150	BOARD; PROGRAMMED TRACER ZN.010, 2 PIPE CHANGEOVER, N/O COOLING
BRD02151	BOARD; PROGRAMMED TRACER ZN.010, 2 PIPE CHANGEOVER, N/O COOLING
BRD02155	BOARD; PROGRAMMED TRACER ZN.010, 4 PIPE, N/C COOLING, N/O HEATING
BRD02156	BOARD; PROGRAMMED TRACER ZN.010, 4 PIPE, N/C COOLING, N/O HEATING
BRD02158	BOARD; PROGRAMMED TRACER ZN.010, 4 PIPE, N/C COOLING, N/O HEATING
BRD02160	BOARD; PROGRAMMED TRACER ZN.010, 4 PIPE, N/C COOLING, N/O HEATING
BRD02164	BOARD; PROGRAMMED TRACER ZN.010, 4 PIPE, N/C COOLING, N/O HEATING
BRD02311	BOARD; UNPROGRAMMED TRACER ZN.510 MODULE
BRD02616	BOARD; PCB, 5K512
BRD02618	BOARD; TERMINAL, T4A3A7377
BRD02622	BOARD; DISPLAY TERMINAL T386A
BRD02625	BOARD; LED
BRD02627	BOARD; LED
BRD02632	BOARD; TERMINAL, T4B3A-73
BRD02649	BOARD; PRINTED CIRCUIT, 5F51
BRD02657	BOARD; TERMINAL, T360B1
BRD02666	BOARD; KIT, ATV58 CONTROL BOARD
BRD02686	BOARD; FAN ASSEMBLY, 1250 CFM
BRD02687	BOARD; FAN ASSEMBLY, 1500 CFM, LESS MOTOR
BRD02690	BOARD; UNTY PAR, BOARD & FAN ASSEMBLY COMPLETE, 115V, 1000CFM
BRD02695	BOARD; UNTY PAR, BOARD & FAN ASSEMBLY COMPLETE, 277V, 700CFM
BRD02699	BOARD; UNTY PAR, BOARD & FAN ASSEMBLY COMPLETE, 277V, 2300CFM

Part No.	Description
BRD02711	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE, 277V, 3000CFM, 1.00 MATT INSL.
BRD02712	BOARD; TRACKER ST16 V6.5
BRD02714	BOARD; TRACKER/COMFORTRAC ST16 V5.14
BRD02720	BOARD; ADVANTAGE PLUS SIZE 4, 110/120V-60HZ
BRD02724	BOARD; ECM, DIGITAL CONTROL
BRD02734	BOARD;8537.10.9070 PCB,W/MEMORY FUNCTION
BRD02736	BOARD;8537.10.9070,PCB W/MEMORY FUNCTION
BRD02737	BOARD;8537.10.9070,MAIN P.C. W/MEMORY FUNCTION
BRD02738	BOARD;8537.10.9070,PC MAIN W/MEMORY FUNCTION
BRD02740	BOARD;8537.10.9070,LED W/MEMORY FUNCTION
BRD02741	BOARD;8537.10.9070,LED W/MEMORY FUNCTION
BRD02742	BOARD;8537.10.9070, SWITCH
BRD02746	BOARD;8537.10.9070, LED
BRD02747	BOARD;8537.10.9070, MAIN W/MEMORY FUNCTION
BRD02751	BOARD; UNTY PAR, BOARD & FAN ASSEMBLY COMPLETE, 277V, 3000CFM
BRD02762	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE, 277V, 700CFM, 1.00 FOIL INSL.
BRD02766	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE, 277V, 2300CFM, 1.00 FOIL INSL.
BRD02767	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE, 277V, 3000CFM, 1.00 FOIL INSL.
BRD02771	BOARD; CONTROL CP14, CP26 ON UNITS MANUFACTURED AFTER 12/00
BRD02775	BOARD; POWER INTERFACE CONTROL, 350 HP LIQUIFLO 1.5
BRD02776	BOARD; POWER INTERFACE CONTROL, 450,600 HP LIQUIFLO 1.5
BRD02777	BOARD; POWER INTERFACE CONTROL, 1000 HP LIQUIFLO 1.5
BRD02778	BOARD; CONTROLLER, LIQUIFLO 1.5
BRD02780	BOARD; COMMUNICATIONS INTERFACE, LIQUIFLO 1.5
BRD02781	BOARD; RECOMM-TRANE RS-485
BRD02783	BOARD; CIRCUIT, ZN.010
BRD02798	BOARD; LED DISPLAY
BRD02799	BOARD; BOARD, TERMINAL (LTB)
BRD02802	BOARD; UPCM LOCAL OP
BRD02807	BOARD; LINE SYNC PC
BRD02808	BOARD; RECTIFIER CONTROL ASSEMBLY
BRD02809	BOARD; INVERTER CONTROL ASSEMBLY
BRD02810	BOARD; 608 AMP, RECTIFIER POWER INTERFACE ASSEMBLY
BRD02811	BOARD; 608 AMP, INVERTER POWER INTERFACE ASSEMBLY
BRD02812	BOARD; 80 WATT POWER SUPPLY ASSEMBLY
BRD02813	BOARD; COMMUNICATIONS INTERFACE ASSEMBLY
BRD02819	BOARD; ADVANTAGE PLUS SIZE 6, 110V/50HZ
BRD02820	BOARD; ETHERNET CARD
BRD02824	BOARD; ADVANTAGE PLUS SIZE 5, 110/120V 60HZ
BRD02826	BOARD; ADVANTAGE PLUS SIZE 6, 110/120V 60HZ
BRD02829	BOARD; ADVANTAGE PLUS SIZE 6DP, 110/120V 60HZ
BRD02830	BOARD; ADVANTAGE PLUS SIZE 6DP, 110V/50HZ
BRD02831	BOARD; AC LINE I/O, LIQUIFLO 2.0
BRD02834	BOARD;8537.10.9070,MAIN A
BRD02835	BOARD;8537.10.9070, MAIN B

Part No.	Description
BRD02836	BOARD;8537.10.9070,LED
BRD02841	BOARD; 405 AMP, RECTIFIER INTERFACE ASSEMBLY
BRD02842	BOARD; 405 AMP, RECTIFIER POWER INTERFACE ASSEMBLY
BRD02846	BOARD; TEMPERATURE CONTROL, WITH POTENTIOMETER
BRD02849	BOARD;8537.10.9070 CIRCUIT
BRD02850	BOARD; BYPASS POWER
BRD02857	BOARD; UNTY PAR, LOW HT., BOARD & FAN ASSEMBLY COMPLETE, 277V, 800CFM
BRD02863	BOARD; UNTY SER, LOW HT., BOARD & FAN ASSEMBLY COMPLETE, 115V, 900CFM, 1.00 FOIL
BRD02866	BOARD; UNTY SER, LOW HT., BOARD & FAN ASSEMBLY COMPLETE, 277V, 1800CFM, 1.00 FOIL
BRD02880	BOARD; BCU MAIN BOARD
BRD02881	BOARD; PRINTED CIRCUIT (CONTROL)
BRD02882	BOARD; PRINTED CIRCUIT (CONTROL)
BRD02883	BOARD; PRINTED CIRCUIT BOARD ASSEMBLY, INCLUDES SWITCH, RECEIVER PART OF BOARD
BRD02884	BOARD; PRINTED CIRCUIT (POWER UNIT)PCB2
BRD02885	BOARD; PRINTED CIRCUIT (CONTROL UNIT)
BRD02886	BOARD; PRINTED CIRCUIT (POWER UNIT)
BRD02887	BOARD; PRINTED CIRCUIT (ANNUNCIATOR)
BRD02888	BOARD; EIA-232 PORT
BRD02889	BOARD; BCU MAIN EC BOARD
BRD02890	BOARD; BCU MAIN EC
BRD02895	BOARD; CONTROL, TOUCH PAD, UNITS MANUFACTURED BEFORE FEB 2001
BRD02904	BOARD; UNPROGRAMMED TRACER ZN.010 MODULE
BRD02905	BOARD; TERMINAL
BRD02919	BOARD; ASSEMBLY, PCB, EX2
BRD02923	BOARD; CONTROLLER ASSY
BRD02925	BOARD; SMALL PRINTED CIRCUIT
BRD02928	BOARD; TERMINAL, PRINTED CIRCUIT, 11 QUICK CONNECTS
BRD02929	BOARD; TERMINAL, PRINTED CIRCUIT, 10 QUICK CONNECTS
BRD02930	BOARD; TERMINAL, PRINTED CIRCUIT, 9 QUICK CONNECTS
BRD02932	BOARD; RELAY BOARD ASSEMBLY
BRD02941	BOARD; P5 600V, CONTROL
BRD02942	BOARD; DUAL BINARY INPUT, PROGRAMMING REQUIRED
BRD02943	BOARD; CONTROLLER ASSY
BRD02944	BOARD; DUAL RELAY OUTPUT, PROGRAMMING REQUIRED
BRD02945	BOARD; DUAL ANALOG I/O, PROGRAMMING REQUIRED
BRD02946	BOARD; DUAL HIGH VOLTAGE BINARY INPUT, PROGRAMMING REQUIRED
BRD02947	BOARD; DUAL TRIAC OUTPUT, PROGRAMMING REQUIRED
BRD02948	BOARD; QUAD RELAY OUTPUT, PROGRAMMING REQUIRED
BRD02949	BOARD; DUAL INVERTER INTERFACE, PROGRAMMING REQUIRED
BRD02950	BOARD; STARTER, PROGRAMMING REQUIRED
BRD02951	BOARD; COM3 INTERFACE, PROGRAMMING REQUIRED
BRD02957	BOARD; BMTX MODEM
BRD02960	BOARD; CONTROLLER, TRACER VV550
BRD02961	BOARD; PRINTED CIRCUIT ASS'Y, INCLUDES THE ON/OFF SWITCH
BRD02964	BOARD; LON FREE TOPOLOTY COMMUNICATION PROTOCOL CARD

Part No.	Description
BRD02967	BOARD; INTERFACE CARD
BRD02969	BOARD; ASSEMBLY, VARISTER
BRD02970	BOARD; IGBT SNUBBER
BRD02980	BOARD; POWER CARD
BRD02982	BOARD; POWER CARD
BRD02983	BOARD; POWER CARD
BRD02985	BOARD; POWER CARD
BRD02987	BOARD; POWER CARD
BRD02988	BOARD; POWER CARD
BRD02989	BOARD; POWER CARD
BRD02990	BOARD; POWER CARD
BRD02994	BOARD; FAN POWER SUPPLY, N1/IP20
BRD02997	BOARD; RELAY CARD
BRD02998	BOARD; RELAY CARD
BRD02999	BOARD; RELAY CARD
BRD03001	BOARD; RELAY CARD
BRD03004	BOARD; ASSEMBLY, VARISTER
BRD03014	BOARD; OTP, CONTROL ASSEMBLY; INCLUDES PWB, PWB HOUSING 208/230/265V
BRD03015	BOARD; PCB MODULE
BRD03019	BOARD; CONTROL CARD - ST
BRD03021	BRD: CONTROL ASSEMBLY
BRD03024	BOARD; RELAY BOARD ASSY, OP60
BRD03025	BOARD; CONTROL, UNPROGRAMMED TRACER ZN520
BRD03026	BOARD; UNTY SER, BOARD & FAN ASSY COMPLETE, 277V, 1550 CFM, 1.00 MATT INSL.
BRD03033	BOARD; RELAY ASSY, OP12, CP14
BRD03036	BOARD; RELAY, 12LFU/HFU, OP12, CP14
BRD03039	BOARD; MP503, PCB COMM5 I/O MODULE
BRD03040	BOARD; ASSY., ZN511 I/O MODULE
BRD03041	BOARD; ASSEMBLY, ZN521 I/O MODULE
BRD03042	BOARD; ASSY., MP501 I/O MODULE
BRD03043	BOARD; ASSY., ZN517 I/O MODULE
BRD03047	BOARD; UNTY PAR, BOARD & FAN ASSEMBLY, 277V, SIZE 0317
BRD03052	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE, 115V, SIZE 0517 W/MT1
BRD03053	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE, 277V, SIZE 0317 W/MT1
BRD03055	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE, 277V, SIZE 0517 W/MT1
BRD03057	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE 115V, SIZE 0417 W/FF1
BRD03058	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE 115V, SIZE 0517 W/FF1EA
BRD03066	BOARD; MASKED, CONTROL ASSEMBLY; INCLUDES PWB, PWB HOUSING 115V
BRD03067	BOARD; CIRCUIT, LFP, INCLUDES WIRE HARNESS
BRD03075	BOARD; MASKED, CONTROL ASSEMBLY; INCLUDES PWB, PWB HOUSING 208/230/265V AND KNOB KIT
BRD03083	BOARD; TEMPERATURE CONTROL, LESS POTENTIOMETER
BRD03102	BOARD; UNTY PAR, BOARD & FAN ASSEMBLY COMPLETE, 277V, 06SQ, LEFT HAND
BRD03103	BOARD; UNTY PAR, BOARD & FAN ASSEMBLY COMPLETE, 277V, 07SQ, LEFT HAND
BRD03106	BOARD; UNTY PAR, BOARD & FAN ASSEMBLY COMPLETE, 115V, 05SQ, LEFT HAND
BRD03107	BOARD; UNTY PAR, BOARD & FAN ASSEMBLY COMPLETE, 277V, 03SQ, LEFT HAND

Part No.	Description
BRD03115	BOARD; UNTY PAR, BOARD & FAN ASSEMBLY COMPLETE, 277V, 07SQ, RIGHT HAND
BRD03135	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE, 277V, 02Q (700 CFM), 1.00 MATT INSL
BRD03136	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE, 277V, 06Q (2300 CFM), 1.00 MATT INSL
BRD03137	BOARD; UNTY SER, BOARD & FAN ASSEMBLY COMPLETE, 277V, 07Q (3000 CFM), 1.00 MATT INSL
BRD03176	BOARD; CIRCUIT, MULTI-CIRCUIT COMPRESSOR (MCM)
BRD03177	BOARD; ACCESSORY, RELIATEL COMMUNICATIONS INTERFACE BOARD (BAYICSI003AD)
BRD03178	BOARD; CONTROLLER ASSEMBLY
BRD03189	BOARD; LONWORKS CARD
BRD03190	BOARD; OPERATOR DISPLAY W/O MEMORY
BRD03198	BOARD; ECM, AUTOMATIC SET EVO
BRD03206	BOARD; ASSY, FAN W/MOTOR, HORIZONTAL 150
BRD03213	BOARD; ASSY, FAN W/STD MOTOR, VERTICAL 125
BRD03214	BOARD; ASSY, FAN W/STD MOTOR, VERTICAL 150
BRD03220	BOARD; NO CONTROLS OPTION - RAUC
BRD03221	BOARD; IGBT, 75A, 500V
BRD03222	BOARD; SPARE POWER CARD, EB, VLT5008, 460V
BRD03228	BOARD; PRINTED CIRCUIT, MULTI-CIRCUIT COMPRESSOR (MCM)
BRD03231	BOARD; CIRCUIT, MULTI-CIRCUIT COMPRESSOR (MCM)
BRD03232	BOARD; CONTROL BOARD FOR CP26 FOR UNIT BUILT UP TO 11/00(SN BEFORE 1100-XXXX-XX)
BRD03240	CONTROL; BOARD WITH STANDOFFS
BRD03249	BOARD; Terminal, High Voltage
BRD03253	BOARD;RELAY,FOR CP26
BRD03254	BOARD; ECM, 2-20 VDC
BRD03259	BOARD;RELAY
BRD03277	BOARD; PCB AUX RELAY CARD, (4) FORM C, VLT6000
BRD03352	BOARD; RELAY BOARD
BRD03353	BOARD; PRINTED CIRCUIT (REMOTE MOUNTING PANEL)
BRD03355	BOARD; PCI ARCNET INTERFACE CARD
BRD03357	BOARD; UNPROGRAMMED TRACER ZN.010
BRD03358	BOARD; UNPROGRAMMED TRACER ZN.510
BRD03359	BOARD; CONTROL, UNPROGRAMMED TRACER ZN.520
BRD03361	CONTROL; BOARD ERV EMB
BRD03390	BOARD; SER, BOARD & FAN ASSEMBLY COMPLETE, 277V, SIZE 0317, 03SQ, ECM
BRD03391	BOARD; OPERATOR DISPLAY W/O MEMORY
BRD03398	BOARD; SPARE GATE DRIVE PCA,CC,VLT5122-5302
BRD03399	BOARD; SPARE PWRCD 5016 460V EB COAT
BRD03401	BOARD; PRINTED CIRCUIT, WITH BRACKET, LOGIC.
BRD03402	BOARD; POWER CARD - EB - VLT 5102
BRD03403	BOARD; SPARE ASSY PWR CARD VLT5075 EB
BRD03456	BOARD; CIRCUIT
BRD03462	BOARD; AC FAN POWER SUPPLY IP54
BRD03463	BOARD; SPARE POWER CARD EB , VLT 5062/6072
BRD03464	BOARD; 1B3Q INTERFACE BOARD FOR HOTGAS BYPASS VALVE
BRD03476	BOARD; EVO ECM/VCU
BRD03480	BOARD; POWER CARD - EB

Part No.	Description
BRD03486	BOARD; SPARE PWR CRD EB VLT 5006 460V
BRD03488	BOARD; SPARE,INTERFACE/POWER PCA,CC,VLT5122T5
BRD03489	BOARD; OPERATOR DISPLAY W/O MEMORY
BRD03522	BOARD; MOTOR STARTER, PCB, SOFTWARE VERSION 810020-01
BRD03531	BOARD; SPARE,INTERFACE/POWER PCA,CC,VLT5202T5
BRD03532	BOARD; SPARE,I-SCALING PCA,VLT5152
BRD03533	BOARD; TERMINAL SPARE/PHOENIX 3008009
BRD03535	BOARD; POWER
BRG00027	BEARING; 3/4 BORE
BRG00031	BEARING; PILLOW BLOCK, BRONZE, LIGHT DUTY, 1.188 BORE
BRG00036	BEARING; .312
BRG00043	BEARING; CARTRIDGE, SLEEVE, .75 BORE
BRG00046	BEARING; THRUST, 3.09 ID X 4.00 OD, MODEL E
BRG00052	BEARING; 1 IN. BORE
BRG00062	BEARING; THRUST WASHER, MODEL F, 2.40 BORE
BRG00065	BEARING; F COMPRESSOR, 2.3IN. BORE
BRG00066	BEARING, MODEL E COMPRESSOR, 2.88 BORE
BRG00069	BEARING; SLEEVE, .94 BORE,4 BOLT MTG
BRG00070	BEARING; PILLOW BLOCK, BRONZE, LT. DUTY .625 BORE
BRG00079	BEARING; HEAD, MOTOR END MODEL F COMPRESSOR
BRG00104	BEARING; FLANGE, 4 BOLT, 1-3/16IN. BORE
BRG00107	BEARING; INSERT, RUBBER CUSHIONED, .934 BORE
BRG00108	BEARING, CARTRIDGE SLEEVE, .75 BORE
BRG00113	BEARING; PILLOW BLOCK, BALL, STD. DUTY, 1.000 BORE
BRG00115	BEARING; KIT, RIGHT HAND
BRG00117	BEARING, CTV, 3.00 BORE, 5.97 OD X 3.00 WIDE
BRG00118	BEARING, CTV, 3.00 BORE
BRG00119	BEARING, SLEEVE, CTV, 3.00 BORE, 5.97 OD X 4.00 WIDE
BRG00120	BEARING; 1.44 BORE,
BRG00125	BEARING; LINKAGE, .25/31 BALL JOINT, .25-.28 X .562
BRG00128	BEARING;KIT, U.V., LEFT HAND
BRG00134	BEARING; CTV, 3.63 BORE
BRG00141	BEARING; CARTRIDGE, BALL, .75 BORE
BRG00143	BEARING; PILLOW BLOCK BALL, .75 BORE
BRG00144	BEARING, CTV, 3.00 BORE, 5.97 OD X 3.88 WIDE
BRG00152	BEARING; SLEEVE,.94 BORE 4 BOLT MOUNTING
BRG00168	BEARING; FORCE-FLO, .625 BORE
BRG00173	BEARING; PILLOW BLOCK BALL, STD DUTY, 1.938 BORE
BRG00190	BEARING; PILLOW BLOCK, BRONZE, LT. DUTY 1.188 BORE
BRG00194	BEARING; 3.50 BORE, 6.00 FLANGE OD, 4.75 BARREL OD, 1.62 LENGTH
BRG00195	BEARING; HOUSING ASM., 1.13 BORE,CARBON, MOTOR END, 7" MULTIPLE PUMP
BRG00196	BEARING; HOUSING ASSEMBLY,OUTBOARD 1.13 BORE, CARBON
BRG00207	BEARING, CTV, 2.50 BORE
BRG00208	BEARING, CTV, 3.50 BORE
BRG00209	BEARING, CTV, 4.00 BORE

Part No.	Description
BRG00212	BEARING; FAN SHAFT ROD END
BRG00218	BEARING;HOUSING ASSEMBLY
BRG00219	BEARING; HOUSING ASSEMBLY
BRG00220	BEARING, SLEEVE, PUMP, 2.00 BORE, 2.62 OD X 3.00 LONG, CARBON
BRG00242	BEARING; NYLINER, .45 BORE
BRG00243	BEARING;NYLINER
BRG00244	BEARING, NYLINER, .75 BORE
BRG00245	BEARING; NYLINER .75 BORE
BRG00249	BEARING; THRUST, 2.00 BORE, 1.25 THICK X 7.36 OD,
BRG00259	BEARING, CTV, 2.50 BORE
BRG00262	BEARING; HEAD ASSY, 2.12 BORE
BRG00263	BEARING, THRUST
BRG00270	BEARING; ROLL END .75 BORE, 1/50
BRG00271	BEARING; DAMPER, MOLDED, .45 ID X .31 LG
BRG00272	BEARING; DAMPER, .26 ID X .24 LG, MLD SNAP IN, .067 THK
BRG00286	BEARING; HEAD WITH INSERT.
BRG00289	BEARING; MODEL R COMPR, 2.875 BORE
BRG00290	BEARING, THRUST, MODEL R, 3.2 BORE
BRG00291	BEARING; INSERT
BRG00299	BEARING;PIVOT, MALE
BRG00300	BEARING; LINKAGE, PIVOT, FEMALE NYLON, .50 OD X .50 LG
BRG00311	BEARING; PILLOW BLOCK BALL, STD DUTY 1.500 BORE
BRG00312	BEARING, CTV, 1.62 BORE
BRG00315	BEARING, CTV, 3.00 BORE
BRG00316	BEARING, CTV, 2.00 BORE
BRG00317	BEARING, CTV, 4.00 BORE
BRG00318	BEARING; CTV, 2.00 BORE
BRG00319	BEARING; CTV, 3.75 BORE
BRG00323	BEARING; PILLOW BLOCK BALL, STD DUTY 2.438 BORE
BRG00327	BEARING, NYLON, 3/8 BORE
BRG00328	BEARING; PILLOW BLOCK, 1.94 BORE
BRG00329	BEARING, CTV, 2.00 BORE
BRG00334	BEARING; FLANGE TWO BOLT, MEDIUM DUTY 1.688 BORE
BRG00340	BEARING; PILLOW BLOCK, BALL, MEDIUM DUTY, 2.938IN.BORE
BRG00341	BEARING;PILLOW BLOCK, BALL, MEDIUM DUTY,2.688IN.BORE, 11.813 MTG CENTER
BRG00342	BEARING;PILLOW BLOCK, BALL, MEDIUM DUTY,2.438IN.BORE, 11.250 MTG CENTER
BRG00343	BEARING, CTV, 2.00 BORE
BRG00344	BEARING, CTV, 1.62 BORE
BRG00345	BEARING;PILLOW BLOCK, BALL, MEDIUM DUTY,1.688IN.BORE, 7.500 MTG CENTER
BRG00350	BEARING; PILLOW BLOCK, 2 7/16 BORE, TWO BOLT MOUNTING.
BRG00353	BEARING;PILLOW BLOCK, BALL, MEDIUM DUTY, 1.688IN. BORE, 7.000 MTG CENTER
BRG00354	BEARING; PILLOW BLOCK BALL, MED. DUTY, 2.188 BORE
BRG00355	BEARING; PILLOW BLOCK, 2.188 BORE
BRG00358	BEARING; PILLOW BLOCK, 2.438 BORE
BRG00366	BEARING; PILLOW BLOCK BALL, MED. DUTY, 2.938 BORE

Part No.	Description
BRG00368	BEARING; PILLOW BLOCK, 1.94 BORE
BRG00369	BEARING; PILLOW BLOCK, 2.68 BORE
BRG00370	BEARING; PILLOW BLOCK, ROLLER, 2.69 BORE
BRG00373	BEARING; INSERT, 3.938 BORE, RUBBER CUSHIONED
BRG00378	BEARING; SLEEVE, FLANGE, .938 BORE, 1/8 PIPE PLUG, 2 BOLT MOUNTING, RUBBER MOUNT
BRG00386	BEARING;INSERT,1.00 BORE
BRG00396	BEARING, CENTRIFUGAL COMPRESSOR, 3.50 BORE 6.00 OD X 1.62 WIDE
BRG00398	BEARING; PILLOW BLOCK BALL, STD DUTY 1.688 BORE
BRG00399	BEARING; PILLOW BLOCK BALL, STD. DUTY, 1.938 BORE
BRG00404	BEARING; FLANGE, 2-11/16 INCH BORE
BRG00406	BEARING; ROLLER, PB, MEDIUM DUTY, 2 BOLT
BRG00428	BEARING; BABBIT, 3.50
BRG00430	BEARING, CTV, 3.00 BORE
BRG00431	BEARING, CTV, 4.25 BORE
BRG00432	BEARING-CENTRAVAC MOTOR, 7.38 OD X 3.00 WIDE
BRG00455	BEARING; PILLOW BLOCK, BALL, STD. DUTY 1.50 BORE
BRG00456	BEARING; PILLOW BLOCK BALL, STD. DUTY, 2.188 BORE
BRG00459	BEARING, CTV MOTOR, 3.00 BORE, 5.97 OD X 2.88 WIDE
BRG00468	BEARING, CTV MOTOR, 3.00 BORE, 5.97 OD X 3.00 WIDE
BRG00491	BEARING;THRUST,4.00 BORE
BRG00493	BEARING;THRUST,4.50 BORE
BRG00494	BEARING;THRUST,4.252 BORE
BRG00500	BEARING, UNDERSIZED, 4-8 CYL
BRG00502	BEARING, REMFG, .020 UNDERSIZED, E COMPRESSOR
BRG00511	BEARING;THRUST
BRG00512	BEARING;THRUST
BRG00513	BEARING;THRUST
BRG00514	BEARING;JOURNAL
BRG00516	BEARING; SLEEVE, 1.25 BORE
BRG00517	BEARING; SLEEVE, 1.38 BORE
BRG00520	BEARING, PILLOW BLOCK BALL, LT. DUTY 1.000 BORE
BRG00523	BEARING; NYLON
BRG00527	BEARING, ABS PUMP, 1.34 BORE
BRG00528	BEARING;PUMP SHAFT
BRG00529	BEARING; PILLOW BLOCK BALL, MED. DUTY, 1.688 BORE
BRG00536	BEARING; FLANGE FOUR BOLT, MEDIUM DUTY 1.938 BORE
BRG00537	BEARING, MAIN, 40 T, .020 UNDERSIZE, M & R COMPRESSOR
BRG00538	BEARING, MAIN, 50-60 T MODEL R COMPRESSOR
BRG00541	BEARING; BALL JOINT, ROD END, .312 BORE
BRG00545	BEARING; FLANGED, INSERT, .75 BORE
BRG00546	BEARING; SNAP-IN, .312 BORE
BRG00548	BEARING; PILLOW BLOCK,1 5/8IN.BORE
BRG00550	BEARING; BALL JOINT, .25-.31 ROD
BRG00551	BEARING; ABS PUMP, FLANGED, 1.13 BORE
BRG00552	BEARING; ABSORPTION PUMP, 1.13 BORE

Part No.	Description
BRG00559	BEARING; PILLOW BLOCK BALL, STD DUTY, .750 BPRE
BRG00560	BEARING; 1-1/2 IN.
BRG00564	BEARING; ROLLER, .62 BORE, .88 OD X .75 WIDE, 1 ROLL CYLINDRICAL
BRG00568	BEARING;CAM FOLLOWER
BRG00573	BEARING; 3/4 INCH. ORDER QTY. SHOULD BE NUMBER PIECES REQUIRED
BRG00575	BEARING, CTV, 5.60 BORE
BRG00576	BEARING, CTV, 6.40 BORE
BRG00578	BEARING; THRUST BALL
BRG00579	BEARING;THRUST BALL
BRG00580	BEARING;BALL, SINGLE ROW ANGULAR CONTACT (SET OF 2)
BRG00581	BEARING;BALL, SINGLE ROW ANGULAR CONTACT (SET OF 2)
BRG00583	BEARING;BALL, SINGLE ROW DEEP GROOVE (SET OF 2)
BRG00584	BEARING;BALL, SINGLE ROW ANGULAR CONTACT (SET OF 2)
BRG00585	BEARING;BALL, SINGLE ROW DEEP GROOVE
BRG00586	BEARING;BALL, SINGLE ROW ANGULAR CONTACT (SET OF 2)
BRG00587	BEARING-LINK
BRG00588	BEARING-LINK
BRG00600	BEARING; BALLJOIN, ROD-END
BRG00604	BEARING, CCW ROTATION, 3.515 BORE
BRG00605	BEARING, CW ROTATION, 3.515 BORE
BRG00632	BEARING; RUBBER ISOLATOR, 2 1/2 OD
BRG00634	BEARING; .75 BORE, CL5 BB FLG 2 BOLT MTG
BRG00636	BEARING; FLANGED INSERT, .400 BORE
BRG00637	BEARING;BALL, ISOLATOR ASM, 1.0IN. BORE, 2.55 IN. OUTSIDE DIA.
BRG00638	BEARING;BLOWER
BRG00639	BEARING;FAN SHAFT
BRG00640	BEARING; INSERT, .625 BORE
BRG00642	BEARING; FLANGE TWO BOLT STD. DUTY, 1.188 BORE
BRG00646	BEARING; FLANGE, TWO BLT LT. DUTY, .938 BORE BOLT HOLT PATTERN CENTER TO CENTER 3.00
BRG00648	BEARING; FLANGE TWO BOLT LT. DUTY, 1.438 BORE
BRG00652	BEARING; PILLOW BLOCK, BALL,STD.DUTY,2.188BORE
BRG00653	BEARING, INSERT, DAMPER, .260 BORE
BRG00654	BEARING, RUBBER CUSHIONED, .75 BORE, PERMANENTLY LUBED, SET SCREW LOCKING DEVICE
BRG00668	BEARING;(INLET), .76 ID
BRG00669	BEARING;(DRIVE GEAR), .64 ID
BRG00670	BEARING; (TAKE UP SPRING), .643 ID X .847 OD
BRG00672	BEARING;(TAKE-UP SPRING) .913 ID X 1.152 OD
BRG00673	BEARING;(DRIVE GEAR), .91 ID
BRG00675	BEARING;PILLOW BLOCK, 1.19 BORE,BALL, CLASS 5, .50 IN. BOLT SIZE
BRG00681	BEARING; ORDER QTY SHOULD BE NUMBER OF PIECES REQUIRED
BRG00688	BEARING;PILLOW BLOCK, BALL, CLASS 5, 1.69 IN. BORE, .50 IN. BOLT SIZE
BRG00697	BEARING; INSERT, .750 BORE
BRG00700	BEARING; INSERT, BALL, .750 BORE
BRG00706	BEARING; PILLOW BLOCK 1 7/16 BORE
BRG00707	BEARING; BRACKET, 13.0 DIAMETER

Part No.	Description
BRG00714	BEARING;1IN.BORE,2.53OD X 1.39 WIDE,W/RUBBER CUSHION,2 WK LD
BRG00720	BEARING; PILLOW BLOCK, 1 15/16
BRG00721	BEARING; 5/8 INCH, QTY BREAKS AVAILABLE; 1 WEEK LEADTIME
BRG00740	BEARING; CARTRIDGE, BALL 1.00 BORE
BRG00751	BEARING; BALL, 1.00 BORE 2 BOLT MTG
BRG00760	BEARING;BALL JOINT, 90 DEGREE, LEFT HAND
BRG00783	BEARING; BLADE AXLE
BRG00791	BEARING; PILLOW BLOCK, BALL, 2.688 BORE
BRG00804	BEARING; .94 BORE
BRG00819	BEARING; JOINT-BALL, 90 DEG. (LEFT HAND)
BRG00864	BEARING; PILLOW BLOCK
BRG00868	BEARING; FLANGE
BRG00870	BEARING, 1.19 BORE, 3.09 OD X 1.19 WIDE
BRG00875	BEARING; PILLOW BLOCK, ROLLER,1.483IN.BORE
BRG00876	BEARING; FAN SHAFT
BRG00877	BEARING; 2.44 BORE
BRG00879	BEARING; FAN SHAFT
BRG00881	BEARING; FAN SHAFT
BRG00882	BEARING; SNAP IN NYLINER 9/16 HOUSING BORE FOR .50 SHAFT, .040-.075 PLATE THICKNESS
BRG00883	BEARING; PILLOW BLOCK, 2 3/16" BORE, 2 WKS, QTY BRK AVAIL.
BRG00885	BEARING; AND FRAME ASSEMBLY (INCLUDES: BEARING, BEARING CUP & SPIDER),BLUISH GRAY
BRG00901	BEARING; PILLOW BLOCK, 2 7/16
BRG00921	BEARING; 2 15/16, SPLIT PILLOW BLOCK
BRG00957	BEARING; 1.00 BORE, PILLOW BLK
BRG00958	BEARING; 1.44 BORE, PILLOW BLK
BRG00960	BEARING; 1.69 BORE, PILLOW BLOCK
BRG00962	BEARING; ROD END, .25 BORE
BRG00963	BEARING; ROD END, .25 BORE, SINGLE END, LH THD
BRG00974	BEARING; BALL FLANGE, 1.00 BORE
BRG00980	BEARING;END, FAN SHAFT
BRG01091	BEARING;1.25 BORE, BB CL2, PILLOW BLOCK,RUBBER MTD CARTRIDGE
BRG01097	BEARING; BALL JOINT
BRG01098	BEARING; RUBBER CUSHIONED, 1 IN. INNER DIA, 2.25" OUTSIDE DIA.,WITH LOCKING COLLAR
BRG01099	BEARING; PILLOW BLOCK
BRG01126	BEARING; 1.19 BORE CL5 BB PB 2 BOLT MTG PLUG OR 1/8 NPTI ADP & PLUG
BRG01148	BEARING; .50 BORE, CL5, BB, FLG, 2 BOLT MOUNTING
BRG01152	BEARING; PILLOW BLOCK
BRG01156	BEARING; LINKAGE
BRG01163	BEARING; ROD END 5/16-24 LEFT HAND THREAD
BRG01174	BEARING; REMANUFACTURED, HEAD, PUMP END, MODEL E, 2.87 BORE, STD CRANKSHAFT
BRG01175	BEARING; REMANUFACTURED, HEAD ASSEMBLY, STD CRANKSHAFT
BRG01191	BEARING; 1.00 BORE
BRG01192	BEARING; 1.19 BORE
BRG01193	BEARING; 1.44 BORE
BRG01194	BEARING; 1.69 BORE

Part No.	Description
BRG01195	BEARING;REMANUFACTURED, HEAD W/INSERT AND PLUGS
BRG01207	BEARING; 1.25 BORE, HANGER ASSEMBLY, 2 BOLT MTG, OIL CUP
BRG01208	BEARING; 1.25 BORE, HANGER ASSEMBLY, 2 BOLT MTG, OIL NIPPLE
BRG01221	BEARING; 1.19 BORE, RUBBER CARTRIDGE, 300 LB RADIAL LOAD RATING
BRG01222	BEARING; RADIAL THRUST, CANTED LOBE, IMPELLER END PINION SHAFT
BRG01223	BEARING; RADIAL, CANTED LOBE, MOTOR END PINION SHAFT
BRG01224	BEARING; RADIAL, PRELOADED TWO LOBE, GEAR END MOTOR SHAFT
BRG01226	BEARING; REMANUFACTURED, HEAD W/INSERT
BRG01238	BEARING; RADIAL/THRUST CANTED LOBE, IMPELLER END PINION SHAFT
BRG01239	BEARING; RADIAL PRELOADED 3 LOBE, MOTOR END PINION SHAFT, 800TON
BRG01240	BEARING; RADIAL PRELOADED 2 LOBE, GEAR END MOTOR SHAFT
BRG01246	BEARING; CARBON JOURNAL BEARING SLEEVE
BRG01247	BEARING; DRIVE MOTOR
BRG01248	BEARING; THRUST BEARING, ABSORPTION PUMP, 3"OD
BRG01249	BEARING; THRUST BEARING, ABSORPTION PUMP, 4.25" OD
BRG01254	BEARING; ROLLER, .88 BORE
BRG01255	BEARING; SPERICAL, .625 BORE
BRG01256	BEARING; MOLDED FLANGE SNAP IN, 1.25 ID
BRG01257	BEARING; JOURNAL, 9.65 OD X 2.02 WIDE
BRG01264	BEARING; BALL, BACK TO BACK PRELOADED PAIR, ANGULAR CONTACT, 4.33 BORE, 7.87 OD
BRG01269	BEARING; HEAD ASSEMBLY, REMANUFACTURED
BRG01279	BEARING; RADIAL/THRUST, CANTED LOBE, IMPELLER END-PINION SHAFT
BRG01280	BEARING; RADIAL, CANTED LOBE, MOTOR END PINION SHAFT
BRG01283	BEARING; FOR DFOA, 1-7/16
BRG01284	BEARING; 1 7/16 IN. DRIVE-SIDE, FOR DFOA
BRG01286	BEARING; BALL ANGULAR CONTACT PRELOADED PAIR, 5.11 BORE, 9.05 OD
BRG01287	BEARING; RADIAL, PRELOADED TWO LOBE, GEAR END MOTOR SHAFT
BRG01304	BEARING; FAN SHAFT
BRG01312	BEARING; AXEL, 6-16 DIA CYLINDER
BRG01316	BEARING; FAN SHAFT, 1.00 BORE
BRG01317	BEARING; FAN SHAFT, 1-3/16 BORE
BRG01323	BEARING; ASSEMBLY
BRG01325	BEARING; COMPLETE THRUST BEARING KIT SHIMS AND KEY, 2.875" DIAMETER.
BRG01326	BEARING; COMPLETE THRUST BEARING KIT SHIME AND KEY, 4.25" DIAMETER.
BRG01336	BEARING; 2.6875 BORE
BRG01337	BEARING; 2.6875 BORE
BRG01340	BEARING; CYLINDER ROLLER, .88 BORE X 1.19 OD X .75 HEIGHT (ONE CARTON = 4 PCS)
BRG01345	BEARING; CYLINDRICAL RUBBER MOUNTED CARTRIDGE, 1 INCH BORE
BRG01347	BEARING; MOLDED FLANGE SNAP-IN, (PACK OF 20) .625 BORE
BRG01392	BEARING; CROS-FLOW FAN
BRG01395	BEARING; ROLLER, PB, 1.69 BORE
BRG01396	BEARING; ROLLER, PB, 2.0 BORE
BRG01397	BEARING; ROLLER, PB, 2.19 BORE
BRG01398	BEARING; .75 BORE CLASS 5 BB PB AH
BRG01399	BEARING; 1.00 BORE CLASS 5 BB PB AH

Part No.	Description
BRG01400	BEARING; 1.188 BORE CLASS 5 BB PB AH
BRG01401	BEARING; 1.438 BORE CLASS 7 BB PB AH
BRG01402	BEARING; 1.50 BORE CLASS 5 BB PB AH
BRG01403	BEARING; 1.688 BORE CLASS 5 BB PB AH
BRG01404	BEARING; 1.938 BORE CLASS 5 BB PP AH
BRG01405	BEARING; 2.18 BORE CLASS 5 BB PB AH
BRG01406	BEARING; 1.50 BORE CLASS 7 BB PB AH
BRG01407	BEARING; 2.438 BORE CLASS 5 BB PB AH
BRG01411	BEARING; 1.44 BORE SPERICAL ROLLER
BRG01412	BEARING; 1.44 BORE SPERICAL ROLLER
BRG01415	BEARING; 1.94 BORE SPERICAL ROLLER
BRG01429	BEARING; REPLACEMENT BEARING FOR RAM-5 MANIFOLD AND GEARBOX
BRG01441	BEARING; 2-7/16
BRG01443	BEARING; FAN ASSEMBLY, INCLUDES VIBRATION ABSORBTION RUBBER
BRG01444	BEARING; FAN ROTOR
BRG01445	BEARING; DIFFUSER
BRG01446	BEARING; FAN
BRG01471	BEARING; DODGE GRIP-TIGHT, GTAH 103/129176
BRG01473	BEARING; DODGE BALL BEARING, SCAH 203/123913
BRG01483	BEARING; REMANUFACTURED HEAD ASSEMBLY PUMP END F
BRG01487	BEARING; BLOWER BEARING
BRG01488	BEARING; BLOWER BEARING
BRG01492	BEARING; ROLLER, PB, 2.44 BORE
BRG01494	BEARING; BALL BEARING, FLANGE, 1.688 SHAFT DIAMETER, 4 BOLT
BRG01498	BEARING; 2.938 BORE CLASS 5 BB PB AH
BRG01506	BEARING; DRIVE SIDE FOR DFOA225
BRG01509	BEARING; 1-1/4",FLANGE, RUBBER MOUNTED, SETSCREW LOCK
BRG01510	BEARING; .76 BORE, DELRIN 500 (NATURAL), TRAQ DAMPER
BRG01524	BEARING; 1 15/16 INCH
BRG01529	BRG01529 501.47 BEARING;
BRG01542	BEARING; DOUBLE ROW RADIAL CONTACT, 7.87 OD X 3.54 WIDE, DBA PRELOAD
BRG01544	BEARING;PILLOW BLOCK, BALL,1 3/16 BORE, BOA SHAFT LOCK
BRG01545	BEARING;PILLOW BLOCK, BALL,1 7/16 BORE, BOA SHAFT LOCK
BRG01546	BEARING;PILLOW BLOCK, BALL,1 7/16 BORE, BOA SHAFT LOCK
BRG01547	BEARING;PILLOW BLOCK, BALL,1 1/2 BORE, BOA SHAFT LOCK
BRG01548	BEARING;PILLOW BLOCK, BALL,1 1/2 BORE, BOA SHAFT LOCK
BRG01550	BEARING;PILLOW BLOCK, BALL,1 11/16 BORE, BOA SHAFT LOCK
BRG01551	BEARING;PILLOW BLOCK, BALL,1 11/16 BORE, BOA SHAFT LOCK
BRG01552	BEARING;PILLOW BLOCK, BALL,2 BORE, BOA SHAFT LOCK
BRG01554	BEARING;PILLOW BLOCK, BALL,2 3/16 BORE, BOA SHAFT LOCK
BRG01555	BEARING;PILLOW BLOCK, BALL,2 3/16 BORE, BOA SHAFT LOCK
BRG01556	BEARING;PILLOW BLOCK, BALL,1 15/16 BORE, BOA SHAFT LOCK
BRG01557	BEARING;PILLOW BLOCK, BALL,2 3/16 BORE, BOA SHAFT LOCK
BRG01558	BEARING;PILLOW BLOCK, BALL,2 7/16 BORE, BOA SHAFT LOCK
BRG01559	BEARING;FLANGE, BALL,1 11/16 BORE, SET SCREW

Part No.	Description
BRG01560	BEARING;FLANGE, BALL,1 15/16 BORE, SET SCREW
BRG01561	BEARING;FLANGE, BALL,2 3/16 BORE, SET SCREW
BRG01562	BEARING;FLANGE, BALL,2 7/16 BORE, SET SCREW
BRG01563	BEARING;PILLOW BLOCK, BALL,3/4 BORE, SET SCREW
BRG01564	BEARING;PILLOW BLOCK, BALL,1 BORE, SET SCREW
BRG01565	BEARING;FLANGE, BALL,15/16 BORE, SET SCREW
BRG01566	BEARING;FLANGE, BALL,2 3/16 BORE, SET SCREW
BRG01567	BEARING;FLANGE, BALL,15/16 BORE, SET SCREW
BRG01568	BEARING;FLANGE, BALL,1 3/16 BORE, SET SCREW
BRG01569	BEARING;FLANGE, BALL,1 3/4 BORE, SET SCREW
BRG01575	BEARING; BLOWER WHEEL
BRG01578	BEARING - BALL; .750 BORE, BB CTRG, SINGLE ROW - RADIAL CONTACT, RUBBER CUSHIONED
BRG01579	BEARING; BALL; 1.0 BORE, BB CRTG, RUBBER MOUNT
BRG01589	BEARING; SET, WITH CERAMIC BALLS, DOUBLE ROW RADIAL CONTACT, 7.87 OD X 3.54 WIDE
BRG01597	BEARING;FLANGE, TWO BOLT,STANDARD DUTY,1.938IN. BORE,6.188 MTG CENTER
BRG01599	BEARING; 1.62 BORE
BRG01601	BEARING;FLANGE, TWO BOLT, STANDARD DUTY,1.438IN.BORE, 5.125 MTG CENTER
BRG01602	BEARING; .75 BORE, CL5 BB FLG 2 BOLT MTG
BRG01603	BEARING; BALL, FLANGE, CLASS 7, 2-BOLT MTG
BRG01604	BEARING; 1.44 BORE,
BRG01606	BEARING;FLANGE, TWO BOLT,MEDIUM DUTY,1.938IN. BORE,7.250 MTG CENTER
BRG01610	BEARING; PILLOW BLOCK BALL, STD DUTY, .750 BORE
BRG01611	BEARING, PILLOW BLOCK BALL, LT. DUTY 1.000 BORE
BRG01614	BEARING;PILLOW BLOCK, BALL, STANDARD DUTY, 1.750IN. BORE, 5.750 MTG CENTER, 2.125 BASE SHAFT
BRG01615	BEARING;PILLOW BLOCK, BALL, STANDARD DUTY, 1.938IN. BORE, 6.250 MTG CENTER, 2.250 BASE SHAFT
BRG01616	BEARING;PILLOW-BLOCK, BALL, STANDARD DUTY,2.438IN.BORE, 7.250 MTG CENTER, 2.750 BASE SHAFT
BRG01618	BEARING; PILLOW BLOCK, BALL BEARING, 1.69 BORE 2 BLT
BRG01619	BEARING; BALL, 1.94 BORE
BRG01621	BEARING; PILLOW BLOCK, BALL, 2.438 BORE
BRG01622	BEARING; PILLOW BLOCK, BALL, 2.688 BORE
BRG01635	BEARING; PB 2 3/16 HDB
BRG01637	BEARING; SET, NON K4 SHAFT, 2.16 BORE
BRG01638	BEARING; SET, NON K4 SHAFT, 3.54 BORE
BRG01639	BEARING; SET, 2.16 BORE
BRG01640	BEARING; SET, 3.54 BORE
BRG01641	BEARING; SET, WITH CERAMIC BALLS, 2.16 BORE
BRG01642	BEARING; SET, WITH CERAMIC BALLS, 3.54 BORE
BRG01651	BEARING; P2B-SCMAH-203/126840
BRG01656	BEARING; BALL, 1.0 BORE, PILLOW BLOCK
BRG01657	BEARING; 1.0 BORE
BRG01660	BEARING; PSB2211L 2 11/16
BRG01661	BEARING;PSB2211LE 2-11/16
BRG01662	BEARING; P2BS2215L 2 15/16
BRG01663	BEARING; P2BS2215LE 2 15/16
BRU00025	BRUSH; .75 OD TUBE, .042 WALL

Part No.	Description
BRU00027	BRUSH; SPINE FIN COIL
BRU00032	BRUSH;TUBE CLEANER, TUBE SIZE .550 IN. THRU .937 IN.
BRU00033	BRUSH; TUBE CLEANER
BRU00037	BRUSH; HANDY WIRE
BRU00038	BRUSH; DUCT CLEANING, BLACK FIBRE BRISTLES TWISTED IN WIRE
BRU00039	BRUSH; FURNACE, 6 IN LONG BRUSH PART W/TWISTED WIRE HANDLE & LARGE LOOP END
BRU00040	BRUSH; DOPE W/CAP, WOODEN HANDLE
BRU00041	BRUSH; PARTS CLEANING, HEAVY-DUTY BLACKENED CRIMPED POLYPROPYLENE BRISTLES
BRU00042	BRUSH; CHIP, .5 IN WIDE
BRU00043	BRUSH; CHIP, 1 IN WIDE
BRU00044	BRUSH; CHIP, 1.5 IN WIDE
BRU00045	BRUSH; CHIP, 2 IN WIDE
BRU00046	BRUSH; CHIP, 2.5 IN WIDE
BRU00047	BRUSH; CHIP, 3 IN WIDE
BRU00048	BRUSH; CONDENSER FIN WHISK
BRU00049	BRUSH; RADIATOR CLEANING, BLACK HORSE HAIR TWISTED IN WIRE
BRU00050	BRUSH; STAINLESS STEEL CONDENSER & HEAT EXCH
BRU00051	BRUSH; STAINLESS STEEL CONDENSER & HEAT EXCHANGER
BRU00052	BRUSH; STAINLESS STEEL CONDENSER & HEAT EXCHANGER
BRU00053	BRUSH; STAINLESS STEEL CONDENSER & HEAT EXCHANGER
BRU00054	BRUSH; STAINLESS STEEL CONDENSER & HEAT EXCHANGER
BRU00055	BRUSH; STAINLESS STEEL CONDENSER & HEAT EXCHANGER
BRU00056	BRUSH; STAINLESS STEEL CONDENSER & HEAT EXCHANGER
BRU00057	BRUSH; STAINLESS STEEL CONDENSER & HEAT EXCHANGER
BRU00059	BRUSH; STAINLESS STEEL CONDENSER & HEAT EXCHANGER
BRU00060	BRUSH; STAINLESS STEEL CONDENSER & HEAT EXCHANGER
BRU00061	BRUSH; STAINLESS STEEL CONDENSER & HEAT EXCHANGER
BRU00062	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00063	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00064	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00065	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00066	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00067	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00068	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00069	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00070	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00071	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00072	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00073	BRUSH; BLACK NYLON CONDENSER & HEAT ECHANGER
BRU00074	BRUSH; EXTENSION HANDLES FOR COND & HEAT EXCH
BRU00075	BRUSH; EXTENSION HANDLES FOR COND & HEAT EXCH
BRU00076	BRUSH; EXTENSION HANDLES FOR COND & HEAT EXCH
BRU00077	BRUSH; EXTENSION HANDLES FOR COND & HEAT EXCH
BRU00078	BRUSH; HEX SHAFT POWER FITTING
BRU00079	BRUSH; HEX SHAFT POWER FITTING

Part No.	Description
BRU00080	BRUSH; HEX SHAFT POWER FITTING
BRU00081	BRUSH; HEX SHAFT POWER FITTING
BRU00082	BRUSH; HEX SHAFT POWER FITTING
BRU00083	BRUSH; HEX SHAFT POWER FITTING
BRU00084	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00085	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00086	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00087	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00088	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00089	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00090	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00091	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00092	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00093	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00094	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00095	BRUSH; BRASS WIRE COND & HEAT EXCH
BRU00096	BRUSH; SPIN-GRIT CONDENSER
BRU00097	BRUSH; SPIN-GRIT CONDENSER
BRU00098	BRUSH; SPIN-GRIT CONDENSER
BRU00099	BRUSH; SPIN-GRIT CONDENSER
BRU00100	BRUSH; SPIN-GRIT CONDENSER
BRU00101	BRUSH; SPIN-GRIT CONDENSER
BRU00102	BRUSH; SPIN-GRIT CONDENSER
BRU00103	BRUSH; SPIN-GRIT CONDENSER
BRU00104	BRUSH; STOVE & APPLIANCE
BRU00105	BRUSH; WIRE, SHOE HANDLE
BRU00106	BRUSH; ECONOMY COPPER TUBE FITTING
BRU00107	BRUSH; ECONOMY COPPER TUBE FITTING
BRU00108	BRUSH; ECONOMY COPPER TUBE FITTING
BRU00109	BRUSH; COPPER PIPE CLEANING
BRU00110	BRUSH; COPPER PIPE CLEANING
BRU00111	BRUSH; COPPER PIPE CLEANING
BRU00112	BRUSH; COPPER PIPE CLEANING
BRU00113	BRUSH; COPPER PIPE CLEANING
BRU00114	BRUSH; COPPER PIPE CLEANING
BRU00115	BRUSH; COPPER PIPE CLEANING
BRU00116	BRUSH; COPPER PIPE CLEANING
BRU00117	BRUSH; STAINLESS STEEL WIRE TUBE
BRU00136	BRUSH; COPPER TUBE FITTING
BRU00137	BRUSH; REFRIGERATOR & CONDENSER COILS
BRU00147	BRUSH; 3/8" TIN HANDLE ACID
BRU00148	BRUSH; ACID, 1/2 TIN HNDLE ACID
BRU00149	BRUSH; 5/8 TIN HNDLE ACID, GROSS
BRU00150	BRUSH; 3/4 TIN HNDLE ACID, GROSS
BRU00151	BRUSH; ACID, 3/4 WOOD HANDLE

Part No.	Description
BRU00152	BRUSH; ACID, 3/8 TIN HNDLE
BRU00153	BRUSH;ACID,1/2 TIN HNDLE
BRU00154	BRUSH;ACID, 5/8 TIN HNDLE
BRU00155	BRUSH; ACID, 3/4 TIN HNDLE
BRU00156	BRUSH; 3/4", WOOD HANDLE
BRU00168	BRUSH; 9/16 NYLON BRUSH
BRU00169	BRUSH; 5/8 IN. NYLON BRUSH
BRU00170	BRUSH; 11/16 IN. NYLON BRUSH
BRU00171	BRUSH; 3/4 IN. NYLON BRUSH
BRU00172	BRUSH; SPIN GRIT BRUSH FOR TUBES 7/16 IN. - 5/8 IN. I.D.
BRU00173	BRUSH; SPIN GRIT BRUSH FOR TUBES 11/16 IN. - 3/4 IN. I.D.
BRU00174	BRUSH; (25 EA/CASE) 5/8 BRASS DUAL DIAMETER BRUSH FOR USE WITH RAM-4-60 AND RAM-6-60
BRU00175	BRUSH; 5/8 DUAL DIAMETER ENHANCED NYLON BRUSH FOR USE WITH RAM-4-60 AND RAM-6-60
BRU00176	BRUSH;(25 EA/CASE) 9/16 IN. NYLON BRUSH
BRU00177	BRUSH; 5/8 IN. NYLON BRUSH
BRU00178	BRUSH; (25 EA/CASE)11/16 IN. NYLON BRUSH
BRU00179	BRUSH; 3/4 IN. NYLON BRUSH
BRU00180	BRUSH; SPIN GTIT BRUSH FOR TUBES 7/16 IN. - 5/8 IN. I.D.
BRU00181	BRUSH; SPIN GRIT BRUSH FOR TUBES 11/16 IN. - 3/4 IN. I.D.
BRU00182	BRUSH; 5/8 BRASS DUAL DIAMETER BRUSH, WITH QUICK CONNECT FITTINGS
BRU00183	BRUSH; (25 EA/CASE) 5/8 DUAL DIAMETER ENHANCED NYLON BRUSH, WITH QUICK CONNECT FITTINGS
BRU00184	BRUSH; DUAL DIAMETER SPIN-GRIT BRUSH FOR TUBES 5/8 INCH, I.D.
BRU00185	BRUSH; 11/16" NYLON BRUSH
BRU00186	BRUSH; (15 EA/CASE) 3/8 IN. NYLON BRUSH
BRU00187	BRUSH; (15 EA/CASE) 1 IN. NYLON BRUSH FOR SMALL BORN TUBES WITH QUICK CONNECT FITTINGS.
BRU00188	BRUSH; 1/2 INCH NYLON FOR SMALL BORE TUBES, FOR USE WITH RAM-4-60, RAM-5SF-60-3 AND RAM-6-60
BRU00189	BRUSH; 1 IN. ON BRUSH FOR SMALL BORE TUBES, FOR USE WITH RAM-4-60, RAM-5SF-60-3 AND RAM-6-60
BRU00190	BRUSH; DUAL DIAMETER SPIN-GRIT BRYSH FOR TUBES 1 IN. (2.4MM) I.D.
BRU00191	BRUSH; SPIN GRIT RUSH FOR TUBES 13/16 IN.-1 IN.(20.6-25.4MM) I.D.
BRU00192	BRUSH; (15 EA CASE) 5/8 IN. BRASS BRUSH
BRU00193	BRUSH; (15 EA/CASE) DUAL DIAMETER SPIN GRIT BRUSH FOR TUBES 1/2 INCH (12.7 MN) I.D.
BRU00194	BRUSH; DUAL DIAMETER SPIN-GRIT BRUSH FOR TUBES 3/4 INCH (19.1MM) I.D.
BRU00196	BRUSH; 2 1/2 INCH STEEL BRUSH FOR A BOILER TUBE
BRU00197	BRUSH; 11/16 INCH BRASS BRUSH
BRU00198	BRUSH; 13/16 INCH BRASS BRUSH
BRU00199	BRUSH; (15 EA/CASE) 15/16 INCH BRASS BRUSH
BRU00200	BRUSH; (15 EA/CASE) 7/8 INCH BRASS BRUSH
BRU00201	BRUSH; (15 EA/CASE) 9/16 INCH BRASS BRUSH
BRU00202	BRUSH; 1/4 INCH NYLON BRUSH
BRU00203	BRUSH; (15 EA/CASE) 13/16 INCH NYLON BRUSH
BRU00204	BRUSH; 15/16 INCH NYLON BRUSH
BRU00205	BRUSH; (15 EA/CASE) 7/16 INCH NYLON BRUSH
BRU00206	BRUSH; 7/8 INCH NYLON BRUSH FOR SMALL BORE TUBES
BRU00207	BRUSH; SPIN GRIT BRUSH FOR TUBES 1/4INCH - 3/8INCH (6.4-9.5MM) I. D.
BRU00213	BRUSH; SPIN GRIT ENHANCED FOR 1 1/4INCH ID TUBES

Part No.	Description
BRU00214	BRUSH; (15 EA/CASE) SPIN GRIT ENHANCED FOR 1/2 INCH ID TUBES W/QUICK CONNECT
BRU00215	BRUSH; SPIN GRIT ENHANCED FOR 5/8 INCH ID TUBES W/QUICK CONNECT
BRU00216	BRUSH; SPIN GRIT ENHANCED FOR 3/4 INCH ID TUBES W/QUICK CONNECT
BRU00217	BRUSH; SPIN GRIT ENHANCED FOR 1INCH ID TUBES W/QUICK CONNECT
BRU00219	BRUSH; (15 EA/CASE) BRASS 1INCH
BRU00220	BRUSH; (15 EA/CASE) BRASS 1/2INCH
BRU00222	BRUSH; BRASS 3/4INCH
BRU00230	BRUSH; BRASS 15/16INCH, QUICK CONNECT
BRU00232	BRUSH; BRASS 5/8INCH, QUICK CONNECT
BRU00234	BRUSH; BRASS 7/8 INCH, QUICK CONNECT
BRU00235	BRUSH; BRASS 9/16INCH, QUICK CONNECT
BRU00236	BRUSH; STAINLESS STEEL 1INCH
BRU00237	BRUSH; (15 EA/CASE) STAINLESS STEEL 1/2INCH
BRU00242	BRUSH; (15 EA/CASE) STAINLESS STEEL 3/4 INCH
BRU00245	BRUSH; (15 EA/CASE) STAINLESS STEEL 5/8 INCH
BRU00247	BRUSH; STAINLESS STEEL 7/8 INCH
BRU00248	BRUSH; (15 EA/CASE) STAINLESS STEEL 9/16 INCH
BRU00259	BRUSH; BLUE NYLON 5/16INCH
BRU00260	BRUSH; BLUE NYLON 1/2INCH, WITH QUICK CONNECT
BRU00261	BRUSH; BLUE NYLON 13/16INCH, WITH QUICK CONNECT
BRU00262	BRUSH; (15 EA/CASE) BLUE NYLON 15/16INCH, WITH QUICK CONNECT
BRU00263	BRUSH; BLUE NYLON 7/16INCH, WITH QUICK CONNECT
BRU00264	BRUSH; (15 EA/CASE) BLUE NYLON 7/8INCH, WITH QUICK CONNECT
BRU00265	BRUSH; SPIN GRIT FOR 1/4INCH-3/8INCH, WITH QUICK CONNECT
BRU00266	BRUSH; SPIN GRIT FOR 13/16INCH - WITH QUICK CONNECT
BRU00271	BRUSH; (12 EA/CASE)WELDERS BRUSH
BRU00272	BRUSH; 3/8 INCH TIN HANDLE ACID
BRU00273	BRUSH; 1/2 INCH TIN HANDLE ACID
BRU00274	BRUSH; COPPER TUBE FITTING, 1/4 INCH OD, 9/32 IN BRUSH DIA
BRU00275	BRUSH; COPPER TUBE FITTING, 3/8 IN OD, 13/32 IN. BRUSH DIA
BRU00276	BRUSH; COPPER TUBE FITTING, 1/2 IN OD, 17/32 IN. BRUSH DIA
BRU00277	BRUSH; COPPER TUBE FITTING, 5/8 IN. OD, 11/16 IN. BRUSH DIA
BRU00278	BRUSH; COPPER TUBE FITTING, 3/4IN OD, 13/16IN BRUSH DIA
BRU00279	BRUSH; COPPER TUBE FITTING BRUSH, 7/8IN OD, 15/16IN BRUSH DIA
BRU00280	BRUSH; COPPER TUBE FITTING BRUSH, 1IN OD, 1-1/8IN BRUSH DIA
BRU00281	BRUSH; COPPER TUBE FITTING BRUSH, 1-1/8IN OD. 1-1/4IN BRUSH DIA
BRU00282	BRUSH; COPPER TUBE FITTING BRUSH, 1-3/8IN OD. 1-1/2IN BRUSH DIA
BRU00283	BRUSH; COPPER TUBE FITTING BRUSH, 1-5/8IN OD, 1-3/4IN BRUSH DIA
BRU00284	BRUSH; COPPER TUBE FITTING BRUSH, 2-1/8IN OD, 2-1/4IN BRUSH DIA
BRU00285	BRUSH; ECONOMY COPPER TUBE FITTING BRUSH, 1/4IN OD, 9/32IN BRUSH DIA
BRU00286	BRUSH; ECONOMY COPPER TUBE FITTING BRUSH, 3/8IN OD, 13/32IN BRUSH DIA
BRU00287	BRUSH; ECONOMY COPPER TUBE FITTING BRUSH, 1/2IN OD, 17/32IN BRUSH DIA
BRU00288	BRUSH; ECONOMY COPPER TUBE FITTING BRUSH, 5/8IN OD, 11/16IN BRUSH DIA
BRU00289	BRUSH; ECONOMY COPPER TUBE FITTING BRUSH, 3/4IN OD, 13/16IN BRUSH DIA
BRU00290	BRUSH; ECONOMY COPPER TUBE FITTING BRUSH, 7/8IN OD, 15/16IN BRUSH DIA

Part No.	Description
BRU00291	BRUSH; ECONOMY COPPER TUBE FITTING BRUSH, 1IN OD, 1-1/8IN BRUSH DIA
BRU00292	BRUSH; ECONOMY COPPER TUBE FITTING BRUSH, 1-1/8IN OD, 1-1/4IN BRUSH DIA
BRU00294	BRUSH; CARBON STEEL CURVED HANDLE SCRATCH BRUSH
BRU00297	BRUSH; 2-IN-1 COPPER TUBE CLEANING BRUSH, 1/2IN ID, 5/8IN OD
BRU00298	BRUSH; 2-IN-1 COPPER TUBE CLEANING BRUSH, 3/4IN ID, 7/8IN OD
BRU00303	BRUSH; STEEL BRUSH FOR A 2IN O.D. BOILER TUBE
BRU00304	BRUSH; 2" O.D.,NYLON
BRU00305	BRUSH; 2" O.D., BRASS
BRU00306	BRUSH; STEEL BRUSH FOR A 1 5/8" O.D. BOILER TUBE
BRU00311	BRUSH; 1 1/4 IN O.D. STAINLESS STEEL BRUSH
BRU00312	BRUSH; 1 1/2 IN O.D. STAINLESS STEEL BRUSH
BRU00316	BRUSH; 3IN STEEL BRUSH FOR A BOILER TUBE
BRU00322	BRUSH; 1 3/4IN STAINLESS STEEL
BRU00323	BRUSH;(50 EA/CASE) 3/4 INCH FLEXIBLE BRUSH FOR EZ TRAP CONDENSATE TRAPS
BRU00324	BRUSH; (25 EA/CASE) DUAL DIAMETER NYLON BRUSH FOR 1IN O.D. ENHANCED TUBES
BRU00327	BRUSH; 1 3/4IN O.D. NYLON BRUSH
BRU00330	BRUSH; 2 1/4" STAINLESS STEEL BRUSH
BRU00331	BRUSH; 2 3/4" STAINLESS STEEL BRUSH
BRU00344	BRUSH;(24 EA/CASE) 2" CHIP BRUSH
BRU00345	BRUSH; FIN WHISK
BRU00346	BRUSH; 1/4" BRASS CONDENSER BRUSH, 8-32 FEMALE
BRU00357	BRUSH; 3" O.D. NYLON TUBE BRUSH
BRU00363	BRUSH; 2"OD STAINLESS BRUSH (USED ON GTC-720 & 820 SERIES FLEXIBLE SHAFTS)
BRU00364	BRUSH; 2 1/2" OD STAINLESS STEEL BRUSH (USED ON GTC-702 & 820 SERIES)
BRU00365	BRUSH; DUCT CLEANING BRUSH, 2-1/8 DIA X 7 BRUSH X 48 LENGTH
BRU00366	BRUSH; REFRIGERATOR COIL BRUSH, 11-3/4 BRUSH LENGTH X 27-1/2 OVERALL LENGTH
BRU00367	BRUSH; HEAVY DUTY PARTS CLEANING BRUSH WITH BLACK POLYPROPYLENE BRISTLES
BRU00369	BRUSH; 1 INCH CHIP BRUSH
BRU00370	BRUSH; 1-1/2 INCH CHIP BRUSH
BRU00371	BRUSH; 2-1/2 INCH CHIP BRUSH
BRU00372	BRUSH; 3 INCH CHIP BRUSH
BRU00386	BRUSH; 3 1/4" OD STAINLESS STEEL BRUSH (FOR GTC-20 & 820 SERIES FLEXIBLE SHAFTS)
BRU00387	Brush; Nylon 2 1/4" O.D. FOR USE WITH GTC-720 & GTC-820 SERIES SHAFTS
BRU00389	BRUSH; BRASS BRUSH, 2 1/2" O.D. FOR USE WITH GTC-720 & GTC-820 SERIES SHAFTS
BRU00390	BRUSH; BRASS BRUSH, 1 3/4" ODF FOR USE WITH GTC-720 & GTC-820 SERIES SHAFTS
BRU00391	BRUSH; BRASS BRUSH 2 1/4" O.D. FOR USE WITH GTC-720 & GTC-820 SERIES SHAFTS
BRU00403	BRUSH; CARBON STEEL, 8" O.D. FOR USE WITH GTC-720 & GTC-820 SERIES SHAFTS
BRU00416	BRUSH; PLASTIC, 8" O.D. FOR USE WITH GTC-720 & GTC-820 SERIES SHAFTS
BRU00428	BRUSH; ASSEMBLY #1, AFD GROUNDING
BRU00429	BRUSH; ASSEMBLY #2, AFD GROUNDING
BUS00001	BUSHING; REDUCING 1-1/8 X 7/8
BUS00002	BUSHING; (10EA/CASE); FITTING REDUCER, 1.38 X .88, WC-403, FTGXC
BUS00004	BUSHING; (10 EA/CASE); 1.62 FTG X 1.38 C
BUS00008	BUSHING; PIPE HEX, 2 X .75 NPS
BUS00012	BUSHING; 4-1/8 OD FITTING X 3-1/8 OD

Part No.	Description
BUS00014	BUSHING; COUPLING, REDUCER, 2.13 x 1.62
BUS00015	BUSHING; (10EA/CASE) COUPLING, REDUCER, 1.62 OD X 1.12 OD
BUS00021	BUSHING, STRAIN RELIEF .88 DIA PANEL HOLE .13 MAX PANEL THICKNESS
BUS00031	BUSHING; INSULATOR, PLASTIC, .931 OD X 2.88 LONG
BUS00034	BUSHING; FLANGED
BUS00035	BUSHING;FLANGED
BUS00036	BUSHING;FLANGED
BUS00037	BUSHING; LEAD ASSEMBLY,
BUS00048	BUSHING; H-15/16
BUS00049	BUSHING; H-3/4
BUS00051	BUSHING; (100 EA/CASE); .63 X .50, FLUSH, WC-106, FTGX
BUS00055	BUSHING; Q1 15/16
BUS00058	BUSHING; Q1 1-3/16
BUS00059	BUSHING; SNAP-IN, .62 ID X .34 LG
BUS00060	BUSHING; LINK
BUS00066	BUSHING; (50EA/CASE) .50 MTG X .38C
BUS00072	BUSHING; SPLIT TAPER, 1.188 ID
BUS00073	BUSHING; H-1-1/8
BUS00076	BUSHING; H-7/8
BUS00078	BUSHING; 2-7/16 IN. BORE
BUS00085	BUSHING;Q-1,1 15/16 BORE
BUS00086	BUSHING; P1 1-1/8
BUS00092	BUSHING; STOP, 1/8 OD TUBING
BUS00093	BUSHING; P1 1-7/16
BUS00095	BUSHING; DAMPER (IS A PIN WITH A SLOT)
BUS00096	BUSHING; Q1 1-11/16 BORE
BUS00097	BUSHING; Q-2, 1 5/8 BORE
BUS00098	BUSHING; P2 1-3/8
BUS00099	BUSHING; Q1 1-7/16
BUS00101	BUSHING; Q-2, 1-7/8 BORE
BUS00102	BUSHING; A-3, 1-3/8 BORE
BUS00103	BUSHING; P-2, 1 5/8 BORE
BUS00104	BUSHING; ZONE DAMPER, NYLON, TYPE 66
BUS00105	BUSHING; CHECK VALVE, 1.802 OD X 1.56 ID 1.560 THREAD, CARBON STEEL
BUS00106	BUSHING; VALVE UNLOADER, 1.502 OD X 1.24 ID STEEL
BUS00108	BUSHING, DMP
BUS00112	BUSHING; Q1 2 BORE
BUS00114	BUSHING; .50 NOMINAL, CONDUIT
BUS00118	BUSHING; P1, 1 15/16 OD X 1 5/8 ID
BUS00120	BUSHING; 1/2 BORE
BUS00121	BUSHING; 5/8 BORE
BUS00122	BUSHING; Q1 2-3/16
BUS00123	BUSHING; H, 1 7/16 BORE
BUS00124	BUSHING; Q1 1-3/4
BUS00125	BUSHING, 3/4 BORE

Part No.	Description
BUS00126	BUSHING; Q1 1 7/8 BORE
BUS00127	BUSHING - SPLIT TAPER SHEAVE; 1 3/8 BORE TYPE H
BUS00128	BUSHING; A2, 7/8IN. O.D.
BUS00130	BUSHING; A2, (1 3/8)
BUS00131	BUSHING; P1 15/16
BUS00132	BUSHING; P1 1-3/8
BUS00133	BUSHING; P1 1-11/16
BUS00134	BUSHING;Q1 1-5/8
BUS00135	BUSHING; Q1 2-7/16
BUS00137	BUSHING; Q-2, 2-1/8 BORE
BUS00141	BUSHING; R-1, 2-3/16
BUS00142	BUSHING; Q-2, 1-15/16 BORE
BUS00154	BUSHING; Q1 2 11/16 BORE
BUS00156	BUSHING; R1 (1 15/16)
BUS00158	BUSHING; R1(2 7/16)
BUS00159	BUSHING; R1(2 11/16)
BUS00167	BUSHING, ISOLATOR, 5/16OD X 17/64ID, STL
BUS00173	BUSHING; Q2, 1 11/16 BORE
BUS00178	BUSHING; SNAP, .88 MTG. W/.69 HOLE
BUS00179	BUSHING, 2.0 X .66 X .75
BUS00181	BUSHING;1-3/4
BUS00182	BUSHING;STRAIN RELIEF, .88 DIA
BUS00184	BUSHING; STRAIN RELIEF 7/8OD X 13/16LG
BUS00190	BUSHING; SK, 2.19 BORE
BUS00194	BUSHING; SF 2-3/16
BUS00195	BUSHING; FAN, SK, 1.69 BORE
BUS00196	BUSHING; SK, 1.94 BORE
BUS00197	BUSHING, DAMPER
BUS00202	BUSHING; SPLIT TAPER, 1-7/16
BUS00207	BUSHING; SK 1-5/8
BUS00209	BUSHING; SK, 2.44 BORE
BUS00225	BUSHING; (25 EA/CASE); COUPLING, REDUCING, 1.13 X .88, STRAIGHT-SOLDER, WROT COPPER
BUS00229	BUSHING; H-5/8
BUS00230	BUSHING; 1.00, TYPE H, SPLIT TAPER
BUS00232	BUSHING; H-1-1/2
BUS00235	BUSHING; Q1 1-3/8
BUS00237	BUSHING; Q1 2-1/8
BUS00238	BUSHING; Q1 2-3/8
BUS00240	BUSHING; P1 1-3/4
BUS00245	BUSHING; (SDS - 1-3/8)
BUS00247	BUSHING; (SDS 1-5/8)
BUS00248	BUSHING; (SDS- 1-1/2)
BUS00252	BUSHING; MOTOR, SK, 1 7/8 BORE
BUS00261	BUSHING; SD 1-5/8
BUS00264	BUSHING; 1.50 BORE

Part No.	Description
BUS00266	BUSHING; ANTI-SHORT, .717 OD X .687 ID
BUS00267	BUSHING; .65 ID X .78 LG, SNAP-IN, .12 THK FLANGE
BUS00269	BUSHING; 1.31 ID X .45 LG
BUS00271	BUSHING;FAN
BUS00272	BUSHING, .76 ID X .78 LG
BUS00282	BUSHING;FAN HUB, 50 MM BORE
BUS00285	BUSHING;FAN HUB, 1-15/16 BORE
BUS00289	BUSHING; SF-2.1250
BUS00290	BUSHING; E-2.1875
BUS00292	BUSHING; .38 ID SNAP
BUS00294	BUSHING; 1.62 FTG X 1 NPTI
BUS00300	BUSHING; STRAIN RELIEF
BUS00301	BUSHING; STRAIN RELIEF 7/8 H
BUS00302	BUSHING; SNAP 7/8OD X .12-.56ID
BUS00304	BUSHING;FAN SHEAVE
BUS00307	BUSHING, SNAP
BUS00309	BUSHING;SNAP, .88 MTG W/MAX .56 ID
BUS00310	BUSHING;COPPER, 1.375 OD X .312 W
BUS00311	BUSHING; COPPER, 1.375 OD X 4.062 LG
BUS00314	BUSHING; SNAP
BUS00315	BUSHING;SNAP
BUS00316	BUSHING; SNAP, 1.09 MTG X 1.22 OD X .94 ID
BUS00319	BUSHING; SNAP, 5/8 MTG HOLE DIA
BUS00320	BUSHING; CONNECTOR
BUS00321	BUSHING; ANTI SHORT
BUS00322	BUSHING; SF 1 7/8
BUS00324	BUSHING; SNAP, .562 OD, .50 MOUNTING HOLE DIAMETER, BLACK NYLON .135 THICK
BUS00325	BUSHING;SNAP
BUS00328	BUSHING;SNAP
BUS00334	BUSHING; SNAP, UNIVERSAL .88 MTG W/MAX .56 ID BLACK NYLON, MAX PANEL THICK = .125
BUS00338	BUSHING; SNAP, 2.00 MTG W/1.62 HOLE
BUS00339	BUSHING;SNAP, .62 MTG W/.50 HOLE
BUS00341	BUSHING; SNAP
BUS00343	BUSHING;SNAP
BUS00352	BUSHING; (25EA/CASE) 1.12 FTG X .88 C
BUS00353	BUSHING; LOW VOLTAGE WIRE
BUS00354	BUSHING; STRAIN RELIEF
BUS00355	BUSHING; 3/4"
BUS00359	BUSHING, .44 MTG
BUS00361	BUSHING; .88 MTG W/.69 HO
BUS00363	BUSHING; STRAIN RELIEF
BUS00364	BUSHING; .57 MTG W/.39 HOLE
BUS00365	BUSHING; .88 MOUNTING W/ .38 HOLE
BUS00367	BUSHING; SNAP, 1.09 ID
BUS00369	BUSHING;REDUCER, 3 X 2

Part No.	Description
BUS00373	BUSHING;SNAP
BUS00378	BUSHING; ANTI SHORT
BUS00391	BUSHING; 1.50 MTG W/1.06 HOLE
BUS00393	BUSHING; 7/8"
BUS00396	BUSHING; SNAP, .75 ID
BUS00397	BUSHING; 2.5 MTG W/1.97 HOLE
BUS00401	BUSHING;STRAIN RELIEF, 7/8 "
BUS00416	BUSHING; TAPER-LOCK, 3 3/8IN. BORE, USED ON A 21IN. HUB
BUS00418	BUSHING;REDUCER, .50 MFL X .25 FFL
BUS00428	BUSHING; H-1-5/16
BUS00431	BUSHING; Q1-1 5/16IN.
BUS00434	BUSHING; Q2-2 3/16IN.
BUS00437	BUSHING; R1-2 7/8IN.
BUS00438	BUSHING; R1-2 15/16IN.
BUS00448	BUSHING; (50 EA/CASE); .88 FTG X .62 C, FLUSH, WC-106, FTGX
BUS00453	BUSHING; STRAIN RELIEF
BUS00454	BUSHING;STRAIN RELIEF
BUS00456	BUSHING; STRAIN RELIEF, .75 DIA
BUS00461	BUSHING; STRAIN RELIEF, .56 DIA PNL HOLE, .12 MAX PNL THK
BUS00466	BUSHING; SNAP, BLACK, .312 MOUNTING HOLE, .187 INSIDE DIA
BUS00481	BUSHING;SNAP-ELEC., .88 MTG W/.67 HOLE
BUS00483	BUSHING; COUPLING, 1.12 FTG X .75 C
BUS00484	BUSHING; (50EA/CASE) .88 FTG X .75 C
BUS00485	BUSHING; .62 MTG W/MAX .44 ID
BUS00491	BUSHING; .38 NOM, CONDUIT
BUS00571	BUSHING;TR/SDS, 1 11/16IN. O.D.
BUS00573	BUSHING, DAMPER
BUS00578	BUSHING; 1.00 X .25 NPS
BUS00580	BUSHING;TAPERED
BUS00584	BUSHING; .62 FTG X .50 C
BUS00589	BUSHING; .75 X .25 NPS
BUS00591	BUSHING;REDUCER, 1 X .50 NOM
BUS00592	BUSHING; .63 ID X .82 OD
BUS00593	BUSHING; HEX, .25 NPTE X .12 NPTE, BRASS
BUS00594	BUSHING; .50 X .25 NPS
BUS00597	BUSHING; .38 NOM
BUS00598	BUSHING; REDUCER, 1.00 NPTE X .25 NPTE, HEX BRASS, 1.38 ACROSS FLAT
BUS00599	BUSHING; TERMINAL BOARD SPACER
BUS00614	BUSHING;88MTG 2/.62 HOLE
BUS00617	BUSHING; 1.00 OD TUBE
BUS00619	BUSHING; REDUCER .88 FTG X .62 C
BUS00626	BUSHING; 2.12 BORE SK
BUS00631	BUSHING; 3.94 BORE
BUS00804	BUSHING; 3.94 BORE S1
BUS00808	BUSHING; REDUCING 1 1/8 X 7/8 (1 CTN = 10 PCS)

Part No.	Description
BUS00809	BUSHING; STRAIN RELIEF, 13 MAX PANEL THICKNESS (1 CTN = 50 PCS)
BUS00810	BUSHING; FLANGED (1 CTN = 10 PCS)
BUS00811	BUSHING; FLANGED (1 CTN = 10 PCS)
BUS00812	BUSHING; .62 ID X .34 LG (1 CTN = 50 PCS)
BUS00813	BUSHING; LINK (1 CTN = 50 PCS)
BUS00814	BUSHING; (1 CTN = 20 PCS)
BUS00815	BUSHING; (1 CTN = 20 PCS)
BUS00816	BUSHING; DAMPER, IS A PIN WITH A SLOT IN IT (1 CTN = 50 PCS)
BUS00817	BUSHING; ZONE DAMPER, NYLON TYPE 66 (1 CTN = 50 PCS)
BUS00818	BUSHING, .50 BORE (1 CTN = 10 PCS)
BUS00819	BUSHING; 5/8 BORE (1 CTN = 10 PCS)
BUS00820	BUSHING; ISOLATOR, 5/16 OD X 17/64 ID, STEEL (1 CTN = 50 PCS)
BUS00821	BUSHING; SNAP, .88 MTG W/.69 HOLE (1 CTN = 50 PCS)
BUS00822	BUSHING; DAMPER (1 CTN = 20 PCS)
BUS00823	BUSHING; .76 ID X .78 LG (1 CTN = 50 PCS)
BUS00824	BUSHING; SNAP, UNIVERSAL .88 MTG W/MAX .56 ID BLACK NYLON (1 CTN = 50 PCS)
BUS00825	BUS00825 751.34 BUSHING; SNAP, .62 MTG. W/.50 HOLE (1 CTN = 50 PCS)
BUS00826	BUSHING; 3/4 X 1/2 CPVC
BUS00827	BUSHING; RED 3/4 S X 1/2 S , PVC SCH 40
BUS00828	BUSHING; REDUCING, 1 S X 3/4 S ,PVC SCH 40
BUS00829	BUSHING: BRASS 1/2 IN
BUS00852	BUSHING; 3/4 FLARE SWIVEL
BUS00855	BUSHING; STRAIN RELIEF, 13 MAX PANEL THICKNESS (1 CTN = 10)
BUS00856	BUSHING; SNAP-IN, .62 ID X .34 LG (1 CTN = 10 PCS)
BUS00857	BUSHING; LINK (1 CTN = 10 PCS)
BUS00858	BUSHING; COMP BR .362D X .344 (1 CTN = 10 PCS)
BUS00859	BUSHING; STOP (.188 TUBE) (1 CTN = 10 PCS)
BUS00860	BUSHING; DAMPER (1 CTN = 10 PCS)
BUS00861	BUSHING; ZONE DAMPER, NYLON TYPE 66 (1 CTN = 10 PCS)
BUS00862	BUSHING; ISOLATOR, 5/16 OD X 17/64 ID, STEEL (1 CTN = 10 PCS)
BUS00863	BUSHING; SNAP, .88 MTG W/.69 HOLE (1 CTN = 10 PCS)
BUS00864	BUSHING; DAMPER (1 CTN = 10 PCS)
BUS00865	BUSHING; .76 ID X .78 LG (1 CTN = 10 PCS)
BUS00866	BUSHING; SNAP, UNIVERSAL .88 MTG W/MAX .56 ID BLACK NYLON(1 CTN = 10 PCS)
BUS00867	BUSHING; SNAP, .62 MTG W/.50 HOLD (1 CTN = 10 PCS)
BUS00869	BUSHING; .88 FTG X .50 C
BUS00870	REDUCER;3.12OD VLV ASSY
BUS00871	BUSHING; .50 NPTE X .13 NPTI
BUS00873	BUSHING; SNAP, 1.13 ID, BLACK-NYLON
BUS00896	BUSHING; 2.81 BORE R1
BUS00905	BUSHING; .44 BORE H/HQ/D
BUS00909	BUSHING; 1.06 BORE H/HQ/D
BUS00978	BUSHING; (100EA/CASE) .50 FTGx.38, FLUSH, WC-106, FTGxC
BUS00979	BUSHING; (100EA/CASE) .62 FTGx.38 C, FLUSH, WC-106, FTGxC
BUS00980	BUSHING;(50EA/CASE) .75 FTGx.62 C, FLUSH, WC-106, FTGxC

Part No.	Description
BUS00981	BUSHING; (50EA/CASE).88 FTGx.75 C, FLUSH, WC-106,FTGxC
BUS00982	BUSHING; (50EA/CASE); 1.12 FTGx.88 C TUBE, FLUSH, WC-106, FTGxC
BUS00983	BUSHING; (25EA/CASE) 1.13 FTGx.97 C TUBE, FLUSH, WC-106, FTGxC
BUS00984	BUSHING; (10 EA/CASE);1.38 FTGx1.12 C, FLUSH, WC-106, FTGxC
BUS00985	BUSHING; (10 EA/CASE);1.62 FTGx1.38 C, FLUSH, WC-106, FTGxC
BUS00986	BUSHING; (10 EA/CASE); 2.13 FTGx1.63 C, FLUSH, WC-106, FTGxC
BUS01341 3	BUSHING; KEYLESS 2.00 OD
BUS01350	BUSHING; REDUCER, 1.00 NPTE X .25 NPTI, BRASS HEX, 1.13 ACROSS FLAT
BUS01351	BUSHING; STANDARD SLEEVE TYPE 4, .626 ID X .670 LENGTH
BUS01352	BUSHING; ADAPTER, .88 FTG X .38 NPTI X 1.07 LG
BUS01353	BUSHING, ACR COPPER, MUELLER STYLE WC-106, 1-3/8 X 7/8, 10/BOX
BUS01354	BUSHING; 1/2 " FLARE SWIVEL
BUS01365	BUSHING; 1.75 ID X 2.00 OD SNAP
BUS01368	BUSHING; DAMPER
BUS01369	BUSHING; MALLEABLE BLACK IRON PIPE FITTING, 1/2" X 3/8" HEX BUSHING
BUS01370	BUSHING; MALLEABLE BLACK IRON PIPE FITTING, 3/4" X 1/2" HEX BUSHING
BUS01371	BUSHING; MALLEABLE BLACK IRON PIPE FITTING, 3/4" X 1/2" HEX BUSHING
BUS01372	BUSHING; MALLEABLE BLACK IRON PIPE FITTING, 1" X 3/4" HEX BUSHING
BUS01373	BUSHING; FAN, FOR DFOA225DNA
BUS01374	BUSHING; 1/2
BUS01375	BUSHING; REDUCER, 1.5 NPTE X .75 NPTI, HEX BRASS
BUS01385	BUSHING; DRIVEN, B1-11/16
BUS01408	BUSHING; 3/4 X 1/2 HEX BUSHING, BLACK IRON PIPE
BUS01410	BUSHING; 1 X 3/4 HEX BUSHING, BLACK IRON PIPE
BUS01411	BUSHING; SCH 40 PVC REDUCER BUSHING, 1 X 3/4, SPIG X SLIP
BUS01413	BUSHING; SPLIT TAPER SHEAVE, 1.69 BORE
BUS01414	BUSHING; SPLIT TAPER SHEAVE, 1.62 BORE
BUS01415	BUSHING; SPLIT TAPER SHEAVE, 1.62 BORE
BUS01419	BUSHING; BONDED RUBBER
BUS01420	BUSHING; BONDED RUBGER
BUS01421	BUSHING; SCHEDULE 40 PVC REDUCER BUSHING, 3/4 X 1/2 (SPIG X SLIP)
BUS01429	BUSHING; SNAP, .83 O.D. X .63 I.D. X .25, BLACK, NYLON, .75 MOUNTING HOLE DIA.
BUS01546	BUSHING; ISOLATOR
BUS01547	BUSHING: 1 15/16 IN.
BUS01762	PVC REDUCER BUSHING 3/4 X 1/2, 5-438101
BUS01767	BAR; BUSS
CAB00081	CABLE; IGNITOR ASSEMBLY
CAB00095	CABLE; PRINTER TO TRACER 100, 12 FT LONG
CAB00097	CABLE; CRT TO TRACER OR VAV C.U.
CAB00099	CABLE; IBM PC-PCL/BMN DIRECT CONNECT
CAB00100	CABLE; ASSY., 9 PIN TO 25 PIN, APPROX 25 FT. LONG, TRACER 100 DIRECT CONNECT
CAB00118	CABLE; ASSEMBLY
CAB00123	CABLE; INTERNAL MODEM, 16 INCHES IN LENGTH
CAB00130	CABLE;RIBBON, 21IN. LG., PIN #4
CAB00131	CABLE;RIBBON, 21IN. LG., PIN #5 (A3 TO A8)

Part No.	Description
CAB00132	CABLE;RIBBON, 21IN. LG., PIN #5 (A3 TO A7)
CAB00133	CABLE;RIBBON, 21IN. LG, PIN #7 (A3 TO A6)
CAB00157	CABLE;ONLY FOR MOD0017
CAB00177	CABLE; 10 FT., RJ12 MODULAR PATCH
CAB00179	CABLE; KIT, SETUP & SERVICE
CAB00180	CABLE; 9 FT.
CAB00183	CABLE; W/PLUG ASSEMBLY, 4 PIN, 84 INCH LEAD LENGTH, (TO OUTDOOR FAN MOTOR)
CAB00185	CABLE; TRANSDUCER ASM, 235 IN. LG
CAB00187	CABLE; ASSY,16 PIN PLUG, 32 IN LONG, ICM INTERFACE BOARD TO ICM MOTOR CONNECTION
CAB00188	CABLE; ASSY, ICM WIRE HARNESS, 5 PIN PLUG, 12&30 IN LENGTHS. FTBA TO ICM MOTOR CONNECTION.
CAB00190	CABLE, LCP TELEPHONE INTERFACE, INTERNAL
CAB00192	CABLE; LCP, 25 X 25 DIRECT CONNECT
CAB00194	CABLE; FLAT, OPTION BOARD
CAB00195	CABLE; 24 VAC JUMPER, 4 IN.
CAB00196	CABLE; 24 VAC EXTENDER WITH 4 POS MOLEX PLUG
CAB00197	CABLE; 24 VAC EXTENDER WITH 2 POS MOLEX PLUG
CAB00198	CABLE; OPERATOR INTERFACE COMM TO UPCM
CAB00199	CABLE; OPERATOR INTERFACE 24 VAC EXTENSION
CAB00200	CABLE; SERIAL CABLE FOR MAC
CAB00202	CABLE; PC DIRECT CONNECT WITH ADAPTER
CAB00203	CABLE; TRANSDUCER ASM, 480IN. LONG
CAB00204	CABLE; TRANSDUCER ASM, 720IN. LONG
CAB00212	CABLE; ASSY, 16 PIN PLUG, ICM WIRE HARNESS, 25"LENGTH ICM INTERFACE BOARD
CAB00214	CABLE; COMMUNICATION
CAB00232	CABLE; EVERYWARE 9 - 25 PIN ADAPTER, 12 INCH
CAB00248	CABLE, RACEWAY ASSEMBLY
CAB00255	CABLE, ASSY. - RACEWAY 232" LG
CAB00259	CABLE; EVERYWARE DIRECT CONNECT
CAB00263	CABLE, ASSEMBLY RACEWAY
CAB00265	CABLE; ASSEMBLY RACEWAY
CAB00268	CABLE; ASSEMBLY RACEWAY
CAB00270	CABLE; ASSEMBLY RACEWAY
CAB00271	CABLE; ASSEMBLY RACEWAY
CAB00275	CABLE; ASSEMBLY RACEWAY
CAB00276	CABLE; ASSEMBLY RACEWAY
CAB00281	CABLE, RACEWAY
CAB00283	CABLE; ROVER PCMCIA CABLE ADAPTER
CAB00285	CABLE;IGNITION
CAB00827	CABLE; ASSEMBLY 4U93
CAB00828	CABLE; ASSEMBLY 4U95
CAB00830	CABLE; IGNITION 18 INCH
CAB00831	CABLE; TRITON, #2 AWG 3DP, INCLUDES 6 CABLES
CAB00844	CABLE; ASSEMBLY, RACEWAY CBL2U84
CAB00845	CABLE; ASSEMBLY, RACEWAY CBL2U85
CAB00869	CABLE; ASSEMBLY - RACEWAY, INDOOR FAN VFD, CABLE 256" LONG, 27.5 - 50 TON VAYAGER 3

Part No.	Description
CAB00871	CABLE; ASSEMBLY, ICM, CONTAINS (2) 16 PIN PLU00538
CAB00872	CABLE; EXV, 35 FEET LONG, 4 PIN
CAB00873	CABLE;CABLE ASSEMBLY FOR DISPLAY EL BACKLIGHT, 6" LENGTH
CAB00876	CABLE; CABLE ASSEMBLY
CAB00880	CABLE; 6-FT FLOAT CABLE & 3 PIN(BH) CONNECTOR
CAB00881	CABLE; 12-FT FLOAT CABLE & 3 PIN(BH) CONNECTOR
CAB00889	CABLE; FEMALE INLET, 230/460VAC, 3PH POWER
CAB00896	CABLE; ASSEMBLY MULTI-CONNECTOR - IPC BUS WITH CONNECTORS (ONE CARTON = 100 FT)
CAB00898	CABLE; COLUMN TO COLUMN (EACH = 8 INCHES)
CAB00899	CABLE; COLUMN TO STARTER MODULE (1 PC. = 38 INCHES)
CAB00900	CABLE; RJ45 USED WITH I/O MODULE ON BMTW BCU
CAB00902	CABLE; DATALOGGING
CAB00904	CABLE; 4-WIRE RIBBON, FLAT CABLE, 100 FT
CAB00905	CABLE; 4 WIRE RIBBON, FLAT CABLE, 500 FT.
CAB00907	CABLE; ASSEMBLY, COMMUNICATION, SUPPLY FAN VFD # 1 3U72, 470" LENGTH
CAB00908	CABLE; ASSEMBLY, COMMUNICATION SUPPLY FAN, VFD # 1 3U72 640" LENGTH
CAB00910	CABLE; ASSEMBLY, COMMUNICATION EXHAUST FAN, VFD 3U74, 505" LENGTH
CAB00922	CABLE; ASSY-RACEWAY INDOOR FAN VFD, CABLE 200" LG, 27.5 - 50 TON VOYAGER 3
CAB00924	CABLE; POWER CORD, COPPER WINDING, 230V, LARGER THAN 1.13mm DIA X 3 STRANDS
CAB00927	CABLE; POWER CORD, COPPER WINDINGS, 230V, LARGER THAN 1.13mm DIA, X 3 STRANDS
CAB00932	CABLE; POWER CORD, COPPER WINDING, 230V, LARGER THAN 1.13mm DIA, X 3 STRANDS
CAB00933	CABLE; SIGNAL, COPPER WINDINGS, 230V, .98mm DIA X 3 OR 5 STRANDS
CAB00936	CABLE; POWER CORD, COPPER WINDING, 230V, LARGER THAN 1.13mm DIA, X 3 STRANDS
CAB00939	CABLE; SIGNAL, COPPER WINDING, 230V, .98mm DIA X 3 OR 5 STRANDS
CAB00973	CABLE; WIRE HARNESS, 24", 4 CONDUCTOR WITH GRAY PVC JACKET
CAB00977	CABLE; HARNESS ASSY, 36", 4 CONDUCTOR, CABLE CONNECTOR
CAB00986	CABLE; 500 FT ALARM TO SENSOR CABLE FOR RITCHIE REFRIG. MONITOR
CAB00988	CABLE; 12-2 ALUMINUM ARMORED MC CABLE, 100 FT ROLL
CAB00989	CABLE; 14-2 ALUMINIUM ARMORED MC CABLE, 100 FT ROLL
CAB00990	CABLE; W/ HOLDER, 10 CONTACTS, 32 INCHES LONG, MP581 DISPLAY
CAB00996	CABLE; ASSY., 122.02 INCHES LONG, REMOTE PORTABLE OPERATOR DISPLAY
CAB00997	CABLE; ASSY., 19.77 INCHES LONG, EXTENDER CABLE FOR REMOTE OPERATOR DISPLAY
CAB00998	CABLE; MULTI-CONNECTOR, IPC BUSS W/CONNECTORS SPACED 3", 5 FT. LENGTH
CAB00999	CABLE; LED DISPLAY, CHILLGARD LS
CAB01001	CABLE; ASSY., W/PLUG, 250V, 30 AMP
CAB01018	CABLE; CABLE
CAB01022	CABLE; COMM5 SYSTEM, BLUE JACKET CABLE, 22/1PR, STRANDED LEVEL 4 PLENUM, 100 FOOT LENGTH
CAB01023	CABLE; COMM5 SYSTEM, BLUE JACKET CABLE, 22/1PR, STRANDED LEVEL 4 PLENUM, 500 FOOT LENGTH
CAB01024	CABLE; COMM5 SYSTEM, BLUE JACKET CABLE, 22/1PR, STRANDED LEVEL 4 PLENUM, 1000 FOOT LENGTH
CAB01025	CABLE; TRACKER COMM5,22/1PR, LEVEL 4 SHIELDED PLENUM, 100 FOOT LENGTH
CAB01026	CABLE; TRACKER COMM5, 22/1PR, LEVEL 4SHIELDED PLENUM, 500 FOOT LENGTH
CAB01027	CABLE; TRACKER COMM5, 22/1PR, LEVEL 4 SHIELDED PLENUM, 1000 FOOT LENGTH
CAB01030	CABLE; ASSY, ICM WIRE HARNESS, 5 PIN PLUG, 34 IN LENGTH. FTBA TO ICM MOTOR CONNECTION.
CAB01031	CABLE; COMM4 ADAPTER CABLE
CAB01034	CABLE; OIM, HAND HELD USE, ONE METER

Part No.	Description
CAB01053	CABLE; ASSEMBLY, ICM INTERFACE BOARD TO ICM MOTOR, 60 IN, INCL., PLU00538
CAB01055	CABLE; 9 PIN PC, 25 PIN MODEM
CAB01060	CABLE; 48 INCH, REMOTE KEYPAD
CAB01063	CABLE; 2 METER 4-WIRE MICRO DC, PVC JACKET INSULATION, NICKEL-PLATED BRASS COUPLING NUT
CAB01064	CABLE; AC, 10M/30FT, E18239
CAB01065	CABLE; DC, 10M/30FT
CAB01070	CABLE; ASSEMBLY, COMMUNICATION, SUPPLY FAN VFD #1, 470.00 LENGTH
CAB01071	CABLE; ASSEMBLY, COMMUNICATION, SUPPLY FAN VFD #1, 640.00 LENGTH
CAB01072	CABLE; ASSEMBLY, COMMUNICATION, SUPPLY FAN VFD #2, 426.00 LENGTH
CAB01073	CABLE; ASSEMBLY, COMMUNICATION, EXHAUST FAN VFD, 505.00 LENGTH
CAB01074	CABLE; ASSEMBLY, COMMUNICATION, EXHAUST FAN VFD, 640.00 LENGTH
CAB01077	CABLE; ASSEMBLY, COMMUNICATION INDOOR FAN VFD, 240 INCHES LONG
CAB01107	CABLE; GROUNDING STRAP, FLEXIBLE BRAIDED COPPER, 16" LENGTH, 1.25 WIDE, .39 LUG
CAB01110	CABLE; SERIAL FLASH, TWO METER
CAB01134	CABLE; END RECEPTACLE, 250V, 20AMP FOR TOL02068
CAB01141	CABLE; OPTION REMOTE LCP CABLE, 3M
CAB01146	WIRE HARNESS; BRANCHING, MALE TO 2 FEMALE 19.69 LG
CAB01147	WIRE HARNESS; BRANCHING, MALE TO 2 FEMALE 39.37 LG
CAB01148	WIRE HARNESS; BRANCHING, MALE TO 3 FEMALE 19.69 LG
CAB01149	WIRE HARNESS; EXTENSION, MALE TO FEMALE 39.37 LG
CAB01150	WIRE HARNESS; EXTENSION, MALE TO FEMALE 78.74 LG
CAB01151	WIRE HARNESS; EXTENSION, MALE TO RECEPTACLE 39.37 LG
CAB01152	WIRE HARNESS; EXTENSION, MALE TO LEADS 39.37 LG
CAB01153	WIRE HARNESS; EXTENSION, MALE TO RECEPTACLE 78.74 LG
CAB01154	WIRE HARNESS; EXTENSION, FEMALE TO RECEPTACLE 39.37 LG
CAB01155	WIRE HARNESS; EXTENSION, FEMALE TO LEADS 39.37 LG
CAB01156	WIRE HARNESS; ADAPTER, LLID MALE TO LEADS 11.81 LG
CAB01157	CABLE; POWER CONTROL, (2 X 3 PLUG WITH THERMOSTAT WIRE)
CAB01158	CABLE; W/5 CONDUCTORS
CAB01162	CABLE; WIRE ASSEMBLY, 30 COND RIBBON
CAB01163	CABLE; MULTI-COND, JACKET NON-PAIRED LENGTH 150'
CAB01165	CABLE; 480V 50AMP MALE INLET
CAB01175	CABLE; DB9 CONNECTOR, MALE TO FEMALE PLUG, 6 FT
CAB01177	CABLE; EXTERNAL CUT OFF HARNESS, LF2.0
CAB01186	CABLE; COMLINK CABLE WITH A GREEN JACKET, 1000 FT LENGTH
CAB01187	CABLE; COMLINK CABLE WITH A GRAY JACKET, 1000 FT LENGTH
CAB01201	CABLE; REMOTE KEYPAD
CAP00010	CAP; (50EA/CASE); 1.13
CAP00041	CAP; BEARING END
CAP00042	CAP; BEARING END
CAP00050	CAP; BEARING INNER
CAP00055	CAP; BEARING FRONT
CAP00056	CAP; BEARING, INSIDE
CAP00059	CAP; BEARING BACK
CAP00060	CAP; BEARING INSIDE BACK

Part No.	Description
CAP00062	CAP; BEARING BACK
CAP00063	CAP; BEARING BACK
CAP00066	CAP; FAN HUB .50 ID X .72 OD
CAP00072	CAP; VALVE, SEAL, .25 FFL
CAP00077	CAP; BEARING
CAP00090	CAP; BEARING FRONT
CAP00091	CAP; BEARING BACK OUTSIDE
CAP00092	CAP; BEARING
CAP00095	CAP; BEARING
CAP00100	CAP; BEARING, CENTRAVAC MOTORS
CAP00101	CAP; BEARING
CAP00102	CAP;VENT
CAP00103	CAP; VENT ASSEMBLY (INCLUDES CAP, VENT, NUTS, SPACERS AND BOLTS)
CAP00106	CAP; VENT
CAP00112	CAP; SEAL, VALVE, COMPRESSOR
CAP00118	CAP; VALVE ASSY, COMPRESSOR, W/GASKET
CAP00119	CAP; VALVE ASSY, COMPRESSOR, W/GASKET
CAP00120	CAP; VALVE ASSY, COMPRESSOR, W/GASKET
CAP00131	CAP; 50 EA/CASE); .38
CAP00135	CAP; VALVE, W/GASKET,
CAP00178	CAP; FRONT BEARING
CAP00181	CAP; BEARING
CAP00190	CAP; HUB
CAP00209	CAP; THREADED, 9/16
CAP00239	CAP00239 26.23 CAP;
CAP00265	CAP, FLUE ONLY
CAP00285	CAP;(100EA/CASE) .63
CAP00290	CAP; .875 DIA TUBE
CAP00388	CAP; .75 NPTI
CAP00389	CAP; DUST .75 QUICK COUPLER
CAP00416	CAP; 2.63, WC-415, C
CAP00441	CAP; (25 EA/CASE); 1.38 ODS
CAP00453	CAP; VINYL
CAP00468	CAP, SERVICE VALVE BODY
CAP00469	CAP, SERVICE VALVE BODY
CAP00470	CAP;(1 CTN = 6 PCS)
CAP00474	CAP;8415.90.8085 REAR BOTTOM
CAP00475	CAP;8415.90.8085 FRONT BOTTOM
CAP00476	CAP;8415.90.8085 TOP END LH
CAP00479	CAP; ASSEMBLY, FITS 8 INCH DIAMETER VENT, UNIT SIZE 150
CAP00480	CAP; ASSEMBLY, FITS 10 INCH DIAMETER VENT, UNIT SIZE 200/250
CAP00481	CAP; ASSEMBLY, FITS 12 INCH DIAMETER VENT, UNIT SIZE 300/350/400
CAP00496	CAP;MOUNT,THERMISTOR SENSOR,.275 STEP ON OUTSIDE DIA.,COOPER
CAP00516	CAP; 2.13, WC-415, C
CAP00517	CAP; .173-.240 OD

Part No.	Description
CAP00520	CAP; FLARE SEAL HEX HD 1/4IN. (CONTAINS 10 CAPS)
CAP00525	CAP; FLARE SEAL HEX HD 3/8IN. (CONTAINS 5 CAPS)
CAP00526	CAP;(25 EA/CASE) FLARE SEAL, 1/2 IN., N5-8
CAP00527	CAP; FLARE SEAL 1/4IN. FINGER TIGHTEN (CONTAINS 15 CAPS)
CAP00528	CAP;COMPRESSOR VALVE STEEL
CAP00529	CAP; COMPRESSOR VALVE CAP AND GASKET
CAP00533	CAP; WITH GASKET
CAP00541	CAP; NYLON 1/4 FLARE 6 PER PKG
CAP00545	CAP; APPEARANCE NAMEPLATE TRANE XL1800
CAP00548	CAP; 4 INCH VENT
CAP00549	CAP; 5 INCH VENT
CAP00566	CAP; SHORTING, TANDEM PLUG
CAP00821	CAP; ONLY FOR DRAIN TRAP
CAP00824	CAP; BEARING (1 CTN = 10 PCS)
CAP00829	CAP; 1/2 S , PVC SCHEDULE 40
CAP00830	CAP; 1/2 SCHEDULE 40 THREADED (FPT) , PVC
CAP00831	CAP; 3/4, PVC SCH 40
CAP00832	CAP; 1 PVC, SCHEDULE 40
CAP00836	REPLACEMENT END CAP FOR ALL METAL SAMPLING TUBES
CAP00838	CAP; (50 EA/CASE); FLARE SEAL, 1/4", N5-4
CAP00839	CAP;APPEARANCE
CAP00840	CAP; OIL DRAIN
CAP00843	CAP; FLARE, QUICK SEAL W/CHAIN
CAP00845	CAP; SEAL AND O-RING, 1.38-12 UNF-2B
CAP00846	CAP; 2.25-12 UN-2B
CAP00848	CAP; 1.63-12, UN-2B
CAP00854	CAP; 3/4" FPT SCHEDULE 40 PVC CONDENSATE, THREADED
CAP00856	CAP; R.H. END CAP FOR S12-SP-12-E, 12 INCH HEIGHT, 14 GAUGE, SOFT DOVE PAINT COLOR
CAP00859	CAP; R.H. END FOR 4 FT DBCT, (ENCLOSURE 7X5), EGGSHELL WHITE FINISH
CAP00860	CAP;L.H. END FOR 4 FT DBCT (ENCLOSURE SIZE 7X5), EGGSHELL WHITE FINISH
CAP00861	CAP; (50EA/CASE) .50 OD, SOLDER, WROT COPPER
CAP00862	CAP; (50EA/CASE) .75 OD, SOLDER, WROT COPPER
CAP00863	CAP;(50EA/CASE) .88 OD, SOLDER, WROT COPPER
CAP00867	CAP; END FOR CB-EC, L.H.(250W/F, 208 VOLT, PAINTED EGGSHELL WHITE
CAP00871	CAP; .08 ID X .38 LG (1 CTN = 10 PCS)
CAP00872	CAP; .142 ID X .75 LG (1 CTN = 10 PCS)
CAP00874	CAP; SERVICE VALVE BODY (1 CTN = 10 PCS)
CAP00876	CAP; END (MOCAP), FE 062, 1/2 X 1/2 (1 BAG = 10 PIECES)
CAP00877	CAP, 1.62 OD, WC-415, C
CAP00879	CAP; END, LEFT HAND FOR DBF, 188 W/F, 120 VOLT, 0230-6051, EGGSHELL WHITE
CAP00885	CAP; (25 EA/CASE) FLARE SEAL HEX HE .38 FFL, BRASS
CAP00887	CAP; RIGHT HAND END FOR E3 ENCLOSURE, 18 GA ONLY
CAP00888	CAP; LEFT HAND END FOR E3 ENCLOSURE, 18 GA ONLY
CAP00891	CAP; VALVE STEM CAP FOR X15130338010 & X15130308010
CAP00896	CAP; 1/4" COPPER TUBE, MUELLER STYLE WC-415,50/BOX

Part No.	Description
CAP00900	CAP; 2.5 X 2.5, GREY, PLASTIC, CORNER
CAP00902	CAP; END, LH STD 3", FOR E3A-1W, MUST SPECIFY COLOR
CAP00907	CAP; SERVICE VALVE BODY (1 CTN = 10 PCS)
CAP00908	CAP; BEARING
CAP00913	CAP; RETAINER
CAP00914	CAP; MALLEABLE BLACK IRON PIPE FITTINGS, 3/4 IN CAP
CAP00915	CAP; MALLEABLE BLACK IRON PIPE FITTINGS, 1 IN CAP
CAP00919	CAP; ALUMINUM FLUE AND HOT STACK CAP, 2 7/8 INCH - 5 INCH PIPE
CAP00920	CAP; ALUMINUM FLUE AND HOT STACK CAP, 4 7/8 INCH - 7 INCH PIPE
CAP00921	CAP; ALUMINUM FLUE AND HOT STACK CAP, 6 7/8 INCH - 9 INCH PIPE
CAP00922	CAP; ALUMINUM FLUE AND HOT STACK CAP, 8 7/8 INCH - 11 INCH PIPE
CAP00923	CAP; ALUMINUM FLUYE AND HOT STACK CAP, 11 7/8 INCH - 14 1/2 INCH PIPE
CAP00924	CAP; 7" CHIMNEY CAP
CAP00927	CAP; SERVICE VALVE BODY (1 CTN = 10 PCS)
CAP00943	CAPACITOR: CAPACITOR FOR FAN
CAP00952	CAP; GREY POLYPROPYLENE, W/RIVET, 2 INCH, CORNER
CAP00954	CAP; SERVICE VALVE BODY (1 CTN = 10 PCS)
CAP00955	CAP; SERVICE VALVE BODY (1 CTN = 10 PCS)
CAP00956	CAP; SERVICE VALVE BODY (1 CTN = 10 PCS)
CAP00957	CAP; SIDE (RIGHT)
CAP00958	CAP; SIDE (LEFT)
CAP00959	CAP; SIDE
CAP00960	CAP; SIDE
CAP00963	CAP; PEEP HOLE
CAP00964	CAP; Screw
CAP00965	CAP; STEM SEAL, FOR VAL07080
CAP00968	CAP; END RIGHT HAND FOR DBF, EGG SHELL WHITE
CAP00972	CAP; SEAL, 3/4" FLARE, N5-12
CAP00978	CAP; 3/4 INCH SCHEDULE 40 PVC CAP (FIPT)
CAP00979	CAP; 1 INCH SLIP, SCH. 40 PVC
CAP00980	CAP; 3/4 INCH SCH 40 PVC, SLIP
CAP00981	CAP; 3/4 INCH BLACK IRON PIPE
CAP00984	CAP; 1/2 INCH SCH 40 PVC, FIPT
CAP00985	CAP; 3/4 INCH SCH 40 PVC, SLIP
CAP00991	CAP; LONG PROBE TIPS
CAP00995	CAP; 8922904 CMP CAP SISCO P/T 1/4" (CAP ONLY)
CAP00997	CAP; FITTING, 1/4 INCH FLARE CAP W/CORE REMOVER, 12 PER PACK
CAP00999	CAP; (20 CARDS/ CONTAINER, 2 CAPS PER CARD) NOVENT R-22 SAFETY CAP, GREEN
CAP01000	CAP; (20 CARDS/CONTAINER, 2 CAPS PER CARD) NOVENT R-410A SAFETY CAP, PINK
CAP01001	CAP; (10 CARDS/CONTAINER, 10 CAPS PER CARD) NOVENT R-22 SAFETY CAP, GREEN
CAP01002	CAP; (10 CARDS/ CONTAINER, 10 CAPS PER CARD) NOVENT R-410A SAFETY CAP, PINK
CAP01005	CAP; VENT, CGA, 20 INCHES HIGH
CAP01006	CAP; FOR SLING PSYCHROMETER
CAP01007	CAP; (10 EA/CASE) 5/8 FLARE SEAL, N5-10
CAP01010	CAP; LOWER CORNER BUMPER, 18.74 X 1.45

Part No.	Description
CAP01012	CAP; 1/4" FLARE CAP
CAP01015	CAP; (1 CARTON = 10 PIECES) 2.31 OD, ZINC PLATED, SPRING
CAS00160	CASING; ENCLOSURE
CAS00163	CASING; ENCLOSURE
CAS00234	CASING;(BURNER DRAWER), LESS BURNERS, CROSSOVER PIPE, C SERIES CENTRIFUGAL
CAS00803	CASING; ASSEMBLY, MODEL S UNIT HEATER #69,71,90 & 100
CAS00809	CASE; FOUR POCKET CORDURA
CAS00810	CASING; CORDURA BRIEFCASE STYLE
CAS00812	CASING; POUCH STYLE CASE W/HANDLES
CAS00813	CASING; RUBBER HOLSTER FOR HB SERIES METER
CAS00967	CASING; SERIES 41 MANIFOLD CARRYING, 12 1/4" X 8" X 3 1/2"
CAS00968	CASE; BRUTE MANIFOLD CARRYING, 15 1/2" X 12 1/2" X 5 1/2"
CAS01207	CASE; BRUTE MANIFOLD CARRYING CASE, 13-1/2" X 10" X 4-5/8"
CAS01261	CASING; METER CARRYING CASE FOR FLUKE 25/27/8025A METERS
CAS01262	CASING; LEATHER METER CASE, HOLDS MOST FLUKE DMMS, THERMOMETERS & PROCESS CALIBRATORS
CAS01263	CASE; C12A METER, W/BELT LOOP
CAS01265	CASING; H5 ELECTRICAL TESTER FOR T2 AND T5 TESTERS
CAS01266	CASING; FLUKE PREMIUM TOOL BAG
CDS00223	CONDENSER; COIL, 3 TON, PRESSURE TESTED
CDS00252	CONDENSER;COIL, 5 TON, PRESSURE TESTED
CDS00253	CONDENSER; COIL,7 1/2 TON, PRESSURE TESTED
CDS00259	CONDENSER; 20 TON (67 X 17 X 19, 220 LB.)
CDS00260	CONDENSER; 25 TON (68 X 18 X 19, 295 LB.)
CDS00261	CONDENSER; 30 TON (70 X 20 X 19, 305 LB.)
CDS00262	CONDENSER; 40 TON (72 X 22 X 22, 350 LB.)
CDS00263	CONDENSER; ASSEMBLY 50 TON (74 X 22 X 21, 430 LB.)
CDS00264	CONDENSER; 60 TON (112 X 25 X 25, 515 LB.)
CDS00270	CONDENSER; 120 TON (98 X 22 X 24, 770 LB.)
CDS00321	CONDENSER; 75 TON (98 X 22 X 26, 600 LB.)
CDS00322	CONDENSER; 100 TON (100 X 22 X 24, 700 LB.)
CDS00352	CONDENSER;100 TON HIGH PRESSURE
CDS00407	CONDENSER; 25 TON
CDS00409	CONDENSER; 30 TON
CDS00411	CONDENSER; 40 TON
CDS00413	CONDENSER; 50 TON
CDS00415	CONDENSER; 60 TON
CDS00500	CONDENSER; 10 TON SCWD, COPPER TUBES
CDS00528	CONDENSER; 15 TON SCWD, COPPER TUBES
CDS00564	CONDENSER; CHILLER, C-200 COPPER
CDS00566	CONDENSER; CHILLER, C-300 COPPER
CDS00568	CONDENSER; CHILLER
CDS00569	CONDENSER; CHILLER, C-600 COPPER
CDS00573	CONDENSER; CHILLER, CN-300, CU NI
CDS00575	CONDENSER; CHILLER ASM.
CDS00576	CONDENSER; CHILLER

Part No.	Description
CDS00578	CONDENSER; CHILLER
CDS00582	CONDENSER; CHILLER, C-420 COPPER
CDS00583	CONDENSER; CHILLER
CDS00586	CONDENSER;ASSEMBLY
CDS00590	CONDENSER; CHILLER ASM.
CDS00603	CONDENSER; W/O WATER PIPING
CDS00606	CONDENSER; W/O PIPING (CONSISTS OF FUSIBLE PLUG, PLU00464)
CDS00617	CONDENSER; 180/215T, LONG, STANDARD IE FINNED TUBES
CDS00629	CONDENSER; 10 TON SCWC, COPPER TUBES, R.H.
CDS00646	CONDENSER; 35T STD EFF
CDS00647	CONDENSER; 40T STD EFF
CDS00652	CONDENSER; 50T HI EFF
CDS00653	CONDENSER; 60T HI EFF
CDS00655	CONDENSER; 130/150T, STD SHELL, IE FINNED
CDS00659	CONDENSER; 130/150T, STD SHELL, SB 90/10 TUBE
CDS00668	CONDENSER; 255/300T, HI EFF SHELL, IE FINNED
CDS00973	CONDENSER; ASSEMBLY, 3.0/3.5 TON, .88 ODS CONNECTIONS
CDS00978	CONDENSER; 10 TON SCWD, 90/10 CU-NI TUBES W/HERESITE
CDS00994	CONDENSER; 10 TON SCWC, COPPER TUBES, L.H.
CDS00995	CONDENSER; 10 TON SCWC, COPPER TUBE W/HERESITE, L.H.
CDS00996	CONDENSER; 10 TON SCWC, 90/10 CU-NI TUBES, L.H.
CDS00998	CONDENSER; 15 TON SCWC, COPPER TUBES, L.H.
CDS00999	CONDENSER; 15 TON SCWC, COPPER TUBES W/HERESITE, L.H.
CDS01000	CONDENSER; 15 TON SCWC, 90/10 CU-NI TUBES, L.H.
CDS01124	CONDENSER; CGWE025
CDS01126	CONDENSER; CGWE040
CDS01127	CONDENSER; CGWE050
CDS01129	CONDENSER; ASSEMBLY, B1, ENHANCED FIN CU, 300 PSI
CDS01134	CONDENSER; ASSEMBLY, (ASSY DOES NOT INCLUDE THE HEADS) B2, SMOOTH BORE 90/10 CUNI, 300 PSI
CDS01181	CONDENSING UNIT; 1/4 HP, 115/60/1, 115/50/1, WITH COMPRESSOR AND COIL
CDS01203	CONDENSER; ASSEMBLY, 1.5 AND 2.0 TON, WITH BRACKET
CDS01204	CONDENSER; ASSEMBLY, 2.5 AND 3.0 TON, WITH BRACKET
CDS01205	CONDENSER; ASSEMBLY, 3.5 AND 4.5 TON, WITH BRACKET
CDS01221	CONDENSING UNIT; 1/4 HP, 115/60/1, R134A, WITH COMPRESSOR AND COIL
CDS01286	CONDENSER; HTGN 1050 TON, 3" CONN
CDS01316	CONDENSER; WATER EXCHANGER 3.0 TON
CDS01317	CONDENSER; WATER EXCHANGER 5.0 TON
CDS01318	CONDENSER; WATER EXCHANGER 7.5 TON
CDS01319	CONDENSER; WATER EXCHANGER 10 TON
CDS01320	CONDENSER; WATER EXCHANGER 15 TON
CDS01330	CONDENSER; UNIT, AIR COOLED, 1/4 HP, R12
CDS01352	CONDENSER; CORE ASSY FOR CLASSIC 10
CLR00041	COLLAR;VANE LINGAGE SHAFT SEAL, ASSEMBLY, FIRST STAGE
CLR00043	COLLAR; THRUST
CLR00047	COLLAR; MOTOR MOUNT, INCLUDES 1 MTG COLLAR, 2 SCREWS. FITS NEMA 56 FRAME(6.5 IN.)MOTORS

Part No.	Description
CLR00049	COLLAR; SHAFT, 1.27 BORE 3.60 OD X 1.00 WIDE CVAA THRUST, 130-160-180-210 TON
CLR00050	COLLAR; SHAFT, 1.42 BORE 2.50 OD X .89 WIDE, CVAA THRUST, 270-320 TON
CLR00052	COLLAR; FLANGE, COMPRESSOR VALVE
CLR00053	COLLAR;FAN SHAFT
CLR00055	COLLAR; FLANGE, VALVE, COMPRESSOR
CLR00057	COLLAR; FLANGE, VALVE, COMPRESSOR
CLR00064	COLLAR;THRUST
CLR00065	COLLAR;THRUST
CLR00115	COLLAR; DISCHARGE DUCT
CLR00803	COLLAR; ASSEMBLY, 1 INCH DUCT
CLR00824	COLLAR; DUCT
CLR00825	COLLAR; DUCT
CLR00826	COLLAR; DUCT
CLR00827	COLLAR; DUCT
CLR00838	COLLAR; OATEY NO-CAULKING ROOF FLASHING, 2 INCH PIPE
CLR00839	COLLAR; OATEY NO-CAULKING ROOF FLASHING FOR 3 INCH PIPE
CLR00840	COLLAR; OATEY NO-CAULK ROOF FLASHING FOR 4 INCH PIPE
CLR00880	COLLAR: COLLAR FOR GTC-703 SHAFT STOP ASSEMBLY ON RAM-5
CLR00881	COLLAR: COLLAR FOR GTC-704 SHAFT STOP ASSEMBLY ON RAM-5
CLR00903	COLLAR; PLASTIC DUCT EV100/EV200
CLR00904	COLLAR; METAL DUCT EV300
CLR00907	COLLAR; FLUE (33100701)
CLR00909	COLLAR; FRESH AIR INTAKE
CLR00910	COLLAR; EXHAUST VENT
CLR00911	COLLAR; FLUE
CLR00912	COLLAR; FRESH AIR INTAKE
CLR00914	COLLAR; THRUST, REMOVEABLE COLLAR FOR 400-500 TON 50 HZ GEAR DRIVE PINION
CLR00915	COLLAR; 1" JACKSHAFT
CLU00803	CLUTCH; MAGNET COUPLING WMK2
CNT00004	CONTROL; CAPACITY ASSY
CNT00009	CONTROL; PRESSURE
CNT00010	CONTROL, TEMP, BULB, 100-300 F, SPST, 120-240 V, 8 F DIFF, 6 IN. CAPILLARY
CNT00016	CONTROL, TEMP, ADJ 60-90F, SPST
CNT00018	CONTROL; YOKE ASSEMBLY
CNT00036	CONTROL;TEMPERATURE
CNT00038	CONTROL; PILOT POSITIONER-MOVEMENT LESS SPRING
CNT00039	CONTROL; 120-170F, DPDT 236" CAPILLARY
CNT00059	CONTROL, TEMP ADJ 55-90F, SPDT MINIMUM QUANTITY ORDERED 4 HONEYWELL #T6031F1010
CNT00063	CONTROL;COMPLETE
CNT00067	CONTROL, TEMP ADJ 55-85F, DPDT
CNT00071	CONTROL; TEMPERATURE, ADJ -20 TO 60 DEGREES F, SPDT (USE WITH BULB WELL (WEL00006)
CNT00083	CONTROL; PRESSURE, TWO STAGE, 120-240V
CNT00086	CONTROL; SPST, 40 PSI
CNT0009E	CONTROLLER
CNT00101	CONTROL;HIGH PRESSURE

Part No.	Description
CNT00145	CONTROL, TEMP, OPEN 200F, CLOSE 160F
CNT00146	CONTROL-LIMIT, OPEN 170, CLOSE 130
CNT00202	CONTROL;PROTECTOR, THERMAL OVERLOAD
CNT00232	CONTROL, TEMP, OPEN 170F, CLOSE 130F
CNT00234	CONTROL; PRESS, LOW, 5-100 PSI, SPST, 120/240 V, AUTO RESET
CNT00235	CONTROL; SPST, 370 PSI
CNT00249	CONTROL; PRESS, LOW, 20IN.VAC, 100 PSI, SPST 120 V, AUTO RESET
CNT00250	CONTROL; PRESS, HIGH, 50-450 PSI, 125 VA, 120/240 V, MANUAL RESET,
CNT00252	CONTROL;ASSEMBLY-VANE, COMPLETE, 2ND STAGE
CNT00260	CONTROL;SEQUENCE, 8 STEP
CNT00271	CONTROL, PRESS, OIL, SAFETY, 20 PSI
CNT00339	CONTROL; PRESS, OIL
CNT00344	CONTROL; TEMP, OPEN 190F, CLOSE 140F, SPST, 25 A, 120-277V AUTO RESET
CNT00345	CONTROL; 22 PSI
CNT00356	CONTROL;LIMIT
CNT00358	CONTROL; TEMP, 0-70 F, MULTISTAGE, 125 VA, 120-277 VAC, 15FT. CAPILLARY
CNT00383	CONTROL; MIXED AIR TEMPERATURE, 0-100F, 20-30 VAC, 135 OHMS
CNT00385	CONTROL; PRESSURE
CNT00397	CONTROL;PRESSURE, OIL,36IN.CAPILLARY TUBE, 1/4IN.FLARE WITH NUTS
CNT00409	CONTROL;PRESSURE, OIL
CNT00419	CONTROL; TEMP, LIMIT OPEN 260 F,MANUAL RESET 18IN. LEADS
CNT00423	CONTROL - LOW PRESSURE; 5-20 PSI, 125V - SPST -20 TO 150 F .25 SAE FFL 72" LEADS
CNT00425	CONTROL; PRESS, ADJ 330-400 PSI, SPST
CNT00437	CONTROL;MODULATING, 24 V.
CNT00441	CONTROL;PRESSURE
CNT00442	CONTROL; MODULATING
CNT00468	CONTROL, TEMP
CNT00470	CONTROL; PRESS, OPEN 3, CLOSE 9, 187/264 V, 36IN. CAPILLARY
CNT00473	CONTROL; HIGH PRESSURE, 270 PSI SPST
CNT00475	CONTROL; PRESS, HIGH, 150-425 PSI, SPST, 36IN. CAPILLARY
CNT00477	CONTROL, DPST, 53-65F
CNT00478	CONTROL; TEMP, OPEN 100F, CLOSE 120F SPST
CNT00479	CONTROL, TEMP, OPEN 220F, CLOSE 180F, SPST
CNT00480	CONTROL, TEMP, OPEN 175F, CLOSE 135F, SPST
CNT00481	CONTROL, TEMP, OPEN 250F, CLOSE 210F, SPST
CNT00491	CONTROL, PRESS, OPEN 380, CLOSE 300 PSI SPST
CNT00502	CONTROL;115V 60HZ 40VA TRANS, SAFTEY TMR 45 SEC
CNT00508	CONTROL; PRESSURE OPEN 5, CLOSE 20 PSIG SPST, 72IN. LEADS
CNT00510	CONTROL; SWITCH-HIGH PRESSURE
CNT00512	CONTROL; PRESS, HIGH, 100-425 PSI, SPST, 36IN. CAPILLARY
CNT00513	CONTROL; SEQUENCER
CNT00514	CONTROL; SEQUENCER
CNT00518	CONTROL;SWITCH- HIGH PRESSURE,CUTOUT, 120/240 VAC, OPEN: 405 PSIG, CLOSE: 300 PSIG
CNT00530	CONTROL; TEMP, OPEN 130F, CLOSE 110F, SPST, DISC TYPE 130 DEG
CNT00531	CONTROL; TEMP, OPEN 160F, CLOSE 140F, SPST

Part No.	Description
CNT00532	CONTROL; FAN FAILURE LIMIT, OPEN 150 F, CLOSE 130 F, AUTOMATIC RESET
CNT00535	CONTROL, BOARD, W/SWITCH
CNT00542	CONTROL; LOW PRESSURE, 20 OPEN/ 50 CLOSE, 115/240 V, SPST, .25 SAE FLARE, 48" LEADS
CNT00545	CONTROL; TEMP, MANUAL RESET
CNT00549	CONTROL, TEMP, OPEN 210F, CLOSE 170F, SPST
CNT00552	CONTROL;SWITCH, HIGH PRESSURE,CUTOUT, 120/240VAC, OPEN: 370 PSIG, CLOSE: 290 PSIG
CNT00553	CONTROL; PRESSURE DIFFERENTIAL 15PSI OPEN/23PSI CLOSE
CNT00557	CONTROL; FLAME SAFEGUARD
CNT00566	CONTROL;SENSOR
CNT00577	CONTROL; 30-200F, SPDT
CNT00587	CONTROL;DEFROST
CNT00593	CONTROL; PRESS, HIGH, OPEN 270 PSI, CLOSE 190 PSI, .12 NPTE MALE PORT, 72IN. LEADS
CNT00600	CONTROL, LEVEL, PNEUMATIC
CNT00607	CONTROL;HIGH PRESSURE, CUTOUT, 120/240VAC, OPEN: 405 PSIG, CLOSE: 300 PSIG, -65 TO 275 DEG F
CNT00615	CONTROL;PRESSURE SELECTOR RELAY
CNT00622	CONTROL; LIMIT, SPST, OPEN 180F, CLOSE 160F, 125VA, 120-277VAC
CNT00623	CONTROL; TEMP, OPEN 140F, CLOSE 100F, SPST
CNT00625	CONTROL; TEMP, OPEN 150F, CLOSE 110F, SPST
CNT00626	CONTROL;TEMP, OPEN 160F, CLOSE 120F, SPST
CNT00627	CONTROL;TEMP, OPEN 160F, CLOSE 120F, SPST
CNT00628	CONTROL; TEMP, OPEN 130F, CLOSE 90F, SPST
CNT00629	CONTROL; TEMP, OPEN 130F, CLOSE 90F, DPST
CNT00630	CONTROL; THERMOSTAT-OPEN 130 DEG., CLOSE 90 DEG.
CNT00636	CONTROL, SPST, 25-225F
CNT00637	CONTROL; LIMIT, 135F OPEN, SPST, 30-240VAC, MANUAL RESET
CNT00638	CONTROL; LIMIT, 240F OPEN, SPST, 30-240VAC, MANUAL RESET
CNT00639	CONTROL-TEMPERATURE
CNT00640	CONTROL; BI-METAL DISC LIMIT, 250F OPEN, SPST 120-277VAC
CNT00641	CONTROL; SWITCH-LOW PRESSURE, CUTOUT, 120/240VAC, OPEN: 45 PSIG, CLOSE: 60 PSIG, -65 TO 275 DEG F
CNT00642	CONTROL; VARIABLE SPEED MOTOR, SOLID STATE
CNT00647	CONTROL; HIGH PRESSURE SWITCH
CNT00648	CONTROL, TEMP 120F AUX, SPDT
CNT00656	CONTROL, TEMP, OPEN 190F, CLOSE 150F, SPST
CNT00674	CONTROL; BI-METAL DISCONNECT LIMIT, 25A, NC, SPST, OPEN 210 DEG. F, CLOSE 170 DEG F.
CNT00676	CONTROL;FAN & LIMIT, ON AT 130 DEG,OFF AT 90 DEG
CNT00678	CONTROL; PRESSURE ADJ 18IN., -65 PSI
CNT00683	CONTROL; PROGRAMMER MODULE
CNT00685	CONTROL; TEMP, -40 - 150 F, 2-22 VDC, LOAD SIMULATOR
CNT00686	CONTROL; TEMP OPEN 190F, CLOSE 140F, SPST
CNT00695	CONTROL; RELAY, TIME DELAY, SPST 25A, 24V, 30-90 SEC
CNT00696	CONTROL; RELAY, TIME DELAY, DPST, 1ST & 2ND STG=HTG 30-50/COOL 1-30 SEC DELAY, 24 VAC
CNT00702	CONTROL, FAN LIMIT
CNT00705	CONTROL; 55-175 F, SPDT, 120-240 VAC, 20 FT CAPLILARY TUBE, TEMPERATURE
CNT00706	CONTROL;TEMPERATURE
CNT00707	CONTROL; SWITCH, ENTHALPY, 50 VA AT 24 VAC

Part No.	Description
CNT00711	CONTROL; DIRECT IGNITION
CNT00713	CONTROL; FAN LIMIT
CNT00720	CONTROL, SIGNAL LIMITER
CNT00746	CONTROL; SWITCH CUTOUT, 120/240VAC, OPEN: 155 PSIG, CLOSE: 300 PSIG, -65 TO 275 DEG F
CNT00749	CONTROL; SPDT, 0-150F, INCLUDES WELL
CNT00751	CONTROL;MSTR
CNT00758	CONTROL; TEMP 4 STEP COOLING ONLY LOGIC PANEL-SINGLE ZONE MASTER ENERGY 24 VAC
CNT00759	CONTROL; ENERGY
CNT00761	CONTROL; ENTHALPY
CNT00773	CONTROL; TEMP 3 HEAT, 3 COOL LOGIC PANEL-SINGLE ZONE MASTER ENERGY 24 VAC
CNT00777	CONTROL; TEMPERATURE OPEN 135F, CLOSE 110F, SPST
CNT00778	CONTROL;RECEIVER,40-120F CAN BE REPLACED BY DIGITAL CONTROL CPR KIT KIT2103
CNT00804	CONTROL;PNEUMATIC
CNT00806	CONTROL, TEMP ADJUSTABLE, 100-125F
CNT00811	CONTROL;THERMOSTAT SIMULATOR
CNT00813	CONTROL;LOW TEMPERATURE, 28-38F, 240VA, 240-277 VAC
CNT00819	CONTROL;MASTER ENERGY
CNT00821	CONTROL; LIMIT, SPDT, 125VA, 24VAC, OPEN 210F, CLOSE 130F
CNT00824	CONTROL; LIMIT, MULTIZONE, -40 - 150 F, 24 VDC
CNT00826	CONTROL; TEMP, MULTIZONE, -40 - 150 F, 24 VDC, .25IN. MALE QC,
CNT00827	CONTROL; TEMP, 3 HEAT, 3 COOL, -40-150F, SPDT 30-240VA, 24-240VAC
CNT00828	CONTROL; TEMP, 0-100 F, SPDT, 30 VAC MAX, 20FT. CAPILLARY MINIMUM QUANTITY ORDERED 4
CNT00829	CONTROL; TEMP,OPEN 196F, CLOSE 165F, SPST, 125VA, 240VAC, EXPOSED DISC
CNT00830	CONTROL;LIMIT, AUTO RESET, 155 OP/115 CL
CNT00831	CONTROL; LIMIT, AUTO RESET
CNT00832	CONTROL; TEMP OPEN 145F, CLOSE 105F, SPST
CNT00833	CONTROL;LIMIT, AUTO RESET
CNT00834	CONTROL; TEMP OPEN 185F, CLOSE 155F, SPST
CNT00844	CONTROL; PRESS, OPEN 5, CLOSE 20 PSI, SPST
CNT00847	CONTROL; FAN LIMIT (CPD), 8 INCH LENGTH
CNT00850	CONTROL; TEMP, MULTIFUNCTION,4 STAGE, -40 - 150 F, 800-1000 VA 120-240 VAC,
CNT00865	CONTROL;POWER SUPPLY 3 PHASE 230V 60HZ
CNT00884	CONTROL;TEMPERATURE
CNT00885	CONTROL; AUTO RESET, 115V/60 HZ
CNT00889	CONTROL; MOTOR PROTECTOR
CNT00890	CONTROL; MOTOR PROTECTOR
CNT00891	CONTROL; MOTOR PROTECTOR
CNT00894	CONTROL; TEMP, OPEN 139F, CLOSE 105F, SPST
CNT00896	CONTROL, TEMP, OPEN 165F, CLOSE 125F, SPST
CNT00898	CONTROL; DEFROST
CNT00900	CONTROL, TEMP, OPEN 280F, SPST, MANUAL RESET
CNT00904	CONTROL; UNIT MODULE
CNT00905	CONTROL, AMPLIFIER
CNT00906	CONTROL, REMOTE SELECTOR, 55-90 TD121
CNT00908	CONTROL;GAS, NAT., 335 BTUH, 24V, CONN. .75 X .75

Part No.	Description
CNT00911	CONTROL; RELAY, MOTOR PROTECTION, 125 VA, 24VAC, CUT-OUT TEMP 190, CUT-IN TEMP 170
CNT00912	CONTROL;THERMOSTAT,TERMINATOR
CNT00914	CONTROL; THERMOSTAT,TERMINATOR, DEFROST, OPEN @ 51F (+ or - 4), CLOSE @ 26F (+ or - 3)
CNT00915	CONTROL;DE-ICE
CNT00916	CONTROL;DE-ICE
CNT00917	CONTROL; THERMOSTAT,TERMINATOR
CNT00920	CONTROL; ELECTRONIC IGNITION
CNT00921	CONTROL; LIMIT, 160F, SPDT, 125VA
CNT00922	CONTROL;LIMIT
CNT00923	CONTROL, ACTUATOR
CNT00925	CONTROL; ENERGY CUT OFF DEVICE
CNT00926	CONTROL, ENERGY, CUT OFF DEVICE
CNT00927	CONTROL, TEMP, CUTOFF DEVICE, OPEN 280F, AUTO RESET, NORMALLY CLOSED
CNT00935	CONTROL; TEMP, 0-100 F, SPDT, 120-240 VAC, ADJ SWITCH DIFFERENTIAL, 20FT. CAPILLARY
CNT00944	CONTROL; PRESSURE
CNT00946	CONTROL; SUPPLY MONITOR
CNT00947	CONTROL;SUPPLY MONITOR
CNT00949	CONTROL;SMOKE DETECTOR & FIRESTAT
CNT00950	CONTROL;WATER DETECTOR
CNT00957	CONTROL;DIFFERENTIAL PRESSURE AIRFLOW
CNT00959	CONTROL; FAN LIMIT, OPEN +55, -3, CLOSE +65, -3
CNT00962	CONTROL; START ACCESSORY
CNT00963	CONTROL;SAFETY TIMER, 24V, 50/60HZ, 6AMP, 90 SEC LOCKOUT
CNT00965	CONTROL; DISCHARGE AIR
CNT00972	CONTROL;THERMOSTAT,TERMINATOR
CNT00976	CONTROL;WATER DETECTOR
CNT00978	CONTROL;TEMPERATURE & HUMIDITY ASSEMBLY ONLY
CNT00979	CONTROL;DISPLAY PANEL BASE
CNT00980	CONTROL;LIMIT
CNT00981	CONTROL;MULTIPLE UNIT
CNT00982	CONTROL; FAN SPEED, LOW AMBIENT
CNT00985	CONTROL; STATIC PRESSURE
CNT00991	CONTROL;AUTOMATIC RESET
CNT00992	CONTROL;AUTOMATIC RESET
CNT00993	CONTROL, AUTOMATIC RESET
CNT00994	CONTROL, AUTOMATIC RESET LIMIT, RATED 300 DEGREES
CNT00995	CONTROL, AUTOMATIC RESET, INCLUDES REMOTE SENSOR IN ASSY. CAP TUBE INCLUDED
CNT00996	CONTROL;BOARD
CNT01005	CONTROL;OIL PRESSURE
CNT01008	CONTROL;HIGH PRESSURE
CNT01009	CONTROL;LOW PRESSURE
CNT01011	CONTROL;PILOT RELITE, 24 VAC, 8 MA, 60 HZ
CNT01012	CONTROL; SPARK IGNITION
CNT01014	CONTROL; TEMP LIMIT, SPDT, OPEN 145F, CLOSE 105F
CNT01015	CONTROL, LIMIT, 135 OPEN, 105 CLOSE

Part No.	Description
CNT01016	CONTROL;PRESSURE, 30 PSIG SET-POINT
CNT01018	CONTROL; FAN SPEED
CNT01019	CONTROL; TEMP LIMIT, SPDT, OPEN 200F, CLOSE 140F
CNT01023	CONTROL; ELECTRIC TO PNEUMATIC TRANSDUCER HIGH CAPACITY
CNT01025	CONTROL; ELECTRIC TO RESISTANCE TRANSDUCER, 200 OHM
CNT01026	CONTROL; ELECTRIC TO RESISTANCE TRANSDUCER, 500 OHM
CNT01027	CONTROL; ELECTRIC TO RESISTANCE TRANSDUCER, 2000 OHM
CNT01031	CONTROL; TEMP LIMIT, SPDT, OPEN 150F, CLOSE 110F
CNT01033	CONTROL; LOAD ANALYZER MODULE
CNT01034	CONTROL;LIMIT, 160F, NC, SPST, 125VA, INCLUDES CAPILLIARY TUBE.
CNT01038	CONTROL;DEWPOINT POWER SUPPLY, 24V
CNT01044	CONTROL, ENTHALPY
CNT01045	CONTROL; LIMIT, 180F, NORMALLY CLOSED, AUTO RESET
CNT01046	CONTROL; TEMP, CLOSE 60F, OPEN 10F, FROST CONTROL
CNT01047	CONTROL; TEMP, OPEN 190F, SPST
CNT01048	CONTROL; TEMP, OPEN 235F, SPST
CNT01069	CONTROL, IGNITOR, W/LOCKOUT
CNT01070	CONTROL;THERMOSTAT/TERMINATOR, SPST
CNT01072	CONTROL; TEMP LIMIT, SPDT, OPEN 165F, CLOSE 125F
CNT01073	CONTROL; TEMP LIMIT, SPDT, OPEN 175F, CLOSE 135F
CNT01075	CONTROL; TEMP LIMIT, SPDT, OPEN 130F, CLOSE 100F
CNT01078	CONTROL, AMPLIFIER, MAXITROL SYSTEM
CNT01082	CONTROL;PRIMARY (FLAME FAILURE SENSOR)
CNT01086	CONTROL; LOW PRESSURE CUTOUT, 120/240 VAC, OPEN: 20 PSIG, CLOSE: 35 PSIG
CNT01087	CONTROL; HIGH PRESSURE CUTOUT, 120/240 VAC, OPEN: 360 PSIG, CLOSE: 270 PSIG
CNT01092	CONTROL; DEFROST, OPEN 70F, CLOSE 37F, SPST
CNT01096	CONTROL;DEFROST
CNT01098	CONTROL; FAN LIMIT
CNT01100	CONTROL; FAN LIMIT, HIGH LIMIT ADJ. 100-25 F, FAN LIMIT ADJ. 50-200 F, 11.5 IN. ELEMENT
CNT01101	CONTROL; FAN & LIMIT, LIMIT SET AT 160 DEG, PROBE LENGTH 5 IN
CNT01102	CONTROL, FAN LIMIT
CNT01105	CONTROL; CAPILLARY HIGH-LIMIT
CNT01107	CONTROL; FAN LIMIT
CNT01110	CONTROL; HI LIMIT 208V-240V
CNT01111	CONTROL; HI LIMIT 277V
CNT01112	CONTROL; HI LIMIT 208V-240V
CNT01114	CONTROL; MANIFOLD ASM
CNT01122	CONTROL;MOTOR SPEED, 5A 120-277V
CNT01123	CONTROL; HOFFMAN 706-123SB, 10 AMP FAN SPEED CONTROL
CNT01125	CONTROL; DEFROST, OPEN 75F, CLOSE 26F, SPST
CNT01126	CONTROL;TEMPERATURE, -40 TO 150F AMBIENT TEMP. SET POINT 10 TO 110F
CNT01127	CONTROL; DEFROST, OPEN 75F, CLOSE 26F, SPST
CNT01142	CONTROL;SWITCH,HIGH PRESSURE CUTOUT, 16/8 FLA AT 120/240V, 20 LB IN, 7 LB OUT
CNT01148	CONTROL; DEFROST, 32F/50-60F
CNT01149	CONTROL; TEMP, FAN, -40-60F

Part No.	Description
CNT01155	CONTROL, DEFROST
CNT01162	CONTROL; LOW PR
CNT01166	CONTROL; IGNITION
CNT01167	CONTROL; DEFROST
CNT01170	CONTROL; DEFROST, OPEN 70F, CLOSE 37F, SPST
CNT01174	CONTROL, PRESSURE, 7-150 PSI, SPDT
CNT01175	CONTROL, PRESSURE, 100-450 PSI, SPDT
CNT01185	CONTROL; ELECTRIC FILTER, PC BOARD, EMI, 41 AMP
CNT01190	CONTROL, IGNITION, W/LOCKOUT
CNT01209	CONTROL, FAN SPEED
CNT01212	CONTROL; TEMPERATURE, 40-90 F.
CNT01213	CONTROL, PRESSURE
CNT01215	CONTROL; HIGH PRESSURE CONTROL
CNT01218	CONTROL; TEMP, OPEN 55F, CLOSE 70F, SPST, 125-400VA, 240-600VAC ENCLOSED DISC
CNT01219	CONTROL; TEMP, OPEN 170F, SPST, LIMIT, NORMALLY CLOSED, WITH CAPILLARY
CNT01220	CONTROL; TEMP, OPEN 160F, SPST, LIMIT, NORMALLY CLOSED, W/CAPILLARY
CNT01221	CONTROL; VALVE, GAS, .75 NPTI, 24 VAC, NEGATIVE PRESSURE OPERATION
CNT01226	CONTROL; 100 PERCENT IGNITION
CNT01228	CONTROL;TEMP., SPDT, 20 TO 60F
CNT01230	CONTROL; PRESSURE, 100-425 PSIG, MANUAL RESET
CNT01241	CONTROL, IGNITION MODULE 90 SEC. MAX. LOCKOUT
CNT01260	CONTROL; 6-STEP PNEUMATIC ELECTRIC
CNT01275	CONTROL;FAN & LIMIT
CNT01276	CONTROL;FAN & LIMIT
CNT01284	CONTROL; HI LIMIT, 100-350 DEGREES, ELEMENT LGTH-9"
CNT01285	CONTROL; FAN SPEED, 208-240-480/60, 160-220 PSI
CNT01286	CONTROL; FAN SPEED, 400-480/50, 160-220 PSI
CNT01287	CONTROL, STATIC PRESSURE 24 VAC
CNT01288	CONTROL; LIMIT NC SPST
CNT01293	CONTROL;COMPRESSOR MOTOR PROTECTOR
CNT01312	CONTROL; MOTOR PROTECTOR & OIL PRESSURE, .2 TO .5 SEC RESET
CNT01314	CONTROL; LOW PRESSURE
CNT01316	CONTROL, IGNITION, 24V, -40-75F, 3-TRY IGNITION
CNT01317	CONTROL; PRESS, OPEN 7, CLOSE 22 PSI, SPST (COMPRESSOR PROTECTION SWITCH)
CNT01319	CONTROL; LIMIT,DISC TYPE SPST, 170F OP/120F CL
CNT01320	CONTROL; TEMP, OPEN 140F, CLOSE 95F, SPST
CNT01321	CONTROL, TEMP, OPEN 66F, CLOSE 26F, SPST
CNT01325	CONTROL; FAN LIMIT 165-ON 85-OFF, LIMIT 200, 11.62 ELEMENT
CNT01330	CONTROL;MOTOR SPEED, 15A, 125V, W/ON-OFF SWITCH
CNT01405	CONTROL; TEMP, OPEN 65F, CLOSE 55F, SPST
CNT01416	CONTROL, TEMP, OPEN 160F, CLOSE 120F, SPST
CNT01446	CONTROL; AUTO RESET FREEZE STAT
CNT01466	CONTROL; IGNITOR, CONTINUOUS RETRY 100 PERCENT SHUTOFF IP
CNT01480	CONTROL;TEMPERATURE, 20-65F, 175-250VA, 120-240V
CNT01482	CONTROL; TEMPERATURE, -30 TO 90F, 20 FT. CAPILLARY MINIMUM ORDER QUANTITY 4 LAKJK

Part No.	Description
CNT01495	CONTROL;LIMIT,35-40 O-C, SPST, 120/240V, AUTO RESET
CNT01511	CONTROL, PRESSURE
CNT01519	CONTROL;TEMP, 65 OP/70 CL, 120/240V, 9IN. CAP
CNT01520	CONTROL;TEMP.,55OP/60CL, 120/240V, 18 IN.CAP.
CNT01522	CONTROL; VARIABLE SPEED, TEMP -40-150F
CNT01527	CONTROL; LOW AMBIENT HEAD PRESSURE (BAYLOAMD20AA)
CNT01530	CONTROL; LOW AMBIENT HEAD PRESSURE (BAYLOAM320AA)
CNT01533	CONTROL; LOW AMBIENT HEAD PRESSURE (BAYLOAM420AA)
CNT01537	CONTROL;ICM, FAN (FURNACE)
CNT01538	CONTROL; ICM FAN (AIR HANDLER)
CNT01572	CONTROL; PRESSURE CUTOUT, HIGH
CNT01573	CONTROL;TEMPERATURE
CNT01578	CONTROL;TEMPERTURE, SPST, OPEN ON FALL, 120/240 VAC, -30 TO 100 DEG., F., RANGE
CNT01584	CONTROL; LOW PRESSURE, OPEN 7, CLOSE 22 PSI, 55 LEAD LENGTH
CNT01586	CONTROL;ENTHALPY,-25 TO 125F,5.5VA,24VAC,50/60HZ,
CNT01595	CONTROL; TEMPERATURE
CNT01604	CONTROL;HIGH PRESSURE, 15 TO 260 PSIG, 15 TO 90 DIFFERENTIAL P ADJUST, AUTO RESET,
CNT01609	CONTROL; DIFFERENTIAL PRESSURE, CUTOUT ADJ.4 TO 65 PSIG, CUT-IN FIXED PSIG ABOVE
CNT01615	CONTROL;OVERTEMP (MANUAL RESET)
CNT01617	CONTROL;SPACE TEMPERATURE (ADD FOR SYSTEM 44)MAY ALSO BE CALLED SELECTRASTAT
CNT01621	CONTROL;LIMIT, 25A, NC, SPST, 145 CL/195 OP, 120/277V, AUTO RESET, 54" CAPILLARY TUBE
CNT01623	CONTROL; REMOTE STATION (SYSTEM 44)
CNT01626	CONTROL;HIGH LIMIT
CNT01628	CONTROL;HIGH LIMIT
CNT01631	CONTROL;ASSEMBLY, COMPLETE
CNT01635	CONTROL; ESCUTCHEON
CNT01640	CONTROL, MODULE
CNT01642	CONTROL; DEFROST BOARD, TEMP/TIME, 24 VAC, 50/70 OR 90 MIN CYCLES
CNT01644	CONTROL, LIMIT, 150 W/INSULATOR
CNT01645	CONTROL; REVERSE FLOW LIMIT (140) W/INSULATOR
CNT01647	CONTROL-FAN TIMER
CNT01648	CONTROL;TEMPERATURE, SPDT, 120/208/240V
CNT01653	CONTROL;& IGNITOR ELECTRONIC OIL BURNER PRIMARY
CNT01654	CONTROL; BOARD, ICM MOTOR
CNT01659	CONTROL; JUMPER BLOCK, RJS TYPE
CNT01661	CONTROL;& IGNITOR, ELECTRONIC OIL BURNER PRIMARY
CNT01662	CONTROL; HIGH LIMIT, 25A NC SPST
CNT01663	CONTROL; PRESSURE, 15OP/8-12CL, WITHOUT MANUAL RESET
CNT01665	CONTROL; LIMIT, 345 OP 266 CL, 120/240V .25 BLADE TERMINALS, W/SST MOUNTING BRACKET
CNT01675	CONTROL; TEMP, SPST ADJUSTABLE HYDRONIC HOT WATER IN/OUTDOOR 15FT./30FT. CAPILLARY
CNT01676	CONTROL; TEMP, 100-240 F SPDT, 10 F FIXED DIFF HYDRONIC WELL IMMERSION
CNT01677	CONTROL; TEMP, REFIF, -30 TO +90 F, SPST 3.50-40.0F ADJUST DIFF, 5FT. CAPILLARY
CNT01678	CONTROL, TEMPERATURE REFRIGERATION
CNT01679	CONTROL; TEMP, REFRIG, -30 TO +90 F, SPDT 4.50-40.0 ADJUST DIFF, 8FT. CAPILLARY
CNT01683	CONTROL; TEMP, IGNITION HOT SURFACE PILOT RELITE, 24V AC, 0.03 AMPS, .25 SPADE CONNECTORS

Part No.	Description
CNT01684	CONTROL, IGNITION HOT SURFACE
CNT01685	CONTROL, IGNITION, HOT SURFACE
CNT01686	CONTROL, IGNITION, HOT SURFACE
CNT01687	CONTROL; IGNITION, HOT SURFACE
CNT01691	CNT01691 123.62 CONTROL; IGNITION HOT SURFACE
CNT01695	CNT01695 295.68 CONTROL; DEFROST
CNT01704	CNT01704 115.23 CONTROL; PILOT RELITE, 24 VAC, 0.03 AMPS,SPIKE CONNECTOR (50 59 134)
CNT01712	CONTROL; TEMP, FAN, 110 F CUT-IN,20 F DIFF, SPST, SNAP-DISC
CNT01713	CONTROL; TEMP, FAN, 120 F CUT-IN,10 F DIFF, SPST, SNAP-DISC
CNT01714	CONTROL;TEMP, FAN,130 F CUT-IN, 15 F DIFF,SPST, SNAP-DISC (03F01 130)
CNT01715	CONTROL;TEMP,FAN,140 F CUT-IN, 20 F DIFF,SPST, SNAP-DISC (03F01 140)
CNT01716	CONTROL;TEMP, FAN,150 F CUT-IN, 20 F DIFF,SPST,SNAP-DISC (03F01 150)
CNT01717	CONTROL; TEMP, FAN 160 F CUT-IN,20 F DIFF, SPST, SNAP-DISC
CNT01718	CONTROL; TEMP, FAN,180 F CUT-IN, 20 F DIFF,SPST, SNAP-DISC (03F01 180)
CNT01719	CONTROL;TEMP, FAN, 200 F CUT-IN, 20 F DIFF,SPST, SNAP-DISC (03F01 200)
CNT01720	CONTROL;TEMP, FAN,350 F CUT-IN, 30 F DIFF,SPST, SNAP-DISC (03F01 350)
CNT01721	CONTROL; ADJUST TEMP FAN 90-130 F, 20 F DIFF, SPST, AUTO RESET
CNT01722	CONTROL; ADJUST TEMP FAN 140-180 F, 20 F DIFF, SPST, AUTO RESET
CNT01723	CONTROL; ADJUST TEMP FAN 90-130 F, 20 F DIFF, SPST, W/ADAPTOR BRACKET (03F05 003)
CNT01724	CONTROL; ADJUST TEMP FAN 140-180 F, 20 F DIFF, SPST, W/ADAPTOR BRACKET (03F05 004)
CNT01725	CONTROL;TEMP,120 F CUT-OUT, 10 F DIFF,SPST, SNAP-DISC (03L01 120)
CNT01726	CONTROL; TEMP, 130 F CUT-OUT,15 F DIFF SPST, SNAP-DISC
CNT01727	CONTROL; TEMP, 140 F CUT-OUT,40 F DIFF SPST, SNAP-DISC
CNT01728	CONTROL; TEMP, 150 F CUT-OUT,40 F DIFF SPST, SNAP-DISC (03L01 150)
CNT01729	CONTROL; TEMP, 165 F CUT-OUT,40 F DIFF SPST, SNAP-DISC
CNT01730	CONTROL; TEMP 170 F CUT-OUT,40 F DIFF SPST, SNAP-DISC
CNT01731	CONTROL; TEMP, 180 F CUT-OUT,40 F DIFF SPST, SNAP-DISC (03L01 180)
CNT01732	CONTROL; TEMP, 190 F CUT-OUT,40 F DIFF SPST, SNAP-DISC
CNT01733	CONTROL; TEMP, 200 F CUT-OUT,40 F DIFF SPST, SNAP-DISC
CNT01734	CONTROL; TEMP, 230 F CUT-OUT,40 F DIFF SPST, SNAP-DISC
CNT01735	CONTROL;TEMP, 250 F CUT-OUT, 40 F DIFF,SPST, SNAP-DISC (03L01 250)
CNT01736	CONTROL;TEMP,300 F CUT-OUT, 50 F DIFF,SPST, SNAP-DISC (03L01 300)
CNT01738	CONTROL; TEMP, 160 F CUT-OUT, SPST, MANUAL RESET (03L02 160)
CNT01739	CONTROL; TEMP, 170 F CUT-OUT, SPST MANUAL RESET
CNT01740	CONTROL; TEMP, 180 F CUT-OUT, SPST, MANUAL RESET (03L02 180)
CNT01741	CONTROL; TEMP,190 F CUT-OUT, SPST, MANUAL RESET (03L02 190)
CNT01742	CONTROL; TEMP, 200 F CUT-OUT, SPST, MANUAL RESET (03L02 200)
CNT01744	CONTROL; TEMP,SPDT,190 F CUT-OUT, 20 F DIFF (03L03 190)
CNT01745	CONTROL; TEMP, ADJUST, 135-175 F, 40 F DIFF, SPST, AUTO RESET
CNT01746	CONTROL; TEMP, ADJUST, 175-215 F, 40 F DIFF, SPST, AUTO RESET (03L05 002)
CNT01747	CONTROL; TEMP, ADJUST, 210-250 F, 40 F DIFF, SPST, AUTO RESET (03L05 003)
CNT01749	CONTROL; TEMP, ADJUST, 175-215 F, 40 F DIFF, SPST, AUTO RESET, W/ADAPTOR BRACKET (03L05 005)
CNT01750	CONTROL;TEMP, ADJUST,210-250 F, 40 F DIFF,SPST, AUTO RESET, W/ADAPTOR BRACKET (03L05 006)
CNT01751	CONTROL; TEMP, ADJUST, 135-175 F, 20 F DIFF, SPST, AUTO RESET
CNT01753	CONTROL;TEMP,ADJUST,250-290 F, 40 F DIFF,SPST, AUTO RESET (03L05 013)

Part No.	Description
CNT01760	CONTROL, FROST 10A, 120VAC ON/60F, OFF/25F 30IN. CAPILLARY TUBE
CNT01766	CONTROL;OIL PRIMARY,120/60,45 SEC TIMING, 2/3 WIRE LINE VOLT THERM (06 68 430)
CNT01768	CONTROL;OIL PRIMARY,120/60, 45 SEC TIMING,W/O 24 V AC (06 68 454)
CNT01778	CONTROL: TEMP, FAN, 70-160 F, 25 F FIXED DIFF, (07 57 001)
CNT01780	CONTROL; FINAL ASSY, SC1000 (10C12E 410)
CNT01781	CONTROL;TEMP,100-240 F 10 F FIXED DIFF,SURFACE STRAP-ON, HOT WATER (11B02 001)
CNT01782	CONTROL;TEMP,100-200 F 10 F FIXED DIFF,SURFACE STRAP-ON, HOT WATER, W/SUMMER ON (11B09 002)
CNT01784	CONTROL;TEMP,2 ACTION,HI LIMIT 140-240 F,LO LIMIT 100-200 F, ADJUST DIFF 10-35 F (11C30 011)
CNT01789	CONTROL;TEMP,100-240 F SPST,5-45 F ADJUST DIFF 160 F MAX STOP SET, W/CONVERTIBLE WELL (11D18 008)
CNT01790	CONTROL: TEMP, 100-240 F SPST, 7-45 F ADJUST DIFF (11D31 001)
CNT01793	CONTROL; (11D55 001)
CNT01794	CONTROL;TEMP,100-240 F SPDT,7-45 ADJUST DIFF,5' CAPILLARY (11D82 001)
CNT01796	CONTROL; ENTHALPHY, -30 TO 90 F, 3.5-40 F ADJUST DIFF, DPST, 8IN. CAPILLARY
CNT01797	CONTROL;ENTHALPHY,35 TO 57 F,3-20 F ADJUST DIFF, 6 FT. CAPILLARY (16 09 094)
CNT01799	CONTROL;ENTHALPHY,-30 TO 90 F,3.5-40 F ADJUST DIFF, 8 FT. CAPILLARY (16 09 102)
CNT01800	CONTROL;ENTHALPHY,-30 TO 90 F,3.5-40 F ADJUST DIFF, 10 FT. CAPILLARY (16 09 103)
CNT01801	CONTROL;ENTHALPHY,-30 TO 90 F,3.5-40 F ADJUST DIFF, 20FT. CAPILLARY (16 09 104)
CNT01802	CONTROL;ENTHALPHY,-30 TO 90 F,3.5-40 F ADJUST DIFF, 5 FT. CAPILLARY (16 09 106)
CNT01805	CONTROL;TEMP, 1 LEVEL, -20 TO 140 F, SPST-NO, 12 A, 240 V, 45 SEC DELAY, 18IN. LEADS
CNT01806	CONTROL: TEMP, 1 LEVEL, -20 TO 140 F, SPST-NO, 16 A, 120 V, 45 SEC DELAY, 18IN. LEADS
CNT01815	CONTROL: TEMP, 130-175 F 40 F DIFF, SPST,ADJ SET POINT, W/ADAPTOR BRACKET (03L05 004)
CNT01817	CONTROL; PRESSURE (LOW) OPEN 12PSI, CLOSE 27PSI 120/240 VAC CONTACTS SPST N.O.
CNT01818	CONTROL;TEMPERATURE,OPEN 105F,AUTO RESET,CONTACTS SPDT
CNT01827	CONTROL; LIMIT,
CNT01831	CONTROL: HI TEMPERATURE
CNT01833	CONTROL: HIGH LIMIT
CNT01835	CONTROL; ROOM, 4 PIPE, HOT WATER HEAT
CNT01837	CONTROL; ZONE,4 PIPE, HOT WATER HEAT
CNT01838	CONTROL; ZONE, WALL MTD, HOT WATER HEAT
CNT01844	CONTROL; LIMIT 35 OP/51 CL
CNT01846	CONTROL; FREEZE, 10A, 120VAC, 44F ON/36F OFF 50 IN. CAPILLARY
CNT01856	CONTROL, IGNITION
CNT01857	CONTROL; LIMIT -20-240 F 24/120/240 VAC, (50/60HZ)INCLUDES SENSOR (SEN0506)
CNT01858	CONTROL; COMPRESSOR STAGING-DUAL COMPRESSOR; COOLING
CNT01859	CONTROL; DEFROST-DUAL COMPRESSOR; HEAT PUMP
CNT01866	CONTROL; ICM FAN, PWB, 11 TERMINAL
CNT01870	CONTROL; LOW PRESSURE
CNT01871	CONTROL; ROOM
CNT01872	CONTROL; ROOM
CNT01873	CONTROL; ROOM
CNT01876	CONTROL; ROOM
CNT01877	CONTROL; ROOM
CNT01878	CONTROL; ROOM
CNT01879	CONTROL; ROOM
CNT01880	CONTROL; ROOM

Part No.	Description
CNT01896	CONTROL; ROOM
CNT01897	CONTROL; ASSY., ZONE UVCP-1-DO-01-0-DX
CNT01898	CONTROL; ASSY., ZONE UVCP-1-DO-11-0-DX
CNT01899	CONTROL; ASSY., ZONE UVCP-1-D1-01-0-DXCONTROL; ZONE
CNT01900	CONTROL; ASSY., ZONE UVCP-1-D1-11-0-DX
CNT01901	CONTROL; ASSY., ZONE UVCP-1-D0-21-0-DX
CNT01918	CONTROL;8537.10.9070 REMOTE
CNT01951	CONTROL, PRESSURE W/CONDUIT CONNECTION (PS3-AF1 HMS)
CNT01957	CONTROL;LIMIT,65/80F SPDT,125VA,120-240VAC,.625OD TUBE MOUNT
CNT02061	CONTROL;IGNITION MODULE, GAS, 24V, 60/50 HZ, 1.5A
CNT02063	CONTROL;8537.10.9070 REMOTE SWITCH
CNT02066	CONTROL; ELECTRIC TO PNEUMATIC TRANSDUCER MID CAPACITY
CNT02068	CONTROL;FREEZE,10A,120VAC,44F ON/36F OFF,100" CAPILLARY
CNT02082	CONTROL, RELAY MODULE 120V 50/60HZ
CNT02083	CONTROL; TEMP 2PST 15-55F 1/8 OD X 20FT CAPILLARY
CNT02178	CONTROL;LIMIT, 180F OPEN SPST, 120-277VAC 40F DIFFERENTIAL 24IN. CAP TUBE
CNT02179	CONTROL; ASSEMBLY, COMPLETE
CNT02184	CONTROL; INTEGRATED 2 STAGE
CNT02186	CONTROL;8537.10.9070 REMOTE
CNT02187	CONTROL; AUTO RESET SINGLE LOW PRESSURE 15IN.-100 PSIG, 1/4IN. SAE MALE (FF115-S3BAA)
CNT02188	CONTROL; AUTO RESET SINGLE LOW PRESSURE 15IN.-100 PSIG 36IN. CAP
CNT02189	CONTROL; AUTO RESET SINGLE HIGH PRESSURE 15IN.-290 PSIG 36IN. CAP (FF115-S4-BAK)
CNT02190	CONTROL; AUTO RESET SINGLE HIGH PRESSURE 90IN.-450 PSIG, 1/4IN. SAE MALE
CNT02191	CONTROL; MANUAL RESET SINGLE HIGH PRESSURE 90IN.-450 PSIG 1/4IN. SAE MALE (FF115-S5BRA)
CNT02192	CONTROL; AUTO RESET SINGLE HIGH PRESSURE 90IN.-450 PSIG,36IN. CAP (FF115-S5BAK)
CNT02193	CONTROL; MANUAL RESET SINGLE HIGH PRESSURE 90IN.-450 PSIG,36IN. CAP (FF115-S5BRK)
CNT02194	CONTROL; DUAL PRESSURE 15IN.-100 PSIG LOW 90IN.-450 PSIG HIGH 1/4IN. SAE MALE (FF215-S7BAUA)
CNT02195	CONTROL; DUAL PRESSURE 15IN.-100 PSIG LOW 90IN.-450 PSIG HIGH 48IN. CAP (FF215-S7BAUK)
CNT02196	CONTROL; OIL PRESSURE 4-65 PSID 20-150 SEC 24-240 VOLTS 1/4IN. SAE MALE (FD113-ZU)
CNT02197	CONTROL; OIL PRESSURE 4-65 PSID 20-150 SEC 24-240 VOLTS, 36IN. CAP (FD113-ZUK)
CNT02198	CONTROL; AUTO RESET SINGLE LOW PRESSURE 24IN.-42 PSIG,36IN. CAP (FF115-S1BAK)
CNT02199	CONTROL; DUAL PRESSURE 24IN.-42 PSIG LOW 90IN.-450 PSIG HIGH 48IN. CAP (FF215-S9BAUK)
CNT02202	CONTROL;TEMP -20 TO 60F, 10FT. CAP,3/8IN.X2IN. BULB, VAPOR FILLED REMOTE SENSING (TF115-S2AA10)
CNT02203	CONTROL;TEMP -20 TO 60F, DIFF .3 TO 30F AIR COIL ROOM SENSING (TF115-S2AE00)
CNT02204	CONTROL;TEMP 15 TO 95F, DIFF .3 TO 30F AIR COIL ROOM SENSING (TF115-S3AE00)
CNT02212	CONTROL;8537.10.9070 REMOTE
CNT02215	CONTROL; MIN POSN, 1000 OHM
CNT02218	CONTROL; PRESS-LO 25 OP/40CL .25 FFL 330 IN. LEADS, W/DEFLATOR.
CNT02219	CONTROL; INTEGRATED DIRECT SPARK IGNITION MODULE, 2 STAGE
CNT02222	CONTROL;TEMP. -30 TO 50F SPST,MANUAL RESET, 20FT. CAP TUBE
CNT02229	CONTROL; TEMP, FAN/LIMIT FAN 50-265 F LIMIT 100-300 F 5IN. ELEMENT
CNT02230	CONTROL; TEMP, FAN/LIMIT FAN 50-265 F LIMIT 100-300 F 11IN. ELEMENT
CNT02231	CONTROL; TEMP, FAN/LIMIT FAN 50-265 F LIMIT 100-300 F 8IN. ELEMENT
CNT02232	CONTROL; OIL PRIMARY 120/60 45 SECOND SAFETY TIMING W/45 VA TRANSFORMER
CNT02236	CONTROL; DEFROST, 240V

Part No.	Description
CNT02237	CONTROL; DEFROST, 24V
CNT02239	CONTROL; MANUAL RESET
CNT02246	CONTROL; SIGNAL LIMITER
CNT02247	CONTROL; PRESSURE
CNT02248	CONTROL; MONITOR, 460V, 3PH
CNT02251	CONTROL; MASTER ENERGY
CNT02257	CONTROL; REMOTE TEMPERATURE, ELECTRONIC (DISCHARGE AIR)
CNT02260	CONTROL; PACKAGE, ECONOMIZER, 0 THRU 100 DEG F, 24VAC 50/60
CNT02262	CONTROL; HIGH LIMIT, 25A, 120-277V, MANUAL RESET 195 F SET POINT, 96 IN CAP
CNT02264	CONTROL; TEMP, 120/240V 65F OPEN/70F CLOSE 36 INCH CAP TUBE
CNT02269	CONTROL; LOW PRESS,6.0PSIG/1.5" HG VAC W/O MANUAL RESET, 1/4-18 NPT CONNECTION
CNT02270	CONTROL; LIMIT, SPDT 125F OPEN, 25A 120-277VAC, 30 INCH CAP.
CNT02273	CONTROL; LIMIT, W/INSULATOR
CNT02274	CONTROL; LIMIT, W/INSULATOR
CNT02275	CONTROL; COMPRESSOR STAGING-DUAL COMPRESSOR; COOLING
CNT02276	CONTROL; DEFROST-DUAL COMPRESSOR; HEAT PUMP
CNT02280	CONTROL; STEP, 10 STAGE HONEYWELL #S984J1042 LAXOB
CNT02281	CONTROL; STEP, 10 STAGE HONEYWELL #S984F1096 LAXOB
CNT02284	CONTROL, TEMPERATURE, 2 STAGE, 120/208/240V
CNT02285	CONTROL; MICRO, INTERGRATED CIRCUIT
CNT02286	CONTROL;8537.10.9070 REMOTE
CNT02287	CONTROL;8537.10.9070 REMOTE
CNT02288	CONTROL;8537.10.9070 REMOTE
CNT02289	CONTROL;8537.10.9070 REMOTE
CNT02290	CONTROL; PHOTOHELIC PRESSURE, 20 INCH HG TO 25 PSIG 20-120F, 10A AT 120/240VAC
CNT02291	CONTROL; SNAP DISC FAN CLOSE ON RISE 24 VAC 125F CUT IN, 100F CUT OUT (03F02 125)
CNT02294	CONTROLLER; DISCHARGE AIR, 4 STEP COOLING / 2 STEP HEATING & ECONOMIZER
CNT02295	CONTROL; LIMIT, 25A, NC SPST, 120-277V AUTO RESET 140F CLOSE/190F OPEN 84 INCH CAPILLARY TUBE
CNT02298	CONTROL; TRANSDUCER ELECTRIC TO PNEUMATIC WITH ENCLOSURE
CNT02300	CONTROL; LIMIT, 140 DEG
CNT02301	CONTROL; LIMIT, 150 DEG
CNT02304	CONTROL; DIFFERENTIAL PRESSURE (FD113-SNBAA-07404)
CNT02305	CONTROL; TEMPERATURE
CNT02307	CONTROL; BLOCK 1 NO-1 NC WHITE PLGR, 600V MAX 10A CONT
CNT02311	CONTROL; TEMPERATURE
CNT02313	CONTROL; TEMPERATURE
CNT02318	CONTROL; TEMPERATURE 40-68F, SPST 125VA 120-240VAC HEATING ONLY
CNT02319	CONTROL; FAN LIMIT
CNT02322	CONTROL; FAN PRESSURE
CNT02326	CONTROL; TEMP, -30 THRU 90 F
CNT02327	CONTROL; T-STAT; -30 TO +90F SETPOINT, 8 FT COPPER CAP., W/BULB HOLDER AND MOUNTING PLATE
CNT02332	CONTROL; TEMP, ELECTRONIC REMOTE,HEAT OR COOL
CNT02334	CONTROLLER; TEMP, ELECTRONIC REMOTE,W/PLATINUM SENSOR
CNT02336	CONTROLLER; TEMP, ELECTRONIC REMOTE,W/2 PLATINUM SENSOR INPUTS
CNT02338	CONTROLLER; TEMP, ELECTRONIC REMOTE, W/ 2 PLATINUM SENSOR INPUTS

Part No.	Description
CNT02340	CONTROL; ADAPTER, 6-9V HONEYWELL
CNT02342	CONTROL; ADAPTER, 0-10/2-10VDC CONTROLLER INPUT
CNT02344	CONTROL; INTERFACE, BACKUP T7400 TEMPERATURE HONEYWELL #S7505B1007
CNT02351	CONTROL; STEP CONTROLLER, 6 STAGE HONEYWELL #S984P1038
CNT02356	CONTROL; TEMPERATURE, 190F OP/175F CL, SPST, NC AUTO RESET, 24V, AIRFLOW MOUNT
CNT02364	CONTROL; TEMPERATURE, 15-90F SPDT SWITCHING ADJ DIFF, 5FT. CAPILLARY
CNT02365	CONTROL; TEMPERATURE, -30 TO 50F SPDT SWITCHING ADJ DIFF, 5 FT. CAPILLARY
CNT02369	CONTROL; TEMPERATURE, SPDT SWITCH, 40-180F, 5 1/2FT. COPPER CAPILLARY
CNT02373	CONTROL; TEMPERATURE, REMOTE BULB 3/8"
CNT02376	CONTROL; TEMPERATURE, REMOTE BULB HONEYWELL #T6031D1031
CNT02390	CONTROL; TEMPERATURE, REMOTE BULB HONEYWELL #T675A1425
CNT02397	CONTROL; TEMPERATURE, REMOTE BULB, SPDT, -12 TO 43C HONEYWELL #T675A1854
CNT02400	CONTROL; TEMPERATURE, REMOTE BULB, 90-220F, SPDT HONEYWELL #T675F1032
CNT02403	CONTROL; TEMPERATURE, REMOTE BULB, 0-100 DEG F HONEYWELL #T678A1437
CNT02407	CONTROL; TEMPERATURE, REMOTE BULB, 0-100F HONEYWELL #T678A1627
CNT02412	CONTROL; TEMPERATURE, REMOTE BULB, DPDT W/CASE & COVER, 55-85F
CNT02414	CONTROL; TEMPERATURE, 2-STAGE, 2 SPDT SWITCH W/ENCLOSURE, 15-75F W/CASE & COVER
CNT02415	CONTROL; DEFROST, NC, SPST, 45F CL/24F OP 10A, 120VAC, 30 INCH CAPILLARY
CNT02438	CONTROL; TEMPERATURE, ELECTRONIC REMOTE, W/2 PLATINUM SENSOR INPUTS
CNT02439	CONTROL; TEMPERATURE, ELECTRONIC REMOTE, W/2 PLATINUM SENSOR INPUTS
CNT02440	CONTROL; TEMPERATURE, ELECTRONIC REMOTE, W/2 PLATINUM SENSOR INPUTS
CNT02441	CONTROL; TEMPERATURE, ELECTRONIC REMOTE, W/2 PLATINUM SENSOR INPUTS, 1 SPDT RELAY
CNT02442	CONTROL; TEMPERATURE, ELECTRONIC REMOTE, W/2 PLATINUM SENSOR INPUTS, 1 SPDT RELAY
CNT02443	CONTROL; TEMPERATURE, ELECTRONIC REMOTE, W/2 PLATINUM SENSOR INPUTS
CNT02468	CONTROL; TEMPERATURE, REMOTE BULB-PROPORTIONAL, RANGE 0-100F HONEYWELL #T991A1426
CNT02469	CONTROL; TEMPERATURE, REMOTE BULB-PROPORTIONAL, 0-100F SETPOINT
CNT02476	CONTROL; RESET DUAL BULB PROPORTIONAL OUTDOOR, 7-140F SETPOINT
CNT02481	CONTROL; LOW AMBIENT
CNT02486	CONTROL; HIGH PRESSURE CUTOUT, 430OP/260CL
CNT02487	CONTROL; HIGH PRESSURE, 390OP/260CL
CNT02489	CONTROL; LOW PRESSURE
CNT02490	CONTROL; HI PRESSURE, 180 OPEN, 135 CLOSED
CNT02491	CONTROL; HEAD PRESSURE, LOW AMBIENT (BAYLOAM323AA)
CNT02497	CONTROL; HEAD PRESSURE, 120/208-230 460/600V, 50/60HZ, 10K SENSOR
CNT02511	CONTROL; SWITCH, SAFTEY OVERFLOW, 48VAC/PC, W/18"LEADS
CNT02512	CONTROL; MONITOR, 415V, 3 PHASE, 50/60HZ W/ HIGH LINE VOLTAGE ...1-2 WK LEADTIME
CNT02515	CONTROL; DEFROST
CNT02516	CONTROL; DEFROST
CNT02520	CONTROL; LOCKOUT RELAY RESET -QTY BREAKS
CNT02521	CONTROL; MONITOR, 480V 3 PHASE
CNT02536	CONTROL; INTEGRATED VARIABLE SPEED, 25 VAC, 60 HZ
CNT02537	CONTROL; GAS MANUAL 24VAC 60HZ 0.7A
CNT02538	CONTROL; GAS MANUAL 24VAC 60HZ 0.7A HONEYWELL #VR8300A3500
CNT02544	CONTROL; PRESSURE SNAP SWITCH-SPST 120VAC (8A) 240 (5A) 0.5-9 PSI OPERATING PRESS. 150F (66C)
CNT02551	CONTROL; TEMPERATURE 120VAC (8A) 240VAC (5.1A) SWITCH ACTION SPST 100-240F OR 38-116C

Part No.	Description
CNT02552	CONTROL; TEMPERATURE SWITCH ACTION SPDT 120VAC (8A) 240VAC (5.1A) 100-240F (38-116C)
CNT02553	CONTROL; TEMPERATURE SWITCH ACTION SPST 120VAC (8A) 240VAC (5.1A) 65-200F (18-93C)
CNT02554	CONTROL; TEMPERATURE SWITCH ACTION SPDT 120VAC (8A) 240VAC (5.1A) 100-240F (38-116C)
CNT02559	CONTROL; ETHALPY
CNT02560	CONTROL; ETHALPY
CNT02575	CONTROL; TEMP. TRIPLE AQUASTAT
CNT02580	CONTROL; GAS
CNT02582	CONTROL; GAS
CNT02584	CONTROL; GAS
CNT02585	CONTROL; GAS
CNT02586	CONTROL; GAS
CNT02587	CONTROL; GAS PRODUCTS - INTER. PILOT VALVE 1/2 X 3/4, 3.5" WC W/ 393691 LP KIT, 390427T ENV. ASSY.
CNT02588	CONTROL; GAS
CNT02589	CONTROL; GAS
CNT02625	CONTROL; LIMIT, 3IN. RANGE, HONEYWELL MONOGRAM
CNT02629	CONTROL; AQUASTAT RELAY, TRADELINE
CNT02648	EONTRON; COMBO GAS, INTEGRAL A&B GAS COCK.,MAG OPER.PRESS, REG AUTO PILOT, 100 PERCENT.
CNT02671	CONTROL; GAS RANGE 0-175F 24V 3.5"WC
CNT02691	CONTROL; GAS RANGE 0-175F 24V 1.4"WC STEP, 10.0"WC
CNT02709	CONTROL; GAS RANGE -40TO175F 24V
CNT02711	CONTROL; GAS RANGE -40TO175 24V 10.0"WC
CNT02733	CONTROL; MODULE,W/STGED HEAT,COOL AND 1 AUX FAN OUTPUTS. OUTDOOR CHANGEOVER INPUT.
CNT02734	CONTROL; MODULE,W/STGED HEAT,COLL AND 1 AUX FAN OUTPUTS, 24VAC INPUT FOR USE W/T7400.
CNT02743	CONTROL; GAS RANGE -40 TO 175F 24V 3.5"WC
CNT02750	CONTROL; GAS RANGE 0-175F 24V 3.5"WC, 0.9"STEP
CNT02768	CONTROL; GAS RANGE 32-175F 750MV 3.5"WC
CNT02769	CONTROL; GAS RANGE 32-175F 750MV 3.5"WC
CNT02781	CONTROL; LOW PRESSURE
CNT02791	CONTROL; MONITOR-TOP SOCKET, 460 VOLT
CNT02797	CONTROL; 12 INCH PNEUMATIC SWITCH
CNT02798	CONTROL; PNEUMATIC ENTHALPY
CNT02813	CONTROL; TEMPERATURE
CNT02825	CONTROL; PNEUMATIC/ELECTRIC
CNT02826	CONTROL; PNEUMATIC/ELECTRIC
CNT02828	CONTROL; PNEUMATIC/ELECTRIC
CNT02835	CONTROL; PNEUMATIC PRESSURE
CNT02849	CONTROL; VELOCITROL SENSOR
CNT02858	CONTROL; LOW PRESSURE 7 OP/22 CL 1/4 FEMALE FLARE W/DEFLATOR 185" LEADS (BLUE)
CNT02860	CONTROL; IGNITION, 7 SEC LOCKOUT, 2 RETRIES, 17 SEC IGNITER WARM UP, 30 SEC PREPURGE
CNT02861	CONTROL; LIMIT, 35F ACTUATION TEMP/20F RESET ENCLOSED DISC, 1/4 MALE QC TERM
CNT02871	CONTROL; IFC, 2-STAGE
CNT02896	CONTROL; DEFROST, PIN-SELECTABLE,30/60/90 MIN
CNT02897	CONTROL; DEFROST, PIN-SELECABLE,30/45/90 MIN
CNT02898	CONTROL; PIN-SELECTABLE INTERVAL 30/50/90, DEFROST
CNT02900	CONTROL; PIN-SELECTABLE 30/60/90 MIN, TIME/TEMPERATURE DEFROST

Part No.	Description
CNT02901	CONTROL; PIN-SELECTABLE 30/60/80 MIN DEFROST
CNT02902	CONTROL; PIN-SELECTABLE 30/60/90 MIN DEFROST
CNT02903	CONTROL; PIN-SELECTABLE 30/50/90 MIN DEFROST
CNT02904	CONTROL; PIN-SELECTABLE 30/50/90 MIN DEFROST
CNT02905	CONTROL; THREE PROBE HEAD PRESSURE,50-80F
CNT02906	CONTROL; LINE VOLTAGE HEAD PRESSURE,50-80F
CNT02907	CONTROL; LINE VOLTAGE HEAD PRESSURE
CNT02908	CONTROL; AUXILIARY, SPST N/O
CNT02912	CONTROL; PRESS-LO 20 OP/35 CL
CNT02913	CONTROL; PRESS-LO 20 OP/35 CL
CNT02914	CONTROL; PRESS-HI -360OP/265CL
CNT02915	CONTROL; PRESS-HI -360OP/265CL
CNT02920	CONTROL; DEFROST
CNT02921	CONTROL; DEFROST
CNT02923	CONTROL; PRESS-LOW -155OP/275CL
CNT02924	CONTROL; CHANGEOVER
CNT02925	CONTROL; FLOAT, LOW LIQUID LEVEL WITH AMP PLUG
CNT02926	CONTROL; LOW AMBIENT KIT
CNT02930	CONTROL; LOW PRESSURE, 25 OP/40CL, 130" LEADS
CNT02931	CONTROL; LOW PRESSURE, 25 OP/40 CFL, 185 LEADS
CNT02933	CONTROL; 230V, 54 OUTPUT CURRENT RATING AMPS
CNT02935	CONTROL; DEFROST
CNT02936	CONTROL; DEFROST
CNT02937	CONTROL; DEFROST
CNT02938	CONTROL; DEFROST
CNT02940	CONTROL; DEFROST
CNT02941	CONTROL; DEFROST
CNT02943	CONTROL; DEFROST
CNT03049	CONTROL; DEFROST, NC, SPST, 55F CL/39F OP, 10A, 120VAC, 30 INCH CAPILLARY
CNT03061	CONTROL; TEMPERATURE, 50 TO 130F, INCLUDES 3/8 X 9.5 BULB WITH SIX FOOT CAPILLARY
CNT03062	CONTROL; PRESSURE
CNT03063	CONTROL; MONITOR-BASE 8-PIN 3 PHASE POWER 60 HZ SURFACE MOUNT 10A @ 600V
CNT03064	CONTROL; MONITOR-TOP SOCKET 208/240V 3 PHASE POWER 60HZ SPDT UL/CSA APPROVED
CNT03068	CONTROL; GAS CONTROL, DIRECT REPLACEMENT FOR SV9500,SV9501 AND SV95002
CNT03070	CONTROL; LIMIT 35-46 F, 108" CAPILLARY
CNT03071	CONTROL; 35-45F, 172" CAPILLARY
CNT03072	CONTROL; 35-45F, 254" CAPILLARY
CNT03073	CONTROL; 35-45F, 288" CAPILLARY
CNT03075	CONTROL; TEMP LIMIT, 95F OPEN/85F CLOSE
CNT03076	CONTROL; INTEGRATED FURNACE, 1 STAGE, SINI
CNT03077	CONTROL; INTEGRATED, 2-STAGE, SINI
CNT03078	CONTROL; INTEGRATED, 2-STAGE, VARIABLE, SINI
CNT03159	CONTROL; HIGH PRESSURE CUTOUT, 400 OPEN, 250 CLOSE, 6 FLA AT 120/240V, 5000 PSIG BURST PRESSURE
CNT03161	CONTROL; LOW PRESSURE CUTOUT, 24 OPEN, 42 CLOSE, 6 FLA AT 120/240V, 5000 PSIG BURST PRESSURE
CNT03162	CONTROL; HIGH PRESSURE CUTOUT, 195 OPEN, 240 CLOSE, 6 FLA AT 120/240V, 5000 PSIG BURST PRESSURE

Part No.	Description
CNT03164	CONTROL; HIGH PRESSURE CUTOUT, 280 OPEN, 160 CLOSE, 6 FLA AT 120/240V, 5000 PSIG BURST PRESSURE
CNT03174	CONTROL; 8537.10.9070 REMOTE
CNT03175	CONTROL;8537.10.9070 REMOTE
CNT03258	CONTROL; TEMPERATURE, 35 TO 68F, MANUAL RESET ON LOW TEMP, 20FT CAP (TF115-SODP-20)
CNT03261	CONTROL:FAN BLOWER, DUAL FUNCTION, ADJ.TIME, ROBERTSHAW 695-003
CNT03262	CONTROL; FAN BLOWER, DUAL FUNCTION TIME DELAYS FIXED, ROBERTSHAW 695-100
CNT03263	CONTROL; FAN BLOWER
CNT03264	CONTROL; DEFROST TIMER, 50/70/90 MIN OEM REPLACEMENT
CNT03270	CONTROL; LOW PRESSURE, 12 OPEN/27 CLOSE
CNT03271	CONTROL;8537.10.9070 BOX ASSY
CNT03275	CONTROL; MONITOR TOP AND BASE
CNT03279	CONTROL; LIMIT, OPEN TEMP. 190F, CLOSE TEMP. 150F
CNT03282	CONTROL; HI-PRESSURE CUTOUT, OPEN 360/CLOSE 270
CNT03283	CONTROL; HI-PRESSURE CUTOUT, OPEN 405/CLOSE 300
CNT03284	CONTROL; PRESSURE DIFFERENTIAL, -10 TO 140 F'
CNT03286	CONTROL; HIGH LIMIT (LINEAR)
CNT03289	CONTROL; REMOTE SELECTOR, 80-130 TD121A
CNT03291	CONTROL; KEYPAD, 4X4 FOR 40X2 DISPLAY
CNT03301	CONTROL;MOTOR SPEED, 3 PHASE INVERTER, 230/60/3
CNT03302	CONTROL;MOTOR SPEED, 3 PHASE INVERTER, 460/60/3
CNT03304	CONTROL; BOARD, 2 SPEED COOLING
CNT03306	CONTROL; LIMIT, 210 DEGREES
CNT03457	CONTROL; INTEGRATED DIRECT SPARK IGNITION MODULE
CNT03458	CONTROL; INTEGRATED DIRECT SPARK IGNITION MODULE
CNT03459	CONTROL;LIMIT-DISC SPST
CNT03480	CONTROL; W/ 20' CAPILARY, LOW LIMIT, TEMPERATURE SWITCH
CNT03481	CONTROL; FREEZE, HEAT PUMPS
CNT03484	CONTROL; DIRECT SPARK IGNITION CONTROL, SOLID STATE, 24 VAC
CNT03485	CONTROL; HIGH PRESSURE CUTOUT, 50 PSIG
CNT03487	CONTROL; MOTOR SPEED, 2.5A, 460V, 3 PHASE INVERTER, 50/60 HZ
CNT03506	CONTROL; CONTROLS COOLING
CNT03510	CONTROL;DEFROST CONTROL, 24VAC, 10 MIN INTERVAL, REPLACES ICP# 1069364
CNT03511	CONTROL; LIMIT, 120F, AUTOMATIC RESET, SPST, NC, 15A/120VAC, 10A/240VAC, QC TERMINAL
CNT03512	CONTROL; LIMIT, 155F, AUTOMATIC RESET, SPST, NC, 15A/120VAC, 10A/240VAC, QC TERMINAL
CNT03513	CONTROL; LIMIT, 180F, AUTOMATIC RESET, SPST, NC, 15A/120VAC, 10A/240VAC, QC TERMINAL
CNT03514	CONTROL; LIMIT, 190F, AUTOMATIC RESET, SPST, NC, 15A/120VAC, 10A/240VAC, QC TERMINAL
CNT03515	CONTROL; LIMIT, 200F, AUTOMATIC RESET, SPST, NC, 15A/120VAC, 10A/240VAC, QC TERMINAL
CNT03516	CONTROL; LIMIT, 220F, AUTOMATIC RESET, SPST, NC, 15A/120VAC, 10A/240VAC, QC TERMINAL
CNT03517	CONTROL; LIMIT, 210F, AUTOMATIC RESET, SPST, NC, 15A/120VAC, 10A/240VAC, QC TERMINAL
CNT03518	CONTROL; LIMIT, 170F, AUTOMATIC RESET, SPST, NC, 15A/120VAC, 10A/240VAC, QC TERMINAL
CNT03520	CONTROL; PRESSURE, -.15 IN WC OPEN, SPDT, SNAP ACTING CONTACTS, NO, 3 FLA, 18 LRA @ 24 VAC
CNT03522	CONTROL; SECONDARY FLOAT SAFETY SWITCH
CNT03524	CONTROL; 3-PHASE HEAD PRESSURE, LCD DIAGNOSTICS, 460V
CNT03525	CONTROL; 3-PHASE HEAD PRESSURE WITH LCD DIAGNOSTICS, 240 VAC
CNT03526	CONTROL; PLUG-IN 3-PHASE LINE VOLTAGE MONITOR, 208-240 vac

Part No.	Description
CNT03600	CONTROL; ICM FAN, PWB, 16 PIN
CNT03601	CONTROL; DEFROST, SPDT, 10-60F, 50 IN / 52.5 IN CAPILLARY
CNT03603	CONTROL; PRESSURE, -.07 IN WC OPEN, SPDT, SNAP ACTING CONTACTS NO, 3 FLA, 18 LRA @ 24 VAC
CNT03604	CONTROL; IFC, 1-STAGE, SiNi
CNT03605	CONTROL; DIFFERENTIAL PRESSURE, ELECTRIC, SPDT, 2/26 PSI, DIFF = 3.5 PSI FIXED
CNT03606	CONTROL; IFC, W/COVER AND 4 WIRE LEADS
CNT03607	CONTROL; W/O BYPASS W/15A BREAKER, SM POWER BOX
CNT03608	CONTROL; W/O BYPASS W/40A BREAKER, SM POWER BOX
CNT03609	CONTROL; W/O BYPASS W/60A BREAKER, MED POWER BOX
CNT03610	CONTROL; W/O BYPASS W/90A BREAKER, MED POWER BOX
CNT03612	CONTROL; W/BYPASS W/15A BREAKER, SM POWER BOX
CNT03613	CONTROL; W/BYPASS W/40A BREAKER, SM POWER BOX
CNT03614	CONTROL; W/BYPASS W/60A BREAKER, MED POWER BOX
CNT03615	CONTROL; W/BYPASS W/90A BREAKER, MED POWER BOX
CNT03618	CONTROL; NEMA 1, W/15A BREAKER, STARTER
CNT03619	CONTROL; NEMA 1, W/40A BREAKER, STARTER
CNT03620	CONTROL; NEMA 1, W/60A BREAKER, STARTER
CNT03621	CONTROL; NEMA 1, W/90A BREAKER, STARTER
CNT03637	CONTROL; ASSY., UCM CONTROL
CNT03638	CONTROL; LOW PRESSURE
CNT03646	CONTROL; HIGH PRESSURE CUT-OUT
CNT03648	CONTROL; ASSEMBLY, COMPLETE, INCLUDES PC BOARD, SENSORS, WIRES & DISPLAY UNIT.
CNT03649	CONTROL; PRESSURE-LO, 15PSIG OPEN/8-12PSIG CLOSE, W/O MANUAL RESET
CNT03650	CONTROL; PRESSURE-LO, 25PSIG OPEN/15-20 PSIG CLOSE, W/O MANUAL RESET
CNT03654	CONTROL; PVR
CNT03657	CONTROL; SPEED, 5 AMP, 170 MIN SET VOLT
CNT03658	CONTROL; SPEED, 10 AMP, 85 MIN SET VOLT
CNT03659	CONTROL; POWER, CHOKE LINE
CNT03660	CONTROL; LIMIT, 225F, AUTOMATIC RESET, SPST, NC, 15A/120VAC, 10A/240VAC, QC TERMINAL
CNT03661	CONTROL; LIMIT, 260F, AUTOMATIC RESET, SPST, NC, 15A/120VAC, 10A/240VAC, QC TERMINAL
CNT03663	CONTROL; DE-HUMIDISTAT, 120 VAC, PILOT DUTY 30 VAC, HORIZONTAL
CNT03665	CONTROL; ACTUATOR DAMPER (ZDMTRAAL002)
CNT03669	CONTROL; PRESSURE DROP ALARM, FD113ZUS
CNT03672	CONTROL; TEMP LIMIT, TRIPS AT 165F, RESETS AT 125F, CONTACTS 1&3 SPST, AUTOMATIC RESET, NC
CNT03678	CONTROL; OVERFLOW SAFETY SWITCH WITH 72 INCH LEADS
CNT03683	CONTROL; PHASE/VOLTAGE MONITOR 575V 60HZ
CNT03684	CONTROL; PHASE/VOLTAGE MONITOR 380V 50HZ
CNT03685	CONTROL; PHASE/VOLTAGE MONITOR 415V 50HZ
CNT03688	CONTROL; GAS IGNITION, REMOTE SENSE, 4 SECOND, 102 TO 138VAC, 50/60 HZ, 1.5 AT 120VAC, -40 TO +175F
CNT03689	CONTROL; IGNITION
CNT03690	CONTROL; IGNITION
CNT03691	CONTROL; WIRELESS REMOTE CONTROLLER
CNT03692	CONTROL; LOW PRESSURE, OPENS @ 8 DEGREES PSIG, CLOSSES @ 25 DEGREES PSIG, 26" LEAD
CNT03693	CONTROL; LOW PRESSURE, OPENS @ 8 DEGREES PSIG, CLOSSES @ 25 DEGREES PSIG, 20" LEAD
CNT03695	CONTROL; REMOTE, ASSY 30/50, CL40, CL60

Part No.	Description
CNT03696	CONTROL; MIXED AIR CONTROL
CNT03699	CONTROL; ZN517 CONTROL
CNT03701	CONTROL; FAN
CNT03703	CONTROL; IGNITION, 100% LOCKOUT
CNT03705	CONTROL; LIMIT, 140F
CNT03707	CONTROL; 8537.10.9070, REMOTE
CNT03712	CONTROL; LOW PRESSURE, OPENS @ 8 DEGREES PSIG, CLOSES @ 25 DEGREES PSIG, 70" LEAD
CNT03717	CONTROL; TEMPERATURE LIMIT, 31 DEG OPEN/46 DEG CLOSE, 120/240V
CNT03719	CONTROL; LOW PRESSURE, OPENS @ 8 DEGREES PSIG, CLOSES @ 25 DEGREES PSIG
CNT03720	CONTROL; LOW PRESSURE, OPENS @ 8 DEGREES PSIG, CLOSES @ 25 DEGREES PSIG
CNT03721	CONTROL; ICM307 DEFROST CONTROL
CNT03724	CONTROL; PRINTED CIRCUIT BOARD ASSEMBLY
CNT03725	CONTROL;8537.10.9070 REMOTE W/BRACKET, COOLING ONLY, 50/60 HZ
CNT03726	CONTROL;8537.10.9070 REMOTE W/BRACKET, HEAT AND COOLING, 50/60 HZ
CNT03728	CONTROL; COMPRESSOR STAGING-DUAL COMPRESSOR; COOLING
CNT03730	CONTROL; REMOTE BULB TEMPERATURE CONTROL
CNT03733	CONTROL; 8537.10.9070 REMOTE
CNT03735	CONTROLLER; PRESSURE, FOR HGBP VALVE SDR-3
CNT03736	CONTROLLER; PRESSURE FOR HGBP VALVE SDR-4
CNT03740	CONTROL; UNIVERSAL SILICON CARBIDE
CNT03741	CONTROL; INTEGRATED IGNITION MODULE
CNT03742	CONTROL; UNIVERSAL SILICON NITRIDE
CNT03745	CONTROL; HUMIDISTAT, 80-30% R. H. RANGE, WHITE, VERTICAL
CNT03748	CONTROL; LOW AMBIENT
CNT03753	CONTROL; 6 STAGE STEP CONTROLLER
CNT03754	CONTROL; LOW PRESSURE, 17/16-21 UNF CONNECTION, 24" -24 PSIG RANGE, OPEN @ 6+/-1, CLOSE @ 1.5" -2 PSIG
CNT03755	CONTROL; HOFFMAN 706-123S, 5 AMP FAN SPEED CONTROL
CNT03756	CONTROL; ASSY., W/BYPASS, 460V, 100 HP
CNT03763	CONTROL; PRESSURE W/ BRACKET, .20 IN WC OPEN, SPDT, SNAP ACTING CONTACTS NO, 3 FLA, 18 LRA @ 24 VAC
CNT03764	CONTROL; ASSY, ATV58 SERIES, 20 HP VARIABLE FREQUENCY DRIVE
CNT03765	CONTROL; ASSY, ATV58 SERIES, 40 HP VARIABLE FREQUENCY DRIVE
CNT03770	CONTROL; REMOTE CONTROL
CNT03774	CONTROL; AIR PRESSURE
CNT03775	CONTROL; DEFROST, SPDT, 10-50F, 50/52.5 INCH CAPILLARY
CNT03776	CONTROL, IGNITION, 24V, -40-75F, 3-TRY IGNITION
CNT03779	CONTROL; ICM274 FAN BLOWER, ASC & ELECTRICAL HEAT OUTPUT
CNT03792	CONTROL; HOFFMAN 816-10DH HEAD PRESSURE CONTROL
CNT03793	CONTROL; HOFFMAN 814-10EH HEAD PRESSURE CONTROL
CNT03794	CONTROL; HOT SURFACE IGNITION, CARBIDE, NON-INTEGRATED
CNT03797	CONTROL; IFC, W/COVER AND 4 WIRE LEADS
CNT03798	CONTROL; IFC, 1-STAGE, SiNi
CNT03805	CONTROL; ASSY., 3.0 TO 7.5 HP 200/230V, 7.5 TO 15.0 HP 460V, W/40A CIRCUIT BREAKER, W/ BYPASS, VFD
CNT03818	CONTROL; DEFROST
CNT03960	CONTROL; LOW PRESSURE, OPENS @ 50 DEGREES PSIG, CLOSES @ 70 PSIG
CNT03961	CONTROL; LOW PRESSURE, OPENS @ 50 DEGREES PSIG, CLOSES @ 70 PSIG

Part No.	Description
CNT03978	CONTROL; 4 STAGE, STEP CONTROLLER
CNT03979	CONTROL; MONITOR, ACCEPTS SIGNALS FROM ST0570, PROVIDES 8 AMP RELAY OUTPUT
CNT04013	CONTROL; ASSEMBLY, REMOTE, HAND HELD, WIRED
CNT04014	CONTROL; ASSEMBLY, WIRELESS REMOTE, HAND HELD
CNT04020	CONTROL; LOW PRESSURE, OPENS @ 25 DEGREES PSIG, CLOSES @ 45 DEGREES PSIG
CNT04021	CONTROL; LOW PRESSURE, OPENS @ 25 DEGREES PSIG, CLOSES @ 45 DEGREES PSIG
CNT04023	CONTROL - LOW PRESSURE; PRESS-LO, 5PSIG OPEN/1.5IN HG VAC TO 2 PSIG
CNT04024	CONTROL; HIGH PRESSURE, 60 PSI TO 150 PSI
CNT04316	SWITCH; ASSY., 92A, 3 POLE, POWER ISOLATOR, DISCONNECT
CNT04317	SWITCH; ASSY., 150A, 3 POLE, POWER ISOLATOR, DISCONNECT
CNT04319	CONTROL; BI-METAL DISC LIMIT, OPEN 40, CLOSE 30, SPST, 120/240V, AUTO RESET
CNT04327	CONTROL; VFD, 5 HP, 480 VOLT
CNT04328	CONTROL; VFD, 7.5 HP, 480 VOLT
CNT04329	CONTROL; VFD, 10 HP, 480 VOLT
CNT04330	CONTROL; VFD, 15-20 HP, 480 VOLT
CNT04331	CONTROL; ON/OFF TEMP. CONTROL, SETPOINT MODULE, SPDT, 120/240VA 50/60 HZ
CNT04333	CONTROL; DEFROST-DUAL COMPRESSOR; HEAT PUMP
CNT04335	CONTROL; DEFROST-DUAL COMPRESSOR; HEAT PUMP
CNT04341	CONTROL; ICM306C DUTY CYCLE CONTROL
CNT04342	CONTROL - PHASE/VOLTAGE MONITOR; MONITOR -TOP AND BASE, - 208/240V
CNT04343	CONTROL - PHASE/VOLTAGE MONITOR; MONITOR -TOP AND BASE - 480V
CNT04355	CONTROL; FAN AND LIMIT
CNT04356	CONTROL; PRIMARY
CNT04357	CONTROL; DRAFT REGULATOR ASSEMBLY
CNT04358	CONTROL; FAN CENTER
CNT04360	CONTROL; LINEAR LIMIT ASM., 114 INCHES
CNT04362	CONTROL; DEFROST
CNT04363	CONTROL; DEFROST
CNT04364	CONTROL; DEFROST
CNT04365	CONTROL; DEFROST
CNT04366	CONTROL; DEFROST
CNT04367	CONTROL; DEFROST
CNT04368	CONTROL; DEFROST
CNT04369	CONTROL; DEFROST
CNT04370	CONTROL; DEFROST
CNT04372	CONTROL; HOFFMAN CONTROLS 706-FFS(TB)1 VARIFLOW CONTROLLER, 120 VAC, 7.5 A
CNT04373	CONTROL; HOFFMAN CONTROLS 706-FFS(TB)2 VARIFLOW CONTROLLER, 120 VAC, 12 A
CNT04374	CONTROL; HOFFMAN CONTROLS 706-HPFS(TB)1 VARIFLOW CONTROLLER, 208/230 VAC, 7.5 A
CNT04376	CONTROL; HIGH TEMP CUTOUT
CNT04611	CONTROL; 1-3 HP @ 200/230V, 1-7.5 HP @ 460V, 1-5 HP @ 575V
CNT04614	CONTROL; 10 HP @ 200/230V, 20 HP @ 460V, NEMA 1 STARTER
CNT04615	CONTROL; 15 HP 200/230V, NEMA 1 STARTER
CNT04617	CONTROL; 10 HP 460V, NEMA 1 STARTER
CNT04618	CONTROL; 15 HP 460/575V, NEMA 1 STARTER
CNT04621	CONTROL; 40 HP 46V, NEMA 1 STARTER

Part No.	Description
CNT04625	CONTROL; 1-3 HP @ 200/230V, 1-7.5 HP @ 460V, 1-5 HP @ 575V, NEMA 1 STARTER
CNT04627	CONTROL; 7.5 HP 200/230V, NEMA 1 STARTER
CNT04634	CONTROL; 30 HP 200/230V, NEMA 1 STARTER
CNT04645	CONTROL; ICM302 DEFROST CONTROL
CNT04652	CONTROLLER; LOW TEMP, 32-194 DEG F, AUTO-TUNING
CNT04653	CONTROL; ICM326HM HEAD PRESSURE CONTROL, OEM MITSUBISHI
CNT04654	CONTROL; CHILLER MODULE
CNT04655	CONTROL; LOW PRESSURE CUTOUT, 30OP/40CL, .25 FFL, 330 INCH LEADS W/ 1/4 PIGGYBACKS, W/30 PSI MARKINGS
CNT04657	CONTROL; MILLIVOLT PILOT GENERATOR, 24IN
CNT04664	CONTROL; IGNITION, REPLACES GOODMAN B1809913, UTEC 1012-933D, TI 41F-5, W-R 50T35-730
CNT04670	CONTROL; BURNER
CNT04671	CONTROL; LIMIT, 190F, AUTOMATIC RESET, SPST, NC, 15A/120VAC, 10A/240VAC, QC TERMINAL
CNT04672	CONTROL, TEMP, OPEN 66F, CLOSE 26F, SPST
CNT04673	CONTROL; DEFROST, OPEN 70F, CLOSE 37F, SPST
CNT04675	CONTROL; BURNER CONTROL MODULE
CNT04678	CONTROL; INTEGRATED FURNACE CONTROL WITH COVER (IFC), 50V64
CNT04679	CONTROL; DIVERSITECH DGS101 FAN/HEAT SEQUENCER
CNT04680	CONTROL; DIVERSITECH DGS102 FAN/HEAT SEQUENCER
CNT04681	CONTROL; DIVERSITECH DGS103 FAN/HEAT SEQUENCER
CNT04682	CONTROL; DIVERSITECH DGS104 FAN/HEAT SEQUENCER
CNT04683	CONTROL; DIVERSITECH DGS105 FAN/HEAT SEQUENCER
CNT04684	CONTROL; DIVERSITECH DGS106 FAN/HEAT SEQUENCER
CNT04685	CONTROL; DIVERSITECH DGS107 FAN/HEAT SEQUENCER
CNT04688	CONTROL; SPDT, -50C TO 10C, 230V, NO EXTERNAL ADJUSTMENT, 24" CAPILLARY TUBE
CNT04693	CONTROL, LOW PRESSURE, OPENS @ 8 DEGREES PSIG, CLOSES @ 25 DEGREES PSIG
CNT04695	CONTROL; DEFROST
CNT04696	CONTROL, IGNITION, W/LOCKOUT
CNT04698	CONTROL; ANALOG, CONTROL BOX ASSEMBLY FRU, ENTENDED
CNT04701	CONTACTOR; 3P NO, 120VOLT COIL, 50 AM, 200/230/460/575V
CNT04705	CONTROL; MOTOR SPEED, 6 AMP, 230V, 1.5 HP
CNT04706	CONTROL; MOTOR SPEED, 3 AMP, 460V, 1.5 HP
CNT04709	CONTROL; LOW AMBIENT HEAD PRESSURE
CNT04711	CONTROL; INTEGRATED FURNACE CONTROL (IFC), 1-STAGE, SiNi, FOR USE WITH CONSTANT TORQUE MOTOR
CNT04713	CONTROL; ELECTRONIC FAN SPEED, P66
CNT04717	CONTROL; IGNITION MODULE, STANDALONE GAS DUAL STAGE
CNT04721	CONTROL; UNIVERSAL DIRECT SPARK IGNITION CONTROL WITH VARIABLE TIMINGS
CNT04722	COTNROL; UNIVERSAL PROVEN PILOT SPARK IGNITION CONTROL WITH VARIABLE TIMINGS
CNT04724	CONTROL; RELAY; ELECTRONIC FAN
CNT04756	CONTROL; ASSY., W/BYPASS, 460V 40HP ABB VFD
CNT04763	Night setback controller
CNT04765	CONTROL; SINGLE STAGE, DIRECT SPARK IGNITION MODULE
CNT04766	CONTROL; SINGLE STAGE, DIRECT SPARK IGNITION MODULE
CNT04769	CONTROL; MOTOR SPEED, 15 AMPS, 115/277V, LOW HEIGHT
CNT04770	CONTROL; DE-HUMIDSTAT, 120 VAC, PILOT DUTY, 30 VAC, VERTICAL MOUNT
CNT04771	CONTROL, LOW PRESSURE, OPENS @ 8 DEGREES PSIG, CLOSES @ 25 DEGREES PSIG

Part No.	Description
CNT04772	CONTROL; SENSOR, UNIT MTD ZONE, ZN520
CNT04776	CONTROL; CONSTANT CUT-IN, 15-41 84" CAP, A12-701
CNT04777	Control; Single Stage Electronic Temp, 120 \ 240 V, ETC-111000-000
CNT04778	Control; High Pressure Condenser Fan Cycle, O10-2054
CNT04779	Control; Low Pressure, 12" to 50 PSI \ SPST, O10-1402
CNT04780	Control; Constant Differential Cold, A30-261
CNT04781	Control; Low Pressure, 10" to 100 PSI \ SPST, 'O10-1483
CNT04782	CONTROL; CONSTANT CUT-IN, 11.5-41 84" CAP, A12-700
CNT04783	CONTROL; CONSTANT CUT-IN, 19-38 72" CAP, A12-1560
CNT04784	Control; Constant Differential Cold, A30-2210
CNT04785	Control; High Pressure, 100 to 400 PSI \ SPDT, O16-108
CNT04786	CONTROL; HEAT PUMP, L30-0024
CNT04790	Control; Constant Differential Cold, A30-301
CNT04792	Control Dual Pressure, Low 10" to 100 \ High 150 to 450 \ 36" Cap, O12-1549
CNT04793	Control; Dual Pressure, Low 10" to 100 \ High 150 to 450 \ 48" Cap, O12-4834
CNT04794	Control; Constant Differential Cold, A30-262
CNT04795	CONTROL; ICE BIN LEVEL, A22-1129
CNT04797	CONTROL; ONE STAGE, 24 VAC, NEMA 1
CNT04799	Control, Water Cooler Cold, K-3001
CNT04800	Control, Two Stage Heating and Cooling, C12-5010
CNT04802	Control, Low Pressure, 10" to 100 PSI \ SDST, O16-527
CNT04803	Control, Constant Differential Cold, A30-260
CNT04807	Control, Medium Temp, 0 to 55 Deg F \ 72" Cap, O10-1416
CNT04808	Control, Dual Pressure, 12" to 50 PSI 48" Cap, O12-4833
CNT04814	CONTROL, HEAT PUMP, DE-ICE, E15-2601
CNT04816	CONTROL; PERCENTAGE TIMER TRANE PT
CNT04817	CONTROL; PUSH BUTTON TRANE
CNT04818	CONTROL; PERCENTAGE TIMER AMER.ST. PT
CNT04819	CONTROL; PUSH BUTTON AMERICAN STANDARD
CNT04827	CONTROL; MODULE ASSEMBLY, 208/230/265 VAC
CNT04828	CONTROL; MODULE ASSEMBLY, 120 VAC
CNT04831	CONTROL; LOW PRESSURE, OPENS AT 25 DEGREES PSIG, CLOSSES AT 45 DEGREES PSIG
CNT04832	CONTROL; LOW PRESSURE, OPENS AT 50 DEGREES PSIG, CLOSSES AT 70 DEGREES PSIG
CNT04841	CONTROL; CONVERTIBLE AUTOMATIC HUMIDIFIER, AMER. STD., LBP
CNT04842	CONTROL; CONVERTIBLE AUTOMATIC HUMIDIFIER, TRANE, LBP
CNT04865	CONTROL; TEMPERATURE PRESSURE, FSX-42S, 190-360
CNT04881	CONTROL; SAFEGUARD
CNT04888	DEHUMIDISTAT
CNT04893	CONTROL; HIGH VOLTAGE POWER SUPPLY, INPUT 24 VAC, SELECTABLE OUTPUT MAX 9.6 KV DC
CNT04895	BOILER CTRL; AQUATROL 120-225F
CNT04897	CONTROL; TRACKER MODEL 12
CNT04898	CONTROL; TRACKER MODEL 12 WITH LAN
CNT04899	CONTROL; TRACKER MODEL 24
CNT04900	CONTROL; TRACKER MODEL 24 WITH LAN
CNT04906	FREEZE PROTECTION CONTROL

Part No.	Description
CNT04908	STATIC PRESSURE CONTROL
CNT04912	CONTROL; DUAL STAGE, DIRECT SPARK IGNITION MODULE
CNT04957	CONTROL; SOLID-STATE OIL BURNER PRIMARY CONTROL, WITH RESET BUTTON
CNT04959	CONTROL; LOW PRESSURE, CLOSE ON RISE 41 PSIG, OPEN ON FALL 25 PSIG, 6.0 FLA, 36 LRA AT 120/240 VAC
CNT04961	CONTROL, LOW PRESSURE, 25 OPEN, 41 CLOSE, .25 FFL, 55.00 LEADS WITH 1/4 INSUL., FEMALE QC TERMINAL
CNT04984	CONTROL; INTEGRATED FURNACE CONTROL WITHOUT COVER (IFC) 50V60
CNT04985	CONTROL; INTEGRATED FURNACE CONTROL WITHOUT COVER (IFC) 50V64
CNT04986	CONTROL; TRACKER DEMO W/CASE
CNT04987	CONTROL; MP503 INPUT/OUTPUT CONTROLLER, W/ METAL ENCLOSURE
CNT04988	CONTROL; ZN517 CONTROL W/ METAL ENCLOSURE
CNT04989	CONTROL; HEAD PRESSURE, WITH PRESSURE TRANSDUCER SENSOR
CNT04990	CONTROL; AIR PRESSURE; .26 IN WC, 28VA @ 24V SPST POSITIVE PRESSURE CONNECTOR W/MTG BRACKET
CNT04991	CONTROL; AIR PRESSURE; .10 IN WC, 28VA @ 24V SPST POSITIVE PRESSURE CONNECTOR W/MTG BR
CNT04992	CONTROL; VAV CONTROLLER
CNT04995	CONTROL; LINE REACTOR, INDC IRON A%Z 55A 401MIC 3
CNT04998	CONTROL; PILOT POSITIONER, WITH MOUNTING BRACKET, SCREWS, AND SPRING
CNT04999	CONTROL; ROOM OVERRIDE STAT
CNT05000	CONTROL; LIMIT FOR UHCA, 208/240/277V
CNT05002	CONTROL; DEFROST
CNT05005	CONTROL; DEFROST
CNT05007	CONTROL; DEFROST
CNT05011	CONTROL; IGNITION RELAY MODULE, BURNER CONTROL, 120V 50/60 HZ
CNT05031	CONTROL; MODULE ASSEMBLY, 208/230/265 VAC, 070 & 090
CNT05032	CONTROL; PRIMARY 530SE
CNT05033	CONTROL; ASSEMBLY COMPLETE
CNT05034	CONTROL; ASSEMBLY COMPLETE
CNT05035	CONTROL; ELECTRONIC BOILER & IGNITION (36508100)
CNT05039	CONTROL; CONDENSATION, WITH ALARM
CNT05040	CONTROL, PHASE REVERSAL PROTECTOR APR-3L, 110V-480
CNT05044	CONTROL; PRESSURE DIFFERENTIAL 15PSI OPEN/19PSI CLOSE
CNT05049	CONTROL; FURNACE MODULE, REPLACEMENT FOR CARRIER CES
CNT05050	CONTROL; FURNACE MODULE, REPLACEMENT FOR CARRIER HK
CNT05051	CONTROL, SPEED, INVERTER, 15 HP, 460/60/3
CNT05057	CONTROL; ASSEMBLY
CNT05064	CONTROL; DISCONNECT HU361RB-EI
CNT05074	CONTROL; PANEL, MRT REMOTE STATION, DWG # RD-F07D04163
CNT05077	CONTROL; ELECTRONIC TEMP, 2 TEMP INPUT, 4 SPDT RELAYS, FLOATING OUTPUT, 1 SENSOR
CNT05095	CONTROL; THREE PHASE POWER MONITOR, 480 VOLT, AUTO RESET
CNT05098	CONTROL; OIL PRIMARY, W STATUS INDICATOR
CNT05099	CONTROL; ECONOMIZER, SPDT
CNT05100	SOLENOID; FOR HE 360
CNT05101	CONTROL; UNIVERSAL INTEGRATED FURNACE IGNITION BOARD
COI00002	COIL; SIZE 3DP, 110-120V
COI00029	COIL; CONDENSER ASSEMBLY COMPLETE, EPOXY COATED FINS
COI00031	COIL; CONDENSER ASSEMBLY COMPLETE, EPOXY COATED FINS

Part No.	Description
COI00034	COIL; CONDENSER ASSEMBLY COMPLETE, EPOXY COATED
COI00035	COIL; CONDENSER ASSEMBLY COMPLETE, EPOXY COATED
COI00039	COIL; CONDENSER ASSEMBLY COMPLETE, EPOXY COATED
COI00046	COIL; LANCED FIN (AIR COIL) 8X20X3R, 4 WK LEADTIME
COI00052	COIL; SOLENOID, 230/50-60
COI00053	COIL; SOLENOID, 115/50-60
COI00057	COIL; OUTDOOR, FLAT FIN
COI00058	COIL; OUTDOOR, FLAT FIN
COI00060	COIL; INDOOR, BLACK EPOXY, FLAT FIN
COI00071	COIL; OUTDOOR, EPOXY COATED, FLAT FIN
COI00090	COIL; SJ CONTACTOR; 120 VOLT
COI00091	COIL; REPLACEMENT CONTACTOR, 110/120V 60 HZ, SIZE 5 AND 6 ADVANTAGE
COI00097	COIL;REPLACEMENT ASSEMBLY,1 ROW, SPINE FIN
COI00098	COIL;REPLACEMENT ASSEMBLY,2 ROW ,SPINE FIN
COI00139	COIL; ASSEMBLY, SIZE 033/040
COI00145	COIL; ASSEMBLY, COMPLETE, 4 COIL BANKS
COI00146	COIL; ASSEMBLY, SIZE 24/30
COI00151	COIL; ASSEMBLY, 11.0 X 18.0 X 3R
COI00152	COIL; ASSEMBLY, 14.75 X 19.0 X 3R
COI00153	COIL; DESUPERHEATER, 9.94 X 13.50
COI00188	COIL; SOLENOID
COI00197	COIL; INDOOR, BLACK EPOXY, FLAT FIN
COI00207	COIL;REPLACEMENTASSEMBLY,SINGLE ROW,SPINE FIN
COI00208	COIL;REPLACEMENT ASSEMBLY;single row, spine fin
COI00209	COIL;REPLACEMENT ASSEMBLY; 2 ROW, SPINE FIN
COI00215	COIL; INDOOR, BLACK EPOXY, FLAT FIN
COI00233	COIL; INDOOR, FLAT FIN, EPOXY COATED
COI00283	COIL; ASSEMBLY, 10/15 TON CAUD (CONTROL PANEL SIDE), DESIGN SEQUENCE B0 & OLDER
COI00284	COIL; ASSEMBLY, 10/15 TON CAUD (OPPOSITE CONTROL PANEL SIDE), DESIGN SEQUENCE B0 & OLDER
COI00289	COIL; 2 INCH ROOF FLASHING (CSE = 12 PIECES)
COI00290	COIL; 2 1/2 INCH ROOF FLASHING (CTN = 12 PIECES)
COI00292	COIL; 3 INCH NO-CAULK ROOF FLASHING (CTN = 12 PIECES)
COI00293	COIL; INDOOR, BLACK EPOXY, FLAT FIN
COI00304	COIL; INDOOR, FLAT FIN
COI00305	COIL; INDOOR, FLAT FIN
COI00306	COIL; INDOOR, FLAT FIN
COI00307	COIL; INDOOR, FLAT FIN
COI00308	COIL; INDOOR, FLAT FIN
COI00343	COIL; SINGLE ROW SPINE FIN
COI00344	COIL; CASED COIL AND ENCLOSURE ASSEMBLY (CCBC48A4ACC0)
COI00397	COIL; 4-ROW COOLING OR HEATING WITH REHEAT OR ELECTRIC HEAT, 1000 CFM, RIGHT HAND
COI00398	COIL; 4-ROW COOLING OR HEATING WITH REHEAT OR ELECTRIC HEAT, 1000 CFM, LEFT HAND
COI00406	COIL; INDOOR, BLACK EPOXY, FLAT FIN
COI00413	COIL; 5 TON STEAM
COI00419	COIL; 10 TON HOT WATER

Part No.	Description
COI00448	COIL; EVAP COIL AND HEADER ASSEMBLY, LH, #2
COI00464	COIL; AND DRAIN PAN ASSEMBLY
COI00466	COIL;SINGLE ROW, 3/8 SPINE FIN
COI00480	COIL; OUTDOOR, SPINE FIN
COI00484	COIL; 1-ROW HYDRONIC/9 FPI
COI00485	COIL; 1-ROW HYDRONIC/9 FPI
COI00489	COIL; 1-ROW HYDRONIC/9 FPI
COI00492	COIL; 1-ROW HYDRONIC/12 FPI
COI00493	COIL; 1-ROW HYDRONIC/12 FPI
COI00494	COIL; 1-ROW HYDRONIC/12 FPI
COI00499	COIL; 1-ROW HYDRONIC/14 FPI
COI00506	COIL; 1-ROW HYDRONIC/14 FPI
COI00509	COIL; 2-ROW HYDRONIC/9 FPI
COI00511	COIL; 2-ROW HYDRONIC/9 FPI
COI00519	COIL; 2-ROW HYDRONIC/12 FPI
COI00524	COIL; 2-ROW HYDRONIC/14 FPI
COI00531	COIL; 4-ROW HYDRONIC/9 FPI
COL00065	COIL; HOLDING, 240 V/60 HZ,220 V/50 HZ
COL00070	COIL; SOLENOID VALVE, 115 V
COL00079	COIL; HOLDING, 120 V/60 HZ,110 V/50 HZ
COL00082	COIL;4 WAY VALVE
COL00110	COIL; HOLDING
COL00141	COIL;SOLENOID VALVE COIL FOR 43-S,SPORLAN VALVE 220-50-1
COL00142	COIL;SOLENOID VALVE, 208/50/3, FOR 73-S
COL00440	COIL; SOLENOID VALVE
COL00693	COIL; HOLDING
COL00727	COIL; ASSEMBLY
COL00743	COIL;ASSEMBLY
COL00747	COIL;ASSEMBLY
COL00748	COIL;ASSEMBLY-COPPER
COL00752	COIL;ASSEMBLY
COL00773	COIL;ASSEMBLY
COL00777	COIL; ASSEMBLY, WF TYPE, .031 CU
COL00780	COIL;ASSEMBLY,.025 CUP UNIT HEATER COIL
COL00781	COIL;ASSEMBLY
COL00782	COIL, ASSEMBLY
COL00783	COIL, ASSEMBLY
COL00784	COIL, ASSEMBLY
COL00785	COIL;ASSEMBLY, .025 CU
COL00786	COIL; ASSEMBLY, .025 CU
COL00788	COIL;ASSEMBLY, .049 RB
COL00789	COIL, ASSEMBLY
COL00790	COIL;ASSEMBLY, .049 RB
COL00824	COIL;HOLDING, 115V. 50/60 HZ
COL00825	COIL;HOLDING, 230V. 50/60 HZ

Part No.	Description
COL01280	COIL; SOLENOID, VALVE 24V, 60HZ
COL01301	COIL; SOLENOID, 115V, 50/60HZ
COL01304	COIL-HOLDING, 230/50/3
COL01311	COIL; EVAPORATOR
COL01335	COIL; ASSEMBLY 3 ROW COOLING/1 ROW HEATING SIZE 08 RIGHT HAND
COL01374	COIL;TYPE A, LEFT HAND
COL01375	COIL;ASSY, TYPE A, L.H.
COL01376	COIL;ASSEMBLY, TYPE A, L.H.
COL01377	COIL; TYPE A LH ASSEMBLY
COL01378	COIL;ASSY, TYPE A, R.H.
COL01379	COIL;ASSY, TYPE A, R.H.
COL01380	COIL;ASSY, TYPE A, R.H.
COL01381	COIL;ASSEMBLY
COL01386	COIL;ASSY, TYPE D, L.H.
COL01387	COIL, ASSEMBLY, TYPE D L.H.
COL01392	COIL, ASSEMBLY, TYPE D, R.H.
COL01395	COIL;TYPE E,208 VOLT ...4-5 WK LEADTIME
COL01411	COIL; TYPE E, 277V
COL01412	COIL, TYPE E, 277V
COL01413	COIL; TYPE E, 277V
COL01435	COIL; ASSEMBLY, TYPE L, LH
COL01445	COIL;TYPE AO, LEFT HAND
COL01446	COIL; TYPE AO LEFT HAND CONNECT
COL01447	COIL;ASSEMBLY, TYPE AO, LEFT HAND
COL01448	COIL;ASSEMBLY, TYPE AO, L.H.
COL01449	COIL;TYPE AO RIGHT HAND CONN.
COL01450	COIL;TYPE AO, RIGHT HAND
COL01451	COIL; TYPE AO RIGHT HAND CONNECT
COL01452	COIL;TYPE AO RIGHT HAND CONN.
COL01485	COIL; 208 VOLT UNITRANE
COL01599	COIL, HOLDING, 110-120V 50-60HZ
COL01613	COIL, SOLENOID, VALVE 208-240V, 50-60HZ
COL01632	COIL;ASSEMBLY
COL01634	COIL; CONDENSER, HEADER ASSEMBLY, RH
COL01638	COIL; SOLENOID, 120V, 50/60 HZ (AMS 120/50-60)
COL01639	COIL;HOLDING, 200/230-50/60 FOR USE WITH ALCO VAL0669 OR VAL1662 (AMC 208-220/208-240 50/60)
COL01836	COIL;TYPE "AO"
COL01837	COIL;TYPE "AO"
COL01887	COIL, EVAPORATOR
COL01889	COIL, EVAPORATOR
COL01891	COIL, EVAPORATOR
COL01894	COIL; EVAPORATOR W/EXPANSION VALVES
COL02076	COIL; DB, HB, LH HEATING 200 CFM HORIZONTAL
COL02091	COIL; W/EXPANSION VALVE
COL02092	COIL; W/EXPANSION VALVES

Part No.	Description
COL02100	COIL; TYPE AO, LH CONN
COL02101	COIL; ASSEMBLY, TYPE AO L.H.
COL02109	COIL; TYPE L, RH CONN
COL02136	COIL; ASSEMBLY
COL02151	COIL; CONDENSER
COL02297	COIL;ASSEMBLY
COL02468	COIL;ASSEMBLY-STEEL
COL02472	COIL;ASSEMBLY
COL02481	COIL;ASSY
COL02486	COIL;ASSY
COL02524	COIL; ASSEMBLY
COL02636	COIL; HEATER, OVERLOAD RELAY
COL02673	COIL;ASSEMBLY, TYPE L
COL02674	COIL;ASSY, TYPE L
COL02676	COIL;ASSEMBLY, TYPE L
COL02680	COIL, ASSEMBLY, TYPE A, L.H., 400 CFM
COL02685	COIL, ASSEMBLY, TYPE D, L.H., 600 CFM
COL02689	COIL, ASSEMBLY, TYPE A, R.H., 600 CFM
COL02708	COIL;HOLDING
COL02781	COIL;OUTDOOR ASSEMBLY (CPD)
COL02787	COIL;CONTACTOR, FOR USE WITH CTR-453
COL02849	COIL, SOLENOID
COL02852	COIL; HOLDING, 110-120V
COL02853	COIL; HOLDING, 110-120V, CONTACTOR SIZE 4,5
COL02909	COIL, HEATER, OVERLOAD RELAY
COL02938	COIL;EVAPORATOR, SUPER RADIATOR.
COL02953	COIL;ASSY-INDOOR
COL02991	COIL; EVAPORATOR W/HEADER
COL02995	COIL; EVAPORATOR W/HEADER
COL03052	COIL;EVAPORATOR,W/HEADER ASSEMBLY,ZRC COATED
COL03053	COIL; EVAPORATOR W/HEADER ASSEMBLY, ZRC
COL03088	COIL; CONDENSER
COL03153	COIL;EVAPORATOR & HEADER ASSEMBLY
COL03155	COIL;EVAPORATOR & HEADER ASSEMBLY
COL03159	COIL; EVAPORATOR , W/HEADER ASSEMBLY
COL03167	COIL;EVAPORATOR & HEADER ASSEMBLY
COL03333	COIL; ASSEMBLY, 1 ROW
COL03394	COIL;EVAPORATOR
COL03479	COIL;EVAPORATOR & HEADER ASSEMBLY
COL03487	COIL;EVAPORATOR & HEADER ASSEMBLY
COL03525	COIL;ASSEMBLY
COL03527	COIL, HYDRONIC HEAT
COL03537	COIL;EVAPORATOR & HEADER ASSEMBLY
COL03553	COIL; EVAPORATOR
COL03555	COIL; INDOOR

Part No.	Description
COL03556	COIL; OUTDOOR
COL03558	COIL;INDOOR
COL03559	COIL; CONDENSER
COL03601	COIL; 24V-60/50
COL03603	COIL; 208-240/60, 190-220/50
COL03605	COIL; 24V-60/50
COL03606	COIL; 110-120/60, 110/50
COL03607	COIL; 208-240/60, 190-220/50
COL03608	COIL; 440-480/60, 440/50
COL03609	COIL;110-120/220-240/60, 110/190-220/50
COL03610	COIL; 220-240/440-480/60
COL03619	COIL;CONDENSER ASSEMBLY
COL03623	COIL;ASSEMBLY,EVAP
COL03655	COIL;INDOOR & HEADER ASSEMBLY
COL03663	COIL;EVAPORATOR & HEADER ASSEMBLY
COL03768	COIL; SOLENOID, 120 V/50-60 HZ, 6 IN. LEADS
COL03769	COIL;SOLENOID,208-240V,50-60HZ,REPL COIL FOR VAL2332 & VAL2335
COL03770	COIL;CONDENSER & HEADER ASSEMBLY
COL03771	COIL;CONDENSER & HEADER ASSEMBLY
COL03778	COIL;EVAPORATOR
COL03779	COIL;HOLDING, 24V, 50/60 HZ (AMG 24/50-60) UNIVERSAL COIL
COL03780	COIL;HOLDING, 120V, 50/60 HZ (AMG 120/50-60)
COL03781	COIL; HOLDING (AMG 208-220/208-240 50/60)
COL03782	COIL; HOLDING, 480V, 50/60 HZ
COL03783	COIL, ASSEMBLY
COL03784	COIL, ASSEMBLY
COL03785	COIL;ASSEMBLY
COL03786	COIL, ASSEMBLY
COL03787	COIL, ASSEMBLY, .75 PSI
COL03788	COIL; ASSEMBLY
COL03844	COIL;CONDENSER & HEADER ASSEMBLY, LH
COL03845	COIL;CONDENSER & HEADER ASSEMBLY, RH
COL03855	COIL; CONDENSER
COL03858	COIL; CONDENSER, SPINE FIN
COL03865	COIL; EVAPORATOR
COL03873	COIL; ASSEMBLY, ZRC
COL03877	COIL; CONDENSER, FLAT FIN
COL03878	COIL;EVAPORATOR
COL03909	COIL; EVAPORATOR
COL04723	COIL;SOLENOID VALVE, 120V/60 & 110V/50 HZ
COM01860	COMPRESSOR; REMFG, 2E5*45, 50 TON, 4 CY, 575/60/3, SUCTION PRESSURE UNLOADING, NEW/SMALL BARREL, R-22
COM01869	COMPRESSOR; REMFG, 2F5D45, 20 TON, 4 CY, 575/60/3, SUCTION PRESSURE UNLOADING, NEW/SMALL BARREL, R-22
COM01911	COMPRESSOR; COPELAND CRJ3-0300-TFD, 3 TON 460/60/3
COM01920	COMPRESSOR, AK5483E, 0.7 TON, 115/60/1, 100/50/1, LRA 43.0, RLA 9.0
COM01924	COMPRESSOR; SINGER 02003173, TECUMSEH AK100JT-004-A4

Part No.	Description
COM01925	COMPRESSOR, AK5510E, 0.8 TON, 208-230/60/1, 200/50/1, LRA 28.0, RLA 5.7
COM01926	COMPRESSOR; AH5510E, 0.8 TON, 265/60/1, LRA 27.4, RLA 5.4
COM01927	COMPRESSOR; AK5512EXC, 0.8 TON, 220-240/50/1, LRA 31.0, RLA 6.0, W/OUT BRACKET
COM01931	COMPRESSOR; AJ5515F, 1.0 TON, 220-240/50/1, LRA 39.0, RLA 8.0
COM01933	COMPRESSOR; AJ5515F, 1.3 TON, 208-230/60/1, 200/50/1, LRA 41.0, RLA 8.5
COM01934	COMPRESSOR, TECUMSEH AJ5515F, 1.0 TON 265/60/1
COM01936	COMPRESSOR; AJ5519E, 1.6 TON, 208-230/60/1, 200/50/1, LRA 57.0, RLA 11.6
COM01937	COMPRESSOR, AJ5519E, 1.6 TONS 265/60/1, LRA 55.0, RLA 10.0
COM01938	COMPRESSOR; AK5510E, 0.8 TON, 115/60/1, 100/50/1, LRA 47.0, RLA 10.5
COM01940	COMPRESSOR; AJ5518E, 1.5 HP, 208-230/60/1,200/50/1
COM01941	COMPRESSOR; AJA5518EXV, 1.5 TON, 265/60/1, LRA 47.0, RLA 8.8
COM01947	COMPRESSOR; AH233TT-207-A4, AH5524E, 2.0 HP, 460/60/3
COM01966	COMPRESSOR; AK8514E, 1.2 TON, 208-230/60/1, 200/50/1, LRA 31.2, RLA 5.5
COM01969	COMPRESSOR; COPELAND, CRA1-0150-PFV, 1.5 TONS, 208-230/60/1
COM02018	COMPRESSOR; COPELAND CRG3-0250-TF5, 2.5HP, 200-230/60/3 ACCY: HEATER MTG HTR1368 KIT0992
COM02019	COMPRESSOR; COPELAND CRK3-0325-TFD 3.2 TON, 460/60/3
COM02029	COMPRESSOR, AK8513E, 1.1 TON, 265/60/1, LRA 27.0, RLA 4.7
COM02030	COMPRESSOR, AK8513E, 1.1 TON, 208-230/60/1, 200/50/1, LRA 31.0, RLA 5.8
COM02031	COMPRESSOR; COPELAND RR17K1-PFV-900, 1.4 TON, 208-230/60/1
COM02034	COMPRESSOR; AK8475E, 0.6 TON, 208-230/60/1, 200/50/1, LRA 15.9, RLA 2.8
COM02035	COMPRESSOR; AK8475E, 0.6 TON, 265/60/1, LRA 12.3, RLA 2.6
COM02036	COMPRESSOR; 115/60/1, 9300 BTU, 7.0 FLA, 40.0 LRA, AK8494E
COM02037	COMPRESSOR; AK8475E, 0.6 TON, 115/60/1, 100/50/1, LRA 29.8, RLA 5.6
COM02039	COMPRESSOR; BRISTOL, H21B173ABH, 1.4 TON, 265/60/1
COM02047	COMPRESSOR; 208-230/60/3
COM02048	COMPRESSOR, BRISTOL, H23A303DBEA, 2.5 TON 460/60/3
COM02050	COMPRESSOR; 208-230/60/3, BRIS.H21A373DBD SINGER 060603603
COM04453	COMPRESSOR; CHHB070T, RMFG. 400/50/3 - 460/60/3 (NEW = COM4434)
COM04456	COMPR; CHHB085P...RMFG,200-230/60/3, 85 TON, FOR NEW USE COM4437
COM04459	COMPR; CHHB085F...RMFG,400/50-460/60/3, 85 TON, FOR NEW USE COM4440
COM04462	COMPR; CHHB100P...RMFG, 200-230/60/3, 100 TON, FOR NEW USE COM4444
COM04465	COMPRESSOR; CHHB100T...RMFG. 400/50/3 - 460/60/3 (NEW=COM4447).
CON00140	CONNECTOR; .25 OD COMPRESSION X .125 NPTE
CON00193	CONNECTOR; .25 MFL X .12 NPTI
CON00194	CONNECTOR; .50 MFL X .25 NPTE
CON00197	CONNECTOR; ELECTRIC WIRE JOINT, CRIMP 2-#22 2-#10 WIRES
CON00204	CONNECTOR; .25 OD X .25N FERRULE AND NUT INCLUDED
CON00477	CONNECTOR; MTR PLUG ASSY FANCOIL 020-030 MOTOR #1 (CW) W/ DUAL CONTROL VOLTAGE R.H. PIPING ONLY
CON00480	CONNECTOR;.375 MALE NPT, .375 MALE NPT (STRAIGHT)
CON00481	CONNECTOR; .25 OD X .25 OD
CON00488	CONNECTOR; COAX IN-LINE, ARCNET
CON00489	CONNECTOR; RECEPTACLE, 3 CKT, 18 AWG, ORANGE
CON00552	CONNECTOR; RECEPTACLE 7 CKT, 18 AWG, ORANGE
CON00577	CONNECTOR; RECEPTACLE, 2 CKT, 18 AWG, ORANGE
CON00586	CONNECTOR, CAP HSG 5 CKT

Part No.	Description
CON00590	CONNECTOR; KIT
CON00593	CONNECTOR; RECEPTACLE, 3 CKT, 22 AWG, RED
CON00594	CONNECTOR; RECEPTACLE, 6 CKT, 22 AWG, RED
CON00595	CONNECTOR; RECEPTACLE, 9 CKT, 18 AWG, ORANGE
CON00596	CONNECTOR; 36 INCH REPLACEMENT HARNESS ASSY
CON00600	CONNECTOR; SCREW TERM, 8 BLADE, MINATURE, RELAY
CON00601	CONNECTOR; HF TYPE, RELAY SOCKET
CON00815	CONNECTOR; RCPT - 8 PIN .156 CTRS W/O LOCKING RAMP 18-22 AWG
CON00817	CONNECTOR; WIRE - SPLIT BOLT #3, #4, #6 WIRES
CON00848	CONNECTOR; PLUG/SCREW, 2 CKT (1 CTN = 10 PCS)
CON00952	CONNECTOR; 1/2 INCH 90 DEGREE (3/4 K.O.) SNAP-TITE (10/BOX)
CON00953	CONNECTOR; 1/2 INCH STRAIGHT SNAP-TITE (25/BOX)
CON00954	CONNECTOR; 1/2 INCH SCREW-ON (1/2 K.O.) (25/BOX)
CON00955	CONNECTOR; 1/2 INCH 90 DEGREE SCREW-ON CONNECTOR (1/2 K.O.) (25/BOX)
CON00956	CONNECTOR; 3/4 INCH STRAIGHT LOCK-NUT (50/BOX)
CON00957	CONNECTOR; 3/4 INCH 90 DEGREE ELBOW LOCK-NUT (50/BOX)
CON00958	CONNECTOR; 3/4 INCH 45 DEGREE ELBOW LOCK-NUT (25/BOX)
CON00959	CONNECTOR; 3/4 INCH STRAIGHT SNAP-TITE (10/BOX)
CON00960	CONNECTOR; 1/2 INCH 90 DEGREE SNAP-TITE (10/BOX)
CON00961	CONNECTOR; 3/4 INCH 90 DEGREE SNAP-TITE (10/BOX)
CON00962	CONNECTOR; 3/4 INCH SCREW-ON (3/4 K.O.) (25/BOX)
CON00963	CONNECTOR; 3/4 INCH 90 DEGREE SCREW-ON (3/4 K.O.) (25/BOX)
CON00964	CONNECTOR; FEMALE LAUER
CON01018	CONNECTOR; RCPT, 2 PIN (1 CTN = 10 PCS)
CON01019	CONNECTOR; RCPT, 3 PIN (1 CTN = 10 PCS)
CON01020	CONNECTOR; RCPT, 6 PIN (1 CTN = 10 PCS)
CON01021	CONNECTOR; RCPT, 11 PIN (1 CTN = 10 PCS)
CON01022	CONNECTOR; RCPT, 14 PIN (1 CTN = 10 PCS)
CON01023	CONNECTOR; RCPT 18 PIN (1 CTN = 10 PCS)
CON01024	CONNECTOR; RCPT 19 PIN (1 CTN = 10 PCS)
CON01025	CONNECTOR; PLUG, 1.75 MTG HOLE, SNAP-IN (1 CTN = 10 PCS)
CON01026	CONNECTOR; RCPT, 7 PIN (1 CTN = 10 PCS)
CON01027	CONNECTOR; RECEPTACLE, 5 CKT, 18 AWG, ORANGE (1 CTN = 10 PCS)
CON01141	CONNECTOR; INSULATED BLOCK SPADE, 16-14 W.6 STUD
CON01142	CONNECTOR; INSULATED BLOCK SPADE, 16-14 W.6STUD
CON01143	CONNECTOR; INSULATED FEMALE DISCONNECT, 22-18 W.0110 (1/2 INCH)
CON01144	CONNECTOR; INSULATED FEMALE DISCONNECT, 22-18 W.0110 (1/8 INCH)
CON01145	CONNECTOR; INSULATED FEMALE DISCONNECT, 22-18 W.0187 (3/16 INCH)
CON01146	CONNECTOR; INSULATED FEMALE DISCONNECT, 22-18 W.0187 (3/16 INCH)
CON01147	CONNECTOR; INSULATED FEMALE DISCONNECT, 22-18 W.0.250 (1/4 INCH)
CON01148	CONNECTOR; INSULATED FEMALE DISCONNECT, 22-18 W.0.250 (1/4 INCH)
CON01149	CONNECTOR; INSULATED FEMALE DISCONNECT, 16-14 W.0.110 (1/8 INCH)
CON01150	CONNECTOR; INSULATED FEMALE DISCONNECT, 16-14 W.0.110 (1/8 INCH)
CON01151	CONNECTOR; INSULATED FEMALE DISCONNECT, 12-10 W.0.250
CON01152	CONNECTOR; INSULATED FEMALE DISCONNECT, 12-10 W.0.250

Part No.	Description
CON01153	CONNECTOR; INSULATED FEMALE DISCONNECT, 12-10 W.0.375 (3/8 INCH)
CON01154	CONNECTOR; INSULATED FEMALE DISCONNECT, 12-10 W.0.375 (3/8 INCH)
CON01155	CONNECTOR; INSULATED FEMALE DISCONNECT, 22-18 W.0.187 (3/16 INCH)
CON01156	CONNECTOR; INSULATED FEMALE DISCONNECT, 22-18 W.0.187 (3/16 INCH)
CON01157	CONNECTOR; INSULATED MALE DISCONNECT, 22-18 W.0.250
CON01158	CONNECTOR; INSULATED MALE DISCONNECT, 22-18 W.0.250
CON01159	CONNECTOR; INSULATED MALE DISCONNECT, 16-14 W.0.187
CON01160	CONNECTOR; INSULATED MALE DISCONNECT, 16-14 W.0.187
CON01161	CONNECTOR; INSULATED MALE DISCONNECT, 16-14 W.0.250
CON01162	CONNECTOR; INSULATED MALE DISCONNECT, 16-14 W.0.250
CON01163	CONNECTOR; INSULATED MALE DISCONNECT, 12-10 W.0.250
CON01164	CONNECTOR; INSULATED MALE DISCONNECT, 12-10 W.0.050
CON01165	CONNECTOR; ASSORTED INSULATED FEMALE DISCONNECTS
CON01166	CONNECTOR; BUTTERFLY (1 BASE & 2 COVERS)
CPT00259	CAPACITOR, START, 189-227 MFD, 330V, W/ RESISTOR
CPT00270	CAPACITOR; RUN, 20 MFD, 440V ROUND, W/RESISTOR
CPT00271	CAPACITOR; RUN, 35 MFD, 440V ROUND, WITH RESISTOR
CPT00272	CAPACITOR; RUN, 40 MFD, 440V, ROUND, W/RESISTOR
CPT00274	CAPACITOR; RUN, 15 MFD, 440V, ROUND, W/RESISTOR
CPT00275	CAPACITOR; RUN, 45 MFD, 440V, ROUND, W/RESISTOR
CPT00276	CAPACITOR; RUN, 6 MFD, 370V, OVAL, W/O RESISTOR
CPT00278	CAPACITOR; 15MFD, 370V, OVAL
CPT00279	CAPACITOR;COMPRESSOR,RUN,25 MFD, 370V, OVAL
CPT00280	CAPACITOR; START,145-174 MFD, 370V, ROUND
CPT00282	CAPACITOR; COMPRESSOR, START
CPT00283	CAPACITOR, 17.5 MFD, 370V, 1.88 X 1.75 X 2.88, ROUND
CPT00294	CAPACITOR; 50 MFD, 370 VAC
CPT00298	CAPACITOR, START, 145-174 MFD, 250V, W/RESISTOR
CPT00299	CAPACITOR, START, 21-25 MFD, 330V, W/RESISTOR
CPT00301	CAPACITOR, START, 124-149 MFD, 330V, W/RESISTOR
CPT00303	CAPACITOR; RUN, 30 MFD, 440V, OVAL
CPT00306	CAPACITOR, DUAL, 15/4MFD, 370V
CPT00307	CAPACITOR, DUAL, 25/4MFD, 370V
CPT00309	CAPACITOR, DUAL, 25/4MFD, 440V
CPT00310	CAPACITOR, DUAL, 10/5MFD, 370V
CPT00311	CAPACITOR, DUAL, 15/10MFD, 370V, OVAL
CPT00312	CAPACITOR, DUAL, 10/5MFD, 440V, OVAL
CPT00313	CAPACITOR, DUAL, 15/10MRD, 440V
CPT00314	CAPACITOR, DUAL, 20/5MFD, 370V
CPT00316	CAPACITOR; RUN, 20 MFD, 370V, OVAL, W/O RESISTOR
CPT00320	CAPACITOR; START, 176-216 MFD, 320V, ROUND, W/ RESISTOR
CPT00321	CAPACITOR; RUN, 30 MFD, 440V, ROUND, W/RESISTOR
CPT00327	CAPACITOR; 2 MFD, 400V
CPT00328	CAPACITOR; 1.5 MFD, 400V
CPT00329	CAPACITOR;MOTOR START

Part No.	Description
CPT00335	CAPACITOR, RUN, 26 MFD, 125V, NON POLARIZED, 100 WVDC
CPT00342	CAPACITOR; 20 MFD, 236V, ROUND
CPT00349	CAPACITOR, DUAL 30/4MFD, 370V
CPT00352	CAPACITOR;MOTOR BLOWER
CPT00367	CAPACITOR;PTCR START DEVICE
CPT00392	CAPACITOR; RUN, 60 MFD, 440V, ROUND, W/O RESISTOR
CPT00401	CAPACITOR, DUAL, 15/4MFD, 370V
CPT00402	CAPACITOR, DUAL, 15/4MFD, 440V
CPT00404	CAPACITOR, DUAL, 30/4MFD, 370V
CPT00405	CAPACITOR, DUAL, 30/4MFD, 440V
CPT00408	CAPACITOR, DUAL, 35/4MFD, 370V
CPT00411	CAPACITOR; START, 161-193 MFD, 330V, W/RESISTOR
CPT00414	CAPACITOR, 35/5 MFD, 440V
CPT00415	CAPACITOR, 40/5 MFD, 440 V
CPT00416	CAPACITOR, 25/5 MFD, 370 V
CPT00417	CAPACITOR, 30/5 MFD, 370V
CPT00421	CAPACITOR; RUN, 55 MFD, 440V ROUND, W/O RESISTOR
CPT00422	CAPACITOR; RUN, 12.5 MFD, 440V, OVAL, W/O RESISTOR
CPT00429	CAPACITOR; START, 216-259 MFD, 330V, W/RESISTOR
CPT00433	CAPACITOR; 3600 MFD, 400V
CPT00436	CAPACITOR; .015 MFD, 6500VDC
CPT00437	CAPACITOR; .022 MFD, 6000 VDC
CPT00438	CAPACITOR; RUN, 24 MFD, 125V, NON POLARIZED, 100 WVDC
CPT00442	CAPACITOR; RUN, 25 MFD, 440V, ROUND, W/RESISTOR
CPT00444	CAPACITOR; RUN, 25 MFD, 440V, OVAL, W/O RESISTOR
CPT00445	CAPACITOR; 2000 MILLISECOND RIDE-THRU
CPT00449	CAPACITOR; RUN, 45 MFD, 370V, ROUND, W/O RESISTOR
CPT00453	CAPACITOR; FAN, 15 MFD, 440V, ROUND, W/O RESISTOR
CPT00454	CAPACITOR; 20 MFD, 440V, ROUND, W/O RESISTOR
CPT00455	CAPACITOR; 25 MFD, 440V, ROUND, W/O RESISTOR
CPT00456	CAPACITOR; 30 MFD, 440V, ROUND
CPT00457	CAPACITOR, START
CPT00464	CAPACITOR; 20 MFD, 370V, ROUND, W/O RESISTOR
CPT00465	CAPACITOR; RUN, 20 MFD, 440V
CPT00467	CAPACITOR;RUN, 25 MFD, 440V
CPT00468	CAPACITOR; RUN, 35 MFD, 370V, ROUND
CPT00576	CAPACITOR; 15/3 MFD, 370V
CPT00622	CAPACITOR; DUAL, 35/20 MFD, 440V, ROUND, W/RESISTOR
CPT00631	CAPACITOR; RUN, 60 MFD, 370V, ROUND, W/O RESISTOR
CPT00651	CAPACITOR; 45 MFD, 370V
CPT00652	CAPACITOR, 4 MFD, 200V
CPT00654	CAPACITOR; 370V, 4 MFD, ROUND, W/O RESISTOR
CPT00655	CAPACITOR; 370V, 5 MFD, ROUND, W/O RESISTOR
CPT00656	CAPACITOR; DUAL, 45/5 MFD, 440V, ROUND, W/O RESISTOR
CPT00657	CAPACITOR; DUAL, 50/12.5 MFD, 440V ROUND, W/O RESISTOR

Part No.	Description
CPT00658	CAPACITOR; DUAL, 20/4 MFD, 440V, ROUND, W/RESISTOR
CPT00659	CAPACITOR; DUAL, 30/5 MFD, 440V, ROUND, W/O RESISTOR
CPT00660	CAPACITOR; DUAL, 50/5 MFD, 440V, ROUND, W/O RESISTOR
CPT00661	CAPACITOR; DUAL, 60/12.5 MFD, 440V, W/O RESISTOR
CPT00662	CAPACITOR; 7.5 MFD, 370V, ROUND, W/O RESISTOR
CPT00663	CAPACITOR; 12.5 MFD, 370V, ROUND, W/O RESISTOR
CPT00664	CAPACITOR; 440V, 10 MFD, ROUND, W/O RESISTOR
CPT00666	CAPACITOR; 440V, 7.5 MFD, ROUND, W/O RESISTOR
CPT00693	CAPACITOR; DUAL, 35/15 MFD, 440V, ROUND, W/RESISTOR
CPT00694	CAPACITOR; DUAL, 35/4 MFD, 440V, ROUND, W/RESISTOR
CPT00695	CAPACITOR; DUAL, 25/5 MFD, 440V, ROUND, W/O RESISTOR
CPT00696	CAPACITOR; DUAL, 30/4 MFD, 440V, ROUND, W/ RESISTOR
CPT00697	CAPACITOR; KICKSTART
CPT00712	CAPACITOR; START, 1000-1200 MFD, 110/125 V, ROUND
CPT00713	CAPACITOR;START, 270-324 MFD, 165 V, ROUND
CPT00714	CAPACITOR; START, 21-25 MFD, 220/250 V, ROUND
CPT00715	CAPACITOR; START, 25-30 MFD, 220/250 V, ROUND
CPT00716	CAPACITOR; START, 30-36 MFD, 220/250 V, ROUND
CPT00717	CAPACITOR; START, 36-43 MFD, 220/250 V, ROUND
CPT00718	CAPACITOR; START, 43-53 MFD, 220/250 V, ROUND
CPT00719	CAPACITOR; START, 53-64 MFD, 220/250 V, ROUND
CPT00720	CAPACITOR; START, 72-86 MFD, 220/250 V, ROUND
CPT00721	CAPACITOR; START, 88-106 MFD, 220/250 V, ROUND
CPT00722	CAPACITOR; START, 108-130 MFD, 220/250 V, ROUND
CPT00723	CAPACITOR; START, 124-149 MFD, 220/250 V, ROUND
CPT00724	CAPACITOR; START, 145-174 MFD, 220/250 V, ROUND
CPT00725	CAPACITOR; START, 161-193 MFD, 220/250 V, ROUND
CPT00726	CAPACITOR; START, 189-227 MFD, 220/250 V, ROUND
CPT00727	CAPACITOR; START, 216-259 MFD, 220/250 V, ROUND, BAKELITE
CPT00728	CAPACITOR; START, 233-280 MFD, 220/250 V, ROUND, BAKELITE
CPT00729	CAPACITOR; START, 270-324 MFD, 220/250 V, ROUND, BAKELITE
CPT00730	CAPACITOR; START, 21-25 MFD, 330 V, ROUND, BAKELITE
CPT00731	CAPACITOR; START, 25-30 MFD, 330 V, ROUND, BAKELITE
CPT00732	CAPACITOR; START, 30-36 MFD, 330 V, ROUND, BAKELITE
CPT00733	CAPACITOR; START, 36-43 MFD, 330 V, ROUND, BAKELITE
CPT00734	CAPACITOR; START, 43-53 MFD, 330 V, ROUND, BAKELITE
CPT00735	CAPACITOR; START, 53-64 MFD, 330 V, ROUND, BAKELITE
CPT00736	CAPACITOR; START, 72-88MFD, 330 V, ROUND, BAKELITE
CPT00737	CAPACITOR; START, 88-108 MFD, 330 V ROUND, BAKELITE
CPT00738	CAPACITOR; START, 108-130 MFD, 330 V ROUND, BAKELITE
CPT00739	CAPACITOR; START, 124-149 MFD, 330 V ROUND, BAKELITE
CPT00740	CAPACITOR; START, 135-162 MFD, 330 V, ROUND, BAKELITE
CPT00741	CAPACITOR; START,145-174 MFD, 330 V, ROUND, BAKELITE
CPT00742	CAPACITOR; START, 161-193 MFD, 330 V, ROUND, BAKELITE
CPT00743	CAPACITOR; START, 189-227 MFD, 330 V, ROUND, BAKELITE

Part No.	Description
CPT00744	CAPACITOR; START, 216-259 MFD, 330 V, ROUND, BAKELITE
CPT00797	CAPACITOR;RUN/START,15 MFD-RUN,4 MFD-START,370 V,OVAL,STEEL
CPT00798	CAPACITOR;RUN/START,15 MFD-RUN,5 MFD-START,370 V,OVAL,STEEL
CPT00799	CAPACITOR;RUN/START,15 MFD-RUN,10 MFD-START,370 V,OVAL,STEEL
CPT00801	CAPACITOR;RUN/START,17.5 MFD-RUN,4 MFD-START,370V,OVAL,STEEL
CPT00802	CAPACITOR;RUN/START,17.5 MFD-RUN,5 MFD-START,370V,OVAL,STEEL
CPT00803	CAPACITOR;RUN/START,20 MFD-RUN,5 MFD-START,370V,OVAL,STEEL
CPT00804	CAPACITOR; RUN/START,20 MFD-RUN,15 MFD-START,370V,OVAL,STEEL
CPT00805	CAPACITOR; RUN/START,25 MFD-RUN,4 MFD-START,370 V,OVAL,STEEL
CPT00806	CAPACITOR; RUN/START,25 MFD-RUN,5 MFD-START,370 V,OVAL,STEEL
CPT00807	CAPACITOR; RUN/START,25 MFD-RUN,10 MFD-START,370V,OVAL,STEEL
CPT00808	CAPACITOR; RUN/START,30 MFD-RUN,5 MFD-START,370 V,OVAL,STEEL
CPT00809	CAPACITOR; RUN/START,35 MFD-RUN,3 MFD-START,370 V,OVAL,STEEL
CPT00810	CAPACITOR; RUN/START,35 MFD-RUN,4 MFD-START,370 V,OVAL,STEEL
CPT00811	CAPACITOR; RUN/START,35 MFD-RUN,5 MFD-START,370 V,OVAL,STEEL
CPT00812	CAPACITOR; RUN/START,5 MFD-RUN,4 MFD-START,440 V,OVAL,STEEL
CPT00813	CAPACITOR; RUN/START,10 MFD-RUN,3 MFD-START,440 V,OVAL,STEEL
CPT00814	CAPACITOR; RUN/START,10 MFD-RUN,5 MFD-START,440 V,OVAL,STEEL
CPT00815	CAPACITOR; RUN/START,20 MFD-RUN,15 MFD-START,440V,OVAL,STEEL
CPT00816	CAPACITOR; RUN/START,25 MFD-RUN,4MFD-START,440 V,OVAL,STEEL
CPT00817	CAPACITOR; RUN/START,25 MFD-RUN,5MFD-START,440 V,OVAL,STEEL
CPT00818	CAPACITOR; START,21-25 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00819	CAPACITOR; START,25-30 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00820	CAPACITOR; START,30-36 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00821	CAPACITOR; START,36-43 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00822	CAPACITOR; START,43-52 MFD,110/125 V,BLACK BAKELITE
CPT00823	CAPACITOR; START,53-64 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00824	CAPACITOR; START,72-86 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00825	CAPACITOR; START,88-108 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00826	CAPACITOR; START,108-130 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00827	CAPACITOR; START,124-149 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00828	CAPACITOR; START,130-156 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00829	CAPACITOR; START,145-174 MFD,110-125 V,ROUND,BLACK BAKELITE
CPT00830	CAPACITOR; START,161-193 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00831	CAPACITOR; START,189-227 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00832	CAPACITOR; START,200-240 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00833	CAPACITOR; START,216-259 MFD,110/125 V,ROUND,BLACK BAKELITE
CPT00834	CAPACITOR; RUN/START,25 MFD-RUN,10MFD-START,440V,OVAL,DRAWN STEEL
CPT00835	CAPACITOR; RUN/START,30 MFD-RUN,5 MFD-START,440 V,OVAL,DRAWN STEEL
CPT00836	CAPACITOR; RUN/START,35 MFD-RUN,3 MFD START,440 V,OVAL,DRAWN STEEL
CPT00837	CAPACITOR; RUN/START,35MFD-RUN,5 MFD-START,440 V,OVAL,DRAWN STEEL
CPT00838	CAPACITOR; RUN/START,40 MFD-RUN,5 MFD-START,440V
CPT00839	CAPACITOR; 15 MFD, 440V, ROUND, W/O RESISTOR
CPT00840	CAPACITOR;8532.25.0020 3 MFD
CPT00849	CAPACITOR;8532.22.0020 45 MFD

Part No.	Description
CPT00937	CAPACITOR; 80 MFD/370 V
CPT00938	CAPACITOR; 17.5 MFD/370V
CPT00939	CAPACITOR; 55 MFD, 370V, ROUND, W/O RESISTOR
CPT00973	CAPACITOR; METAL, 35/5 MFD, 440V
CPT00974	CAPACITOR; ROUND
CPT00975	CAPACITOR; 30/5 MFD, 370V, ROUND
CPT00976	CAPACITOR; ROUND
CPT00977	CAPACITOR; DUAL, 35/5 MFD, 440V, ROUND, W/O RESISTOR
CPT01021	CAPACITOR; DUAL, 50/7.5 MFD, 440V, ROUND, W/O RESISTOR
CPT01022	CAPACITOR; 25 KVAR, 480V
CPT01023	CAPACITOR, DUAL, 55/12.5 MFD, 440V, ROUND, W/O RESISTOR
CPT01025	CAPACITOR; RUN, 3 MFD, 370V, OVAL, W/O RESISTOR
CPT01026	CAPACITOR; 7.5 MFD W/BOOT & CLAMP
CPT01051	CAPACITOR; RUN, 45MFD, 440 VAC, W/2 WATT RESISTOR
CPT01052	CAPACITOR; RUN, 55MFD, 440 VAC, W/2 WATT RESISTOR
CPT01078	CAPACITOR; RUN, 5 MFD AT 370V
CPT01079	CAPACITOR; RUN 30 MFD @ 370V.
CPT01095	TRANSFORMER; CONTROL POWER,120/240 VAC, 50VA
CPT01104	CAPACITOR; POWER FACTOR, 100KVAR, 4160V, 60HZ
CPT01105	CAPACITOR; POWER FACTOR, 125KVAR, 4160V, 60HZ
CPT01107	CAPACITOR; RUN, 24 MFD, 125V, NON POLARIZED, 100 WVDC (1 CTN = 10 PCS)
CPT01153	CAPACITOR; ROUND, 440V, 15/5 MFD, 2.125 DIA TOP, 2.0 DIA BOTTOM
CPT01155	CAPACITOR; RUN, 370V
CPT01181	CAPACITOR;8532.25.0020 FIXED 460V
CPT01187	CAPACITOR; 25 MFD, 440V, 24V COIL, ROUND, W/O RESISTOR
CPT01189	CAPACITOR; 2.62 DIM, 5 MFD, PLASTIC, ROUND
CPT01190	CAPACITOR; PLASTIC, ROUND, 2.62 DIM., 7.5 MFD
CPT01226	CAPACITOR;8532.25.0020 60 MFD,370VAC
CPT01228	CAPACITOR; COMPRESSOR, 50UF
CPT01230	CAPACITOR; COMPRESSOR, 45UF
CPT01271	CAPACITOR; VENTOR MOTOR
CPT01272	CAPACITOR; RUN, 7.5 MFD 370 VOLT, BULK PACK
CPT01283	CAPACITOR; PHASE ,1.5UF 400V 60HZ, 208/230V
CPT01284	CAPACITOR; PHASE, 265V, 7K, 9K BTU MODELS,1.2 MFD, 450VAC,
CPT01285	CAPACITOR; 1.0 UF 450V 50/60HZ 265V 12K, 15K BTU MODELS
CPT01286	CAPACITOR; START/RUN 25/4/370V, 230/208V AND 265V 12K BTU MODELS
CPT01287	CAPACITOR; START/RUN, 6 & 25UF 370/400V, 15K BTU
CPT01299	CAPACITOR; BANK ASSEMBLY, 405 AMP
CPT01317	CAPACITOR; 480V 15.0 KVAR
CPT01318	CAPACITOR; 480V 20.0 KVAR
CPT01319	CAPACITOR; 480V 25.0 KVAR
CPT01471	CAPACITOR; 440 VAC OVAL MOTOR RUN, 4 MFD
CPT01472	CAPACITOR; 440 VAC OVAL MOTOR RUN, 5 MFD
CPT01474	CAPACITOR; 440 VAC OVAL MOTOR RUN, 7.5 MFD
CPT01475	CAPACITOR; 440 VAC OVAL MOTOR RUN, 10 MFD

Part No.	Description
CPT01482	CAPACITOR; RUN, 440V, 12.5 MFD, OVAL, WITH RESISTOR
CPT01487	CAPACITOR; 330 VAC ROUND MOTOR START, 124-156 MFD
CPT01488	CAPACITOR; 330 VAC ROUND MOTOR START, 145-175 MFD
CPT01489	CAPACITOR; 330 VAC ROUND MOTOR START, 161-193 MFD
CPT01490	CAPACITOR; 330 VAC ROUND MOTOR START, 189-227 MFD
CPT01491	CAPACITOR; 330 VAC ROUND MOTOR START, 216-259 MFD
CPT01499	CAPACITOR; ROUND MOTOR RUN, 30+5 MFD, 440 VAC, DUAL CAPACITANCE
CPT01505	CAPACITOR; ROUND MOTOR RUN, 55+ 5 MFD, 440 VAC, DUAL CAPACITANCE
CPT01508	CAPACITOR; FRU, 370V, 10.0 MFD
CPT01511	CAPACITOR; START, 189-227 MFD, 110-125 VAC, WITH 6" LEADS
CPT01516	CAPACITOR; OVAL MOTOR RUN, 25+5 MFD, 440 VAC, DUAL CAPACITANCE
CPT01523	CAPACITOR; OVAL MOTOR RUN, 55+10 MFD, 440 VAC, DUAL CAPACITANCE
CPT01524	CAPACITOR; OVAL MOTOR RUN, 45+5 MFD, 440 VAC, DUAL CAPACITANCE
CPT01531	CAPACITOR; OVAL MOTOR RUN, 370 VAC, 30 MFD
CPT01533	CAPACITOR; MOTOR RUN, 440 VAC, 50 MFD
CPT01534	CAPACITOR; MOTOR RUN, 370 VAC, 25 MFD, ROUND
CPT01535	CAPACITOR; MOTOR RUN, 370 VAC, 30 MFD, ROUND
CPT01537	CAPACITOR; MOTOR RUN, 370 VAC, 40 MFD, ROUND
CSF00012	CRANKSHAFT;
CSF00014	CRANKSHAFT;
CSF00015	CRANKSHAFT; MODEL E COMPRESSOR
CSF00028	CRANKSHAFT;WITH PLUGS
CSF00029	CRANKSHAFT; 5 CYL W/MAG PLUGS
CSF00030	CRANKSHAFT;
CSF00031	CRANKSHAFT;
CSF00048	CRANKSHAFT; 3 CYL., MODEL "M"
CSF00049	CRANKSHAFT; 4 CYL., MODEL "M"
CSF00051	CRANKSHAFT; 6 CYL., MODEL "M"
CSF00056	CRANKSHAFT; ASSEMBLY, W/PLUGS, MODEL R-40 TON
CSF00057	CRANKSHAFT; ASSEMBLY, MODEL R-50 TON
CSF00058	CRANKSHAFT; ASSEMBLY, W/PLUGS, MODEL R-60 TON,
CSF00069	CRANKSHAFT; UNDERSIZED MODEL F3, OPEN
CSF00072	CRANKSHAFT; REMANUFACTURED, UNDERSIZE MODEL F6, OPEN, SERVICE FIRST.
CSF00101	CRANKSHAFT;ASSEMBLY, 35 TON MODEL R COMPRESSOR
DHY00337	DRIER; PURGE FILTER (DPU-1GD6211-2)
DHY00950	DRIER; VALCON SUCTION LINE, BLOCK STYLE, DUAL ACCESS VALVE, 8CI 5/8 ODF, TS-85S
DHY00972	DRIER; SUCTION LINE FILTER WITH ACTIVATED CARBON, 3/4 ODF, ASK 306S VV HH STD
DHY00973	DRIER; SUCTION LINE FILTER WITH ACTIVATED CARBON, 7/8 ODF, ASK 307S VV HH STD
DHY01031	DEHYDRATER, EXTENDED END FILTER DRIER, SPUN COPPER SHELL, 1/4" CONNECTION, 1/2 TON ON R-22
DHY01032	DEHYDRATER, EXTENDED END FILTER DRIER, SPUN COPPER SHELL, 3/8" CONNECTION, 1-1/2 TON ON R-22
DHY01033	DEHYDRATER, EXTENDED END FILTER DRIER, SPUN COPPER SHELL, 1/4" CONNECTION, 1-1/2 TON ON R-22
DHY01036	DRIER; VALCON LIQUID LINE FILTER, BLOCK STYLE, 8 CI, 3/8 SAE, TD-083
DHY01046	DRIER; VALCON LIQUID LINE FILTER, BLOCK STYLE, 30C1, 1/2 SAE, TD-304
DHY01050	DRIER; VALCON BI-DIRECTIONAL HEAT PUMP, BLOCK STYLE, 16CI, 1/2 ODF, TBF-164S
DHY01053	DRIER; FILTER

Part No.	Description
DHY01054	DRIER; FILTER/LIQUID LINE, EK BEADED FILTER, 8 CI, 3/8 IN ODF, 3/8 IN ODM, EK083SFM
DHY01059	DRIER, LIQUID LINE FILTER DRIER, BLOCK STYLE, 16CI, 3/8" ODF, DCL163S
DHY01064	DRIER, LIQUID LINE FILTER DRIER, BLOCK STYLE, 30CI, 3/8" ODF, DCL303S
DHY01065	DRIER, LIQUID LINE FILTER DRIER, BLOCK STYLE, 30CI, 1/2" SAE, DCL304
DHY01071	DRIER, LIQUID LINE FILTER DRIER, BLOCK STYLE, 41CI, 1/2" ODF, DCL414S
DHY01072	DRIER, LIQUID LINE FILTER DRIER, BLOCK STYLE, 41CI, 5/8" SAE, DCL415
DHY01073	DRIER, LIQUID LINE FILTER DRIER, BLOCK STYLE, 41CI, 5/8" ODF, DCL415S
DHY01092	DRIER; PIE SHAPED, ENERGY WHEEL, DESICCANT SEGMENT
DHY01094	DRIER; FILTER, CATCH-ALL LIQUID LINE, C-032, SEALED, SOLID CORE, 1/4 SAE FLARE
DHY01095	DRIER; FILTER, CATCH-ALL LIQUID LINE, C-033-S, SEALED, SOLID CORE, 3/8 ODF SOLDER
DHY01106	DRIER; FILTER, COMPACT, SUCTION LINE ODF SOLDER, C-144-S-TT-HH, SEALED, SOLID CORE
DHY01107	DRIER; FILTER, COMPACT, SUCTION LINE ODF SOLDER, C-145-S-TT-HH, SEALED, SOLID CORE
DHY01108	DRIER; FILTER, COMPACT, SUCTION LINE ODF SOLDER, C-146-S-TT-HH, SEALED, SOLID CORE
DHY01115	DRIER; FILTER, SUCTION LINE ODF SOLDER, C-165-S-T-HH, SEALED, SOLID CORE
DHY01116	DRIER; FILTER, SUCTION LINE ODF SOLDER, C-166-S-T-HH, SEALED, SOLID CORE
DHY01117	DRIER; FILTER, SUCTION LINE ODF SOLDER, C-167-S-T-HH, SEALED, SOLID CORE
DHY01118	DRIER; FILTER, CATCH-ALL LIQUID LINE, C-165-S, SEALED, SOLID CORE, 5/8 ODF SOLDER
DHY01119	DRIER; FILTER, CATCH-ALL LIQUID LINE, C-163, SEALED, SOLID CORE, 3/8 ODF SOLDER
DHY01127	DRIER; FILTER, CATCH-ALL LIQUID LINE, C-303, SEALED, SOLID CORE, 3/8 SAE FLARE
DHY01132	DRIER; FILTER,CATCH-ALL LIQUID LINE, C-417-S, SEALED, SOLID CORE, 7/8 ODF SOLDER
DHY01133	DRIER; FILTER, SUCTION LINE ODF SOLDER, C-417-S-T-HH, SEALED, SOLID CORE
DHY01134	DRIER; FILTER, CATCH-ALL LIQUID LINE, C-419-S, SEALED, SOLID CORE, 1-1/8 ODF SOLDER
DHY01135	DRIER; FILTER, SUCTION LINE ODF SOLDER, C-419-S-T-HH, SEALED, SOLID CORE
DHY01142	DRIER; FILTER, SUCTION LINE ODF SOLDER, C-607-S-T-HH, SEALED, SOLID CORE
DHY01143	DRIER; FILTER, SUCTION LINE ODF SOLDER, C-609-S-T-HH, SEALED, SOLID CORE
DHY01144	DRIER; FILTER, CATCH-ALL REPLACEABLE CORE TYPE, ONE CORE, C-485, LIQUID LINE, 5/8 ODF SOLDER
DHY01162	DRIER; FILTER, CATCH-ALL REPLACEABLE CORE TYPE, THREE CORES, C-14411, LIQUID LINE, 1-3/8 ODF
DHY01186	DRIER; LIQUID LINE FILTER DRIER, 3/8 MALE FLARE INLET, 3/8 FEMALE FLARE OUTLET, EK083MF
DHY01187	DRIER; FILTER, LIQUID LINE, .50 ODF INLET, .317 ODF OUTLET, HIGH WATER CAPACITY
DOR00249	DOOR; CONTROL
DOR00250	DOOR; ACCESS, NOW SHIPS UNPAINTED, PAINT COLOR WAS EXECUTIVE BEIGE
DOR00649	DOOR;BURNER SECTION
DOR00650	DOOR; BURNER DOOR ONLY
DOR00651	DOOR;BURNER SECTION
DOR00652	DOOR; BURNER SECTION
DOR00655	DOOR;BLOWER
DOR00919	DOOR;FURNACE
DOR00931	DOOR; ACCESS
DOR00940	DOOR;FURNACE, INCLUDES GLS0164
DOR00941	DOOR;FURNACE, INCLUDES GLS0164
DOR00944	DOOR;FURNACE, INCLUDES GLS0164
DOR00945	DOOR;FURNACE, INCLUDES GLS0164
DOR00956	DOOR;FURNACE, INCLUDES GLS0164
DOR00957	DOOR;FURNACE, INCLUDES GLS0164
DOR01050	DOOR; BEZEL

Part No.	Description
DOR01060	DOOR;ASSEMBLY, X-LINE CONTROL PANEL
DOR01063	DOOR; REPL. BLOWER DOOR ASSEMBLY, INCL. INSULATION, 1/4 TURN LATCH, WINDOW PLUG AND DOOR CLIPS
DOR01064	DOOR; REPLACEMENT BLOWER DOOR ASSEMBLY, INCLUDES SIGHT GLASS
DOR01065	DOOR; REPLACEMENT BLOWER DOOR ASSEMBLY
DOR01069	DOOR; FILTER
DOR01073	DOOR; CONTROL ACCESS W/O KEY LOCK
DOR01125	DOOR-CONTROL PANEL
DOR01144	DOOR; ACCESS W/O LOCK SOFT DOVE
DOR01145	DOOR; ACCESS W/O LOCK CAMEO WHITE
DOR01146	DOOR; ACCESS W/O LOCK DRIFTWOOD GREY
DOR01149	DOOR; FURNACE DOOR ONLY. FOR REPLACEMENT ORDER DOOR ASSEMBLY WITH CLIP. SEE PARTS LIST.
DOR01160	DOOR; FURNACE DOOR ONLY.
DOR01184	DOOR; CENTER POWER
DOR01186	DOOR; CONTROL PANEL
DOR01187	DOOR; REPLACEMENT BLOWER DOOR ASSEMBLY
DOR01189	DOOR; BLOWER
DOR01198	DOOR; RIGHT POWER
DOR01212	DOOR;ASSEMBLY, LH ACCESS
DOR01213	DOOR;ASSEMBLY, RH ACCESS
DOR01214	DOOR;ASSEMBLY (HIM)
DOR01228	DOOR; STAT ACCESS W/LOCK COLOR - DELUXE BEIGE FC & FF 020-120 UNITS
DOR01229	DOOR; STAT ACCESS W/LOCK COLOR - SOFT DOVE
DOR01230	DOOR; STAT ACCESS W/LOCK COLOR - CAMEO WHITE
DOR01231	DOOR; STAT ACCESS W/LOCK COLOR - DRIFTWOOD GREY
DOR01276	DOOR; CONTROL ACCESS W/ KEY LOCK FC/FF030 & 120 CABINET UNITS
DOR01277	DOOR; CONTROL ACCESS W/ KEY LOCK FC/FF040 & 080 CABINET UNITS,DELUXE BEIGE
DOR01287	DOOR; REPLACEMENT BURNER DOOR ASSEMBLY
DOR01289	DOOR; REPLACEMENT BURNER ASSEMBLY W/HANDLE
DOR01290	DOOR; REPLACEMENT BURNER ASSEMBLY
DOR01450	DOOR; BURNER
DOR01451	DOOR; BURNER
DOR01572	DOOR; BURNER
DOR01573	DOOR; BURNER ONLY, DOES NOT INCLUDE HANDLE
DOR01574	DOOR; BURNER
DOR01637	DOOR; 23.5 INCH, AIR HANDLER
DOR01638	DOOR; 26.0 INCH, AIR HANDLER
DOR01640	DOOR; 17.5 INCH, FURNACE
DOR01641	DOOR; 21.0 INCH, FURNACE
DOR01737	DOOR; ASSY., EXECUTIVE BEIGE TSC #35,40, ML/LRG, FAN, W/O WINDOW, LH ACCESS
DOR01781	DOOR; BLOWER W/SIGHT GLASS
DOR01922	DOOR; BLOWER DOOR
DOR02204	DOOR; ASSY., EXECUTIVE BEIGE, TSC #30 RH W/VFD, ACCESS
DOR02240	DOOR; ASSEMBLY W/ADHESIVE, FLIP-UP TYPE, FOR UV RADIATION ON AN OUTDOOR CHILLER
DOR02266	DOOR; ASSY., MCCB 12 MED ACCESS W/O WINDOW, ACCESS/INSPECTION
DOR02624	DOOR; REPLACEMENT BLOWER DOOR ASSEMBLY

Part No.	Description
DOR02627	DOOR; REPLACEMENT BLOWER ASSEMBLY
DOR02628	DOOR; REPLACEMENT BLOWER DOOR ASSEMBLY
DOR02632	DOOR; REPLACEMENT BLOWER DOOR ASM
DOR02752	DOOR; REPLACEMENT BLOWER DOOR ASM.
DOR02754	DOOR; REPLACEMENT BLOWER DOOR ASM.
DOR02755	DOOR; REPLACEMENT BLOWER DOOR ASM.
DRV00048	DRIVE; COMPRESSOR VARIABLE SPEED
DRV00100	DRIVE; COMPRESSOR
DRV00137	DRIVE; 200/230V 20HP, VARIABLE FREQUENCY, FOR KEYPAD ORDER PAD00186
DRV00138	DRIVE; 200/230V 25,30HP, VARIABLE FREQUENCY
DRV00141	DRIVE; 400/460V 5HP, VARIABLE FREQUENCY
DRV00142	DRIVE; 400/460V 7.5HP, VARIABLE FREQUENCY
DRV00143	DRIVE; 400/460V 10HP, VARIABLE FREQUENCY
DRV00144	DRIVE; 400/460V 15HP, VARIABLE FREQUENCY
DRV00145	DRIVE; 400/460V 20HP, VARIABLE FREQUENCY, FOR KEYPAD ORDER PAD00186
DRV00147	DRIVE; 400/460V 40HP, VARIABLE FREQUENCY
DRV00148	DRIVE; 400/460V 50HP, VARIABLE FREQUENCY, FOR KEYPAD ORDER PAD00186
DRV00155	DRIVE; MAIN INTERNAL, NEW, 600HP, LIQUIFLO 1.0,
DRV00160	DRIVE; 208/230V, 2 HP, 1.5 KW, VARIABLE FREQUENCY, FOR KEYPAD ORDER MOD00945
DRV00163	DRIVE; 400/460V, 2 HP, 1.5 KW, VARIABLE FREQUENCY, FOR KEYPAD ORDER MOD00945
DRV00167	DRIVE; 400/460V, 7.5 HP, 5.5 KW, VARIABLE FREQUENCY, FOR KEYPAD ORDER MOD00945
DRV00168	DRIVE; 208/230V, 7.5 HP, 5.5 KW, VARIABLE FREQUENCY, FOR KEYPAD ORDER MOD00945
DRV00195	DRIVE; 4 H.P., 400/460 VOLT, FOR KEYPAD ORDER MOD00945
DRV00196	DRIVE; 10HP CONSTANT AND 15HP VARIABLE, 460V, FOR KEYPAD ORDER MOD00945
DRV00214	DRIVE; 460V, 15HP, VARIABLE FREQUENCY, FOR KEYPAD ORDER MOD00945
DRV00215	DRIVE; 460V, 20 HP, VARIABLE FREQUENCY, FOR KEYPAD ORDER MOD00945
DRV00216	DRIVE; 460V, 25 HP, VARIABLE FREQUENCY, FOR KEYPAD ORDER MOD00945
DRV00222	DRIVE; 460V, 75HP, LESS KEYPAD, VARIABLE FREQUENCY, FOR KEYPAD ORDER MOD00945
DSK00092	DISK; RUPTURE, 3 IN.NPS, 15 NPS/300F 150# FLANGE RATING
DSK00093	DISK;RUPTURE,4 INCH NPS, 15PSI/300F, 150# FLANGE RATING
DSK00094	DISK; RUPTURE,2 IN. NPS, 15 PSI/300F 150# FLANGE RATING
DSK00096	DISK; RUPTURE, 4", REVERSE BUCKLING, 15 PSIG RATING
DSK00110	DISK; RUPTURE GUARD, 3 IN. (INCL. QTY 2 O-RINGS)
DSK00118	DISK; RUPTURE, 4 INCH WELDED FRX, INCLUDES 2 O-RINGS
ELM00008	ELEMENT; HEATING, 2600 W, 208 V, .31 DIA X 49 INCH ACTIVE LG
ELM0015E	ELEMENT
ELM0016E	ELEMENT
ELM01042	ELEMENT;FOR HYDRAULIC OIL FILTER ASSEMBLY
ELM01045	ELEMENT;HEATER, 240V, 5 KW, 1 PHASE
ELM01405	ELEMENT; OIL/REFRIGERANT FILTER 3.65 OD X 12.90 INCLUDES O-RING
FAN00024	FAN; WHEEL, STEEL, 12 X 12, 1.000IN.BORE,BELT ROTATION DUAL CENTER DISC
FAN00031	FAN;WHEEL,STEEL, 10 DIA X 10 LG, .750 BORE, BELT
FAN00104	FAN;WHEEL,13-1/2IN. FC, DWDI,15/16IN. BORE, TYPE EF DW2,LOW PRESSURE
FAN00105	FAN;WHEEL, 18-1/4IN. FC, DWDI, 1-3/16IN. BORE, TYPE EF DW2,LOW PRESSURE
FAN00106	FAN;WHEEL, 22-1/4IN. FC, DWDI, 1-3/16IN.BORE

Part No.	Description
FAN00147	FAN;WHEEL,STEEL,12 X 9,1.000IN. BORE,BELT ROTATION DUAL CENTER DISC
FAN00161	FAN;4-BLADE, STEEL, 42 DIA, 27 DEG, 1.00 BORE, CW
FAN00240	WHEEL; 20 IN.DIA., DWDI,2 IN. BORE, W/HUB CLAMPS, FC FAN
FAN00259	FAN;4-BLADE,STEEL, 48 DIA, 27 DEG., 1.00 BORE, CW
FAN00264	WHEEL; 18.25IN. DIA., DWDI, 3 IN. BORE, W/HUB CLAMPS, FC FAN
FAN00265	FAN;WHEEL, FC,15IN.DIA., DWDI, 3IN. BORE, W/HUB CLAMPS
FAN00266	WHEEL; 13.50IN. DIA., DWDI, 4 IN. BORE, W/HUB CLAMPS, FC FAN
FAN00267	FAN;WHEEL, 16.5IN. FC, DWDI, 3.5IN. BORE INCLUDES HUB CLAMPS
FAN00270	FAN;WHEEL, 18 1/4IN. FC, DWDI, 4IN. BORE, INCLUDES HUB CLAMPS
FAN00271	WHEEL; FC, 16.50IN.DIA., DWDI, 5 IN. BORE, W/HUB CLAMPS
FAN00330	WHEEL; 16 1/2IN., DWDI, 4IN. BORE DIA., FC FAN
FAN00334	FAN;WHEEL, 7.5IN. FC, DWDI, 1-3/16IN. BORE
FAN00435	FAN; 3 BLADE, ALUM., 13.5 DIA, 17 DEG, .625 BORE, CW
FAN00436	FAN; 3 BLADE, ALUM., 13.5 DIA, 30 DEG, .625 BORE, CW
FAN00437	FAN;3 BLADE,ALUM., 13.5 DIA,26 DEG, .625 BORE, CW
FAN00442	FAN;3 BLADE,ALUM, 13.5 DIA,24 DEG, .50 BORE, CW
FAN00452	FAN;3-BLADE,STEEL, 25.25 DIA,20 DEG, .5 BORE, CW
FAN00552	FAN;BLOWER,COMBUSTION,W/MOTOR, 207-253/60/1
FAN00601	FAN;WHEEL, STEEL, 20 X 21, 2 7/16IN. BORE
FAN00602	FAN; WHEEL,GAW STEEL,20 X 20.94IN. BORE,W/2 SET SCREWS STEEL HUB
FAN00603	FAN;WHEEL, BLOWER
FAN00604	FAN;WHEEL,STEEL, 15 DIA X 15 LG, 1.938 BORE, BELT
FAN00617	FAN;WHEEL,ALUM, 8 DIA X 12 LG,.50 BORE, CW
FAN00626	FAN;WHEEL,STEEL,15 DIA X 9 LG,1.438 BORE, BELT ROTATION
FAN00628	FAN;4-BLADE, STEEL, 28 DIA,27 DEG, .625 BORE, CW
FAN00651	FAN; WHEEL, STEEL, 8 DIA X 5.50 LG, .50 BORE, CCW
FAN00652	FAN; WHEEL, STEEL, 9 DIA X 5 LG, .50 BORE, CCW
FAN00653	FAN; WHEEL, STEEL, 9 DIA X 6 LG, .50 BORE, CCW
FAN00680	FAN;WHEEL,STEEL, 10 DIA X 6 LG,.50 BORE, CW
FAN00693	FAN;ASSEMBLY
FAN00695	FAN;WHEEL,STEEL,12 DIA X 11 LG, 2.688 BORE, BELT
FAN00698	FAN;WHEEL,STEEL,15 DIA X 11 LG,2.688 BORE, BELT
FAN00711	FAN;WHEEL,STEEL,12 DIA X 12 LG,1.438 BORE, BELT
FAN00715	WHEEL; 36.50 BI, DWDI, 5.486 BORE, CLASS 1, FAN
FAN00731	WHEEL; 27AF, 4.986 BORE CLASS 2
FAN00733	WHEEL; 30AF, DWDI, CLASS 1, FAN
FAN00734	WHEEL; DWDI, 4.986IN.BORE, CLASS 2, 30AF, FAN
FAN00736	WHEEL; 33 DWDI, 5.486 BORE, CLASS 1, AF FAN
FAN00737	WHEEL; DWDI, 4.986IN.BORE, CLASS 2, 33 AF FAN
FAN00740	FAN;WHEEL, AF, 36.50IN. DIA., DWDI, 5.486IN. BORE, CLASS 2
FAN00741	WHEEL; 36.5 AF, CLASS 2, FAN
FAN00743	WHEEL; DWDI, 4.986IN. BORE, CLASS 1, 40.25 AF FAN
FAN00747	WHEEL; BI, DWDI, CL 1, 30 IN, FAN
FAN00748	WHEEL; 33IN DIA., DWDI, 5.486IN BORE, CLASS 1 FAN
FAN00928	FAN;WHEEL, 16 1/2IN. FC, BI, 15/16IN. BORE, SW2-TYPE-EB

Part No.	Description
FAN00995	WHEEL; 16.5 BI FAN
FAN01001	FAN;WHEEL,STEEL,10 X 6,1.000IN. BORE CW ROTATION DUAL CENTER DISC
FAN01005	FAN; 3 BLADE,ALUMINUM,22IN.DIA. 30 DEG. PITCH,,50IN. BORE CW ROTATION, INTAKE HUB LOC.
FAN01036	WHEEL; 15IN. FC, DWDI, 2IN. BORE, INCLUDES HUB CLAMPS
FAN01037	WHEEL; 13.5IN. FC, DWDI, 2IN. BORE, INCLUDES HUB CLAMPS
FAN01045	WHEEL; CLASS 2, 24 DW AF, FAN
FAN01049	WHEEL; DWDI, 4.986 BORE, CLASS 1, 36.50 AF FAN
FAN01050	FAN;WHEEL ASSEMBLY, 40IN.
FAN01114	FAN; 5 BLADE,14 DIA, 34 DEG,,38 BORE, CW
FAN01115	FAN; 4 BLADE,16 DIA, 26 DEG,,38 BORE, CW
FAN01116	FAN; PROPELLER
FAN01117	FAN; 3 BLADE, 18 DIA, 28 DEG, .50 BORE, CW
FAN01118	FAN; 3 BLADE,18 DIA, 35 DEG, .50 BORE, CW
FAN01119	FAN;BLOWER ASSEMBLY, 3/4 BORE
FAN01157	FAN; WHEEL, STEEL, 23.25 DIA X 22.38 LG, 5.0 BORE, BELT
FAN01158	FAN; WHEEL, STEEL, 25 DIA X 25 LG, 5.00 BORE, BELT
FAN01159	FAN; WHEEL, STEEL, 31 DIA X 27 LG, 5.00 BORE, BELT
FAN01160	FAN; WHEEL, STEEL, 28 DIA X 25 LG, 5.00 BORE, BELT
FAN01161	FAN; COMBUSTION BLOWER, 230/60/1, 2800 RPM, BALL BEARING, 2 MFD CPT AT 370V
FAN01209	FAN; 4 BLD, AL, 18 IN DIA, 34 DEG PITCH, CW, .50 BORE, DISCHARGE LOCK
FAN01247	FAN;3 BLD,AL,16IN.DIA,29 DEG PITCH,CW,.50 BORE,DISCHARGE LOC
FAN01249	FAN;4 BLADE,ALUMINUM,18IN. DIA., 27 DEG. PITCH, .50IN. BORE, CW ROTATION, INTAKE HUB LOC.
FAN01268	FAN;4-BLADE,ALUM,22 DIA, 30 DEG,.50 BORE, CW
FAN01311	FAN;BLOWER, W/MOTOR, DRAFT W/MOTOR
FAN01354	FAN; 3 BLD, AL, 18 IN DIA, 29 DEG PITCH, CCW, .50 BORE, INTAKE LOC
FAN01355	FAN;3 BLADE,14IN. DIA,26 DEG PITCH,.50IN. BORE,CCW ROTATION
FAN01438	FAN;BLADE-VENT MOTOR
FAN01439	FAN;BLADE, VENT MOTOR
FAN01494	FAN; 4 BLADE, 22IN. DIA., .50IN. BORE
FAN01495	FAN;4 BLADE,22IN. DIA,34 DEG PITCH,.50IN. BORE,CW ROTATION
FAN01498	FAN;3 BLADE,ALUM,22 DIA, 38 DEG,.50 BORE, CW
FAN01499	FAN;3 BLADE,ALUM,18 DIA, 34 DEG,.50 BORE, CW
FAN01501	FAN;3 BLADE,ALUM,14 DIA, 33 DEG,.50 BORE, CW
FAN02022	FAN; PROPELLER (1/2IN. BORE)
FAN02024	FAN; 4 BLADE,18 IN DIA, 32 DEG PITCH, .50 IN BORE, CW
FAN02103	FAN;HOUSING ASM., WITH WHEEL, 8IN. FAN
FAN02119	FAN; 11.25 DIA, 26 DEG., .500 BORE
FAN02120	FAN; 11.25 DIA, 26 DEG
FAN02121	FAN; 3 BLADE, 11 DIA, 23 DEG, .50 BORE, CW
FAN02124	FAN; 16.75 DIA.
FLR00120	FILTERS; FIBERGLASS ROLL, 35-3/8 WIDE X 65 FT LONG, 2 TO 2-1/2" THICKNESS
FLR00121	FILTER; ROLL, 65 FT. LG, 45 3/8 IN. WIDE
FLR00122	FILTER; ROLL, 65 FT. LG, 54 3/8 IN. WIDE
FLR00193	FILTER; PERMANENT
FLR00194	FILTER; RENEWABLE MEDIA, .75 X 13.38 X 41.50, W/FRAME

Part No.	Description
FLR00197	FILTER; RENEWABLE MEDIA, .75 X 13.38 X 77.50, W/FRAME
FLR00206	FILTER; MEDIA PADS, FOAM TYPE, 3/4 X 13-1/4 X 41-3/8
FLR00207	FILTER; DISPOSABLE MEDIA, 85 FT. ROLL
FLR00208	FILTER; PERMANENT
FLR00214	FILTER; RENEWABLE MEDIA (W/FRAME) .75 X 15.25 X 65.50
FLR00488	FILTER;PERMANENT, PANEL, 1.88 X 30.50 X 71.25, W/STL FRAME
FLR00499	FILTER; ROLL, MEDIA
FLR00504	FILTER; SUCTION
FLR00516	FILTER; AIR, 20X20X1 (CPD)
FLR00518	FILTER; AIR FILTER, 12 X 24 X 19 DEEP, 3 POCKET
FLR00519	FILTER; AIR FILTER, 24 X 24 X 19 DEEP, 6 POCKET
FLR00528	FILTER-(CPD)
FLR00759	FILTER; MEDIA, POLYURETHANE, 20 X 25 X .25
FLR00779	FILTER; OIL/REFRIGERANT ELEMENT, REQUIRES RNG1410
FLR00860	FILTER; ELEMENT, REFRIGERATION ELEMENT (REQUIRES RNG01157, BUT NOT INCLUDED WITH THE FILTER)
FLR00861	FILTER; ASSEMBLY (INCLUDING ELEMENT)
FLR00928	FILTER; OIL, SPIN ON, 5.5" LENGTH, 3 MICRON
FLR00951	FILTER; ASSEMBLY (INCLUDING ELEMENT)
FLR00952	FILTER; REFRIGERANT ELEMENT
FLR00953	FILTER; RACK ASSY
FLR00957	FILTER; COMPLETE REFRIGERANT
FLR00970	FILTER; VARIFLOW SC
FLR00971	FILTER; CARTRIDGE
FLR00972	FILTER; CARTRIDGE
FLR01303	FILTER; HYDRALIC OIL, (COMPLETE), ELM1042 - ELEMENT ONLY
FLR01353	FILTER; OIL, 2.75 OD X 6.35, 35-60T COMPR. INCLUDES GKT3057 & WAS0826
FLR01411	ELECTRONIC AIR FILTER; 1000 CFM, 16 X 20
FLR01412	ELECTRONIC AIR FILTER; 1400 CFM, 16 X 25
FLR01415	ELECTRONIC AIR FILTER; 2000 CFM, 20 X 25
FLR01575	FILTER;IGBT SNUBBER ASSY
FLR01576	FILTER; BEHIND INTAKE GRILLE, WASHABLE
FLR01577	FILTER; VENT
FLR01585	FILTER, ACCESS DOOR KIT ASM (BAYFLTR206)
FLR01592	FILTER; OIL, SPIN-ON, 8.0" LENGTH, 3 MICRON
FLR03434	FILTER; COMPRESSOR OIL
FUS00541	FUSE; TIME DELAY, DUAL ELEMENT, 125VAC, S-6 1/4 (ONE CARTON = 4 PIECES), 6 1/4 AMP, 600V
FUS00660	FUSE; 5 AMP., 32 VOLT, SLO BLO
FUS00971	FUSE; 10A, 600V.
GAG00047	GAUGE;DISCHARGE PRESSURE VALVE FOR THIS GAUGE IS VAL1428, 0-600 PSI
GAG00048	GAUGE, SUCTION PRESSURE VALVE FOR THIS GAUGE IS VAL1428, 0-300 PSI
GAG00049	GAUGE; OIL PRESSURE VALVE FOR THIS GAUGE IS VAL1428, 0-330 PSI
GAG00070	GAUGE; PRESSURE, 0-60 PSI, 2.50IN. DIAL
GAG00071	100.96 GAUGE; 30/30 PRESSURE
GAG00072	67.76 GAUGE; PRESSURE, 0-160 PSI, 2.50IN.DIAL
GAG0049E	GAUGE

Part No.	Description
GAG0049E	GAUGE
GKT00104	GASKET; DISCHARGE CONN, .125 THK X 11.00 DIA, NOT R123 COMPATIBLE FOR R123 USE GKT2283
GKT00105	GASKET; FLANGE, 2ND STAGE INLET, NOT R123 COMPATIBLE FOR R123 USE GKT2288
GKT00123	GASKET;OIL PUMP BRACKET
GKT00499	GASKET; FLARE, 1/4IN., .36 OD X .20 ID
GKT00500	GASKET; HEAD ASSEMBLY, .12 THK X 9.06 X 13.5 NOT R123 COMPATIBLE FOR R123 USE GKT2284
GKT00501	GASKET; .12 THK X 3.50 X 5.62 NOT R123 COMPATIBLE FOR R123 USE GKT2233
GKT02833	GASKET;CAPACITY CONTROL (NON-ASBESTOS) R-123 COMPATIBLE LAKJK
GKT02834	GASKET;SEAL COVER (NON-ASBESTOS) R-123 COMPATIBLE LAKJK
GKT02836	GASKET;SIGHT GLASS (NON-ASBESTOS) R-123 COMPATIBLE LAKJK
GKT02838	GASKET;3IN.FLANGE - 300#
GKT02839	GASKET;4IN.FLANGE - 300#
GKT02840	GASKET;6IN.FLANGE - 300#
GKT02841	GASKET;6.75 OD X 4.75 ID, R123 COMPATIBLE
GKT03852	GASKET; COMPRESSOR FILTER COVER
GKT03859	GASKET; FOR 18975 (5-PAK)
GKT03860	GASKET; 1/8" QUICK COUPLER GASKET (10 PAK)
GKT03865	GASKET;SUCTION CVR M&N GP2
GKT03866	GASKET;TERM PLT M&N
GLS00004	GLASS;SIGHT
GLS00034	GLASS; SIGHT
GLS00039	GLASS;SIGHT ...2 WK LEADTIME
GLS00047	GLASS; SIGHT, 1.12 ODS MOISTURE INDICATOR, 2 WEEK LEADTIME
GLS00049	GLASS; SIGHT W/ CAP
GLS00079	GLASS; SIGHT ASSEMBLY(TD) DB, .63 ODS MOISTURE INDICATOR
GLS00083	GLASS;SIGHT
GLS00088	GLASS;SIGHT, 1-1/8-24
GLS00132	GLASS; MOISTURE/LIQUID INDICATOR, 3/8 SWEAT X FEMALE FLARE SWIVEL (AMI-1SU3STD)
GLS00133	GLASS; MOISTURE/LIQUID INDICATOR, 1/2 SWEAT X FEMALE FLARE SWIVEL (AMI-1SU4STD)
GLS00135	SIGHT GLASS; SADDLE BODY, .812 RADUIS, 1.125-24 THREAD
GLS00138	GLASS-SIGHT
GLS00909	GLASS; SIGHT, 1/2 MALE FLARE, SA-14
GLS00910	GLASS; SIGHT, 1/2 FEMALE AND MALE FLARE, SA-14FM
GLS00946	GLASS; SIGHT (33100690)
GLS00947	GLASS; SIGHT (34012020)
GLS00950	GLASS; TITAN/BRUTE II SIGHT GLASS,
GLS00951	GLASS; MOISTURE AND LIQUID INDICATOR
GRD00956	GUARD;FAN, 30.00 DIA.
GRD01607	GUARD; HAIL, END PANEL, 39.12 W X 42.50 H
GRD01608	GUARD; HAIL, REAR PANEL, 33.75 W X 42.50 H
GRD01609	GUARD; HAIL GUARD ACCESSORY (BAYGARD036BB)
GRD01610	GUARD; HAIL GUARD ACCESSORY (BAYGARD037BB)
GRD01611	GUARD; HAIL GUARD ACCESSORY (BAYGARD040BB)
GRD01612	GUARD; HAIL GUARD ACCESSORY (BAYGARD041BB)
GRD01617	GUARD; BUMPER, LOWER CORNER, 20.04 X 3.33

Part No.	Description
GRD01618	GUARD; BUMPER, UPPER CORNER, 11.81 X 6.83
GRD01621	GUARD; BUMPER, UPPER CORNER, 17.81 X 6.83
GRD01625	GUARD; WIRE; 28.60 X 16.75, BLACK
GRD01628	GUARD; COIL 36.5 X 72
GRD01631	GUARD; HAIL, SIDE, "C" CABINET LEFT GUARD, 35.905 WIDE X 49.387 TALL
GRD01633	GUARD; TROUGH-LEAD
HSE00139	HOSE; 1.38 ID X 1.75 OD X 15.7 LONG
HSE00161	HOSE; OIL VENT, .88 ID X 1.16 OD X 5.25 LONG
HSE00162	HOSE; OIL VENT, .88 ID X 1.16 OD X 6.25 LONG
HSE00278	HOSE;AIR (5 FEET)
HSE00296	HOSE;15 FT. SINGLE VACUUM (NO FITTINGS, W/3/4 IN. NPTE ENDS)
HSE00297	HOSE;25 FT. SINGLE VACUUM (NO FITTINGS, W/3/4 IN. NPTE ENDS)
HSE01161	HOSE; CHARGING, 1/4 IN, BLUE, 36 IN, HA36B
HSE01162	HOSE; CHARGING, 1/4 IN, RED, 36 IN, HA36R
HSE01163	HOSE; CHARGING, 1/4 IN, YELLOW, 60 IN, HA60Y
HSE01164	HOSE; CHARGING, 1/4 IN, BLUE, 60 IN, HA60B
HSE01165	HOSE; CHARGING, 1/4 IN, RED, 60 IN HA60R
HSE01166	HOSE; CHARGING, 1/4 IN, YELLOW, 72 IN, HA72Y
HSE01177	HOSE; CHARGING, 1/4 IN, RED, 60 IN, HAV60R
HSE01178	HOSE; CHARGING, 1/4 IN, YELLOW, 72 IN, HAV72Y
HSE01179	HOSE; CHARGING, 1/4 IN, BLUE, 72 IN, HAV72B
HSE01180	HOSE; CHARGING, 1/4 IN, RED, 72 IN, HAV72R
HSE01181	HOSE; CHARGING, 1/4 IN, 3-PAK, 36 IN, HAV36RYB
HSE01190	HOSE; CHARGING, 1/4 IN, YELLOW, 72 IN, HAVS72Y
HSE01191	HOSE; CHARGING, 1/4 IN, BLUE, 72 IN, HAVS72B
HSE01192	HOSE; CHARGING, 1/4 IN, RED, 72 IN, HAVS72R
HSE01193	HOSE; CHARGING, 1/4 IN, 3-PAK, 36 IN, HAVS36RYB
HSE01194	HOSE; CHARGING, 1/4 IN, 3-PAK, 60 IN, HAVS60RYB
HSE01195	HOSE; CHARGING, 1/4 IN, 3-PAK, 72 IN, HAVS72RYB
HSE01203	HOSE; CHARGING, 1/4 IN, BLUE, 72 IN, HBVV72B
HSE01204	HOSE; CHARGING, 1/4 IN, RED, 72 IN, HBVV72R
HTR00101	HEATER;ELECTRIC,120W, 440V
HTR00174	HEATER;CRANKCASE,60W,240/60/1,72IN. LEADS
HTR00176	HEATER; ELECTRIC, CRANKCASE, 60W, 480/60/1, 72 IN. LEAD
HTR0101E	HEATER
HTR01170	HEATER; ELECTRIC, 5.76KW, 240V
HTR01171	HEATER; ELECTRIC,3.33KW, 240V
HTR01197	HEATER;ELECTRIC, CRANKCASE, 75W, 240V
HTR01225	HEATER;CRANKCASE, 60W, 230V, MODEL H
HTR01226	HEATER;CRANKCASE, 60W, 460V, MODEL H
HTR01227	HEATER; CRANKCASE, 60W, 575V, MODEL H
HTR01619	HEATER;OIL COMPRESSOR
HTR01621	HEATER; ELECTRIC, ELEMENT ASSEMBLY, 9 KW, 240 V
HTR01622	HEATER; ELECTRIC, ELEMENT ASSEMBLY, 18 KW, 240 V
HTR02047	HEATER;ELECTRIC, 150W, 120V

Part No.	Description
IMP00136	IMPELLER; ABSORPTION
IMP00137	IMPELLER; ABSORPTION
IMP00346	IMPELLER; CONCENTRATOR
IMP00713	IMPELLER; 1ST STAGE
IMP00714	IMPELLER; 2ND STAGE
IMP00715	IMPELLER; 1ST STAGE
IMP00778	IMPELLER; ABSORBER
IMP00780	IMPELLER; ABSORBER, 5 RH, 7" PUMP, 6.0 CUTBACK
IMP00783	IMPELLER; ABSORBER
IMP02610	IMPELLER; 2ND STAGE 1040 TON CUTBACK TO 29.0 INCH
IMP02980	IMPELLER; 3RD STAGE 1040 TON CUTBACK TO 28.5 INCH
IMP03151	IMPELLER; 1ST STAGE 500T CUTBACK TO 27.5
INS00195	INSULATOR; INTERNAL
INS00196	INSULATION; EXTERNAL
INS00197	INSULATION; TERM PLATE, INTERNAL
INS00198	INSULATION; TERM PLATE, EXTERNAL
INS00199	INSULATION; INTERNAL, MOLDED PLASTIC
INS00200	INSULATION; EXTERNAL MOLDED PLASTIC
INS00204	INSULATION; BOOT
INS02231	INSULATION; LEFT
INS02232	INSULATION; RIGHT
INS02237	INSULATION; 1.0T X 1.0W 1 PCS = 1 FOOT
INS02243	INSULATION; FISH PAPER
INS02250	INSULATION; TRANSITION DUCT
INS02690	INSULATOR; MOTOR TERMINAL, LARGE INTERNAL
INS02691	INSULATOR; MOTOR TERMINAL, LARGE EXTERNAL
KIT07614	KIT; LIQUID LINE FILTER, (R134A) INCLUDES TWO FILTER SHELL GASKETS
KIT12559	KIT; WIRE HARNESS ADAPTER FEMALE GLOBAL CONNECTOR TO 4 WIRE RIBBON CABLE
LEV00091	LEVER; 1ST STAGE VANE
LEV00092	LEVER; SLOTTED, 1ST STAGE VANE
LEV00124	LEVER; VANE CONTROL, 4.68 HOLE CENTER
LEV00129	LEVER-PLATE ASSEMBLY
LEV00179	LEVER; PIVOT LINKAGE
LEV00180	LEVER; W/ NUT - BLT, CONTROL ARM
LEV00185	LEVER; ARM
LNR00033	LINER; CYL ASSEMBLY
LNR00034	LINER; CYLINDER ASSEMBLY, W/UNLOADER, STANDARD LIFT VALVES
LNR00035	LINER; CYLINDER ASM, W/UNLOADERS LOW LIFT VALVES
LNR00036	LINER; CYLINDER MODEL E COMPRESSOR
LNR00037	LINER; CYL. ASM.
LNR00151	LINER; DRAIN PAN, SIZE 06, 08, 10
LNR00153	LINER; DRAIN PAN
LUG00006	LUG; TERMINAL CONNECTOR
LUG00007	LUG; CONNECTOR, 1.55" LONG
LUG00044	LUG; TERMINAL, 4/0-500 KCMIL

Part No.	Description
LUG00046	TERM;3/8 IN STUD, #1 WIRE
LUG00052	LUG; 700A, 3/0-400 KCMIL
LUG00054	LUG; TERMINALS
LVR00021	LOUVER, VERTICAL
LVR00022	LOUVER; HORIZONTAL, STD, DARK GRAY COLOR ORDER PAI0061 AND REPAINT IF EXECUTIVE BEIGE REQUIRED
LVR00023	LOUVER;HORIZONTAL, DARK GRAY COLOR ORDER PAI0061 & REPAINT IF EXE. BEIGE REQ.
LVR00053	LOUVER; LEVER, DOOR SWITCH ASSEMBLY
LVR00055	LOUVER;HORIZONTAL
MOD00024	MODULE;LOGIC
MOD00027	MODULE; POWER SUPPLY
MOD00028	MODULE;OUTPUT
MOD00029	MODULE; OUTPUT
MOD00033	MODULE; SOLID STATE COMPRESSOR PROTECTOR
MOD00037	MODULE;MICRO, ADVANCED MOTOR PROTECTION, W/CWR
MOD00038	MODULE-MICRO, ADVANCED MOTOR PROTECTION, W/SCI
MOD00039	MODULE; WSHP, MODEL WPHE
MOD00054	MODULE;INVERTER INT. (1U4)
MOD00074	MODULE, UCP2, I/O
MOD00343	MODULE, GENERIC BAS CONTROLLER
MOD00350	MODULE, OPTIONS
MOD00365	MODULE, CHILLER
MOD00377	MODULE; LCOI PURGE RETROFIT HUMAN INTERFACE (MINUS COVER)
MOD00509	MODULE; EUROPEAN PCM LCD DISPLAY WITHOUT CABLE
MOD00510	MODULE; PCB, EVERYWARE PROTECTION
MOD00513	MODULE; FILTER BOX, F50E W/W8600E CIRCUIT BOARD, 120V, 60HZ, 16 X 25
MOD00671	MODULE; MAIN CIRCUIT TRANSISTOR
MOD00676	MODULE, 0-5VDC GBAS
MOD00677	MODULE, 0-10VDC GENERIC BLDG
MOD00678	MODULE, CURRENT SENSING
MOD00694	MODULE; CHILLER (RTHB)
MOD00861	TEST MODULE FOR 100 AND 400 SERIES DUCT SMOKE DETECTORS
MOD00868	MODULE; FOR 1/2 HP VARIABLE SPEED MOTOR, UNPROGRAMMED
MOD00869	MODULE; FOR 1.0 HP VARIABLE SPEED MOTOR, UNPROGRAMMED
MOD00883	MODULE; STEPPER RTHC
MOD00884	MODULE; CHILLER RTHC
MOD00889	MODULE; POWER ADAPTER BOARD
MOD00911	MODULE; STEPPER
MOD00915	MODULE; RECONDITIONED RMWD CHASSIS ASSEMBLY, HCFC123, WITH SCANNER
MOD00916	MODULE; RECONDITIONED RMWD CHASSIS ASSEMBLY, CFC-11, WITH SCANNER
MOD00917	MODULE; RECONDITIONED RMWD CHASSIS ASSEMBLY, HCFC22, WITH SCANNER
MOD00918	MODULE; RECONDITIONED RMWD CHASSIS ASSEMBLY, HFC134A, WITH SCANNER
MOD00924	MODULE; RECONDITIONED RMWD CHASSIS ASSEMBLY, HCFC123, WITHOUT SCANNER
MOD00925	MODULE; RECONDITIONED RMWD CHASSIS ASSEMBLY, CFC-11, WITHOUT SCANNER
MOD00926	MODULE; RECONDITIONED RMWD CHASSIS ASSEMBLY, HCFC22, WITHOUT SCANNER
MOD00942	MODULE; ADAPTIVE CONTROL, CLEAR LANGUAGE DISPLAY KEYPAD, NEMA 4

Part No.	Description
MOD00943	MODULE; REMOTE HUMAN INTERFACE
MOD00945	MODULE; KEYPAD DISPLAY
MOD00949	MODULE; UNITARY CONTROL PROCESSOR
MOD00983	MODULE; ADDER SUBTRACTOR (4U1 CONTROLLER)
MOD01007	MODULE; STEPPER, CTV
MOD01052	MODULE; COMPLEX CHARACTER CLEAR LANGUAGE DISPLAY
MOD01053	MODULE; REMOTE HUMAN INTERFACE 2
MOD01054	MODULE; CLD2,NEMA 4 RATING
MOD01141	MODULE; DP-4000 STYLE METERING DEVICE, THREE PHASE POWER SUPPLY, 110-600VAC
MOD01142	MODULE; TEMPERATURE CONTROL
MOD01190	MODULE; CTV CHILLER
MOD01191	MODULE; CIRCUIT
MOD01197	MODULE; LOCAL HUMAN INTERFACE
MOD01198	MODULE; MULTIPLE CIRCUIT COMPRESSOR (MCM)
MOD01232	MODULE; STARTER, UCP2
MOD01233	MODULE; HORIZON CHILLER
MOD01234	MODULE; HORIZON CIRCUIT
MOD01401	MODULE; HI POWER RELAY OUTPUT
MOD01402	MODULE TRIPLE WINDING TEMPERATURE INPUT
MOD01405	MODULE; COMM4 INTERFACE, PROGRAMMABLE IN THE FIELD
MOD01411	MODULE; BMTX TERMINATOR W/LOWER CARRIAGE
MOD01412	MODULE; CONTROL, RELIATEL OPTIONS
MOD01420	MODULE; MCSP
MOD01421	MODULE; CPM BASE WITH OPTION
MOD01422	MODULE; 70-400 TON CSR (RTAA-WA)
MOD01423	MODULE; EXV, RTAA/WA
MOD01424	MODULE; 70-125 TON CPM
MOD01425	MODULE; 70-125 TON MCSP
MOT01181	MOTOR; 115/60/1, 1100 RPM
MOT01207	MOTOR; 8.77 FRAME
MOT01212	MOTOR;1 1/2 HP, 575/60/3, 56 FR, 1140 RPM
MOT01493	MOTOR; HERMETIC, M COMPRESSOR, 20 TON, 200/230/50/60/3, 20 HP
MOT01495	MOTOR; HERMETIC, M COMPRESSOR, 30 TON, 200/230/50/60/3, 30 HP
MOT01496	MOTOR;DAMPER OPERATOR
MOT01499	MOTOR; 1/2 HP 208-230/60/1,48 FRAME, 5 MFD AT 370V, 660/1125 RPM
MOT01500	MOTOR; 1/25 HP, 115/60/1 1050 RPM, ENCL, SLEEVE
MOT01501	MOTOR; 1/25 HP, 115/60/1 1550 RPM, ENCL, SLEEVE
MOT01512	MOTOR; 1/2 HP, 230-460/60/3, 1100 RPM, ENCL, BB
MOT01513	MOTOR; 3/4 HP, 230-460/60/3, 1200 RPM, ENCL, 143T, BB
MOT01689	MOTOR; DAMPER WITH DRIVE DISC
MOT01701	MOTOR;24V, 60HZ
MOT01814	MOTOR; 1/3 HP, 400-460/50-60/1, 890-1070 RPM, 48 FR
MOT01880	MOTOR; 1/2 HP, 460/60/1, 1075 RPM, 48
MOT01930	MOTOR;ACTUATOR
MOT01963	MOTOR, 7.5 HP, 230-460/60/3, 213T FR, 1750 RPM

Part No.	Description
MOT02377	MOTOR: SHADED POLE, 2.3 AMP, 115/60/1, BB, DRAFTER/POWER VENTING
MOT02378	MOTOR, 230/460/60/1, POWER VENTING(COMBUSTION)
MOT02379	MOTOR;208/60/1, POWER VENTING
MOT02381	MOTOR, 3/4 HP, 115/60/1, ODP
MOT02427	MOTOR; 3/4HP, 400-46-/50-60/1, 1015 RPM, CCW, CLASS B SLEEVE BEARING, 20 MFD CPT AT 370V, 48 FR
MOT02430	MOTOR; ACTUATOR-SMALL PNEUMATIC, POSITIVE POSITIONER NOT AVAILABLE SEPARATELY
MOT02447	MOTOR; 1-1/2 HP, 200-230 /460V, 60HZ, 850 RPM, 11 5/8 IN.SHAFT
MOT02548	MOTOR;EVAP. FAN, 1/20 HP, 208-230/60/1, 1100 RPM
MOT02549	MOTOR;1/20 HP, 1100 RPM, 265/60, EVAPORATOR FAN
MOT02614	MOTOR; 1/8 HP, 200-230/60/1, 1075 RPM, TYPE PSC, 39 FRAME, CCW, SLEEVE BEARING, 5 MFD CPT AT 370V
MOT02615	MOTOR; 1/4 HP, 200/230/60/1, 1075 RPM, TYPE PSC, 39 FRAME CCW, SLEEVE BEARING, 7.5 MFD CPT AT 370V
MOT02618	MOTOR; 3/4HP, 400-460/50-60/1, 1075 RPM, CCW, CLASS B SLEEVE BEARING, 25 MFD CPT AT 370V, 48 FR
MOT02646	MOTOR; 1/4HP, 115/60/1, 1050RPM, 48 FRAME, CCW, SLEEVE BEARING, 10 MFD AT 370V.
MOT02647	MOTOR; 3/4 HP, 115/60/1, 1075RPM,CCW, 48, SLEEVE 20 MFD AT 370VAC
MOT02743	MOTOR, 1/5 HP, 480V, 1550 RPM
MOT02757	MOTOR; 1/4HP, 208-230/60/1, 1075 RPM, TYPE PSC, 48 FRAME CW, SLEEVE BEARINGS, 5 MFD CPT AT 370V
MOT02763	MOTOR; 1/3 HP, 460/60/1, 1075/950 RPM, 48, BB
MOT02947	MOTOR;POSITION
MOT02948	MOTOR; VALVE ACTUATOR, 110V 50HZ/120V 60HZ
MOT02970	VANE ACTUATOR; ASSEMBLY
MOT03078	MOTOR, 1 HP, 200-230/460 +/- 10 PERCENT, 50-60 HZ, 3 PH, 3450RPM, TOP, 2 POLE
MOT03079	MOTOR, 1 1/2 HP, 200-230/460/50-60/3, 3450 RPM, 2 POLE
MOT03080	MOTOR; 2HP, 200-230/460 +/- 10%, 50-60 HZ, 3 PH, 3450 RPM TOP, 2 POLE
MOT04096	MOTOR; 1/4 HP, 460/50-60/1, 1075 RPM, TYPE PSC, 48 FRAME, CCW, BALL BEARING, 7.5 MFD CPT AT 370V
MOT04103	MOTOR; 1/3 HP, 380-415/460/50/60/1, 1080 RPM, 48 FRAME, CW, TYPE PSC, SLEEVE BEARING, 12.5 MFD CPT AT 370V
MOT04244	MOTOR, 1/3 HP, 115/1/60, WO/TOL, 1725
MOT04371	MOTOR; 230/460/60/3, HE-ODP, 182T, 1800 RPM, F2, 3 HP
MOT04509	MOTOR; 1/5 HP, 265/60/1, 3 SPEED, 48 FR, 1075/900/700 RPM, 5 MFD @ 370V
MOT04544	MOTOR; 10 HP, 230/460/60/3, HE-TEFC, 215T, 1800 RPM, F1
MOT04545	MOTOR; 20 HP, 230/460/60/3, HE-TEFC, 256T, 1800 RPM, F1
MOT04660	MOTOR; ACTUATOR, 50/60HZ
MOT04664	ACTUATOR;MOTOR, 50/60HZ, 24 VOLT
MOT05724	MOTOR, 3/4 HP, PSC, 3 SPEED, DIRECT DRIVE, 15 MFD AT 370V
MOT05731	MOTOR, 1/2 HP, 347/60/1, 1090/900/700 RPM, 48
MOT06800	MOTOR; 1.5HP, 1140RPM, 200/460/60/3, 56 FRAME,OPEN DRIP PROOF TOP, BALL BEARING
MOT0869E	FAN MOTOR
NUT00020	NUT; LOCK, CONDUIT, .50 NOM
NUT00023	NUT; BULL'S EYE
NUT00024	NUT; HEX CAP, .25, COUPLING
NUT00043	NUT; HEX, .88-9
NUT00049	NUT; .50 FFL X 50 OD, FLARE
NUT00148	NUT; PLAIN, HEX, 10-32
NUT00150	NUT; HEX, SELF LOCKING, .38-16
NUT00152	NUT; SHAFT
NUT00153	NUT; SHAFT,

Part No.	Description
NUT00208	NUT; HEX, .44-14
NUT00210	NUT;HEX 3/8-24
NUT00230	NUT; HEX, .50-13
NUT00300	NUT; LOCK
NUT00302	NUT; BEARING LOCK, 2.55-18, AFBMA N-13,
NUT00303	NUT; WELD, ABSORPTION WATER BOX, .50-13 UNC
NUT00337	NUT; LOCK N-12
NUT00347	NUT; HEX, NYLON, .62-11
NUT00355	NUT; HEX, LOCK, 5/16IN.-18
NUT00382	NUT;SHAFT
NUT00386	NUT;SHAFT
NUT00449	NUT; M12 X 1.75
NUT00454	NUT; .38-16
NUT00457	NUT;PANEL FASTENER CLIP
NUT00522	NUT; .50-13
NUT00561	NUT; .31-18
NUT00696	NUT; .50 - 13 SELF LOCKING
NUT00697	NUT; U-TYPE, .31-18
NUT00699	NUT; CAGE #25-20
OIL00015	OIL; COMPRESSOR, 300 SUS, 1 GAL CONTAINER
OIL00022	OIL; (2 EA/CARTON) CENTRIFUGAL, WHITE MINERAL REFRIGERANT, GRADE 68, 2.5 GALLON CONTAINERS
OIL00031	OIL; COMPRESSOR; 300 SUS, 1 GAL CONTAINER - MINIMUM ORDER QUANTITY = 6
OIL00037	OIL; REFRIGERANT (6 GALLONS/CASE) (R-134) GRADE 68, 1 GAL
OIL00048	OIL; REFRIGERATION LUBRICANT ISO 68 POLYOL ESTER, 1 CONTAINER = 1 GALLON
OIL00049	OIL; REFRIGERANT (R-134),GRADE 68, FIVE GALLON CONTAINER
OPR00027	OPERATOR; ASSEMBLY, VANE (089-140)
OPR00028	OPERATOR; ASSEMBLY, VANE, (056-080)
OPR00029	OPERATOR; ASSEMBLY, VANE, (036-050)
OPR00030	OPERATOR; ASSEMBLY, VANE, (023-032)
OPR00031	OPERATOR; ASSEMBLY, VANE (013-020)
OPR00038	OPERATOR;DAMPER(CPD),SFHC
OPR00049	OPERATOR; ACTUATOR
OPR00064	OPERATOR; DAMPER, SPRING RETURN, 24V, 90 DEG STROKE, CCW
OPR00065	OPERATOR;DAMPER, 24VAC
OPR00067	OPERATOR; INTEGRATED VALVE, 24V, .75IN. STROKE
OPR00080	ACTUATOR; 5-10PSI, 4IN STROKE, PNEUMATIC
OPR00106	OPERATOR; NON-SPRING RETURN, 0-10V, ROTARY DAMPER
OPR00107	OPERATOR; MAIN GAS VALVE
OPR00118	ACTUATOR; 24VAC/24VDC 133 IN-LBS, 0-90 DEG, W/O CONNECTORS, SPRING RETURN
OPR00120	OPERATOR; HYDRONIC VALVE MODULATING, 24V
OPR00121	OPERATOR; DAMPER, SPRING RETURN, 24V, 90 DEG STROKE, CW
OPR00122	OPERATOR;ASM, 1ST STAGE TANG
OPR00159	OPERATOR; DAMPER, ON/OFF, SPRING RETURN, 24V W/AUXILIARY SWITCHES
OPR00160	OPERATOR; 30 PSIG, PNEUMATIC
OPR00164	OPERATOR; 25 PSIG, PNEUMATIC

Part No.	Description
OPR00186	ACTUATOR; DAMPER, SPRING RETURN, NORMALLY OPEN HONEYWELL PART #M4186H1005
OPR00245	ACTUATOR; VALVE, 24VAC, 50/60HZ HONEYWELL PART #M7405A1016
OPR00248	ACTUATOR; DAMPER, DUAL SHAFT, 120V, 50/60HZ MINIMUM ORDER QUANTITY 2 HONEYWELL PART #M7685A1025
OPR00300	ACTUATOR; WITH .50 TO 1.0" CLAMP, ROTARY 24 VAC, 133 IN-LBS, 0-90 DEG, W/ CONNECTORS, SPRING RETURN
OPR00301	OPERATOR; W/ 17" LEAD, NON-SPRING RETURN, ROTARY 24 VAC, DAMPER
OPR00321	OPERATOR; TANG ASSEMBLY, 8.49 OVERALL SHAFT LENGTH
OPR00322	OPERATOR; TANG ASSEMBLY, 8.23 OVERALL SHAFT LENGTH
OPR00323	OPERATOR; TANG ASSEMBLY, 9.99 OVERALL SHAFT LENGTH
OPR00324	OPERATOR; TANG ASSEMBLY, 10.90 OVERALL SHAFT LENGTH
OPR00325	OPERATOR; TANG ASSEMBLY, 7.56 OVERALL SHAFT LENGTH
OPR00326	OPERATOR; TANG ASSEMBLY, 11.90 OVERALL SHAFT LENGTH
OPR00327	OPERATOR; TANG ASSEMBLY, 11.99 OVERALL SHAFT LENGTH, WITH SPACER BENEATH LEVER
OPR00328	OPERATOR; TANG ASSEMBLY, 12.19 OVERALL SHAFT LENGTH, WITH SPACER BENEATH LEVER
OPR00329	VALVE ACTUATOR; SERIES 70 MODULATING CONTROL
PIN00823	48.20 PIN; DAMPER LINKAGE, .25 DIA X .68 LG IF NUT IS REQUIRED, ORDER NUT00338 (1 CTN = 10 PCS)
PIN00824	74.08 PIN; ROLL (1 CTN = 10 PCS)
PIN00832	348.03 PIN; .50 OD X 2.375 LONG
PIN00840	PIN; ROLL, 3/16 X 1 (1 CTN = 10 PCS)
PIN00841	PIN; ROLL, 3/16 IN X 1-1/2 IN (1 CTN = 10 PCS)
PIN00842	PIN; ROLL (1 CTN = 10 PCS)
PIN00850	PIN; COTTER (1 CTN = 10 PCS)
PIN00851	PIN; WIRE CONNECTOR (1 CTN = 10 PCS)
PIN00854	PIN; .500 DIA X 1.10 LG (1 CTN = 10)
PIN00856	PIN; .25 DIA X 2.25 LG (1 CTN = 10 PCS)
PIN00857	PIN; COTTER, VANE CONTROL ASSEMBLY .094 X .750 (1 CTN = 10 PCS)
PLT00126	PLATE; VALVE
PLT00129	PLATE; LOCATING
PLT00131	PLATE; TERMINAL
PLT00132	PLATE; LOCATING
PLT00135	PLATE; LOCATING
PLT00136	PLATE; TERMINAL
PLT00193	PLATE; FOR BEARINGS W/15/16 INCH BORE, BEARING SUPPORT
PLT00216	PLATE; TERMINAL
PLT00225	PLATE; TERMINAL
PLT00431	PLATE; FOR BEARINGS WITH 1-7/16 INCH BORE, BEARING SUPPORT
PLT00515	PLATE; VANE
PLT00532	PLATE; FOR BEARINGS WITH 1-3/4 INCH BORE, BEARING SUPPORT
PLT00643	PLATE; BOLT HOLE PATTERN, CENTER TO CENTER 3.89, BEARING
PLT00670	PLATE; QUADRANT
PLT00684	PLATE; VALVE, LOW LIFT
PLT01131	PLATE; MOTOR MOUNTING-FASCO MOTOR
PLT01138	PLATE; MOTOR MOUNTING (UNIVERSAL MOTOR)
PLT01141	PLATE; ORIFICE
PLT01142	PLATE; ORIFICE, 120 MBH
PLT01152	PLATE; CONTROL

Part No.	Description
PLT01154	PLATE;OUTSIDE AIR BLADE BACK-UP
PLT01643	PLATE; HANDLE MECHANISM, K-FRAME, VARI-DEPTH, WITH INTERNAL LOCK OFF
PLT01767	PLATE; BURNER WELD. DOES NOT INCLUDE GASKET USE GKT1565
PLT01768	PLATE; BURNER ASSEMBLY DOES NOT INCLUDE GASKET, USE GKT1565
PLT04404	PLATE; MOTOR MOUNTING
PLU00036	PLUG;PIPE, 3/4 NPT
PLU00052	PLUG; TUBE, REPAIR, .625, FOR .028 WALL
PLU00064	PLUG; .38 NPTF
PLU00069	PLUG;REPAIR
PLU00096	PLUG; PIPE,.12 NPS, SOCKET HEX
PLU00171	PLUG; TUBE, .625 RD
PLU00172	PLUG; SOCKET, 8 PIN
PLU00340	PLUG;FUSIBLE, 1/8 MPT, 210 DEG F FOR AC&R ACCUMULATORS SAME AS TRANSPORT PLU-275
PLU00342	PLUG;PIPE, 1/8 NPTM HEX HEAD, BRASS
PLU00344	PLUG;ORIFICE,CRANKSHAFT
PLU00410	PLUG; SPARK
PLU00439	PLUG; RUBBER
PLU00507	PLUG; CONNECTOR, 10-PIN
PLU00519	PLUG; HOLE, 7/8 DIA.
PLU00525	PLUG; POLARIZED, 5 PIN
PMP00009	PUMP;OIL, E COMPRESSOR
PMP00558	PUMP;OIL TANK HEAD
PMP00572	PUMP;AIR, 1/20HP, 110/115V-50/60HZ
PMP00573	PUMP;COMPRESSOR, 1/7 HP, 110/115V
PMP00574	PUMP; WATER, 115V
PMP00597	PUMP;HIGH TEMPERATURE SOLUTION
PMP00598	PUMP;HIGH TEMPERATURE SOLUTION
PMP00639	PUMP; MOTOR, 115V
PMP00642	PUMP; WO/MOTOR, 0-30 PSI
PMP00644	PUMP; RECIRCULATING
PMP01434	PUMP; CONDENSATE 230/208V
PMP01435	PUMP; COMPLETE CONDENSATE 265V, INCLUDING ALL PIPING AND THE PUMP
PMP01515	PUMP; OIL, 22.2 GPM @ 1800 RPM
PMP01516	PUMP; VACUUM, 115V, 1.5 CFM, 2 STAGE
PMP01517	PUMP; VACUUM, 115V, 4 CFM, 2-STAGE
PMP01518	PUMP; VACUUM, 115V, 6 CFM, 2-STAGE
PMP01519	PUMP; VACUUM, 115V, 8 CFM, 2-STAGE
PMP01547	PUMP; 4X6X11, 190/380/50/3, 7.5 HP, P215M FRAME, 960 RPM
PMP01574	PUMP; 1/10HP PSC, 115V, WITH OPEN FAN AND MOTOR VENTS
PRG00101	PURGE, PURIFIER, R11/123, W/O INTERFACE
PST00028	PISTON;& CONN. ROD ASSEMBLY
PST00030	PISTON;BALANCE
PST00042	PISTON; UNLOADER
PST00043	PISTON;AND ROD ASSEMBLY
PST00044	PISTON; W/PIN ASSEMBLY

Part No.	Description
PST00049	PISTON;UNLOADER ASSEMBLY
PST00050	PISTON; W/ ROD ASSEMBLY
RES00083	RESISTOR; TRANSITION, .5 OHM, 365 W, 27 A
RES00084	RESISITOR; TRANSITION, .7 OHM, 280 W, 20 A
RES00135	RESISTOR; 510 OHMS, .12W 1%
RES00136	RESISTOR; SCM-30, -30 THRU 240 DEG. F
RES00140	RESISTOR; OCM-19, 0-10 VDC
RES00141	RESISTOR; OCM-20, 0-20 MA
RES00248	RESISTOR; THERMISTOR, RED, INCLUDES MALE/FEMALE PLUGS
RES00249	RESISTOR; THERMISTOR
RES00291	RESISTOR; ASSY USE W 36C W/R CYCLE-PILOT GAS VALVE (F067 0918)
RES00294	RESISTOR; METAL OXIDE VARISTOR (MOV)
RES00840	RESISTOR; 150 OHM 100W 5%
RES00842	RESISTOR; THERMISTOR ,260 OHMS @ 75 DEGREE F
RES00890	THERMISTOR; INDOOR AIR
RES00942	RESISTOR; .56 OHM EDGE WOUND
RES00954	RESISTOR; 600 OHMS
RLY00127	RELAY; OVERLOAD, MANUAL RESET,120-136 A,
RLY00143	RELAY; OVERLOAD, MANUAL RESET, 32-36 A,
RLY00144	RELAY; OVERLOAD, MANUAL RESET, 25 A,
RLY00145	RELAY; CONTROL, CURRENT, ADJ 48-53 AMPS, MANUAL RESET
RLY00146	RELAY; OVERLOAD, MANUAL RESET, 64-72 A ADJ
RLY00147	RELAY; OVERLOAD, MANUAL RESET, 7305-85.5 A
RLY00243	RELAY;TIME DELAY, SPST NO, 2-5 SEC DELAY, 22V
RLY00246	RELAY;CONTROL,TEMP, 38A, OPEN 175C, CLOSE 92C
RLY00248	RELAY;CONTROL,TEMP,148A, OPEN 180C, CLOSE 78C
RLY00251	RELAY;OVERLOAD, OPEN: 180/CLOSE: 78
RLY00252	RELAY;OVERLOAD
RLY00301	RELAY; CONTROL, DPDT, 3A, 24 VAC COIL
RLY00377	RELAY;OVERLOAD, 171 AMP, MANUAL RESET
RLY00393	RELAY; TIME DELAY, SPST, 5 SEC NO, 50/60 HZ, 115 V
RLY00396	RELAY;OVERLOAD
RLY00487	RELAY; OVERLOAD 35-39A MANUAL RESET
RLY00496	RELAY; 2PST, 3A AT 277V, 24 VAC COIL
RLY00498	RELAY;DEFROST, 1PDT,1PST,24VA INRUSH,12VA HOLDING, 240V COIL
RLY00531	RELAY;OVERLOAD AUTO RESET 30A 60HZ
RLY00532	RELAY; CONTROL, CURRENT, ADJ 16-24 AMPS, AUTO RESET
RLY00542	RELAY;OVERLOAD
RLY00548	RELAY; TIME DELAY, SPST NORMALLY OPEN, 60 SEC, 25A, 115 VAC COIL, -40 DEGREES F TO +200 DEGREES F
RLY00582	RELAY; 3PDT, 10/5 AMP, 24 VAC COIL
RLY00629	RELAY; CONTROL, TEMP, 78A, OPEN 175F, CLOSE 61F
RLY00630	RELAY; CONTROL, TEMP, 33A, OPEN 175F, CLOSE 61F
RLY00685	RELAY;TIME DELAY, DPDT, 120V, 50/60 HZ
RLY00694	RELAY; SPDT, 24 VAC COIL
RLY00789	RELAY; TIME DELAY

Part No.	Description
RLY00792	RELAY; CONTROL, CURRENT, 20 AMPS, 120/240V, MANUAL RESET
RLY00867	RELAY;TIME DELAY
RLY00871	RELAY; SPST, 24 VAC COIL
RLY00872	RELAY;TIME DELAY, 3PDT, .3 SEC DELAY, 10A, 115V
RLY00876	RELAY; 4-POLE, NO/NC, 110/120CV, 50/60HZ, 10A 600V CONTACTS
RLY00878	RELAY; SPDT, 120/240VAC, 12 VOLTAGE COIL
RLY00884	RELAY; TIME DELAY
RLY00888	RELAY;4PDT, 230V, 24V COIL
RLY00924	RELAY; TIME DELAY
RLY00925	RELAY;POWER
RLY00981	RELAY; DPST,12 AMP @ 125V, 277 VAC COIL
RLY00982	RELAY;PILOT CONTROL, 24 V COIL
RLY02711	RELAY, START, SPST, 50A COIL, 153V PICK UP, 115V DROP OUT
RLY02712	RELAY; TIME DELAY, FIXED TIME, 220VAC, 50/60 HZ
RLY02715	RELAY; SLAVE
RLY02717	RELAY; CLASS 10, 132-220A, OVERLOAD
RLY02731	RELAY; DPDT, 300V, 10A, 120/60 COIL
RLY02742	RELAY; CL10
RLY02743	RELAY; CL18
RNG00009	RING; O, NEOPRENE, 2.734 ID X .139 RD, SIZE #232
RNG00010	RING; O, NEOPRENE, .145 ID X .070 RD, SIZE #007
RNG00061	O-RING; 1.234 X .139 RD, SIZE #218
RNG00065	RING; O, NEOPRENE, 4.984 X .139 RD
RNG00067	RING; O, NEOPRENE, 5.234 ID X .139 RD, SIZE #252
RNG00069	RING; O, NEOPRENE, .426 ID X .070 RD, SIZE #013
RNG00070	RING; O, NEOPRENE, 5.734 ID X .139 RD, SIZE #256
RNG00077	RING;PISTON KIT, MODEL E COMPRESSOR
RNG00078	RING; PISTON KIT- MODEL F COMPRESSOR
RNG00079	RING; O, NEOPRENE, .489 ID X .070 RD, SIZE #014
RNG00084	RING; RETAINING, 3.844 ID X .03T, EXTERNAL, SPRING STL
RNG00090	RING; O, NEOPRENE 4.600 ID X .275 RD
RNG00091	RING; O, 3.984 ID X .139 RD, NEOPRENE
RNG00092	RING; O, NEOPRENE 4.100 ID X .210 RD
RNG00093	RING; RETAINING, .75 ID, SELF-LOCKING .017 THK, EXTERNAL, SPRING STL
RNG00095	RING; COMPRESSION, 2.750 DIA,COMPRESSOR MODEL F
RNG00096	RING; OIL COMPRESSOR MODEL F
RNG00099	RING;O, NEOPRENE, 4.109 ID X .139 RD, SIZE #243
RNG00112	RING; DISK, LAMINATED, 3.72 ID X 5.78 OD, .22 THK, STAINLESS STEEL
RNG00113	RING; DISC PACK ASSEMBLY
RNG00127	RING; O, NEOPRENE, 5.484 ID X .139 RD
RNG00128	RING; O, NEOPRENE, 5.984 ID X .139 RD, SIZE #258
RNG00133	RING; O, NEOPRENE, .676 ID X .070 RD
RNG00145	RING; O, NEOPRENE, .614 ID X .070 RD, SIZE #016, OIL STRAINER
RNG00147	RING; O, NEOPRENE, 12.475 ID X.275 RD
RNG00149	RING; O, NEOPRENE, 9.975 ID X .275 RD, SIZE #449

Part No.	Description
RNG00217	RING; LABYRINTH
RNG00218	RING; LABYRINTH
RNG00298	RING;O, NITRILE, 3.484 ID X .139 RD
RNG00300	RING;O, NITRILE 6.975 ID X .275 RD SIZE #441
RNG00302	RING; RETAINING 1.156 F ID X .050T
RNG00318	RING; RETAINING 2.096 F ID X .078T EXTERNAL, STAINLESS STL
RNG00343	O-RING; 34.500 ID X .275 RD
RNG00411	RING; COMPRESSION CPRSR MOD R BOTTOM
RNG00412	RING; COMPRESSION CPRSR MOD R TOP
RNG00413	RING;O, NEOPRENE, .362 ID X .103 RD
RNG00416	RING;O NOT R123 COMPATIBLE FOR R123 USE RNG1155
RNG00418	RING;O, NEOPRENE, 10.375 ID X .139 RD
RNG00468	RING;O, NEO, 5.475 ID X .275 RD
RNG00472	RING;O, VITON, 4.100 ID X .210 RD
RNG00473	RING; COMPRESSION
RNG00479	RING;O, 5.475 ID X .275 RD
RNG00480	RING;O, NITRILE, 7.975 ID X .275 RD
RNG00481	RING;O, NEOPRENE, 1.609 ID X .139 RD
RNG00484	RING;O, NEOPRENE 13.975 ID X .275 RD SIZE #457
RNG00485	RING;O, NEOPRENE, 7.225 ID X .210 RD
RNG00486	RING;ORIFICE, CVAC
RNG00491	RING; RETAINING 1.220 F ID X .098T EXTERNAL, STAINLESS STL
RNG00492	RING; RETAINING
RNG00494	RING;O, 1.421 ID X .139 RD
RNG00560	RING;O, 4.975 ID X .275
RNG00563	RING; RETAINING CPRSR VALVE SERVICE PART
RNG00583	RING;O, NEOPRENE, 4.609 ID X .139 RD
RNG00587	RING;O, NEOPRENE, 23.940 ID X .275 RD
RNG00594	O-RING; 8.475 ID X .275 RD, NITRILE
RNG00684	O-RING; 6.237 ID X .103 RD, NEOPRENE, SIZE #164
RNG00685	RING;O 2.600 ID X .210 RD
RNG00686	RING;O, MOTOR TO ROTOR (21.955 ID X .275 RD)
RNG00696	RING;RETAINING, 3.70 X .109
RNG00746	RING;O, 46.000 ID X .275, NOT R123 COMPATIBLE, FOR R123 USE RNG1046
RNG00747	RING;O NOT R123 COMPATIBLE, FOR R123 USE RNG1047
RNG00748	RING; EXTERNAL RETAINING, .461 FREE DIA
RNG00756	RING;O, 41.000 ID X .275, NOT R123 COMPATIBLE, FOR R123 USE RNG1049
RNG00761	RING;O, 28.00 X .275 RND, NOT R123 COMPATIBLE, FOR R123 USE RNG1051
RNG00763	RING;O, 48.00 ID X .275 RND, NOT R123 COMPATIBLE, FOR R123 USE RNG1052
RNG00767	RING;O NOT R123 COMPATIBLE, FOR R123 USE RNG1053
RNG00867	RING;PERFORATED, 16 IN. HUB
RNG00870	RING; SNAP, 2.953 IN. X .098 IN. (USE ON SINGLE BEARING END)
RNG00871	RING;PERFORATED, 20IN. HUB, UNIT SIZE 44 & UNDER
RNG00948	RING;O, NITRILE, 31.813 ID X .275 RD
RNG00957	RING; RESILIENT, 2.5 OD

Part No.	Description
RNG00980	RING;O,TERMINAL END BEARING BRACKET,JEUMONT SCHNEIDER MOTOR
RNG00982	RING;O, COVER PLATE, JEUMONT SCHNEIDER MOTOR
RNG00983	RING;O, TERMINAL END OIL SLINGER
RNG00989	RING;O, LABEL, SHIPPING, ID SUCE PARTS
RNG01014	RING; RESILIENT
RNG01015	RING; O, VENT
RNG01016	RING;O, VENT
RNG01017	RING; VENTURI
RNG01019	RING;O, 32.00 ID X .275 RD NOT R123 COMPATIBLE FOR R123 USE RNG1087
RNG01029	RING;O, 1.299ID X .103RD PART IS R123 COMPATIBLE
RNG01034	RING;O,14.475ID X .275RD PART IS R123 COMPATIBLE
RNG01040	RING;O,45.00 ID X .275RD PART IS R123 COMPATIBLE
RNG01041	RING;O,61.00 ID X .275RD PART IS R123 COMPATIBLE
RNG01042	RING;O,10.475ID X .275RD PART IS R123 COMPATIBLE
RNG01043	RING;O,1.487 ID X .103RD PART IS R123 COMPATIBLE
RNG01044	RING;O,16.955ID X .275RD PART IS R123 COMPATIBLE
RNG01045	RING;O,21.955ID X .275RD PART IS R123 COMPATIBLE
RNG01046	RING;O,46.00 ID X .275RD PART IS R123 COMPATIBLE
RNG01047	RING;O,40.00 ID X .275RD PART IS R123 COMPATIBLE
RNG01073	RING;O, 1.296 ID X .139R
RNG01081	RING;RUBBER
RNG01113	RING;O,.362 ID X .103 RD PART IS R123 COMPATIBLE
RNG01114	O-RING,.487 ID X .103 RD PART IS R123 COMPATIBLE
RNG01115	O-RING;.612 ID X .103 RD PART IS R123 COMPATIBLE
RNG01124	RING;O,2.984 ID X .139RD PART IS R123 COMPATIBLE
RNG01218	RING;NW40 BRASS SOCKET WELD
RNG01223	RING; 3.277 OD X .13 T
RNG01225	RING;O, 3.10 ID X .210 RD
RNG01269	RING; TRIM - UNIT MNT ONLY
RNG01273	RING; DRIVER, 28.08 ID
RNG01278	RING;O, 4.609ID X .139RD (EPICHLOROHYDRIN) PART IS R-123 COMPATIBLE
RNG01397	O-RING; .364 ID X .070 RD
RNG01399	RING;O, 1.051 ID X .070 RD
RNG01400	O-RING, .362 ID X .103 RD
RNG01401	O-RING; .674 ID X .103 RD
RNG01402	RING;O,1.296 ID X .139RD
RNG01405	RING; O, 2.734 ID X .139 RD
RNG01414	RING;O, 5.109 ID X .139R
RNG01415	RING;O, 6.234 ID X .139R
RNG01424	RING;O, 10.975 ID X .210 RD
RNG01425	RING;O,13.975 ID X .275R
RNG01533	RING; O, 1.048 ID X .116 RD, NEOPRENE-STATIC
RNG01534	RING; O, .468 ID X .078 RD
RNG01541	RING; O, 33.75 ID X .274 DIA
RNG01542	RING; O, 28 ID X .275 DIA

Part No.	Description
RNG01573	RING; O, 1.048 ID X .116 RD
RNG01575	O-RING; 7.734 ID X .139 RD, HYDRIN UNIFORM SIZE #265
RNG01576	RING; O, .644 ID X .087 RD
RNG01577	RING; O, .755 ID X .097 RD
ROD00034	ROD; CONNECTING, STRAIGHT CUT
ROD00037	ROD; CONNECTING 4.84 CENTER, MODEL F CPRSR
ROD00142	ROD;CONNECTING
ROD00145	ROD;DAMPER ASSEMBLY
ROD00148	ROD; DRIVE, 19.38 LG X .44 DIA
ROD00149	ROD; CONNECTING
ROD00154	ROD;CONNECTING
ROD00261	ROD; E CONNECTING ROD
ROD00315	ROD; CONNECTING 4.70 CENTER, MODEL M CPRSR, UNDRSZD-25T
ROD00656	ROD; .25 DIA
ROD00657	ROD;LINKAGE, .25 DIA
ROD00660	ROD; .25 DIA
ROD00665	ROD; 0.375 X 36.0, IGV CONTROL
ROD00799	ROD; ASSY., 49.00 INCHES LONG, DAMPER CONNECTING
ROD00811	ROD; 0.312 X 36.0, CONNECTING
ROD00812	ROD; ASSY., 41.00 INCHES LONG, DAMPER CONNECTING
ROD00816	ROD; DAMPER CONNECTING
ROD00846	ROD, CONTROL .22 DIA X 5.25
ROD00847	ROD; .312 X 8.00, CONNECTING
ROD00849	ROD, CONTROL
ROD00851	ROD, CONTROL
ROD00852	ROD, CONTROL
ROD00855	ROD, CONTROL
ROD00930	ROD, DAMPER LINKAGE
ROD00936	ROD, CONTROL ASSEMBLY
ROD00937	ROD, CONTROL ASSEMBLY
ROD00998	ROD; 18.12 LG.
ROD01000	ROD; .312 X 29.0, CONNECTING
ROD01010	ROD; ACTIVATING, 3 POINT DOOR LATCH
ROD01019	ROD; 5/16" PUSH, 48" LONG
ROD01153	ROD; CONTROL, .25-28 DIA X 5.375
SCR00049	SCREW; 5/8-11-2 1/4 SAE GR-5 PLTD .62-11 X 2.25 HEX CAP, ZINC PLATED
SCR00052	SCREW; COMPONENT OF VAL-8, SPECIFY HENRY OR METRIX
SCR00060	SCREW; .62-11 X 5.50, HEX CAP
SCR00061	SCREW; CAP-HEX HD, .75-10 X 6.50, GR 5, ZINC PLD
SCR00153	SCREW; HEX HEAD CAP, .75-10 X 3.00, GRADE 5 ZINC PLATED
SCR00167	SCREW; CAP-12 POINT, .31-24 X .75, BLACK OXIDE
SCR00177	SCREW; CAP-SOCKET HD, NYLOK, .25-28 X .50, ZINC PLD
SCR00182	SCREW; DRIVE, #4 X 1/4
SCR00188	SCREW; SET, SOCKET, CUP .31-18 X .25 SET HEX SKT ZINC PLATED
SCR00189	SCREW; CAP-HEX HD, .56-12 X 3.00, GR 5, ZINC PLD

Part No.	Description
SCR00192	SCREW; CAP-12 POINT, .50-20 X 1.50, BLACK OXIDE
SCR00210	SCREW; SPECIAL 1-14 X .50 LG, BRASS
SCR00348	SCREW; 1/2-20 3/4
SCR00352	SCREW; CAP-HEX HD, .62-18 X 3.00, GR 5, ZINC PLD
SCR00359	SCREW; HEX SOC HD CAP, 3/8-16 X 1
SCR00360	SCREW;HEX SOC HD CAP, 3/8-16 X 1-1/4
SCR00599	SCREW;10-24 X 1/2
SCR00603	SCREW;(3/8X16X13/4 SOC. HEAD CAP) 1 CARTON = 50 PIECES, 2 WEEK LEADTIME
SCR00604	SCREW; MACH SLTD, RD HD, W/SHOULDER, .25-28 X .56, ZINC PLD
SCR00621	SCREW; HEX HEAD, (1/2 - 13 X 1-3/4)
SCR00628	SCREW; HEX CAP, .50-13 X 1.50, GR 5, ZINC PLD
SCR00818	SCREW, 10-16 X 1/2 SHEET METAL
SCR00837	SCREW;CAP, .38-16 X 2.25
SCR00845	CAPSCREW, 5/16-18 X 1" HEX. HD (TD)
SCR00890	SCREW, 10-32 X .50 PAN HD, THD FORM & CUT, ZINC PLD.
SCR00891	SCREW, 8-32 X .37
SCR00892	SCREW, 10-32 X .50
SCR00894	SCREW, M12 X 45MM
SCR00895	SCREW, M12 X 120MM
SCR00909	SCREW, 6-32 X .75
SCR00964	SCREW; #8, 1/2 IN. LG. SELF TAPPING
SCR01046	SCREW; .50-13 X 1.00, SCH CAP, HEX - .75 MIN LENGHT THREAD
SCR01070	SCREW;.25-20 X .75
SCR01094	SCREW; .25-14 X .62
SCR01095	SCREW, 10-32 X .38
SCR01100	SCREW, .50-13 X 8.50
SCR01126	SCREW; HEX MACH, .25-20 X 1
SCR01342	SCREW; .25-20 X 1.75 HEX MACHINE
SCR01363	SCREW; .25-20 X .62
SCR01411	SCREW, .50-13 X 1.75
SCR01435	SCREW; 1/4-20 X 5/8 HEX HD
SCR01457	SCREW; 10-16, AB, HXW, 1/2 W/GASKET, THREAD FORMING
SCR01483	SCREW; HEX M16 X 120MM
SCR01496	SCREW; .50-13 X 1.25
SCR01497	SCREW; .50-13 X 2.00, SET, SOCKET CUP POINT, BLACK OXIDE
SCR01506	SCREW; #10-24 X .375
SCR01507	SCREW; #4-40 X .750 MACH.
SCR01513	SCREW; 3/4-10 X 2-1/2
SCR01519	SCREW; 6-32 X .38
SCR01549	SCREW; M16 X 100MM
SCR01624	SCREW; SPRING PLUNGER,.38-16X1.20, RETRAC.ZINC PLTD W/GOLD IRIDIT
SCR01625	SCREW; .38-16 X 3.75 HEX CAP, ZINC PLATED
SCR01627	SCREW; THUMB
SCR01731	SCREW; CAP-HEX HD (1 CTN = 50 PCS)
SCR01734	SCREW; HEX HEAD, 3/8-16 X 1 3/4 HEX CAP (1 CTN = 50 PCS)

Part No.	Description
SCR01736	SCREW; CAP-HEX SOCKET HEAD, 10-24 X .75 STL-ZINC PLD (1 CTN = 10 PCS)
SCR01737	SCREW; (1 CTN = 20 PCS)
SCR01741	SCREW; .50-13 x 2.25 HEX (1 CTN = 50 PCS)
SCR01742	SCREW; 1/2-13 X 1 1/4 (1 CTN = 50 PCS)
SCR01743	SCREW; SOCKET SET, 5/16-18X 1/4 (1 CTN = 50 PCS)
SCR01745	SCREW; .44-14 X 3.50, HEX CAP (1 CTN = 50 PCS)
SCR01746	SCREW; .44-14 X .75, HEX CAP (1 CTN = 50 PCS)
SCR01748	SCREW; 10-32 X .62, SCH CAP (1 CTN = 50 PCS)
SCR01750	SCREW; CAP-HEX HD, .62-18 X 3.50 ZINC PLD (1 CTN = 20 PCS)
SCR01817	SCREW; M5 X 16MM, SOCKET HEX CAP (1CTN=25 PCS)
SCR01820	SCREW; (1 CTN = 6PCS);THUMB, .75 IN DIA PLASTIC HEAD, 1/4-20 THDS
SCR01827	SCREW; .31-18 X 1.25 THREAD FORMING, HEX WASHER HEAD
SCR01829	SCREW; .375-16 X 1.75, HEX SOCKET CAP
SCR01849	SCREW; HEX CAP, .31-18 X .50 (1 CTN = 10 PCS)
SCR01851	SCREW; .38-16 X 1.00 (1 CTN = 10 PCS)
SCR01852	SCREW; 3/8-16 X 1 1/4 (1 CTN = 10 PCS)
SCR01853	SCREW; CAP-HEX HD, .31-18 X .62, ZINC PLD, GRADE 5 (1 CTN = 10 PCS)
SCR01865	SCREW; HEX LOCKING HEAD 5/16-18 X .75 (1 CTN = 10 PCS)
SCR01866	SCREW; SHEET METAL, 10-16 X 3/8 (1 CTN = 10 PCS)
SCR01867	SCREW; #10-32 X .75, SLTD HEX WSHR HD, THD/POINT TYPE F OR #23, ZINC PLATED
SCR01933	SCREW; SHEET METAL SCREW, 7 X 1/2 TAPER POINT, 1000/PACK
SCR01935	SCREW; SHEET METAL SCREW, 8 X 1/2 TAPER POINT, 1000/PACK
SCR01937	SCREW; SHEET METAL SCREW, 8 X 3/4 TAPER POINT 1000/PACK
SCR01955	SCREW; SHEET METAL SCREW, 8 X 1/2 DRILL POINT, 1000/PACK
SCR01957	SCREW; SHEET METAL SCREW, 8 X 3/4 DRILL POINT, 500/PACK
SCR01959	SCREW; SHEET METAL SCREW, 8 X 1 DRILL POINT, 500/PACK
SCR01961	SCREW; SHEET METAL SCREW, 8 X 1-1/2 DRILL POINT, 500/PACK
SCR01986	SCREW; THUMBSCREWS
SCR01989	SCREW; 10-32 X .38 THR ROLL, SELF-TAPPING (1 PACKAGE INCLUDES 4 PCS)
SCR02019	SCREW; (1 CTN = 25 PCS),12-14 X 5/8 AB THREAD FORMING HEX HEAD FLANGED
SCR02021	SCREW; CAPSCREW SET, PS-286-5, KT-30021 (10 PIECES PER PACKAGE)
SCR02023	SCREW; HEX, SOCKET
SCR02025	SCREW; DOWEL PIN, .6245 DIA MOTOR
SCR02053	SCREW; .25-14 X .75, W/HEX HEAD, SELF DRILLING
SCR02054	SCREW; 12-18 AB HXW 1/2 SN (1 CTN = 3 PCS)
SCR02073	SCREW; SCREW; 3/16 INCH X 1-1/4 INCH TAPCON CONCRETE ANCHORING SCREW, 100/BOX
SCR02074	SCREW: SCREW; 1/4 INCH X 1-3/4 INCH TAPCON CONCRETE ANCHORING SCREW, 100/BOX
SEL00010	SEAL;RING, 1ST STAGE IMPELLER
SEL00015	SEAL; RING, BALANCE PISTON
SEL00016	SEAL;RING, 1ST STAGE IMPELLER,HUB
SEL00017	SEAL; RING
SEL00018	SEAL; RING
SEL00019	SEAL; RING
SEL00020	SEAL;OUTER 2ND STAGE
SEL00032	SEAL; SHAFT, 1.50 DIA ASSY-MODEL F CPRSR

Part No.	Description
SEL00056	SEAL; SHAFT, .75 DIA
SEL00057	SEAL; RING FIRST STAGE IMPELLER
SEL00058	SEAL; RING SECOND STAGE IMPELLER
SEL00059	SEAL; RING
SEL00097	SEAL; BUFFER
SEL00098	SEAL; BUFFER
SEL00114	SEAL; RING
SEL00115	SEAL; RING
SEL00117	SEAL; SHAFT, 2.94 DIA
SEL00171	SEAL; END PLATE
SEL00192	SEAL; ASSEMBLY, COMPRESSOR & ACCESSORIES
SEL00193	SEAL;ASM. FOR MODEL E COMPRESSOR
SEL00204	SEAL; GASKET, MOT SHAFT .51THK X 1.96OD X1.56ID
SEL00205	SEAL; TANG OPERATOR OIL
SEL00208	SEAL;LABYRINTH
SEL00209	SEAL;LABYRINTH
SEL00215	SEAL; CARBON, 4.25 OD X .75 WIDE
SEL00217	SEALANT;
SEL00246	SEAL; RING, OIL
SEL00248	SEAL; OIL
SEL00249	SEAL; OIL
SEL00376	SEALANT; GASKET ELIMINATOR, 515, 300 MIL CARTRIDGE
SEL00383	SEAL;FOAM TAPE, NEOPRENE CLOSED CELL, 1/4 X 3/4 X 75 FEET
SEL00409	SEAL; OIL, TANG OPERATOR ASSEMBLY
SEL00418	SEAL; 2.80 FLUID OZ. TUBE
SEL00419	SEAL;EXTRUSION
SEL00420	SEAL; JOINT (ONE PIECE = 24 INCHES)
SEL00488	SEAL; (10 EACH/CASE) PIPE, 50 ML
SEL00490	SEAL; (10 EACH/CASE) REMOVABLE THREAD, 10 ML
SEL00494	SEAL; DAMPER BLADE
SEL00495	SEAL; BLADE EDGE, 61.80 IN LG
SEL00497	SEAL; DAMPER BLADE, 75.31 INCHES
SEL00504	SEAL; RING
SEL00505	SEAL; RING
SEL00511	SEAL; EXTRUSION, 37.89IN. LONG
SEL00549	SEAL;EXTRUSION, 59.46 LG
SEL00551	SEAL; LABYRINTH, 7.4 INCH DIAMETER
SEL00808	SEAL; ASSEMBLY FLOATING RING, 3.125 DIA SHAFT
SEL00809	SEAL, 1ST STAGE INLET, 400 TON
SEL00814	SEAL; 2ND STAGE, 500 TON
SEL00815	SEAL; INTERSTAGE
SEL00816	SEAL; FLEXISEAL
SEL00841	SEALANT; TAPE, .187 X .50 X ROLL (25 FT)
SEL00848	SEAL; BEARING COVER ASSEMBLY, VANE DRIVE SHAFT
SEL00849	SEAL; ASSY 3.28 DIA SHAFT, FLOATING RING

Part No.	Description
SEL00850	SEAL; INTERSTAGE, 800TON
SEL00852	SEAL; 1ST STAGE INLET 650TON
SEN00011	SENSOR;T,60-240F, 72.1-109.5 RESISTANCE, 3.50 L X 0.56 DIAMETER, 0.0011 DIA LEAD WIRE
SEN00014	SENSOR;MOTOR WINDING
SEN00016	SENSOR;THT, COMFORT 50-90F, SPACE TEMP SERIES 44, WALL MTD
SEN00017	SENSOR; DISCHARGE AIR, SERIES 44
SEN00018	SENSOR;AIR-DISCHARGE, SERIES 14, #6-32 SEMS MTG SCREWS
SEN00020	SENSOR; DEFROST TERMIN. 111 LG.
SEN00103	SENSOR;STATIC DUCT
SEN00104	SENSOR; SERIES
SEN00105	SENSOR;WATER TEMPERATURE, 3266 OHMS @ 0C 30 FT LEADS
SEN00106	SENSOR; OUTSIDE AIR
SEN00107	SENSOR; CHILLED WATER, 3266 OHMS @ 0C 10 FT LEADS, WELL IS WEL00045
SEN00109	SENSOR; ROOM TEMPERATURE W/COVER
SEN00110	SENSOR; ROOM TEMPERATURE W/INTEGRAL OVERRIDE SWITCH
SEN00111	SENSOR; TEMPERATURE ELEMENT ONLY
SEN00113	SENSOR; THERMISTOR, 15-150F, .25 DIA X 2 IN. LG, 18 IN. LEADS
SEN00114	SENSOR; THERMISTOR, 32-201 F, .25 DIA X 2 IN. LONG, 18 IN. LEADS
SEN00116	SENSOR; DUCT/IMMERSION TEMPERATURE W/CONDUIT BOX
SEN00117	SENSOR; OUTDOOR AIR TEMPERATURE W/ENCLOSURE
SEN00118	SENSOR; TEMPERATURE (MATCHED PAIR)
SEN00124	SENSOR; ROOM
SEN00127	SENSOR;WALL MOUNTED ZONE TEMPERATURE W/OVERRIDE SWITCH
SEN00132	SENSOR; TEMPERATURE THERMISTOR PROBE JACKETED CABLE
SEN00134	SENSOR;MIXED AIR
SEN00204	SENSOR; TEMPERATURE, 90-250F .25 DIA X 5 INCHES LONG
SEN00205	SENSOR;MATCHED SET (CONSISTS OF A MATCHED PAIR OF SENSORS)
SEN00206	SENSOR; ROOM
SEN00207	SENSOR; ROOM W/OVERRIDE SWITCH
SEN00208	SENSOR; ROOM W/ADJUSTMENT KNOB
SEN00209	SENSOR; ROOM W/OVERRIDE SWITCH & ADJ KNOB
SEN00211	SENSOR; DUCT/IMMERSION TEMPERATURE
SEN00215	SENSOR;TEMPERATURE
SEN00216	SENSOR; THERMISTER, 15-150F, PROBE, NICKEL PLATED BRASS
SEN00402	SENSOR; T, -40 TO 450F, RTD BAYONET, STYLE, W/JACKETED CABLE, 540IN.
SEN00404	SENSOR;T, 15 TO 140F, .25 DIA X 2 LG, 288 IN. JACKETED CABLE, MATCHED PAIR
SEN00405	SENSOR; T, 32 TO 201F, .25 DIA X 2.00 LG, 240 IN. JACKETED CABLE
SEN00406	SENSOR; T, -10 TO 150F, .25 DI X 2.00 LG, 156 IN. JACKETED CABLE
SEN00703	SENSOR; OIL PRESENCE, 24VDC
SEN00709	SENSOR; HOFFMAN 100-0017-001 HEAD PRESSURE SENSOR
SEN00739	SENSOR; FLAME 120V 60HZ
SEN00740	SENSOR;TEMP. -40F TO 140F, -40C TO 60C, 20 INCH LEAD LENGTH
SEN00742	SENSOR; HUMIDITY WALL MTD
SEN01086	SENSOR; TELAIRE 7001 CO2/TEMP. MONITOR WITH HOBO DATA LOGGER
SEN01087	SENSOR; CO2 WALL SENSOR

Part No.	Description
SEN01090	SENSOR; O/A RELATIVE HUMIDITY
SEN01092	SENSOR; CO2 DUCT SENSOR
SEN01096	SENSOR; TYPE JP TRIP UNIT ONLY, 3P 160A 600VAC MAX, ADJUSTABLE THERMAL/ADJUSTABLE MAGNETIC
SEN01183	SENSOR; ASSEMBLY-AMBIENT
SEN01184	SENSOR; LIQUID ASSEMBLY
SEN01315	SENSOR; TRANSDUCER, LIQUID LEVEL, ANALOG OUTPUT
SEN01340	SENSOR; HIGH TEMPERATURE, PROGRAMMING REQUIRED, WITH MALE GLOBAL CONNECTOR, -40 TO 232 DEG C
SEN01392	SENSOR; LIQUID LEVEL
SEN01393	SENSOR; REPLACEMENT, FOR 69086 VACUUM GAUGE
SEN01407	SENSOR; DUCT TEMPERATURE, 10000 OHMS @ 25C, 96" LEADS
SEN01959	SENSOR; STANDARD TEMPERATURE, PROGRAMMING REQUIRED, WITH MALE GLOBAL CONNECTOR, -40 TO 120 C
SEP00012	SEPARATOR; .88 ODS, 450 PSIG
SEP00013	SEPARATOR; OIL
SEP00014	SEPARATOR; OIL
SEP00076	SEPARATOR; LIQUID, REFRIGERANT
SEP00077	SEPARATOR; OIL, 14"
SEP00078	SEPARATOR; OIL, RTAC 10"
SHE00050	SHEAVE;2VP42,1 1/8 BORE
SHE00051	SHEAVE; 2-GROOVE, 18.25 OD, FOR 4L OF A BELT, REQUIRES A "H" BUSHING
SHE00052	SHEAVE;2VP50,1 1/8 BORE
SHE00068	SHEAVE; BK160 1 7/16 BORE
SHE00071	SHEAVE; BK140, 1 7/16IN. BORE
SHE00073	SHEAVE; BK120, 1-7/16 BORE
SHE00074	SHEAVE;FAN, 3/4 BORE, 4.5 P.D
SHE00075	SHEAVE; FAN, 5.5P.D 1IN. BORE MOTOR PULLEY, 3.8 IN. OD, 5/8IN. BORE
SHE00092	SHEAVE; 1 1/8 IN. BORE
SHE00098	SHEAVE; AK144, 1.19IN. BORE
SHE00100	SHEAVE; 1VP50 1 1/8
SHE00126	SHEAVE; AK124, 1 INCH BORE
SHE00144	SHEAVE;MOTOR, 1/2 BORE, VP400
SHE00147	SHEAVE; LESS BUSHING
SHE00150	SHEAVE; 2BK70H
SHE00163	SHEAVE; 2BK60H
SHE00164	SHEAVE; 2BK62H
SHE00165	SHEAVE; 2AK54H, LESS H BUSHING
SHE00201	SHEAVE; 7/8IN. BORE
SHE00203	SHEAVE; 2AK114 X 1-3/16
SHE00215	SHEAVE; 2V72C90Q, LESS Q2 BUSHING
SHE00218	SHEAVE; 2VP60 1-3/8
SHE00219	SHEAVE; 2BK110, 1 7/16BORE
SHE00220	SHEAVE; FAN, 2BK90, 1 7/16 BORE
SHE00222	SHEAVE; 2BK100, 1-7/16 BORE
SHE00236	SHEAVE; AK-124H
SHE00237	SHEAVE; 2BK120, 1 7/16 BORE
SHE00259	SHEAVE; AK79H, LESS H BUSHING

Part No.	Description
SHE00260	SHEAVE; AK89H, LESS H BUSHING
SHE00261	SHEAVE; AK99H, LESS H BUSHING
SHE00275	SHEAVE; BK115H
SHE00277	SHEAVE; 1VP65, 1-1/8 BORE
SHE00278	SHEAVE; MOTOR 2VP62, 1-3/8
SHE00279	SHEAVE; BK 190, 1 7/16 BORE
SHE00280	SHEAVE; AL84, 1 INCH BORE
SHE00305	SHEAVE; 2BK70, 1 7/16 BORE
SHE00325	SHEAVE; AK49, .94IN. BORE
SHE00327	SHEAVE; 2TC120
SHE00328	SHEAVE; 3MVP75C97Q
SHE00334	SHEAVE; AL104, 1IN. BORE
SHE00344	SHEAVE; 2AK34H, LESS H
SHE00371	SHEAVE; 4TB80, LESS Q-1
SHE00373	SHEAVE;2BK90H
SHE00376	SHEAVE; 3TB90, LESS Q-1
SHE00409	SHEAVE; 2BK140H
SHE00413	SHEAVE; 2AK-144H
SHE00414	SHEAVE; 2AK144, 1-7/16 BORE
SHE00499	SHEAVE; AK44, .94IN. BORE
SHE00500	SHEAVE; AK46, .94IN. BORE
SHE00501	SHEAVE; BK55H, LESS H BUSHING
SHE00529	SHEAVE; AK104, 15/16 BORE
SHE00530	SHEAVE; BK110, 1.44IN. BORE
SHE00531	SHEAVE;BK110H
SHE00532	SHEAVE; AK109H, LESS H BUSHING
SHE00533	SHEAVE; 1TB110, LESS P1 BUSHING
SHE00535	SHEAVE; AK-114H
SHE00559	SHEAVE; 1VP71 X 1 5/8, LESS BUSHING, 1 GRV, FOR USE WITH 1 5/8 SHAFT.
SHE00560	SHEAVE; 1VP68 7/8
SHE00561	SHEAVE; 1VP75 X 1 5/8, LESS BUSHING, 1 GRV, FRO USE WITH 1 5/8 SHAFT.
SHE00562	SHEAVE; 1 GRV-FHP-VP .88 BORE
SHE00564	SHEAVE; 2AK104 1 3/16 BORE
SHE00565	SHEAVE; MOTOR 1VM50X7/8
SHE00577	SHEAVE;MOTOR (4B64Q)
SHE00607	SHEAVE; AL64, 3/4 BORE
SHE00615	SHEAVE; 3/4IN. BORE,AL84
SHE00619	SHEAVE; BK80, 1 7/16 BORE
SHE00668	SHEAVE; 2TB74
SHE00669	SHEAVE; 2TB80
SHE00670	SHEAVE;2TB86
SHE00671	SHEAVE;2TB110
SHE00674	SHEAVE; 3TB74
SHE00692	SHEAVE; BK40H
SHE00694	SHEAVE; BK57H, LESS H BUSHING

Part No.	Description
SHE00695	SHEAVE; BK90H
SHE00707	SHEAVE; 1VP44, 5/8 BORE
SHE00708	SHEAVE; 1VP44 3/4
SHE00712	SHEAVE; FAN
SHE00716	SHEAVE; 2BK25 3/4
SHE00733	SHEAVE; AL94, 1 BORE
SHE00734	SHEAVE; AK61, 5/8IN. BORE
SHE00766	SHEAVE; 25V975SK
SHE00801	SHEAVE; 1VP50 3/4
SHE00805	SHEAVE; IVP68X1
SHE00872	SHEAVE; AK-56H
SHE00888	SHEAVE; 25V2360E
SHE00891	SHEAVE; AK30H, LESS H BUSHING
SHE00976	SHEAVE; BK115 1-7/16 BORE
SHE00977	SHEAVE;1 GROOVE,A/B-FP,BUSHED A=5.0,B=5.4,LESS SDS BUSHING
SHE01019	SHEAVE; 8.75 OUTSIDE DIAMETER, 1.00 BORE, 8.50 & 8.16 PITCH
SHE01021	SHEAVE; 8.25 OUTSIDE DIAMETER, 1.00 BORE, 8.00 & 7.66 PITCH
SHE01023	SHEAVE; 3.45 OUTSIDE DIAMETER,5/8IN.BORE, 3.20 & 2.86 PITCH
SHE01130	SHEAVE; AK41 X 7/8
SHE01140	SHEAVE; AK27 X 5/8
SHE01141	SHEAVE; AK25 X 5/8
SHE01299	SHEAVE; MOTOR (ADJUSTABLE)
SHE01302	SHEAVE; AK46, 3/4 BORE
SHE01303	SHEAVE; AK39, 3/4 BORE
SHE01322	SHEAVE; 1B5V74 LESS B BUSHING
SHE01323	SHEAVE; 1B5V80 LESS B BUSHING
SHE01427	SHEAVE; BK95, 1IN. BORE
SHE01428	SHEAVE; BK140, 1 3/16IN. BORE
SHE01447	SHEAVE; TR/2B56SDS
SHE01448	SHEAVE;BLOWER, AK84, 1IN. BORE
SHE01469	SHEAVE; 1 GRV-A/B-FP, 1.38 BORE, 7.5 O.D. X 1.53 WIDE
SHE01470	SHEAVE; 1 GRV-A/B-FP, 1.38 BORE, 7.8 O.D. X 1.62 WIDE
SHE01472	SHEAVE; 2 GRV-A/B-FP, 1.38 BORE, 5.8 O.D. X 2.4 WIDE
SHF00100	SHAFT; FAN, SOLID, 59 1/2 IN. LONG X 1 IN. DIAMETER
SHF00101	SHAFT; FAN, SOLID, 27 1/4 IN. LONG X 1 IN. DIAMETER
SHF00102	SHAFT; FAN, SOLID, 26 1/4 IN. LONG X 1 IN. DIAMETER
SHF00123	SHAFT; FAN, SOLID, 29 3/4 IN. LONG X 1 3/16 IN. DIAMETER
SHF00127	SHAFT; FAN, SOLID, 25 IN. LONG X 1 IN. DIAMETER
SHF00136	SHAFT; FAN, SOLID, 20 IN. LONG X 1 IN. DIAMETER
SHF00168	SHAFT; FAN, STUB & TUBE, 87 1/2 IN. LONG X 4 3/4 IN. CENTER DIAMETER X 2 3/16 IN. BOTH ENDS
SHF00169	SHAFT; FAN, STUB AND TUBE, 91 IN. LONG X 4 3/4 IN. CENTER DIAMETER X 2 3/16 IN. BOTH ENDS
SHF00170	SHAFT; FAN, STUB & TUBE, 93 1/4 IN. LONG X 4 3/4 IN. CENTER DIAMETER X 2 3/16 IN. BOTH ENDS
SHF00171	SHAFT; FAN, STUB & TUBE, 104 1/16 IN. LONG X 5 1/4 IN. CENTER DIAMETER X 2 7/16 IN. BOTH ENDS
SHF00172	SHAFT;FAN, SOLID, 38 IN. LONG X 15/16 IN. DIAMETER
SHF00218	SHAFT;FAN, SOLID, 62 5/8 IN. LONG X 1 3/4 IN. CENTER DIAMETER X 1 3/16 IN. BOTH ENDS

Part No.	Description
SHF00234	SHAFT;FAN, SOLID, 68 IN. LONG X 1 15/16 IN. CENTER DIAMETER X 1 3/16 IN. BOTH ENDS
SHF00235	SHAFT;FAN, SOLID , 76 1/4 IN. LONG X 1 15/16 IN. CENTER DIAMETER X 1 7/16 IN. BOTH ENDS
SHF00241	SHAFT; FAN, SWAGED, 75 3/4 IN. LONG X 3 IN. CENTER DIAMETER X 1 7/16 IN. BOTH ENDS
SHF00306	SHAFT; FAN, SOLID, 22 3/8 IN. LONG X 1 IN. DIAMETER
SHF00307	SHAFT; FAN, SOLID, 44 13/16 IN. LONG X 1 IN. DIAMETER
SHF00308	SHAFT; FAN, SOLID, 19 IN. LONG X 1 IN. DIAMETER
SHF00310	SHAFT; DAMPER BUSHING
SHF00311	SHAFT; CRANK, ASSEMBLY
SHF00350	SHAFT; FAN, SOLID, 36 3/4 IN. LONG X 1 3/16 IN. DIAMETER
SHF00352	SHAFT; FAN, SOLID, 50 IN. LONG X 1 3/16 IN. DIAMETER
SHF00353	SHAFT; FAN, SOLID, 54 3/4 IN. LONG X 1 3/16 IN. DIAMETER
SHF00390	SHAFT; FAN, SOLID, 46 7/8 IN. LONG X 1 7/16 IN. DIAMETER
SHF00391	SHAFT; FAN, SOLID, 47 IN. LONG X 1 11/16 IN. DIAMETER
SHF00392	SHAFT;FAN, SOLID, 51 1/8 IN. LONG X 1 7/16 IN. DIAMETER
SHF00393	SHAFT; FAN, SOLID, 51 1/2 IN. LONG X 1 11/16 IN. DIAMETER
SHF00395	SHAFT; FAN, SOLID, 57 IN. LONG X 1 11/16 IN. DIAMETER
SHF00431	SHAFT;FAN, SOLID, 24 1/2 IN. LONG X 15/16 IN. DIAMETER
SHF00436	SHAFT;FAN
SHF00449	SHAFT;FAN, SOLID, 54 1/2 IN. LONG X 1 15/16 IN. DIAMETER
SHF00452	SHAFT;FAN, SOLID, 86 3/4 IN. LONG X 2 7/16 IN. CENTER DIAMETER X 1 7/16 IN. BOTH ENDS
SHF00472	SHAFT;FAN, SOLID, 53 3/4 IN. LONG X 2 7/16 IN. CENTER DIAMETER X ENDS 2 7/16 IN. X 1 7/16 IN. OPPOSITE
SHF00478	SHAFT; FAN, STUB & TUBE, 111 7/16 IN. LONG X 5 IN. CENTER DIAMETER X 2 3/16 IN. BOTH ENDS
SHF00479	SHAFT; FAN, SOLID, 35 15/16 IN. LONG X 1 7/16 IN. DIAMETER
SHF00486	SHAFT;FAN, 58 1/2 IN. LONG X 3 1/2 IN. CENTER DIAMETER X END 2 15/16 IN. X 1 11/16 IN. OPPOSITE END
SHF00666	SHAFT; FAN, SWAGED, 60 3/4 IN. LONG X 3 IN. CENTER DIAMETER X 1 7/16 IN. BOTH ENDS
SHF00667	SHAFT;FAN, HOLLOW, 30 IN. LONG X 1 1/4 IN. DIAMETER
SHF00668	SHAFT; FAN, HOLLOW, 43 1/4 IN. LONG X 1 1/4 IN. DIAMETER
SHF00669	SHAFT;FAN, HOLLOW, 43 1/4 IN. LONG X 1 1/4 IN. DIAMETER
SHF00689	SHAFT; FAN, STUB & TUBE, 101 3/8 IN. LONG X 5 IN. CENTER DIAMETER X 1 7/16 IN. BOTH ENDS
SHF00690	SHAFT; FAN, STUB & TUBE, 121 1/2 IN. LONG X 5 IN. CENTER DIAMETER X 1 7/16 IN. BOTH ENDS
SHF00692	SHAFT; FAN, SOLID, 32 IN. LONG X 1 7/16 IN. DIAMETER
SHF00783	SHAFT;FAN, SOLID, 80 1/2 IN. LONG X 2.412 IN CENTER DIAMETER X 1 7/16 IN. BOTH ENDS
SHF00784	SHAFT;FAN, SOLID, 80 1/2 IN. LONG X 2.412 IN. CENTER DIAMETER X 1 11/16 IN. BOTH ENDS
SHF00785	SHAFT; FAN, SOLID, 104 IN. LONG X 3 7/16 IN. CENTER DIAMETER X 2 3/16 IN. BOTH ENDS
SHF01082	SHAFT; FAN, SOLID, 71 IN. LONG X 2 15/16 IN. CENTER DIAMETER X 1 15/16 IN. BOTH ENDS
SHF01113	SHAFT; 95 3/4 IN. LONG X 5 1/2 IN. CENTER DIAMETER X 2 11/16 IN. BOTH ENDS
SHF01116	SHAFT; SOLID, 70 IN. LONG X 4 IN. CENTER DIAMETER X 1 11/16 IN. BOTH ENDS
SHF01122	SHAFT; FAN, SOLID, 66 3/4 IN. LONG X 2 11/16 IN. CENTER DIAMETER X 1 11/16 IN. BOTH ENDS
SHF01126	SHAFT; SOLID, 93 1/2 IN. LONG X 3 15/16 IN. CENTER DIAMETER X 1 15/16 IN. BOTH ENDS
SHF01138	SHAFT; FAN, STUB & TUBE, 120 1/2 IN. LONG X 5.485 IN. CENTER DIAMETER X 1 7/16 IN. BOTH ENDS
SHF01153	SHAFT; FAN, SOLID, 136 3/4 IN. LONG X 6 IN. CENTER DIAMETER X 2 11/16 IN. BOTH ENDS
SHF01156	SHAFT; FAN, SOLID, 68 IN. LONG X 3 7/16 IN. CENTER DIAMETER X 1 15/16 IN. BOTH ENDS
SHF01438	SHAFT; 46 IN. LONG X 1 15/16 IN. CENTER DIAMETER X 1 15/16 IN. END X 1 3/16 IN. OPPOSITE END
SHF01441	SHAFT; FAN, SOLID, 28 11/16 IN. LONG X 2 IN. CENTER DIAMETER X 1 5/8 IN. END X 15/16 IN. OPPOSITE END
SHF01448	SHAFT; FAN, SOLID, 34 5/8 IN. LONG X 2 IN. CENTER DIAMETER X 1 5/8 IN. END X 1 3/16 IN. OPPOSITE END

Part No.	Description
SHF01449	SHAFT; FAN, SOLID, 52 IN. LONG X 1 11/16 IN. DIAMETER
SHF01450	SHAFT; FAN, SOLID, 35 IN. LONG X 2 IN. CENTER DIAMETER X 1 7/16 IN. END X 15/16 IN. OPPOSITE END
SHF01491	SHAFT; FAN, SWAGED
SHF01492	SHAFT; FAN, SWAGED
SHF01554	SHAFT; FAN, SOLID
SHF01555	SHAFT; FAN, SOLID
SHF01556	SHAFT; FAN, SOLID
SHF01557	SHAFT; 1.187 X 38.875, SOLID
SHF01558	SHAFT; MCC 13.5 FC FAN
SHF01559	SHAFT; FAN, SOLID
SHF01560	SHAFT; FAN, SOLID
SHF01561	SHAFT; FAN, SOLID
SHF01562	SHAFT; FAN, SOLID
SHF01563	SHAFT; MCC #25,30 B, 22.8 FC FAN
SHF01564	SHAFT; FAN, SOLID
SHF01634	SHAFT; FAN, SOLID
SHF01635	SHAFT; FAN, SOLID
SHF01636	SHAFT; 1.687 X 50.750, SOLID
SHF01736	SHAFT; 2.437 X 61.750, SOLID
SHF01782	SHAFT; FAN, SOLID
SHF01783	SHAFT; FAN, SOLID
SHF01785	SHAFT; FAN, SOLID
SHF02024	SHAFT; 1.688 DIA X 53.55, INDOOR FAN
SHF02128	SHAFT; JACKSHAFT, .75 X 13.00
SHF02135	SHAFT; 1.0 X 54.50, JACKSHAFT
SHF02141	SHAFT; 1.00 X 86.50, JACKSHAFT
SHF02278	SHAFT; 0.20IN. X 0.20IN. X 10.43IN.
SHF02282	SHAFT; FAN
SHF02330	SHAFT, 1.44 DIA X 114.75 SWAGED
SHF02337	SHAFT; FLEXIBLE DRIVE W/BRASS MANIFOLD CAP AND BREAKAWAY COUPLING FOR 3/4IN. OD TUBES
SHF02341	SHAFT; BLOWER- HI CFM UNIT, 1.1875 INCH DIA. 45 INCHES LONG
SHF02348	SHAFT; 1 INCH DIA. 23 INCHES LONG
SHF02349	SHAFT; 1 INCH DIA. 45 INCHES LONG
SHF02350	SHAFT; 1 3/16 INCH DIA. 23 INCHES LONG
SHF02720	SHAFT; FAN, 20.51 LG X 1.00 DIA
SHF02721	SHAFT; FAN, 23.39 LG X 1.19 DIA
SHF02729	SHAFT; CIRCUIT BREAKER
SHF02730	SHAFT; CIRCUIT BREAKER
SHF02731	SHAFT; CIRCUIT BREAKER
SHF02734	SHAFT; 25 FT. FLEXIBLE SHAFT(NYLON CASING)
SHF02735	SHAFT; 35 FT. FLEXIBLE SHAFT(NYLON CASING)
SHF02736	SHAFT; 35 FT. FLEXIBLE SHAFT(NYLON CASING)
SHF02737	SHAFT; 45 FT. FLEXIBLE SHAFT(NYLON CASING)
SHF02738	SHAFT; 45 FT. FLEXIBLE SHAFT(NYLON CASING)
SHF02739	SHAFT; 60 FT. FLEXILBE SHAFT(NYLON CASING)

Part No.	Description
SHF02740	SHAFT; FLEXIBLE SHAFT REPAIR KIT FOR GTC-703 SHAFTS
SHF02741	SHAFT; 25 FT. FLEXIBLE SHAFT(NYLON CASING)
SHF02742	SHAFT; 35 FT. FLEXIBLE SHAFT(NYLON CASING)
SHF02743	SHAFT; 45 FT. FLEXIBLE SHAFT(NYLON CASING)
SHF02745	SHAFT; 25 FT. FLEXIBLE SHAFT (NYLON CASING)
SHF02746	SHAFT; 35 FT. FLEXIBLE SHAFT (NYLON CASING)
SHF02747	SHAFT; 35 FT. FLEXIBLE SHAFT (NYLON CASING)
SHF02748	SHAFT; 45 FT. FLEXIBLE SHAFT (NYLON CASING)
SHF02750	SHAFT; FLEXIBLE SHAFT REPAIR KIT FOR GTC-703Q SHAFTS WITH QUICK CONNECT FITTINGS.
SHF02751	SHAFT; 25 IN. FLEXIBLE SHAFT(NYLON CASING)
SHF02753	SHAFT; 45 FT. FLEXIBLE SHAFT(NYLON CASING)
SHF02754	SHAFT; FLEXIBLE SHAFT REPAIR KIT FOR GTC-704Q SHAFTS WITH QUICK CONNECT FITTINGS.
SHF02755	SHAFT; DRIVER ASSEMBLY
SHF02756	SHAFT; DRIVE
SHF02760	SHAFT; 25 FOOT FLEXIBLE SHAFT FOR TUBES 7/16 INCH - 1/2 INCH (11.1-12.7 MM) I.D.
SHF02761	SHAFT; FLEXIBLE SHAFT 35 FEET(NYLON CASING) (10.7M) FOR TUBES 7/16INCH - 1/2INCH (11.0-12.7MM) I.D.
SHF02762	SHAFT; FLEXIBLE SHAFT 17 FOOT
SHF02763	SHAFT; FLEXIBLE, 12 FOOT FOR 1/4 INCH - 3/8 INCH ID TUBES
SHF02764	SHAFT;FLEXIBLE 25 FOOT FOR 1/4 INCH - 3/8 INCH ID TUBES
SHF02765	SHAFT;FLEXIBLE 12 FOOT FOR 7/16 INCH - 1/2 INCH ID TUBES
SHF02766	SHAFT; FLEXIBLE 17 FOOT FOR 7/16 INCH 1/2 INCH ID TUBES
SHF02767	SHAFT; FLEXIBLE 45 FOOT FOR 7/16 INCH - 1/2 INCH ID TUBES
SHF02768	SHAFT; FLEXIBLE 12 FOOT FOR 7/16 INCH - 1/2 INCH ID TUBES W/QUICK CONNECT
SHF02769	SHAFT; FLEXIBLE 17 FOOT FOR 7/16 INCH - 1/2 INCH ID TUBES W/QUICK CONNECT
SHF02770	SHAFT; FLEXIBLE 25 FOOT FOR 7/16 INCH - 1/12 INCH ID TUBES W/QUICK CONNECT
SHF02772	SHAFT; FLEXIBLE 45 FOOT FOR 7/16 INCH - 1/2 INCH ID TUBES W/QUICK CONNECT
SHM00009	SHIM; .002 THK X 1.870 ID X 2.50 OD, STEEL
SHM00010	SHIM; .005 THK X 1.810 ID X 2.500, STEEL
SHM00011	SHIM; .010 THK X 1.810 ID X 2.500, STEEL
SHM00014	SHIM;.002 THK X 2.250ID,3.00 OD
SHM00015	SHIM;.005 THK X 2.250ID, 3.00 OD
SHM00022	SHIM;GASKET BEARING HEAD OIL PUMP MOD E
SHM00023	SHIM; GASKET .010THK X 8.25OD X 6.41ID X 7.31BC
SHM00024	SHIM; GASKET .015THK X 8.25OD X 6.41ID X 7.31BC
SHM00025	SHIM; STEEL .020THK X 2.40ID X 3.49OD
SHM00026	SHIM; STEEL .010 THK X 2.400 ID X 3.49 OD
SHM00059	SHIM; IMPELLER .005 THK X 3.703 ID, 4.875 OD, STEEL
SHM00060	SHIM; IMPELLER .010 THK X 3.703 ID, 4.875 OD, STEEL
SHM00061	SHIM; IMPELLER .032 THK X 3.703 ID, 4.875 OD STEEL, 20 GA
SHM00062	SHIM; IMPELLER .074 THK X 3.70 ID, 4.88 OD STEEL, 14 GA
SHM00063	SHIM; STEEL .074 THK X 3.20 ID, 4.13 OD
SHM00124	SHIM; STEEL .005 THK X 4.88 ID,5, 88 OD, C1018
SHM00125	SHIM; STEEL .010 THK X 4.88 ID, 5.88 OD, C1018
SHM00126	SHIM; STEEL .020 THK X 4.88 ID, 88 OD, C1018
SHM00141	SHIM;IMPELLER 1ST STAGE .020

Part No.	Description
SHM00150	SHIM;IMPELLER 1ST STAGE .002
SHM00153	SHIM;IMPELLER 1ST STAGE .020
SHM00154	SHIM;IMPELLER 2ND, STAGE .002
SHM00156	SHIM;IMPELLER 2ND, STAGE .010
SHM00157	SHIM; IMPELLER .020 THK X 1.402 ID, 2.500 OD, STL, 2ND STAGE
SHM00168	SHIM;IMPELLER .005 THK 2.627 ID, 3.600 OD, QTY BRKS AVAIL
SHM00170	SHIM;IMPELLER .020
SHM00171	SHIM;BEARING
SHM00237	SHIM; FAN BEARING, .25IN.
SHM00240	SHIM; PLATE, 3.00 X 8.50
SHM00244	SHIM; 1.0 IN PLB, BEARING
SHM00246	SHIM; 2.0 X 6.656
SHM00806	SHIM; 3.88 X 13.75, BEARING
SHM00819	SHIM; STEEL, .032 THK X 3.20 ID 4.13 OD (1 CTN = 10 PCS)
SHM00820	SHIM; IMPELLER, 2ND STAGE, .010 (1 CTN = 10 PCS)
SHM00821	SHIM; IMPELLER, 1ST STAGE .005 (1 CTN = 10 PCS)
SHM00822	SHIM; IMPELLER 1ST STAGE, .010 (1 CTN = 10 PCS)
SHM00823	SHIM; IMPELLER 2ND STAGE, .005 (1 CTN = 10 PCS)
SHM00860	SHIM; PACK, VANE AND SHROUD
SHM00861	SHIM; PACK 1ST STAGE, 1000 TON
SPC00030	SPACER;IMPELLER,2ND STG, CYLINDER-MACHINE PRT NO THREAD
SPC00031	SPACER; CYLNDR MACH PRT NO THREAD,
SPC00032	SPACER;IMPELLER 2ND STG, CYLNDR MACH PRT NO THREAD
SPC00046	SPACER; ISOLATOR
SPC00094	SPACER;INTERSTAGE
SPC00143	SPACER; 5.4 DIA X 5.95 LG
SPC00145	SPACER; ALUM 5.4 DIA X 6.60 LG
SPC00147	SPACER; 5.4 DIA X 7.10 LG
SPC00286	SPACER, 5.4DIA X 6.85LG
SPC00300	SPACER, 5.4DIA X 8.15LG
SPC00339	SPACER; BUSHING .38 ID X .50 LG, .88 OD (1 CTN = 10 PCS)
SPC00340	SPACER; BUSHING-PHENOLIC, .50 ID X .38 LG, 1.00 OD (1 CTN = 20 PCS)
SPC00341	SPACER; (1 CTN = 50 PCS)
SPC00361	SPACER; IMPELLER, 2.425 ID X 3.327 OD
SPC00363	SPACER; FAN MOTOR, 3.50 X 4.50, .375 THK
SPC00364	SPACER; .375 OD X 2.250 SST
SPG00012	SPRING; COMPRESSION .25 OD X .59 FREE LG .035 DIA MUSIC WIRE
SPG00025	SPRING; PILOT POSITIONER .406 OD X 5.88
SPG00146	SPRING; PACKING .88W X 4.31L
SPG00150	SPRING, OVERLOAD
SPG00173	SPRING; COMPRESSOR
SPG00194	SPRING; CONE, ADJUSTABLE LOUVERS (ORDER QTY EQUALS PIECES)
SPG00200	SPRING; SUMP HEATER
SPG00279	SPRING, SUCTION VALVE (ONE CARTON = 50 PIECES)
SPG00280	SPRING, UNLOADER LIFT PIN (ONE CARTON = 50 PIECES)

Part No.	Description
SPG00281	SPRING, DISCHARGE VALVE (ONE CARTON = 50 PIECES)
SPG00282	SPRING, UNLOADER LIFT PIN (CTN = 50 PIECES)
SPG00283	SPRING, UNLOADER PISTON (ONE CARTON = 50 PIECES)
SPG00310	SPRING;VANE
SPG00842	SPRING; 87.50 LBS. PER INCH, 2 IN. DEFLECTION, YELLOW, ISOLATOR
SPG00859	SPRING; DRIVE GEAR, .995 ID X 1.025 (1 CTN = 10 PCS)
SPG00860	SPRING; DRIVE GEAR, .70 ID X 1.068 (1 CTN = 10 PCS)
SPG00861	SPRING; OIL PUMP, .93 OD X 1.25 FREE LG (1 CTN = 10 PCS)
SPG00862	SPRING; COMPRESSION, OIL PUMP (1 CTN = 10 PCS)
SPG00863	SPRING; COMPRESSION, .56 OD X 1.31 FREE LG (1 CTN = 10 PCS)
SPG00865	SPRING; DRAIN HOSE (1 CTN = 10 PCS)
SPG00867	SPRING; WASHER, 4 WAVE
SPG00869	SPRING; MIDDLE, 3.60 OD X 9.50 FREE LG, .207 DIA WIRE, COMPRESSION-HELICAL, 63-77 LBS. WORKING LOAD
SRA00012	STRAINER; VALVE
SRA00030	STRAINER; OIL-MOD F 4.25 X 7.00
SRA00031	STRAINER;OIL HERM CPRSR, 4.25 X 9.25
SRA00046	STRAINER; OIL-MOD F, 4.25 X 10.00
SRA00051	STRAINER; 1.12 ODS
SRA00073	STRAINER; SUCTION GAS MODEL R, 3.50 OD X 3.90 LG
SRA00116	STRAINER; CARTRIDGE, 2 OUTLETS,.38 ODS, 3.88 LG, COPPER
SRA00137	STRAINER; CARTRIDGE, 2 OUTLETS,.38 ODS, 4.88 LG, COPPER
SRA00141	STRAINER, CONDENSER COIL
SRA00148	STRAINER;CONDENSER COIL
SRA00149	STRAINER; SUCTION GAS, 4.50 OD X 4.00 LG, MODEL E COMPRESSOR
SRA00193	STRAINER; SCREEN, .562/.594
SRA00196	STRAINER, FILTER 3.75 OD X 5.5, 2.88 ID, 80 MESH SCREEN
SRA00199	STRAINER, .25 NPS, WIRE MESH
SRA00200	STRAINER; .5IN., BCHA
SRA00201	STRAINER; 1IN.
SRA00224	STRAINER; Y TYPE 1/2IN.
SRA00854	STRAINER; OIL MODEL R COMPRESSOR, LOW CARBON STEEL
SRA00855	STRAINER; OIL MODEL R COMPRESSOR, LOW CARBON STEEL
SRA00859	STRAINER; IN-LINE, SBP, LBP, LFP
SRA00860	STRAINER; SCREEN, N2 COMPR
SRA00873	STRAINER, 3 INCH
SRN00004	SCREEN;STRAINER SUCTION GAS-MOD E, 3.00 OD X 4.00 LG, W/3 HOLE MTG
SRN00008	SCREEN; STRAINER CARTRIDGE, .62ODS INLET, CART OIL-1.31DIA OUTLET MOD E CPRSR-7.00LG
SRN00012	SCREEN; STRAINER HANDHOLE COVER, .50 OD X .38 LG
SRN00032	SCREEN; INLET, TEMPRITE STYLE
SRN00047	SCREEN;SUCTION
SRN00115	SCREEN; LINTSCREEN, 1/4 X 13-3/8 X 74
SRN00214	SCREEN;STRAINER,FOR USE W/SRA0051
SRN00233	SCREEN; FILTER
SRN00829	SCREEN; WELDED 304SS, 4 X 4 MESH, 3.19 X 2.38
SRN00847	STRAINER; SUCTION LINE, 3/8", B03021, FOR LP22 TRANSFER PUMP

Part No.	Description
SRN00848	STRAINER; DISCHARGE LINE, 1/2", D03009, FOR LP22 TRANSFER PUMP
SRN00850	SCREEN, EXHAUST, STAINLESS STEEL WIRE MESH, 3.47 X 2.50
SRT00092	STARTER; OIL PUMP MOTOR, 30A, 600V, 120V COIL, 60 HZ
SRT00934	STARTER; ASSY., 6.3-10AMP
SRT00987	STARTER; PTC ASSIST, 450 VOLTS, 9 AMPS
SRT01050	STARTER; DEFINITE PURPOSE, 30 AMP, 600V, 120V COIL, 50/60HZ (INCLUDES MANUAL RESET OVERLOAD)
SRT01060	STARTER; NEMA 1 460/575V 3PH
STU00059	STUD; TERMINAL F8 CPRSR
STU00062	STUD;CLAMP
STU00066	STUD; TERMINAL
STU00067	STUD; TERMINAL R CPRSR
STU00068	STUD; TERMINAL R CPRSR
STU00094	STUD;TERMINAL BOARD
STU00097	STUD;TERMINAL BOARD
STU00105	STUD; TERMINAL, 3/4
STU00133	STUD; TERMINAL, .750-16 UNF-2A
STU00170	STUD; M12 X 75MM
STU00805	STUD; SUCTION COVER MTG .44-14 X 4.70, GRADE 5 (1 CTN = 10 PCS)
STU00817	STUD; TERMINAL
SWT00012	SWITCH, ROTARY, 20 A, 120/240 V, FAN-OFF-COOL
SWT00020	SWITCH;SOLENOID VALVE, PILOT SAFETY
SWT00031	SWITCH; TOGGLE, 20/10 A, 120/240 V,
SWT00048	SWITCH;ROTARY, 4 POSITION, TYPE JR, MULTIPOLE, 10 AMP, 125V
SWT00062	SWITCH;TAP, OPEN TYPE, RATCHET ACTION, 90 DEG
SWT00067	SWITCH, ROCKER, SPST, 15/10 A, 125/250 V, OFF-NONE-ON
SWT00068	SWITCH, ROCKER, SPST, 15/10 A, 125/250 V, ON-OFF-ON
SWT00069	SWITCH, ROCKER, DPDT, 15/10 A, 125/250 V, ON-OFF-ON
SWT00135	SWITCH; FLOW, LIQUID, SPDT, 125 VA, 120/240 V 150 PSI, 300F
SWT00136	SWITCH;AIR
SWT00141	SWITCH, DISCONNECT, 3 POLES, 100 A, 600 V, NON-AUTOMATIC
SWT00142	SWITCH;DIFFERENTIAL PRESSURE, 120 DEG F, 125/250V, 10/5AMP, 1/8-1/4HP, 125V PILOT DUTY, .10 TO .25 IN W.C.
SWT00143	SWITCH;CONTROL,PRESSURE, 2 STG HI/LO ADJUSTABLE LO 2-14 WC, HI 5-28 WC
SWT00144	SWITCH, BREAKER MOLDED CASE, 3 POLE, 225 A, 240 V, NON-AUTOMATIC, W/LOAD END TERMINALS
SWT00147	SWITCH; BREAKER MOLDED CASE, K-FRAME, 400AMP, 600V, 3P, NON-AUTOMATIC
SWT00175	SWITCH; HUMIDIFIER DRAIN ON
SWT00176	SWITCH;DIFFER. PRESSURE, SPDT, 32-180 DEG F, PILOT DUTY AT 125 OR 250VLTs:125VA PRESSURE RANGE:0.15-0.5
SWT00178	SWITCH;ROCKER, SPST, NC, 3 AMP, 250V, ON-NONE-MOM OFF
SWT00179	SWITCH; ROCKER DPST, 3A, 250VAC, STOP-NONE-START .25QC TERM,W/NEON LIGHT
SWT00182	SWITCH;AIR FLOW, SPDT, 10 AMP, 115 VAC, .05 IN.-8.0 IN. WC
SWT00194	SWITCH;SPEED CONTROL, 5/10AMP AT 277/125VAC, 1/4/1/2HP AT 125/250VAC, 3 SPEED + OFF
SWT00197	SWITCH;4 POSITION,OFF/HIGH/MED/LOW,2 POLE,30 AMP AT 120-240V
SWT00203	SWITCH;INDICATOR LIGHT
SWT00208	SWITCH, MINIATURE, 3 A, 125 V, -8-221F
SWT00234	SWITCH;ROCKER, SPDT, 6/3AMP AT 125/250VAC, 2 POSITION (ON-ON)
SWT00237	SWITCH; DIFFER.PRESSURE, SPNO, -40 TO 180 DEG F, PILOT DUTY AT 115-277 VAC

Part No.	Description
SWT00271	SWITCH;TEMP. ACTUATED, DIFFERENTIAL, 125VA, 2-SPDT, 100/250 DEG F, 1/16 X 18IN. CAP
SWT00282	SWITCH;AIR FLOW, SPST, 3 AMP, 125 VAC, -80-185 DEG F
SWT00284	SWITCH;MICRO, SPDT, 10.1AMPS AT 125/250VAC, 1/4 AT 125 VAC
SWT00285	SWITCH; FLOW,SPDT, PILOT DUTY: AC 125VA, 120-240V, MAX. TEMP - 225 DEG F, MAX. PRESSURE - 150 PSI
SWT00322	SWITCH; DIFFERENTIAL PRESSURE, SPDT, 40-120 DEG F, 120/240 V, 6/3AMP, 2 TO 30 PSI - (30 MAX) SETPOINT
SWT00330	SWITCH;PRESSURE CONTROL,15IN. WC MAX, 10 AMP, 125/250/480 V
SWT00333	SWITCH, ROTARY, 3 SPEED, 10/5 A, 125/250/277 V, OFF-HI-MED-LO
SWT00337	SWITCH; ON-OFF, WEATHER PROOF
SWT00339	SWITCH;SAIL
SWT00340	SWITCH;INTERLOCK
SWT00369	SWITCH;MICRO, INTERLOCK, 1 POLE, 20/10 AMP AT 125/250 VAC, 3/4 HP AT 125-250 VAC
SWT00370	SWITCH;ROCKER, 2 POSITION, ON/OFF, 125/250V AC, 15/10A
SWT00396	SWITCH;HIGH PRESSURE, CUTOUT, SPST, 125VA AT 120/240VAC, OPEN:405 PSIG, CLOSE:300 PSIG, -65 TO 275 DEG F
SWT00397	SWITCH;LOW PRESSURE, CUTOUT, SPST, 125VA AT 120/240VAC, OPEN: 7 PSIG, CLOSE: 22 PSIG, -65 TO 275 DEG F
SWT00402	SWITCH; TOGGLE, DPDT 15A, 125VAC, 10A, 250VAC, ON-OFF-ON, #6 SCR TERM
SWT00439	SWITCH; FAN CYCLE SWITCH
SWT00440	SWITCH; ROCKER, 2PDT, 2 POSITION, 125/250V AC, 15/10A, ON/NONE/ON, .25 SPADE
SWT00441	SWITCH;LOW PRESSURE, CUTOUT, 120/240VAC, OPEN: 20 PSIG, CLOSE: 35 PSIG, -65 TO 275 DEG F
SWT00473	SWITCH, HI-LIMIT SECONDARY SAFTY LIMIT, SL1, ON THE OUTLET
SWT00479	SWITCH, TOGGLE, SUMMER/WINTER
SWT00484	SWITCH;TEMP ACTUATED, DIFFERENTIAL, 125VA, 20/90 DEG F .375 X 25 FT CAP WELL ONLY IS WEL27
SWT00486	SWITCH;PUSH BUTTON ASM., 6V LAMP,115V PRI, 6V SEC TRANSFORMER
SWT00487	SWITCH;HIGH PRESSURE, CUTOUT, 120/240VAC, OPEN: 270 PSIG, CLOSE: 210 PSIG, -65 TO 275 DEG F
SWT00492	SWITCH; PUSH BUTTON, 6PST, 17/25 A, 277/120 V, HEAT-LO HEAT
SWT00497	SWITCH;CONTROL,PRESSURE, SPST OPEN 45 PSIG CLOSE 60 PSIG
TDR00270	RANSDUCER; ELEC/PNEU 41-122F .5-19 PSIG AT .25-9.5VDC
TDR00272	TRANSDUCER; PRESSURE, -15 TO 35 PSI
TDR00273	TRANSDUCER; PRESSURE, 0 TO 30 PSID, DIFFERENTIAL,1/8-27 NPTF PRESSURE FITTING
TDR00274	TRANSDUCER; PRESSURE, 0 TO 150 PSI
TDR00276	TRANSDUCER;& SOLENOID INSTALLATION ASSEMBLY
TDR00277	TRANSDUCER; PRESSURE 0-25 PSIA
TDR00280	TRANSDUCER; CURRENT TRANSFORMER
TDR00281	TRANSDUCER; PRESSURE, 0-350 PSI
TDR00282	TRANSDUCER; PRESSURE ASSEMBLY INCLUDES 3-PIN CONNECTOR, CON0422
TDR00284	TRANSDUCER; LIQUID LEVEL
TDR00289	TRANSDUCER; ELECTRONIC, PNEUMATIC
TDR00290	TRANSDUCER; PRESSURE, 15-415 PSIA,BURST 2000 PSI, OPERATING TEMPERATURE -40 TO 120 DEG. CELCIUS
TDR00291	TRANSDUCER; PRESS - 15-115 PSIA
TDR00325	TRANSDUCER, LIQUID LEVEL
TDR00326	TRANSDUCER; WATER PRESSURE DIFFERENTIAL, 24 VAC/DC, 0-30 PSID
TDR00334	TRANSDUCER; LOW PRESSURE, (PX) 0-50 PSIA, WITH MALE GLOBAL CONNECTOR
TDR00335	TRANSDUCER; PRESSURE, (PX) LLID 0-475 PSIA, WITH MALE GLOBAL CONNECTOR
TDR00354	TRANSDUCER; PRESSURE, (PX) LLID 0-475 PSIA, WITH INTEGRAL MALE GLOBAL CONNECTOR
TDR00355	TRANSDUCER; LOW PRESSURE, (PX) 0-50 PSIA, WITH INTEGRAL MALE GLOBAL CONNECTOR
TDR00356	TRANSDUCER; XDCR DIFF, 4- 20mA 0- 30WC

Part No.	Description
TER00010	TERMINAL; STUD E CPRSR
TER00016	TERMINAL;BLOCK, 5 POLE, 15 AMP, 300 VOLT MAX
TER00019	TERMINAL; BLOCK
TER00035	TERMINAL;BLOCK
TER00040	TERMINAL; BLOCK, 24P, 600V, QC TERM, 30A
TER00047	TERMINAL;STRIP
TER00053	TERMINAL;BLOCK CONNECTOR
TER00062	TERMINAL; BLOCK, 150A, 600V, 3 TERMINAL, 150A, 600V
TER00068	TERMINAL;BLOCK
TER00070	TERMINAL; BLOCK, 3P, 400A, 600V, STUD
TER00097	TERMINAL; BLOCK STARTER PANEL 16P, 30A, 600V, SCR
TER00100	TERMINAL; BLOCK, 2P, 70A 600V
TER00113	TERMINAL; BLOCK 12 PIN
TER00135	TERMINAL;BLOCK, 8P, 20A, 600V
TER00143	BLOCK; TERMINAL
TER00149	TERMINAL; BLOCK, 3P, 335A, 600V, 400 MCM WIRE
TER00171	TERMINAL;STRIP, 30 AMP, 600 V
TER00172	TERMINAL; BLOCK, 16 P, 30 A, 600 V,#8-32 SCREW
TER00176	TERMINAL;BLOCK, 6 POLE, 30A, 600V
TER00212	TERMINAL; LUG, 6-250 MCM, ALUMINUM
TER00214	TERMINAL; .140 SOCKET, 20-14 AMP
TER00217	TERMINAL;STRIP-9 POLE, 30A, 600V TERMINAL;BLOCK, 9P 3A, 600V
TER00270	TERMINAL; BLOCK, 3 POLE
TER00476	TERMINAL; PM
TER00484	TERMINAL; MOTOR, .50-13 UNC COP, 10.67 LG
TER00485	TERMINAL; .875 HEX STANDOFF
TER00486	TERMINAL; .38 STUD RECTANGULAR
TER00488	TERMINAL; 1/0 AWG .38 STUD
TER00535	TERMINAL; JUMPER FOR "S" CONTACTOR, COPPER BUS
TER00536	TERMINAL; JUMPER FOR "S" CONTACTOR, COPPER BUS
TER00581	TERMINAL; .25QC FLAG
TER00610	TERMINAL; LUGS
TER00611	TERMINAL; PIN
TER00612	TERMINAL; MTR .50-13 UNC COP 9.02 LG, W/KYNAR SLEEVE
TER00804	TERMINAL; STUD, #10 RING TONGUE, 16-14 AWG, INSULATED, HAND APPLIED
THT00402	THERMOSTAT; SENSOR, TUBE MTD, 105-125 C-O, 125VA, 120-277VAC, #18AWG 72IN. LEAD WIRE
THT00403	THERMOSTAT; LESS COVER, R.A., 2-PIPE
THT00404	THERMOSTAT; LESS COVER, D.A., 2-PIPE
THT00408	THERMOSTAT;CONTROL,TEMP, OPEN 25F, CLOSE 48F, MANUAL RESET
THT00409	THERMOSTAT;CONTROL,TEMP, ADJ 95-115F,AUTO RESET
THT00410	THERMOSTAT;CONTROL,TEMP, ADJ 85-105F,AUTO RESET
THT00420	THERMOSTAT; HUMIDISTAT
THT00422	THERMOSTAT;FREEZE PROTECTION, CONTROL, TEMP.
THT00423	CONTROL; TEMPERATURE, OPEN AT 90 F, CLOSE AT 120 F
THT00424	THERMOSTAT;CONTROL,TEMP, RETURN AIR

Part No.	Description
THT00452	THERMOSTAT; EMERGENCY 23 DEG DIFF. 48 DEG CUTOOUT 25 DEG CUTIN
THT00480	THERMOSTAT; SPST, OPEN AT 140 DEG F, CLOSE AT 115 DEG F
THT00500	THERMOSTAT;CONTROL,TEMP, OPEN 65F, CLOSE 75F
THT00811	THERMOSTAT, TERMINATOR, 240V (SETTING OPEN @ 105 DEGREE F, CLOSE @ 73 DEGREE F)
THT00820	THERMOSTAT;STRATIFICATION,SPST LINE VOLT.120-240V 70-140F
THT00821	THERMOSTAT;LOW VOLTAGE W/FAN SWITCH, SPST 40-90 F
THT00822	THERMOSTAT;LOW VOLTAGE W/FAN SWITCH, 2 STAGE, 45-85 F 24V
THT00839	THERMOSTAT-REMOTE POTENTIOMETER, 60-90 DEG F (BAYSTAT023AA)
THT00840	THERMOSTAT; LIMIT CONTROL, SPST
THT00849	THERMOSTAT;TERMINATOR, OPEN AT 75, CLOSE AT 26F.
THT00850	THERMOSTAT; PROGRAMMABLE, CONTAINS NO MERCURY
THT00862	THERMOSTAT;TEMP. LIMIT,150 OPEN,100 CLOSE,SPST,EXPOSED DISC.
THT00863	THERMOSTAT;TEMP. LIMIT,155 OPEN,100 CLOSE,SPST,EXPOSED DISC.
THT00891	THERMOSTAT;UNIT MOUNTED (SETPOINT,SPD SWITCH, TIMED OVERRIDE), CONTAINS NO MERCURY
THT00892	THERMOSTAT;REVERSE FLOW, 240 V, 5 FLA, 30 LRA, 140 DEG TRIP, MANUAL RESET
THT00893	THERMOSTAT; SENSOR, W/INT. ADJ. SETPOINT & OVERRIDE BUTTON, CONTAINS NO MERCURY
THT00894	THERMOSTAT;CONTROL,TEMP, 45-85F,FLOATING POINT, COOLING ONLY, CONTAINS MERCURY
THT00895	THERMOSTAT; WALL, 45-85F, FLOATING POINT, HEAT/COOL, CONTAINS MERCURY
THT00896	THERMOSTAT;AUTO. RESET THERMAL CUTOOUT, OPENS AT 133F
THT00930	THERMOSTAT;NO DEAD SPOT, COOL-OFF-HEAT/AUTO-ON,W/BASE
THT00931	THERMOSTAT;MANUAL CHANGEOVER, CONTAINS MERCURY
THT00932	THERMOSTAT; MCO, ADJ. DEAD SPOT, HEAT OFF COOL/AUTO ON, CONTAINS MERCURY
THT00933	THERMOSTAT;MANUAL CHANGEOVER, CONTAINS MERCURY
THT00969	THERMOSTAT; WALL, TRANE LOGO, 2 STAGE HEAT, 1 STAGE COOL, 30 VAC MAX, (COLOR=BEIGE), (TAYSTAT241)
THT00996	THERMOSTAT;CONTROL,TEMP, LO-TEMP, OPEN 20F, CLOSE 25F
THT00997	THERMOSTAT; TUBE MOUNTED W/CLIP, 120/240V, SPST
THT01023	THERMOSTAT;WALL, COMM. JACK,
THT01039	THERMOSTAT;CONTROL,TEMP, ADJ 250-290F ENCLOSED DISC, OPEN ON TEMP RISE
THT01040	THERMOSTAT;CONTROL,TEMP, ADJ 110-150F EXPOSED DISC, OPEN ON TEMP RISE
THT01154	THERMOSTAT; PROGRAMMABLE 2 STAGE, HEAT PUMP
THT01184	THERMOSTAT; 2 SPDT, 59-77F HTG/68-86F CLG, 16A AT 277 VAC LAKVE
THT01193	THERMOSTAT;SELECTOR 55-90F
THT01195	THERMOSTAT; SURFACE MOUNTING,CLOSE AT 40 F/OPEN AT 60F
THT01196	THERMOSTAT; BONNET,,SPST,OPEN AT 110 DEG.F,CLOSE AT 95 DEG.F
THT01201	THERMOSTAT; WALL, HW PROGRAMMABLE, CONTAINS NO MERCURY
THT01214	THERMOSTAT;CONTROL,TEMP, OPEN 55F, CLOSE 30F
THT01215	THERMOSTAT; 120/240V 40F OPEN/45 CLOSE
THT01216	THERMOSTAT; 208/240V
THT01217	THERMOSTAT; 277V
THT01220	THERMOSTAT; LIMIT SWITCH, OPEN AT 150F, CLOSE AT 120F
THT01236	THERMOSTAT;SENSOR WITH EXTERNALLY ADJUSTABLE SETPOINT, AND COMMUNICATIONS JACK, TRANE LOGO.
THT01237	THERMOSTAT; WALL, NIGHT SETBACK & COMM. JACK
THT01238	THERMOSTAT; WALL, EXT ADJ SETPOINT, NIGHT SETBACK COMM JACK ON/CANCEL BUTTONS
THT01239	SENSOR; ZONE (ZUSTATAL0300)
THT01321	THERMOSTAT; HEAT/COOL, ADJUST HEAT, 45-85 F FIXED COOL, 24 V, QUARTZ CLOCK, CONTAINS MERCURY

Part No.	Description
THT01324	THERMOSTAT; LOW VOLTAGE, 50 TO 90 F, SPDT, HEATING/COOLING (01C26 001)
THT01325	THERMOSTAT; LOW VOLTAGE, 50 TO 90 F, 24 V, HEAT ONLY, W/O PLATE (01C30 321)
THT01326	THERMOSTAT; LOW VOLTAGE, 50 TO 90 F, 24 V, COOLING ONLY (01C31 601)
THT01354	THERMOSTAT; MULTISTAGE, 2 STAGE COOL (01C76 151), CONTAINS MERCURY
THT01355	THERMOSTAT; LOW VOLTAGE, 50 TO 90 F, 24 V, SNAP ACTION SWITCH (01D30 316)
TMR00008	TIMER; SPDT, 120 VAC
TMR00012	TIMER; INTERVAL, 120V
TMR00017	TIMER; HUMIDIFIER
TMR00023	TIMER; RELAY, TIME DELAY, SOLID STATE, SPDT, 120 SEC DELAY, 115 VAC
TMR00024	TIMER; RELAY, TIME DELAY, SOLID STATE, SPDT, 180 SEC DELAY, 115 VAC
TMR00044	TIMER; 2 CIR-60 SEC
TMR00047	TIMER; 24V ROLL FILTER
TMR00060	TIMER; LOW PRESSURE, 1A, 10 MIN.
TMR00063	TIMER; REMOTE OVERRIDE
TMR00064	TIMER; OVERRIDE
TMR00069	TIMER; PREPURGE
TMR00070	TIMER; PROTECTOR, CYCLE
TMR00072	TIMER; SAFETY
TMR00074	TIMER; SAFETY
TMR00076	TIMER; 7 DAY PROGRAMMABLE TIME CLOCK
TMR00078	TIMER; PROGRAMMABLE
TMR00079	TIMER; MINUTE, 0.1 TO 10 MINUTES
TMR00080	TIMER; PURGE, 24 HR
TMR00099	TIMER; ELECTRONIC HEAT SEQUENCER 2 SWITCH, 1 TIMING, ON: 1-20, OFF: 40-110
TMR00100	TIMER; ELECTRIC HEAT SEQUENCER 2 SWITCH, 1 TIMING, ON: 30-90, OFF: 1-30
TMR00101	TIMER; ELECTRIC HEAT SEQUENCER, 3 SWITCH, 2 TIMING, ON: 1-110, OFF: 1-110
TMR00115	TIMER; PROGRAMMABLE ELECTRONIC
TMR00116	TIMER, PROGRAMMABLE
TMR00118	TIMER; PURGE - 30 SEC
TMR00119	TIMER; PROGRAMMABLE 2.5 VA, 7 DAY, 24 VAC
TMR00127	TIMER; 7 DAY TIME CLOCK, 120/60, SPDT
TMR00158	TIMER; DELAY ON MAKE
TMR00159	TIMER; DELAY ON MAKE
TMR00160	TIMER; DELAY ON BREAK
TMR00161	TIMER; DELAY ON BREAK
TMR00162	TIMER; DELAY ON BREAK
TMR00167	TIMER; DELAY ON BREAK, 3 MIN FIXED
TMR00168	TIMER; DELAY ON BREAK, 10 MIN. ADJ W/6 IN WIRE TERMINATIONS
TMR00169	TIMER; DELAY ON BREAK, 3 MIN FIXED
TMR00170	TIMER; DELAY ON BREAK, 10 MIN ADJUSTABLE
TMR00180	TIMER; PROGRAMMABLE, 2.5VA, 7 DAY, 24VAC, 50/60HZ, FLUSH MOUNT
TMR00181	TIMER; DIGITAL, 85 TO 240 VAC/VDC, 8 PIN SOCKET REQUIRED
TMR00187	TIMER; 8 PIN OCTAL PLUG IN BASE FOR PLUG IN PHASE MONITOR & TIMERS
TMR00189	TIMER, 7-DAY TIMECLOCK
TMR00194	TIMER; ANTI-SHORT CYCLE

Part No.	Description
TNK00022	TANK; OIL COOLER
TNK00043	TANK; OIL COOLER ASM., 150 LBS.
TNK00044	TANK; OIL COOLER ASM., 300 PSIG WATER SIDE RATING ON REGULATING VALVE
TNK00046	TANK; OIL COOLER
TNK00058	TANK; OIL COOLER
TNK00065	TANK; REFRIGERANT, 240 LB
TNK00083	TANK; CONDENSING, ASSEMBLY, PURGE
TNK00085	TANK; REFRIG. STORAGE, 500# WITH FLOAT SWITCH
TNK00089	TANK; CHARGE MODULATOR
TNK00838	TANK; ASME, 250-GALLON, 3/4" FLARE WITH BALL VALVES, LOW PRESSURE (102 x 38 x 50, 700 LB)
TNK00839	TANK; ASME, 250-GALLON, 3/4" PORTS WITH QUICK CONNECTS, LOW PRESSURE
TNK00843	TANK; ASME, 500-GALLON, 3/4" FLARE WITH BALL VALVES, LOW PRESSURE
TNK00864	TANK; CHARGE MODULATOR
TNK00865	TANK; CONDENSATE, OP60
TNK00867	TANK; 30 LB. R-410A REFRIGERANT CYLINDAR, 400 PSI
TNK00868	TANK; PURGE CONDENSING, EARTHWISE, WITH INSULATION AND LIQUID LEVEL SWITCH
TNK00895	TANK KIT; EXPANSION TANK 2 GALLON HEATING SYSTEMS
TNK00896	TANK KIT; EXPANSION TANK 4.4 GALLON HEATING SYSTEMS
TOL00171	TOOL; CHARGED CANISTER, CFC-11, 30 PPM
TOL00172	TOOL; CHARGED CANISTER, HCFC-22, 30 PPM
TOL00173	TOOL; CHARGED CANISTER, HCFC-123, 30 PPM
TOL00174	TOOL; CHARGED CANISTER, HFC-134A, 30 PPM
TOL00175	TOOL; CHARGED CANISTER, COMPRESSED DRY NITROGEN
TOL00193	TOOL; SOCKET FOR LARGE LOCKNUT, CENTRAVAC MOTOR THRUST BEARING
TOL00194	TOOL; SOCKET FOR SMALL LOCKNUT, CENTRAVAC MOTOR THRUST BEARING
TOL00195	TOOL; CHARGED CANISTER CFC-12, 30 PPM
TOL00196	TOOL; CHARGED CANISTER, CFC-113, 30 PPM
TOL00198	TOOL; CHARGED CANISTER, CFC-500, 30 PPM
TOL00222	TOOL; LEAK DETECTOR OXYGEN/FUEL CASE OF 12
TOL00236	TOOL; REPLACEMENT WHEEL BLACK OXIDE, PKG OF 2, FITS 13984, 13985, 13986 AND SIMILAR SIZE CUTTERS
TOL00237	TOOL; TUBE CUTTER FOR 1/4 TO 1-5/8 OD TUBE W/BLACK OXIDE WHEEL
TOL00238	TOOL; TUBE CUTTER FOR 3/8 TO 1-1/8 OD TUBE W/BLACK OXIDE WHEEL
TOL00239	TOOL; TUBE CUTTER FOR 1/8 TO 1-1/8 OD TUBE W/BLACK OXIDE WHEEL
TOL00240	TOOL; MINI TUBE CUTTER FOR 1/8 TO 5/8 OD TUBE W/BLACK OXIDE WHEEL
TOL00241	TOOL; SUCTION LINE PINCH OFF - GE
TOL00242	TOOL; LEAK DETECTOR COMPACT HALOGEN, 7 INCH LONG FOR HCFC'S, CFC'S AND HFC'S
TOL00244	TOOL; SWAGING SET FOR 3/16, 1/4, 5/16, 3/8, 1/2, 5/8 AND 3/4 TUBING
TOL00245	TOOL; PINCH OFF FOR COPPER TUBES
TOL00281	TOOL; MANUAL RFGT WEIGH SCALE
TOL00296	TOOL; ST2X RAYGNER HANDHELD BATTERY POWERED NONCONTACT THERMOMETER
TOL00297	TOOL; ST2XHC, RAYNGER HANDHELD BATTERY POWERED NONCONTACT THERMOMETER, INCLUDEWS CASE
TOL00298	TOOL; ST3LX, RAYGNER HANDHELD BATTERY POWERED NONCONTACT THERMOMETER, INCLUDES CASE & LASER
TOL00431	TOOL; CHANNELLOCK SCREWDRIVER, 5/16" DIA. 6" BLADE
TOL01253	TOOL; #1 UNIBIT STEP DRILL
TOL01254	TOOL; #3 UNIBIT STEP DRILL

Part No.	Description
TOL01255	TOOL; #4 UNIBIT STEP DRILL
TOL01682	TOOL; STAINLESS STEEL WIRE BUFFING TOOL FOR TUBES - 5/8INCH - 1INCH (15.9-25.4MM) I.D.
TOL01684	TOOL; CRIMPING TOOL WITH PUNCH FOR FLEXIBLE SHAFT REPAIR
TOL01685	TOOL; TP1 FLAT BLADE TEST PROBE FOR ELECTRICAL OUTLETS
TOL01686	TOOL; 80PK-3A K-TYPE FLAT SURFACE TEMP. PROBE, 32 TO 500 DEG F
TOL01687	TOOL; FLUKE 80PK-2A K-TYPE IMMERSION PROBE-40 TO 1800 DEG F
TOL01688	TOOL; FLUKE 80PK-5A PIERCING PROBE, 40 TO 500 DEG F
TOL01741	TOOL: REAM-A-MATIC TUBE CLEANER, 1/2 HP, 220V, 50 HZ
TOL01742	TOOL; ALLEN WRENCH
TOL01743	TOOL; FLUKE SLIM-REACH TEST PROBE, 2MM DIA.
TOL01744	TOOL; RITCHIE PROGRAMMABLE CHARGING SCALE, RANGE 1 OZ TO 100 LBS
TOL01745	TOOL; PORT-A-RAM TUBE CLEANER, 1/2 HP, 115V, 60 HZ, SINGLE DIRECTION, DIRECT DRIVE, 1725 RPM
TOL01759	TOOL; TATTLE-TALE CONTROL MONITOR, 460V AC/DC
TOL01760	TOOL; VALVE CORE STORER AND REMOVER
TOL01761	TOOL; YELLOWJACKET DIGITAL ANEMOMETER, COMPLETE KIT 2.75" DIA PROBE
TOL01763	TOOL; 2-1/4" ROUND TELESCOPING INSPECTION MIRROR
TOL01764	TOOL; RITCHIE KNUCKLE-SAVER 3-PC HEX WRENCH SET, 1/4" - 9/16"
TOL01765	TOOL; FIELDPIECE DL2 EXANDABLE DATA LOGGER, USE WITH ANY FIELDPIECE ACCESSORY HEAD
TOL01781	TOOL; (24 EA/CASE)ALUMINUM OXIDE ABRASIVE CLOTH, 1 1/2 INCH X 10 YDS
TOL01782	TOOL; ALUMINUM OXIDE ABRASIVE CLOTH, 1 1/2 INCH X 25 YDS
TOL01783	TOOL; (24 EA/CARTON)GRIP-CUT OPEN MESH SAND SCREEN CLOTH, 1 1/2 INCH X 5 YDS
TOL01784	TOOL; GRIP-CUT OPEN MESH SAND SCREEN CLOTH, 1 1/2 INCH X 10 YDS
TOL01785	TOOL; GRIP-CUT OPEN MESH SAND SCREEN CLOTH, 1 1/2 INCH X 25 YDS
TOL01786	TOOL; 007 CONTROL CHECKER, 24-460 VAC OR DC
TOL02102	TOOL; FIELDPIECE ST4 DUAL TEMP METER
TOL02104	TOOL; GGC-6 6-PACK OF SWOOSH CO2 CARTRIDGES
TOL02105	TOOL; FLUKE 80PK-25 PIERCING PROBE FOR K-TYPE DIGITAL THERMOMETERS
TOL02106	TOOL; FLUKE 80PK-22 K-TYPE IMMERSION PROBE
TOL02132	TOOL; TURBOTORCH TX500 PROPAK WITH BOTH TIPS
TOL02133	TOOL; TURBOTORCH TX503 SELF LIGHTING HAND TORCH WITH TIP
TOL02134	TOOL; TURBOTORCH TX504 SELF LIGHTING HAND TORCH WITH TIP
TRR00062	TRANSFORMER; 300 VA, 240-480V PRI., 120-240V SEC.
TRR00064	TRANSFORMER; 2 VA, 75A PRI., 5A SEC.
TRR00066	TRANSFORMER; 2 VA, 150V PRI., 5V SEC.
TRR00070	TRANSFORMER; 750 VA, 240-480V PRI., 120-240V SEC.
TRR00075	TRANSFORMER; 750 VA, 220-380-415V PRI., 115V SEC.
TRR00080	TRANSFORMER; 750 VA, 575-600V PRI., 115-120V SEC.
TRR00081	TRANSFORMER; 150VA, 480V PRI., 240V SEC.
TRR00132	TRANSFORMER; 18 VA, 120V PRI.,6000V SEC.
TRR00134	TRANSFORMER;150VA,575V PRI.,240V SEC.,50/60 CYCLE
TRR00151	TRANSFORMER; 350VA, 200V PRI., 120-240V SEC.
TRR00154	TRANSFORMER; 115V PRI, 10,000V SEC
TRR00155	TRANSFORMER; 500VA, 200V PRI., 120-240V SEC
TRR00160	TRANSFORMER; IGNITION, 120V PRI.,600V SEC,60HZ
TRR00164	TRANSFORMER; 250VA, 575V PRI., 115-230V SEC.

Part No.	Description
TRR00239	TRANSFORMER; 1000VA, 208-600V PRI., 85 TO 130V SEC.
TRR00243	TRANSFORMER;HIGH VOLTAGE, (CPD)
TRR00248	TRANSFORMER; 1000 VA, 220-230-460V PRI., 115V SEC.
TRR00264	TRANSFORMER; 250 VA, 208V PRI., 115V SEC. LAKJK
TRR00265	TRANSFORMER; 100VA, 230-277V PRI, 115V SEC
TRR00268	TRANSFORMER;
TRR00269	TRANSFORMER; 500 VA, 277V PRI., 120-240V SEC.
TRR00270	TRANSFORMER; 1000 VA, 277V PRI.,120-240V SEC.
TRR00273	TRANSFORMER; CURRENT 230A PRI. 10A SEC
TRR00305	TRANSFORMER;CURRENT
TRR00308	TRANSFORMER;CURRENT QTY BREAKS AVAILABLE
TRR00310	TRANSFORMER;CURRENT
TRR00312	TRANSFORMER;CURRENT,VARIABLE RATIO
TRR00381	TRANSFORMER; 500 VA, 208V PRI., 115V SEC.
TRR00382	TRANSFORMER; 500 VA, 230-277V PRI., 115V SEC.
TRR00384	TRANSFORMER; LIMITING, 200-230V PRI., 9-14.4V SEC.(MULTI TAP), 60HZ, 24IN. LEADS
TRR00386	TRANSFORMER; MOTOR PROTECTION, 230/200V PRI., 24V SEC. 4.1 VA PRIMARY
TRR00387	TRANSFORMER; MOTOR PROTECTION, 460V, PRI., 24V SEC.
TRR00388	TRANSFORMER; 75VA, 460V PRI, 24V SEC
TRR00389	TRANSFORMER; 77VA, 230VPRI, 24V SEC
TRR00429	TRANSFORMER;208-240 PRIMARY VOLTAGE, 24 SECONDARY VOLTAGE, 100 VA
TRR00433	TRANSFORMER;500VA, 240-280 PRIMARY VOLTAGE, 120-240 SECONDARY VOLTAGE
TRR00436	TRANSFORMER; 60VA, 208-240-480-600V PRI., 24V SEC.
TRR00437	TRANSFORMER; 40 VA, 208-240V PRI, 24V SEC
TRR00460	TRANSFORMER; 75VA, 200-230V PRI, 24V SEC
TRR00461	TRANSFORMER;45VA, 480/24
TRR00487	TRANSFORMER; AUTO, .7 AMPS AT 320V
TRR00488	TRANSFORMER; REACTOR, 115V, 60HZ, 6 AMPS
TRR00495	TRANSFORMER; 480V. PRI., 24V. SEC.
TRR00496	TRANSFORMER; 277V PRI., 24V SECONDARY
TRR00498	TRANSFORMER;POWER, 115V PRIMARY, MULTI TAP SEC.
TRR00499	TRANSFORMER; 1200/1500A PRI., 5A SEC
TRR00506	TRANSFORMER; 3KVA, 240/480-120V, 50/60H
TRR00541	TRANSFORMER; 500VA, 480V PRI.,115 SEC
TRR00542	TRANSFORMER; 500VA, 208/230V PRI., 115V SEC., 60HZ.
TRR00543	TRANSFORMER; 500VA, 460/575V PRI., 115V SEC., 60 HZ.
TRR00544	TRANSFORMER; 50 VA, 120V PRI.,24V SEC.
TRR00545	TRANSFORMER; 40VA, 115V PRI., 24V SEC.
TRR00548	TRANSFORMER; 50 VA, 208/230V PRI, 24V SEC
TRR00549	TRANSFORMER; 40V
TRR00589	TRANSFORMER; 200-230-460-575V, 60 HZ
TRR00590	TRANSFORMER;LEAVING POWER, 44VA, 200V PRI., MULTI TAP SEC.
TRR00592	TRANSFORMER; LEAVING POWER, 44VA, 460V PRI.,MULTI TAP SEC.
TRR00637	TRANSFORMER;AUTO, 1.3 AMPS AT 140V
TRR00716	TRANSFORMER; CURRENT, 134-200A 2.4 VA NOMINAL, 200V PRIMARY.

Part No.	Description
TRR00717	TRANSFORMER; CURRENT
TRR01007	TRANSFORMER; 50 VA, 120/208/240 V PRI 24 V SEC, MULTI-MOUNT CLOSED, UNIV W/PLATE
TRR01008	TRANSFORMER; 40VA, 120 V PRI, 24 V SEC, FOOT-MOUNT-OPEN
TRR01028	TRANSFORMER; EXT MAIN, 24 VAC, 54 VA
TRR01029	TRANSFORMER; CURRENT, 2400V PRI, 120V SEC, 20:1
TRR01281	TRANSFORMER; 2400V PRIMARY 120V SECONDARY
TRR01282	TRANSFORMER; 250VA, 460V PRIMARY, 24V/115V SECONDARY, 3 PHASE
TRR01287	TRANSFORMER; CURRENT 5A, CURRENT RATIO 100/5
TRR01288	TRANSFORMER; CURRENT 5A CURRENT RATIO 50/5
TRR01392	TRANSFORMER; CURRENT, 30A RMS, 50/60 HZ
TRR01393	TRANSFORMER; CUTTENT, 40 A RMS, 50/60 HZ
TRR01394	TRANSFORMER; CURRENT, 45 A RMS, 50/60 HZ
TRR01457	TRANSFORMER; 100VA 120/277V PRI, 24V SEC
TRR01458	TRANSFORMER; 100VA 208/240V PRI, 24 SEC
TRR01460	TRANSFORMER; 100VA 460/575V PRI, 24 SEC
TRR01540	TRANSFORMER; 500VA, CONTROL
TRR01553	TRANSFORMER; 75VA, 277V PRIMARY, 24V SECONDARY, 50/60 HZ
TRR01555	TRANSFORMER; 75VA, 480V PRIMARY, 24V SECONDARY, 50/60 HZ
TRR01582	TRANSFORMER; 75VA, 480V PRI, 24V SEC, 60HZ
TRR01583	TRANSFORMER; 150VA, 480/600V PRI, 240V SEC, 50/60 HZ
UNL00004	UNLOADER ASSEMBLY
UNL00005	UNLOADER; ASSEMBLY
VAL00031	VALVE;CHARGING, 3/8 FLARE X 3/8 NPT
VAL00033	VALVE; DISCHARGE ASM. FOR 2.5 X 2 CPRSR
VAL00034	VALVE;DISCHARGE
VAL00074	VALVE;RELIEF, 1-1/4IN. NPTF, 300 PSI
VAL00079	VALVE; RELIEF, 300 PSI, CONNECTIONS 5/8" FLARE X 1/2 NPT, BOTH R-12 AND R-22
VAL00080	VALVE;RELIEF, .75 MPT X .75 FPT, 300 PSI
VAL00082	VALVE;RELIEF, BUNA-N 1/2IN. NPTI, 150 PSIG, NOT R123 COMPATIBLE FOR R123 USE VAL3542
VAL00087	VALVE; ANGLE, 1/2 NPT X 1/2 FL
VAL00088	VALVE;SOLENOID, 2 WAY WATER, NC, 1/2 NPT, 120V COIL
VAL00091	VALVE; FLOAT ASSEMBLY, WITH COPPER MOUNTING GASKET AND PLATE GASKET
VAL00113	VALVE; 1/4 NPTE
VAL00133	VALVE; EXPANSION, 7/8 ODF X 1 1/8 ODM ANGLE 6A, 10FT. CAP TUBE, 35 TON, R22 TER35HW 100 SAE EE
VAL00222	VALVE; (TL700H)
VAL00236	VALVE;PRESSURE RELIEF
VAL00255	VALVE; GAS PRESSURE REGULATOR
VAL00277	VALVE; EXPANSION, (R22) 1/2IN X 5/8IN, SWEAT CONNECTION
VAL00282	VALVE; SUCTION ...4-6 WK LEADTIME
VAL00367	VALVE; FLOAT MECHANISM ASSY
VAL00369	VALVE; FLOAT MECHANISM ASSY
VAL00371	VALVE; THERMOSTATIC EXPANSION
VAL00372	VALVE;ANGLE, SUCTION LINE
VAL00388	VALVE;DIAPHRAGM, 1/2 IN.
VAL00390	VALVE;DIAPHRAGM, 1 INCH

Part No.	Description
VAL00391	VALVE;DIAPHRAGM, 1-1/4 INCH
VAL00437	VALVE; TX, 5/8 X 7/8 ODF-5, SPECIAL 1/4 SAE ANGLE EE
VAL00482	VALVE; EXPANSION
VAL00488	VALVE; EXPANSION, (R22)
VAL00543	VALVE; SOLENOID, .12NPTI 220/240V, 220/240V 50/60HZ, 100PSI, 16.5IN.LEADS,MNTNG BRKT
VAL00545	VALVE;SOLENOID, .12NPTI, 110/120V, 50/60HZ, 16.5IN. LEADS. 100PSI MNTNG BRKT,
VAL00557	VALVE; SOLENOID
VAL00569	VALVE; SOLENOID
VAL00653	VALVE; REFRIG, ANGLE, .63 ODF X .63 ODF
VAL00658	VALVE; SHUT OFF, .25 ODF
VAL00675	VALVE; ANGLE
VAL00890	VALVE;(R-22)THERMAL EXPANSION (AAEB GT 2647 2 HWS ODF EE 30IN S/T)
VAL00891	VALVE; REFRIG,(R-22) TXV, 3 TON(R-22), .38 ODF IN X .62 ODF OUT (AAEB GT-2648 3 HWS ODF EE 30IN S/T)
VAL00908	VALVE;SOLENOID, 3 WAY, 1/8 NPTI TYP, 120V COIL
VAL00916	VALVE; RELIEF, CENTRAVAC
VAL00917	VALVE; RELIEF, CENTRAVAC
VAL00919	VALVE; 44-20 THD X .25 C, SCHRAEDER
VAL00983	VALVE;CHECK
VAL00988	VALVE;GAS, 120V, .12NPT
VAL00989	VALVE;SHUT OFF, 1.25
VAL01108	VALVE; GAS, NATURAL 300K BTUH, .75 NPT X .75 NPT, 24V
VAL01109	VALVE;GAS, NAT., 335 BTUH, 24V, CONN. .75 X .75
VAL01110	VALVE;GAS, LP., 486 BTUH, 24V, CONN. .75 X .75
VAL01111	VALVE; GAS, NATURAL 480K BTUH, .75 NPT IN X 1.0 NPT OUT 24V
VAL01118	VALVE; UNLOADER ASM.
VAL01120	VALVE; UNLOADER MODEL R
VAL01121	VALVE; DISCHARGE ASM.
VAL01122	VALVE;RING DISCHARGE
VAL01123	VALVE;RING SUCTION
VAL01193	VALVE; EXPANSION,
VAL01194	VALVE; GAS NAT,600 BTUH, .75NPT IN X 1.0 NPT OUT 120V
VAL01206	VALVE;CHECK, .50 NPTI
VAL01267	VALVE;SOLENOID (211CA3/4B3/4P)
VAL01268	VALVE;SOLENOID STEAM,NC, 1 FPT, 1 PORT, 208-240V COIL
VAL01389	VALVE;RELIEF, 2 WEEK DELIVERY
VAL01390	VALVE; REVERSING
VAL01391	VALVE; REFRIG, CHECK
VAL01394	VALVE;EXPANSION
VAL01398	VALVE; REFRIG, TXV
VAL01404	VALVE;EXPANSION
VAL01410	VALVE; DISCHARGE
VAL01724	VALVE;EXPANSION, (R22) INLET .625, OUTLET 1.125, 15 TONS T
VAL01726	VALVE;GAS
VAL01731	VALVE;GAS
VAL01854	VALVE;ASSY-EXPANSION (CPD)

Part No.	Description
VAL01856	VALVE;CHECK, .125-27 NPT PORTS, 1.44 IN. LG
VAL01857	VALVE;ANGLE
VAL01876	VALVE; 3 NPT X 3 NPT, 3 WAY BALL
VAL01877	VALVE; REFRIGERANT
VAL01989	VALVE; STEAM, 2-WAY, 1 1/4 " NPT, 18.7 CV
VAL01990	VALVE; STEAM, 2-WAY, 1 1/2" NPT, 29.3 CV
VAL01991	VALVE; STEAM, 2" NPT, 46.8 CV, 2-WAY
VAL01992	VALVE; 3-WAY MIXING VALVE, HOT WATER, 1/2" NPT, 4.7 CV
VAL01993	VALVE; 3-WAY MIXING, HOT WATER, 3/4" NPT, 7.3 CV
VAL02117	VALVE;GAS, NAT.,2 STAGE, 250 BTUH, 24V, CONN. .50 X .75 PIPE SIZE
VAL02132	VALVE;CHECK
VAL02133	VALVE;SOLENOID, 2 WAY
VAL02185	VALVE; REFRIG, SERVICE, 1.36 ID, SUCTION LINE, FOR CAP ONLY USE CAP00444
VAL02187	VALVE; REFRIG, SERVICE, .50 ID
VAL02188	VALVE;(R-22)EXPANSION, INLET .50, OUTLET .88, 8 TON (ANE 8 HW ODF EE 30IN ANG)
VAL02189	VALVE; CHECK, 1/2 ID INLET X 1/2 OD OUTLET, 4.6 IN LENGTH
VAL02190	VALVE;(R-22)EXPANSION, INPUT .50, OUTPUT .50, 3 TON (ANE 3HB ODFEE 30IN ANG)
VAL02192	VALVE;(R-22)EXPANSION,1 TON, .38IN.ID INLET, .50IN.ID OUTLET (1HB ODF EE 30IN ANG)
VAL02193	VALVE;R-22 EXPANSION, 1.5T, .38 INLET, .50 OUTLET (ANE 1/2HB ODF EE 5FT ANG)
VAL02231	CONNECTOR; AUXILIARY SIDE
VAL02232	VALVE;EXPANSION, INLET .88, OUTLET 1.13, 9 TON, R12
VAL02235	VALVE;REED, INDLUDED IN KIT1043
VAL02236	VALVE; SOLENOID BODY (704RC-001 VLC)
VAL02255	VALVE;CONDENSER WATER REGULATING
VAL02267	VALVE;2 WAY WATER REGULATING
VAL02269	VALVE;WATER DRAIN
VAL02270	VALVE;FLOAT
VAL02271	VALVE;CHECK
VAL02272	VALVE;SUCTION ROTOLOCK
VAL02274	VALVE;DISCHARGE ROTOLOCK
VAL02308	VALVE;REFRIGERANT, 1.125 ODS
VAL02343	VALVE;REVERSING, LESS COIL, CONNECTION INLET 3/8 ODF, OUTLET 1/2 ODF (ALCO:401RD1F34)
VAL02344	VALVE;REVERSING,4 WAY,1.5 TONS,CONNEC 3/8IN.ODF X 5/5IN. ODF
VAL02345	VALVE;REVERSING, LESS COIL, CONNECTION INLET 3/8 ODM, OUTLET 5/8 ODF
VAL02365	VALVE; REVERSING, 4 WAY, CONNEX 7/8 IN ODF X 1 3/8 IN ODF (401RD10-F711 VLC), 10 TON
VAL02366	VALVE;REVERSING, LESS COIL, CONNECTIONS INLET 7/8 ODF, OUTLET 1 3/8 ODF (401RB15F711)
VAL02367	VALVE;REVERSING 4 WAY /LESS COIL 15 TONS 1.12 ODF X 1.38 ODF (401RB 15-F911 VLC)
VAL02458	VALVE; REFRIG, TXV
VAL02572	VALVE;HIGH PRESSURE REGULATING
VAL02575	VALVE;ANGLE, .88 ODS, FOR CAP ONLY USE CAP0444
VAL02620	VALVE; GAS, LP, CONTROL
VAL02625	VALVE; .25 NPTE ACCESS, WITH CAP AND CORE, BRASS, 1 9/16 INCH LENGTH
VAL02626	VALVE; CHECK
VAL02867	VALVE;SUCTION SERVICE, 1.62ODM X 1.62ODS BALL, 1.25 PORT BRASS W/COPPER CONNECTIONS
VAL02868	VALVE; 2.12ODM X 2.12ODS BALL

Part No.	Description
VAL03031	VALVE, 3-WAY, 220/240V
VAL03038	VALVE, 2-WAY, 208V 60/50, NC
VAL03039	VALVE, 3-WAY, 120V 60/50, NC
VAL03041	VALVE, 3-WAY, 120V 60/50, NC
VAL03153	VALVE; 2-WAY, 120V 50/60, N.O.
VAL03185	VALVE; SOLENOID, .88
VAL03187	VALVE;ASSEMBLY, SWITCHOVER
VAL03204	VALVE;ASM SWITCHOVER
VAL03205	VALVE; RELIEF, .50 NPTE X .62 MFL, 450 PSI
VAL03206	VALVE;ASM-SWITCHOVER
VAL03213	VALVE; EXPANSION ASSEMBLY
VAL03226	VALVE ASSEMBLY, GAS
VAL03229	VALVE ASSEMBLY, GAS
VAL03417	VALVE;COOLING/HEATING SWITCH
VAL03418	VALVE;COOLING/HEATING SWITCH
VAL03419	VALVE;COOLING/HEATING SWITCH
VAL03440	VALVE;ANGLE
VAL03441	VALVE;FLOW CHECK,.059IN. ID INLET X .376IN. OD OUTLET
VAL03442	VALVE; REVERSING, .88 ODS X .62 ODS
VAL03443	VALVE;KIT
VAL04125	VALVE; .25 FLX .25OD W/2.50 STUB
VAL04126	VALVE; FLANGED, 3 WAY, .75 PORT, 1 NPTE
VAL04140	VALVE;BALL, .75 NPT
VAL04142	VALVE; DRAIN
VAL04143	VALVE;LOWER EXHAUST
VAL04144	VALVE;UPPER EXHAUST
VAL04145	VALVE;PRESSURE RELEASE
VAL04165	VALVE;RELIEF, 1/2 MPT X 3/4 FPT
VAL04167	VALVE;DISCHARGE BYPASS,OPENS AT 68.5 PSIG,5/8IN. ID INLET X 5/8 IN. ID OUTLET
VAL04169	VALVE; EXPANSION, REFRIG. R-22, 3.0 TON,3/8IN. ID INLET X 5/8IN. ID OUTLET (HFES 3HZODFEE5F5TS/T)
VAL04171	VALVE;MODULATING (3/4 IN.)
VAL04178	VALVE;MODULATING (1-1/4IN.)
VAL04181	VALVE; MODULATING (2 IN.)
VAL04192	VALVE;MODULATING (3 IN.)
VAL04230	VALVE; 1.12 ODS X 2.00 ODS
VAL04238	VALVE;ASSEMBLY-INDOOR EXPANSION
VAL04274	VALVE;EXPANSION, .38 INLET X .88 OUTLET
VAL04299	VALVE, ANGLE COMPRESSOR 2.62 ODS CAP ONLY IS CAP0547 LAAUY 3 DAY LEADTIME
VAL04323	VALVE; 2-WAY MODULATING, .62 ODS
VAL04360	VALVE; GAS NAT, 50 NPTI, 24 VAC
VAL04361	VALVE; REFRIG, 1.5 TON, .38 ODF IN X .50 ODF OUT
VAL04378	VALVE; GAS-NAT, 250K BTUH, .50 X .75 NPT, 750 MV, W/REDUCER BUSHGS W/O SIDE TAPS-LP KIT
VAL04406	VALVE; EXPANSION 10 TON EXTERNAL EQUALIZED 7/8 X 1-1/8 ODF 5 FT CAPILLARY (HFES10HCASAE EE5F5TS/T)
VAL04438	VALVE;REVERSING
VAL04439	VALVE;ASSEMBLY, INDOOR EXPANSION

Part No.	Description
VAL04440	VALVE; RELIEF .25 MPT X .38 FL, 300 PSIG RELIEF SETTING
VAL04457	VALVE; TUBE PIERCING
VAL04458	VALVE; ACCESS CORE
VAL04459	VALVE; REVERSING 1.38 ODS X 1.12 ODS COL05944, 24 VAC; COL05945 230 VAC; COL05946,277 VAC COL09955 460V
VAL04489	VALVE; WATER, 2 WAY, LESS ACTUATOR, 7.0 CV
VAL04490	VALVE; WATER, 3 WAY, LESS ACTUATOR, 9.0 CV
VAL04590	VALVE; 2-WAY, ELECTRIC .50, 3.6 CV
VAL04678	VALVE; RELIEF 1 IN. NPT
VAL04682	VALVE; REFRIG, TXV, 3 TONS, .75 OD IN X .38 ID IN 500 PSI
VAL04683	VALVE; ENERGY, 3-WAY THROTTLE, 3"FLANGE, HI-PERF BUTTERFLY LAANR
VAL04841	VALVE; SERVICE GAS, 7/8 IN. ID X 7/8 IN. OD
VAL04842	VALVE; SERVICE GAS, 7/8 IN. ID X 1 1/8 IN. OD
VAL04843	VALVE; 2 WAY NORMALLY OPEN, .62 ODS, 24V .31 INLET 2.3CV FLOW, 50 PSI WITH 6IN.LEADS,WITH PLUG CONN
VAL04845	VALVE; 2 WAY NORMALLY CLOSED, .62 ODS, 24V .31 INLET 2.3CV FLOW, 50 PSI WITH 6IN. LEADS W/PLUG CONN
VAL04846	VALVE; 3 WAY, 2 POSITION NORMALLY CLOSED 50 PSI
VAL04847	VALVE; ENERGY, DUAL STAGE, 2 IN. HEAT THROTTLE, 150PSI
VAL04850	VALVE; ENERGY, DUAL STAGE, 2 IN. HEAT THROTTLE, 300PSI FOR ACTUATOR MOTOR ONLY ORDER MOT6796
VAL04851	VALVE; ENERGY, DUAL STAGE, 3 IN. HEAT TROTTLE, 300PSI. FOR ACTUATOR MOTOR ONLY ORDER MOT6796
VAL04852	VALVE; ENERGY, DUAL STAGE, 4 IN. HEAT THROTTLE, 300PSI FOR ACTUATOR MOTOR ONLY ORDER MOT6796
VAL04854	VALVE; GAS, 1-STAGE, SLOW OPEN, TOGGLE SWITCH, NO BARB
VAL04887	VALVE; BALL W/6IN.HOSE 1/4IN. MFL X 1/4IN. FFL BLUE ADAPTER
VAL04888	VALVE; BALL W/6IN.HOSE 1/4IN. MFL X 1/4IN. FFL RED ADAPTER
VAL04889	VALVE; BALL W/6IN.HOSE 1/4IN. MFL X 1/4IN. FFL YELLOW ADAPTER
VAL04897	VALVE; SAFETY CHECK OXYGEN ("A" FITTINGS)
VAL04917	VALVE; CHECK 3/8IN. M FLARE X M FLARE
VAL04918	VALVE; CHECK 1/4IN. ODF
VAL04919	VALVE; CHECK 3/8IN. ODF
VAL04921	VALVE;NATGAS,250K BTUH,,50X.75NPT,24V AC,W/O SIDETAPS&LP KIT
VAL04935	VALVE, SERVICE GAS, 5/8
VAL04936	VALVE, SERVICE GAS, 3/4
VAL04937	VALVE, SERVICE GAS, 7/8 ID X 7/8 ID
VAL04948	VALVE;ASM,1/2IN.- 14 NPT N.O. 1.8 CV SPRING RETURN
VAL04949	VALVE;ASM,1/2IN.- 14 NPT N.O. 4.6 CV SPRING RETURN
VAL04950	VALVE;ASM,3/4IN.- 14 NPT N.O. 7.3 CV SPRING RETURN
VAL04951	VALVE;ASM,1IN.- 11 1/2 NPT N.O. 11.6 CV SPRING RETURN
VAL04952	VALVE;ASM,1 1/4IN.- 11 1/2 NPT N.O. 18.5 CV SPRING RETURN
VAL04972	VALVE; REFRIG REVERSING, 4 TON, 5/8 ODF X 7/8 ODF, RV4-57VLC (W/O COIL)(COI00763)
VAL04974	VALVE;REFRIG REVERSING 6 TON 1/2 ODF X 7/8 ODF (RV6-F47VLC)
VAL05018	VALVE;OIL CONTROL 1.000D X 1.180D X 2.9LG
VAL05021	VALVE; EXPANSION, 3 TON, 1/2" INLET X 3/8" OUTLET
VAL05022	VALVE;SOLENOID - 3 WAY 120V FEMALE UNLOAD, 120V
VAL05023	VALVE; REFRIG, TXV, (R22) 6 TON, .38 ID IN X .50 ID OUT, 51/47 PSIG (11 DEG F) SUPER HEAT SETTING
VAL05024	VALVE; EXPANSION ASM.
VAL05025	VALVE; EXPANSION ASM.
VAL05027	VALVE; WATER REGULATING

Part No.	Description
VAL05031	VALVE;ANGLE MASTER OIL VALVE .62 ODS
VAL05032	VALVE; 2-WAY, NC, 24V,.62 ODS -ASK FOR QTY BREAKS
VAL05034	VALVE; EXPANSION
VAL05050	VALVE; RELIEF, 1.25 NPTE, 385 PSI, FINE THREADS, BRASS PISTONS
VAL05051	VALVE; REFRIG, TXV, 5 TON, .38 ID IN X .50 ID OUT
VAL05052	VALVE; SWITCHOVER, 5/8 ODM X 3/4 ODF, (RV4-56VLC) (W/O COIL--COI00763)
VAL05053	VALVE; EXPANSION, 48/44 PSIG (9 DEG. F), 2 TON, 15% BLEED PORT
VAL05054	VALVE; .50 THD SOLENOID 3-WAY WITHOUT COIL W/METRIC FASTEN FEMALE UNLOADER
VAL05056	VALVE;2-WAY,24V,ELEC.75 ODS,50/60HZ,MOD,1.5 CV W/6" WIRE LDS
VAL05065	VALVE;3-WAY,24V,ELEC 50/60 HZ,MOD,7.4CV, W/6" WIRE LEADS
VAL05083	VALVE; 1.25, 18.5 2W NO ST PNEUMATIC
VAL05084	VALVE; 1.5, 28.9 2W NO ST PNEUMATIC
VAL05085	VALVE; 2, 46.2, 2W NO ST PNEUMATIC
VAL05115	VALVE;WATER REG REVERSE ACTING,.50 NPT, PRESSURE ACTUATED
VAL05117	VALVE; RELIEF, BRASS
VAL05163	VALVE; 2WAY NORM CLOSED SOLINOID, 1/2 ODF, 5/16 PORT, W/ EXT ENDS AND MANUAL STEM (200RB5T4MVLC)
VAL05188	VALVE; 2WAY NORM CLOSED SOLINOID, 1-3/8 ODF, 1 PORT, W/ EXT ENDS AND MANUAL STEM (240RA16T11MVLC)
VAL05190	VALVE; 2WAY NORM CLOSED SOLINOID, 1-1/8 ODF, 1 PORT, W/ EXT ENDS AND MANUAL STEM (240RA16T9MVLC)
VAL05210	VALVE; 2WAY NORM CLOSED SOLINOID, 1-1/8 ODF, 3/4 PORT, W/ EXT ENDS AND MOUNTING STUD (240RH12T9TVLC)
VAL05218	VALVE; 2WAY NORM OPEN SOLINOID, 7/8 ODF, 3/4 PORT, W/ EXT ENDS AND MOUNTING STUD (540RA12T7TVLC)
VAL05228	VALVE;HT RECLAIM,7/8 ODF,3/4PROT,STRAT THRU,(3031RC12S7S/TVLC)
VAL05280	VALVE; EXPANSION, A/C APPL., FIELD ADJUSTABLE, EXTERNAL EQUILIZER (ABAE1-1/2HCA3/8X1/2SAES/T)
VAL05289	VALVE; EXPANSION, BALANCED PORT, INTERNAL EQUALIZED R-12, 1 TON (HF1FZIE5FT3/8X1/2SAEANG5C)
VAL05291	VALVE; EXPANSION, BALANCED PORT, INTERNAL EQUALIZED, R-22, 1 TON (HF1HW 35 IE 3/8X1/2SAEANG 5C)
VAL05299	VALVE; EXPANSION BALANCED PORT, INTERNAL EQUILIZED R-12,1/2 TON (HF1/2FZIE5FT3/8X1/2SAEANG5C)
VAL05307	VALVE; EXPANSION BALANCED PORT, INTERNAL EQUILIZED R-12, 1/4 TON (HF1/4FCIE5FT1/4X1/2SAEANG5A)
VAL05309	VALVE; EXPANSION BALANCED PORT, INTERNAL EQUILIZED R-12, 1/4 TON (HF1/4FW15IE3/8X1/2SAEANG5C)
VAL05957	VALVE; ISOLATION, 4 INCH BUTTERFLY
VAL05958	VALVE; .38 ODS X .56-18, RFGT
VAL05959	VALVE; EXPANSION, .88 ODS X 1.13 ODS
VAL06002	VALVE; BALL, 2-5/8 INCHES ODF, W/ ACCESS FITTING ABV21A
VAL06003	VALVE; BALL, 3-1/8 INCHES ODF, W/ ACCESS FITTING ABV25A
VAL08496	VALVE; 3/8" FLARE CHECK VALVE
VAL08588	VALVE; REVERSING & COIL 230V
VAL08589	VALVE; REVERSING & COIL 265V
VAL08590	VALVE; DRAINAGE TEMPERATURE
VAL08706	VALVE; EXPANSION, 6 TON, 3/8 INLET X 1/2 OUTLET, 52/48 PSIG, R22
VAL08707	VALVE; EXPANSION, 2 TON, 3/8 INLET X 1/2 OUTLET, 54/50 PSIG, R22
VAL08708	VALVE; EXPANSION, 4 TON, 3/8 INLET X 1/2 OUTLET, 55/51 PSIG, R22
VAL08709	VALVE; REGULATOR FOR EVAP PRESSURE
VAL08710	VALVE; GAS, 1/2-14 NPT, 24V, 50/60 HZ
VAL08711	VALVE; EXPANSION, 2 TON, 3/8 INLET X 1/2 OUTLET, 53/49 PSIG, R22
VAL08712	VALVE; EXPANSION, 1 TON, 3/8 INLET X 1/2 OUTLET, 55/51 PSIG, R22
VAL08715	VALVE; GAS, 3 STAGE, 24 VOLT, 50/60HZ, 42 AMPS
VAL08786	VALVE; TXV, 3 TON, 5/16 ODM X 1/2 ODF, 83 PSIG SH SETPOINT, R410A

Part No.	Description
VAL08787	VALVE; TXV, 4 TON, 5/16 ODM X 1/2 ODF, 78 PSIG SH SETPOINT, R410A
VAL08788	VALVE; TXV, 5 TON, 5/16 ODM X 1/2 ODF, 81 PSIG SH SETPOINT, R410A
VAL08790	MIXING VALVE; 1/2" SWEAT 100-145F ASSE 1016, ASSE 1017
VAL08791	MIXING VALVE; 3/4" SWEAT 80-180F HEATING ONLY
VAL08792	MIXING VALVE; 3/4" SWEAT 100-145F ASSE 1016, ASSE 1017
VAL08793	MIXING VALVE; 1" SWEAT 80-180F HEATING ONLY
VAL08794	INTERMITTENT PILOT; HOT SURFACE SYSTEM WITH PREPURGE, SLOW OPEN,24VAC,50/60HZ 0 TO 175F
VAL08809	VALVE;GAS
VAL08810	VALVE; EXPANSION
VAL08842	VALVE; ANGLE RELIEF, 150 PSI
VAL08843	VALVE; GAS, UNIVERSAL, 3/4" X 3/4", 24V, NAT. GAS(INCLUDES LP CONVERSION KIT), REPLACES 36C68-423
VAL08844	VALVE; EXPANSION, 1 TON, 3/8" INLET X 1/2" OUTLET, 93/89 PSIG, R410A
VAL08845	VALVE; EXPANSION, 2 TON, 3/8 INLET X 1/2 OUTLET, 93/89 PSIG, R410A
VAL08903	VALVE, .50-14 NPTI, PRESSURE REGULATOR
VAL08904	VALVE; 3-WAY HEAT RECLAIM VALVE, 115VAC, 1 3/8" CONNECTION, 1 1/4" PORT SIZE
VAL08905	VALVE; SOLENOID, ME6S130-HP WITH MKC-1 24V COIL
VAL08908	VALVE; WATER REGULATING 3/4" WVFX20
VAL08909	VALVE;WATER REGULATING 1.0" WVFX25
VAL08910	VALVE; TCLE12HC SAE EE 5FT, VALVE LESS FLANGE 6A, 060854
VAL08932	VALVE; PRESSURE RELIEF (36902360)
VAL08933	VALVE; BOILER DRAIN 1/2NPT-3/4NH (36902370)
VAL08934	VALVE; GAS (36800630)
VAL08939	VALVE; SPORLAN 3-WAY HEAT RECLAIM VALVE, 115V, 1-5/8 "CONNECTION, PORT SIZE 1-1/4"
VAL08957	VALVE; SWITCHOVER, 6 TON (INCLUDES SOLENOID COIL)
VNE00640	VANE;INLET,13IN.FC, CCW
VNE00642	VANE;INLET, 13IN.FC, CW
VNE00644	VANE;INLET,15IN.FC, CCW
VNE00646	VANE;INLET,15IN.FC, CW
VNE00769	VANE; ASSEMBLY
VNE00770	VANE; BLADE, ASSEMBLY
VNE00771	VANE; BLADE, ASSEMBLY
VNE00772	VANE; BLADE
VNE00773	VANE; BLADE, ASSEMBLY
VNE00774	VANE; BLADE, ASSEMBLY
VNE00776	VANE; 22 1/4 IN BI, CCW INLET
VNE00777	VANE; 22 1/4 IN BI, CW INLET
VNE00778	VANE; BLADE, ASSEMBLY
WAS00917	WASHER; (1 CTN = 10 PCS)
WAS00921	WASHER; PLAIN, .50 ID X 1.00 OD, 1.25 THICK (1 CTN = 10 PCS)
WAS00922	WASHER; .78 ID X 1.25 OD (1 CTN = 10 PCS)
WAS00926	WASHER; LOCK, W-14 (1 CTN = 10 PCS)
WAS00937	WASHER; THRUST, BUTTERFLY VALVE, .89 ID X 1.29 OD, .032 THICK (1 CTN = 10 PCS)
WAS00944	WASHER; SPRING
WAS01007	WASHER; FLAT, .26 ID X .62 OD (1 CTN = 10 PCS)
WAS01008	WASHER; CHECK VALVE, .31 ID X .69 OD, .075 THICK, STEEL (1 CTN = 10 PCS)

Part No.	Description
WAS01009	WASHER; TEFLON, 1.12 OD X .505 ID X .55 (ONE CARTON = 10 PIECES)
WAS01010	WASHER; TEFLON, 1.12 OD X .88 ID X .55 THICK (1 CTN = 10 PCS)
WAS01014	WASHER; SHIM, .88 X .505 X .050 (1 CTN = 10 PCS)
WAS01016	WASHER; .395 ID X .75 OD .063 THICK C27000 BRASS (1 CTN = 10 PCS)
WAS01026	WASHER; THRUST WASHER FOR GTC 703 SHAFTS
WAS01050	WASHER; 3/8 NORDLOCK, BAG OF 20 PAIRS OF WAS00545
WAS01053	WASHER; LOCK
WAS01059	WASHER; CRUSHABLE METAL
WHL01072	WHEEL; AF, 33IN.DIA,3.94IN.BORE
WHL01074	WHEEL; AF, SIZE 2700,1.44IN.BORE DIA.
WHL01075	WHEEL; AF, SIZE 3000,1.69IN.BORE DIA.
WHL01851	WHEEL; FAN
WHL01852	WHEEL; FAN
WHL01916	WHEEL; BLOWER
WHL01917	WHEEL; BLOWER
WHL01918	WHEEL; HIGH CFM BLOWER
WHL01919	WHEEL; HIGH CFM BLOWER
WHL01928	WHEEL; A18-18A, GALVANIZED
WHL01930	WHEEL; FAN 27.62 DIA X 25.00W, 2.44 BORE
WHL01940	WHEEL;8414.59.6060 BLOWER
WHL02067	WHEEL; REPL. RED MANIFOLD HANDWHEEL, 1/4" DRIVE
WHL02068	WHEEL; SET OF RED AND BLUE REPL. MANIFOLD HANDWHEELS, 1/4" DRIVE.
WHL02077	WHEEL; 8414.59.6060, BLOWER
WHL02081	WHEEL;8414.59.6060 BLOWER
WHL02169	WHEEL; FAN, 12.78 DIA X 11.12W, .50 BORE, CCW, CONCAVE
WHL02170	WHEEL; FAN, 11.87 DIA X 11.93W, .75 BORE, CCW, CONCAVE
WHL02171	WHEEL; CROSS FLOW FAN, CENTRIFUGAL, PLASTIC
WHL02172	WHEEL; CUTTER FOR 60101, 60102, 60103, 60160 TUBE CUTTERS
WHL02173	WHEEL; CUTTER FOR 60123 TUBE CUTTER
WHL02174	WHEEL; INDOOR FAN, 5.50 DIA X 27.25, .50 BORE, W/SET SCREW, CW ROTATION
WHL02175	WHEEL; INDOOR FAN, 5.50 DIA X 38.00, .50 BORE, W/SET SCREW, CW ROTATION
WHL02176	WHEEL; OUTDOOR FAN, 8.00 DIA X 20.00, .625 BORE, W/SET SCREW, CCW ROTATION
WHL02177	WHEEL; OUTDOOR FAN, 8.00 DIA X 32.00, .625 BORE, W/SET SCREW, CCW ROTATION
WHL02343	WHEEL; FAN, SIZE 0300 LOW VERT FAN COIL, CW
WHL02344	WHEEL; FAN, SIZE 0400 LOW VERT FAN COIL, CW
WHL02345	WHEEL; FAN, SIZE 0600 LOW VERT FAN COIL, CW
WHL02346	WHEEL; FAN, SIZE 0300 LOW VERT FAN COIL, CCW
WHL02347	WHEEL; FAN, SIZE 0400 LOW VERT FAN COIL, CCW
WHL02348	WHEEL; FAN, SIZE 0600 LOW VERT FAN COIL, CCW
WHL02353	WHEEL; BLOWER, 48 BLADES, CW, CONCAVE DISC, 10 X 7
WHL02387	WHEEL; CASTER
WHL02390	WHEEL; CASTER, W/ BRAKE
WHL02404	WHEEL; FAN, SIZE 5
WHL02448	WHEEL; FAN, SIZE 3, 7.00 WIDE, CCW
WHL02461	WHEEL; 68.00 DIAMETER, ENERGY

Part No.	Description
WHL02488	WHEEL; BURNER BLOWER
WHL02492	WHEEL; BLOWER
WHL02493	WHEEL; BLOWER
WHL02501	WHEEL; EVAPORATOR WHEEL FOR CLASSIC 18
WHL02507	WHEEL; FAN, 9SQ/10SQ, 12.625 DIA X 5.156 W, CCW
WHL02514	WHEEL; FAN, 12.63 DIA X 12.64 W, .50 BORE, CCW
WHL02557	WHEEL; BLOWER, 53 BLADES, CCW, CONCAVE DISC, 11.75 X 10.62
WHL02559	WHEEL; BLOWER, 48 BLADES, CW VIEWING HUB, CONCAVE DISC, 10.62 X 10.68
WIR01388	WIRE;HARNESS, ELECTRIC HEAT, 18 KW, 240V
WIR01389	WIRE;HARNESS, ELECTRIC HEAT UNIT POWER, 18-72 KW, 240-600V
WIR01569	WIRE;ASSEMBLY-COMPRESSOR
WIR01602	WIRE;HARNESS CONTROL PANEL
WIR02239	WIRE; HARNESS, CONTROL PANEL
WIR02240	WIRE; HARNESS, CONTROL PANEL
WIR04450	WIRE; WIRING ASSEMBLY
WIR04451	WIRE; WIRING ASSEMBLY
WIR04452	WIRE; POWER CARD, PWR CRD EB TR16011 460V
WIR04453	WIRE; WIRING ASSEMBLY
WIR04455	WIRE; HARNESS, FAN POWERED PAR, ELECTRIC NEW 3,4,5 - 1ST STAGE HEAT
WIR04463	WIRE; HARNESS, 6 KW ELECTRIC HEAT, INCLUDES PLU00325
WIR04464	WIRE; HARNESS, 12 / 17.4 / 23 KW ELECTRIC HEAT, INCLUDES PLU00325
WIR04484	WIRE; HARNESS 48" CROSSOVER MAIN VALVE
WIR04485	WIRE; HARNESS-FIELD
WIR04486	WIRE; HARNESS, ZN.010, 510 SENSOR, 24"
WIR04493	WIRE; PLUG, SCROLL COMPRESSOR
WIR04494	WIRE; PLUG, SCROLL COMPRESSOR
WIR04495	WIRE; PLUG, SCROLL COMPRESSOR
WIR04496	WIRE; PLUG, SCROLL COMPRESSOR
WIR04517	WIRE; HARNESS, BELT DRIVE MOTOR
WIR04518	WIRE; HARNESS, POWER
WIR04519	WIRE; HARNESS, POWER. BL, RD, VI WIRES, 16 IN TOTAL LENGTH
WIR04520	WIRE; HARNESS, POWER
WIR04521	WIRE; HARNESS, START KIT
WIR04523	WIRE; HARNESS, CONTROL. INCLUDES SEN01369 (ODS), CON00211, RCT00062 AND (2) CON00251.
WIR04525	WIRE; HARNESS, CONTROL. INCLUDES PLU00325 AND CON00251
WIR04529	WIRE; HARNESS, CONTROL. INCLUDES PLU00325 AND CON00251
WIR04536	WIRE; HARNESS, CONTROL. INCLUDES RCT00062 AND CON00251
WIR04538	WIRE; REPLACEMENT IGNITOR WIRE HARNESS, 12-PIN
WIR04541	WIRE; HARNESS, CONTROL. INCLUDES SEN01369 (ODS), CON00211, RCT00062 AND (2) CON00251.
WIR04548	WIRE; HARNESS, OPTIONS- TBUE, POWER, NON-ELECTRIC HEAT, 25 INCHES, 3 WIRES-RD,BU,BK
WIR04555	WIRE; ASSEMBLY - PLUG TO CAP
WIR04556	WIRE HARNESS; ASSEMBLY - PLUG TO CAP
WIR04557	WIRE HARNESS; ASSEMBLY - 20BX/31J
WIR04563	WIRE; HARNESS MAIN POWER (FORK)
WIR04565	WIRE; ASSEMBLY WITH PLUG, 101 INCH

Part No.	Description
WIR04568	WIRE; HARNESS CSTI THERMOSTAT, 24"
WIR04570	WIRE; HARNESS, POWER. ELECTRIC HEAT TO COMPRESSOR CONTACTOR.
WIR04580	WIRE; MOTOR WIRE HARNESS WITH PLUG, 8"
WIR04607	WIRE; HARNESS, J1 PLUG, COMMON, GET FAN
WIR04622	WIRE; HARNESS, TRACER/LCI-I COMMUNICATION INTERFACE MODULE COMM-5
WIR04624	WIRE; ASSEMBLY, CONTROL BOX POWER, SUPPLY VFD
WIR04625	WIRE; ASSEMBLY, CONTROL BOX POWER, EXHAUST VFD
WIR04628	WIRE; HARNESS MAIN POWER PIGTAIL
WIR04635	WIRE; HARNESS, 5 PLUGS, 4 PRONGS EACH PLUG
WIR04639	WIRE; HARNESS ZN LINK