

# **Chemical Stocking Guide** 2018 Edition



#### Hudson

16520 Scheer Blvd. Hudson, FL 34667 Tel: (727) 245-1320 Fax: (727) 245-1321

### Clearwater 11577 U.S. Highway 19N Clearwater, FL 33764 Tel: (727) 572-8255 Fax: (727) 573-1604

Tampa 4720 E. Adamo Drive Tampa, FL 33605 Tel: (813) 877-8253 Fax: (813) 876-4778

Sarasota 2224 72<sup>nd</sup> Terrace East Sarasota, FL 34243 Tel: (941) 360-0010 Fax: (941) 358-0032

Fort Myers 6461 Topaz Court Fort Myers, FL 33966 Tel: (239) 275-9577 Fax: (239) 278-5502

Naples 544 Commercial Blvd. Naples, FL 34104 Tel: (239) 384-5400 Fax: (239) 384-5401

# **Condenser Coil Cleaners**

#### **Nu-Calgon**

Item #	Vendor #	Description	Size
CHM00393		Nu-Brite Condenser Coil Cleaner	1 gal.
CHM00764	4190-08	Cal-Green Aluminum Coil Cleaner	1 gal.

Nu-Brite foams, brightens, and is an equally effective yet safer alternative to HF acid-based products.

Cal-Green is an all natural environmentally friendly condenser coil cleaner. This low-foaming, non-toxic cleaner is outstanding for removing dirt and grime which hinders heat transfer.



#### SF

ltem #	Description	Size
CEV025501	Enviro- Coil Cleaner	1 gal.
CND026101	Nu-Clear Coil Cleaner	1 gal.

Enviro-Coil serves a dual purpose evaporator and condenser cleaner that will not etch aluminum when rinsed thoroughly.

Nu-Clear is a powerful expanding foam cleaner for condensers. Fights dirt grime, grease and penetrates deep for impacted cleanings. Should be rinsed thoroughly.



### BBJ

ltem #	Vendor #	Description	Size
CHM01050	BBJ-#520-04	Power Coil Clean	1 gal.
CHM01051	BBJ-#525-01	Power Coil Clean	5 gal.
CHM01052	BBJ-#523-01	Power Coil Clean	55 gal.

BBJ Power Coil Clean<sup>™</sup> with Enviro-Gard is a fast and safe pH balanced coil cleaner that cleans and protects coils during cleaning. Use Power Coil Clean to remove the even the most stubborn deposits of dirt, grime, and other contaminants effectively and safely from evaporator and condenser coils.



#### DIVERSITECH

Item #	Description	Size
TRIPLE-D	Universal Coil Cleaner	1 gal.
PRO-BLUE	Foaming Alkaline Coil Cleaner	1 gal.
PRO-BROWN	Ultra-High Foaming Coil Cleaner	1 gal.
PRO-YELLOW	Non-Toxic Coil Cleaner & Brightener	1 gal.

Triple-D<sup>™</sup> is a Universal Cleaner for use on condenser and evap coils Pro-Blue<sup>™</sup> is a heavy-foaming, alkaline-based coil cleaner Pro-Brown<sup>™</sup> is an ultra-high foaming, alkaline-based coil cleaner

Pro-Yellow<sup>™</sup> is non-toxic foaming cleaner and brightener



### **Evaporator Coil Cleaners**

#### **Nu-Calgon**

Item #	Vendor #	Description	Size	
CHM00351	4168-08	Evap Power No-Rinse Cleaner	1 gal.	E١
CHM00354	4171-75	Evap Foam No-Rinse Aerosol	18 oz.	E
CHM00707	4166-08	Evap-Fresh Cleaner & Disinfectant	1 gal.	E
CHM01404	4127-75	Blackhawk Aerosol Foam Cleaner	18 oz.	В
CHM00367	4186-24	Green Clean All Purpose Cleaner	1 qt.	G

Pow'r - No-rinse alkaline

Foam - Foaming, no-rinse aerosol

Fresh - Non-abrasive, one-step cleaner & disinfectant

- khawk Expanding foam, non-fragrance aerosol
- n Clean Environmentally friendly all purpose cleaner



### SF

ltem #	Description	Size
CEV025501	Enviro- Coil Cleaner	1 gal.
EVP027101	No-Rinse Coil Cleaner	1 gal.

Enviro-Coil serves a dual purpose evaporator and condenser cleaner that will not etch aluminum when rinsed thoroughly.

Trane's Self-Rinsing Evaporator Coil Cleaner is odorless, non-toxic, deodorizes, and doesn't etch or react with aluminum.

### BBJ

Item #	Vendor #	Description	Size
CHM01050	BBJ-#520-04	Power Coil Clean	1 gal.
KIT16713	BBJ-#700-01	Mini-Split Cleaner+Mold Control	Kit

BBJ Power Coil Clean™ with Enviro-Gard is a fast and coil cleaner that cleans and protects coils during cleaning.

The Mini Split First Aid Kit™ includes aerosol versions of Micro Coil Clean and BBJ Mold Control for HVAC Systems. This duo provides the muscle you need for a mini split cleaning job.



#### DIVERSITECH

Item #	Description	Size
TRIPLE-D	Universal Coil Cleaner	1 gal.
PRO-GREEN	Foaming Alkaline Coil Cleaner	1 gal.

 $\mathbf{Triple-D^{m}}$  is a Universal Cleaner for use on condenser and evap coils

Pro-Green<sup>™</sup> is a no rinse, mild alkaline coil cleaner that can be used on aircooled condensers, evaporators, electronic and permanent filters, fan blades, grilles, mini-split and microchannel applications. Pro-Green cleans deposits on coils and rids condensate pans of slime.



# **IAQ Chemical Solutions**

BBJ

	Item #	Vendor #	Description	Size
(	CHM01035	BBJ-#486-04	Mold Control for Air Ducts - Ready to Use	1 gal.
(	CHM01029	BBJ-#491-12	Mold Control for Air Ducts - Concentrate	15 oz.
(	CHM01039	BBJ-#620-12	MMRII Mold and Mildew Remover	32 oz.
(	CHM01041	BBJ-#611-04	MMRII Mold and Mildew Remover	1 gal.
(	CHM01043	BBJ-#655-01	MMRII Mold and Mildew Remover	55 gal.
(	CHM01053	BBJ-#433-24	FreshDuct Odor Eliminator Liquid Concentrate	15 oz.
(	Chm01056	BBJ-#472-06	FreshDuct Odor Eliminator Spray	14 oz.

BBJ Mold Control for HVAC Systems and Air Ducts<sup>®</sup> controls the growth of mold and mildew in HVAC systems. Use alone as a mold control solution or apply after physical cleaning and sanitizing to inhibit growth on supply & return sides.

MMR II is a commercial grade hard surface cleaner, mold remover, and broad spectrum disinfectant combined. Clean and sanitize in one step. Removes mold streaks on walls, ceilings, diffusers and other hard surfaces.



FreshDuct Odor Eliminator is a powerful industrial odor control and eliminator for use in HVAC systems, mold remediation projects, fire remediation, basements, crawl spaces, and many other areas.

#### DIVERSITECH

ltem #	Description	Size
SANI-CND	Disinfectant / Fungiside	1 gal.

**Sani C-N-D** is an EPA registered disinfectant, fungicide, mildewstat and viricide. It is ready-to-use and assures consistent, effective results. Sani C-N-D destroys "dirty sock," mildew and other malodors.



Bio-Cide		
ltem #	Description	Size
CHM00270	Un-Scented EnviroCON	1 gal.
CHM00269	Un-Scented EnviroCON	32 oz.
CHM00268	Scented EnviroCON	1 gal.
CHM00267	Scented EnviroCON	32 oz.
CHM00265	Oxine Eungicide - Concentrate	3.25 07.

**inviroCON**<sup>®</sup> is highly effective in eliminating odor-causing microorganisms as vell as those associated with mold, mildew and bacterial growth. Chlorine ioxide is a powerful antimicrobial compound effective against a broad range of oth gram-positive and gram-negative organisms as well as yeasts and molds.

**Oxine** Low Toxicity Duct Fungicide is sprayed into a duct using the a fogger. Kills any residual mold, bacteria, mildew, viruses, and fungi. Recommended for low toxicity and safety, does not leave an active chemical residue.



#### SF.

ltem #	Application Size	Qty.
DTR2.5-10-R	1 to 2.5 Tons	10 pk.
DTR5-6-R	3 to 5 Tons	6 pk.
DTR10-2-R	7 to 10 Tons	Single
DTR25-1-E	20 Tons	Single
DTR50-1-E	25 to 50 Tons	Single

### **Condensate Management**

**SF™ pan treatments** use state-of-the-art, water-activated, time-released polymer technology and may be used safely in air conditioner and refrigerator drain pans, dehumidifier water tanks or any other non-potable water retention area. With the effective use of drain pan treatments, condensate water will be sanitized, discouraging the growth of micro-organisms and keeping drain pans clean and free flowing.



#### **Nu-Calgon**

ltem #	Vendor #	Description	Size
CHM00837	4165-24	Nu-Calgon Drain Solve	1 gal.
CHM00818	4165-08	Nu-Calgon Drain Solve	15 oz.

**Drain Solve** is an alkaline-based drain opener which removes grease, hair, vegetable and other organic matter. It is non-fuming and it will clean and clear drains quickly. Simply pour it down the drain and let it work without fear of noxious fumes or reactions that may squirt corrosive chemicals into face and eyes.



#### RECTORSEAL

Item #	Vendor #	Description	Size
NL1	97685	Nu Line Drain Treatment	8 oz.
NL2	97690	Nu Line Drain Treatment	32 oz.

Helps prevent A/C drain line clogs and water leaks by removing slime buildup and keeping drain lines open. Use it every three months to help prevent water damage and mold growth from clogged A/C drain lines.



#### DIVERSITECH

ltem #	Description	Application	Size
PROTREAT-200	Economy Pan Treatment	3 Tabs per 3 Tons	200 pk.
FLOW-PLUS-25	Flow-Plus Mini Condensate Tabs	1/2 to 3 Tons	25 Count Tub
FLOW-PLUS-200	Flow-Plus Mini Condensate Tabs	1/2 to 3 Tons	200 Count Jar
FLOW-PLUS-10	Flow-Plus Condensate Tub	5 to 20 Tons	10 oz. Tub

The Flow Plus<sup>™</sup> product is a preventative and long lasting pan treatment. It time releases a chemical formula that minimizes the accumulation of slime and environmental debris. It is completely soluble. It does not leave a carrier product (mesh, bag, etc.) to be clogged in the condensate drain line.



# **Refrigerant Leak Detection Chemicals**

#### SPECTROLINE

ltem #	Kits & Accessories
EZ-100/ECS	EZ-Ject™ Universal/POE Dye Injection Kit
OPK-40EZ/E	Complete EZ-JECT Kit w/ Injector, Dye, Glasses, & Light
OPX-400CS	Violet Light Leak Detection Flashlight & Glasses
BV-50	Bleed Valve for GLO-STICK Capsules

Item #Cartridges & CapsulesTreatsEZ-4/ECSEZ-Ject Multi-Dose Universal Cartridge25 lbs/12 tonsGS-2/ECSGLO-STICK Single-Dose Universal Capsule5 - 9.9 lbs.GS-3/ECSGLO-STICK Universal Dye Capsule10 - 25 lbs.

#### DIVERSITECH

Item #	Description	Size
RLF-8	Radiant Leak Finder	8 oz.

**RLF-8** comes with a dab-applicator. Radiant color and viscous clinging formula exposes the smallest leaks. Freeze protected remains effective down to 0 degree F.

EZ-Ject™ cartridges are versatile, and multi-dose. The injector easily overcomes system pressure. Add fluorescent dye with system off or running. Works in all systems, including high-pressure R-410a.

GLO-STICK® capsules are mess-free and single-

dose. Add refrigerant & fluorescent dye in one step.

#### TRANE Supply

Item #	Description	Size
LEK027732	Spray Leak Reactant	32 oz.
LEK027701	Spray Leak Reactant	1 gal.

**Leak Reactant** provides a quick and easy way to pinpoint gas leaks from any pressurized gas system. Thick, tacky fluid clings to surfaces - even the underside of pipes, and instantly produces an easy to see, long lasting stream of bubbles.



### **Refrigerant Leak Sealant**

#### **Nu-Calgon**

Item #	Vendor #	EasySeal Description	Treats
CHM00814	4050-06	AC EasySeal 3oz. Pressurized Can	1.5 - 5.0 Tons
CHM00825	4050-01	AC EasySeal SS 1.25oz. Pressurized Can	1.5 Tons and Less
HSE01610	4051-99	EasySeal Piercing Valve & Hose	Kit
CHM00813	4050-02	AC EasySeal 2+1 Kit (2 cans + valve/hose)	Kit
ltem #	Vendor #	EasySeal Direct Inject Description	Treats
CHM01403	4050-08	EasySeal Direct Inject	1.5 - 5.0 Tons
TOL04933	4050-11	UV EasySeal Direct Inject	1.5 - 5.0 Tons

A/C EasySeal is designed to prevent as well as repair leaks anywhere in the system. It is easily injected into the system, traveling with the refrigerant, searching for leaks. The fact that it travels with the refrigerant allows it to find leaks faster, using less sealant than those sealants designed to mix with the systems oil.

With **EasySeal Direct Inject** pumping down the unit is a thing of the past. And now the industry's leading refrigeration sealant has been combined with UV leak detection dye to give you EasySeal Direct Inject-UV. This product is designed to seal leaks and also show where larger leaks are.



#### RECTORSEAL

Item #	Description	Treats
00280	AC Leak Freeze Cartridge	1 - 6 Tons
00282	AC Leak Freeze + Magic Frost Lubricant Cartridge	1 - 6 Tons
00284	AC Leak Freeze Cartridge w/ Reusable Adapter	1 - 6 Tons
00286	AC Leak Freeze + Magic Frost w/ Reusable Adapter	1 - 6 Tons
00292	1/4" Reusable Adapter Hose	

#### SPECTROLINE

Item #	Kits & Accessories	;
CS-100CS	EZ-Ject™ Cool Sealer Injection Kit	
BV-50	Bleed Valve for GLO-STICK Capsules	
ltem #	Cartridges & Capsules	Treats
CS-1CS	Cool Seal™ EZ-Ject™ cartridge	Up to 2 Tons
CS-3CS	GLO-STICK Cool Seal Capsule	Up to 2 Tons

AC Leak Freeze is inert until it mixes with any refrigeration gas. AC Leak Freeze is activated by refrigerant escaping at the site of the leak — forming a chemical weld and repairing the system. A/C Leak Freeze with Magic Frost stops leaks, lubricates the A/C system, enhances cooling efficiencies, extends compressor life and is ideal for A/C systems 2 years and older.



**EZ-Ject™ cartridges** are versatile, and multi-dose.

The injector easily overcomes system pressure. Add fluorescent dye with system off or running. Works in all systems, including high-pressure R-410a.

**GLO-STICK® capsules** are mess-free and singledose. Add refrigerant & fluorescent dye in one step.





## Acid & Burnout Chemicals

ltem #	Acid Test Kits
QT2000	Quick Check 2 Second Acid Test
KIT06815	Universal Acid Alert Test

QT2000 Detects inorganic acid in 2-seconds down to 1 part per million. Unique patented disposable design.

KIT02815 provides a reliable indication of the acid level. Phase separation of the chemicals eliminates interference from discolored oil.

ltem #	Acid Neutralizers	
45004	Rectorseal Acid Away Kit - Mineral Oil	
45009	Rectorseal Acid Away Kit - POE Oil	
CHM00413	4301-02 Rx Acid Scavenger	

Acid-Away<sup>®</sup> circulates quickly throughout the system and chemically neutralizes acids that are always left in an air conditioning or refrigeration system after a burnout occurs. Rx-Acid Scavenger is formulated for use with all lubricants - mineral,



#### SPECTROLINE

Item #	Kits & Accessories
AB-100CS	Acid Buster™ Scavenging Injection Kit
AB-5CS	Acid Buster™ EZ-Ject™ cartridge

Acid Buster<sup>™</sup> is formulated for use with all lubricants - mineral, alkylbenzene and polyol ester. Direct, reusable injector eliminates the need for an oil pump. Works with the same injector tool as the rest of the Spectroline EZ-Ject platform.



Rx11-flush is ozone-safe, non-toxic, and non-flammable. Used exactly like the old R-11

flushing process, it is powerful enough to flush away sludge, carbon residues, oils, acids, water and other particulate. Rx11-flush is ideal for system flushing after burnouts, during retrofits and for flushing line sets.

### System Flushing Products

#### Nu-Calgon

ltem #	Vendor #	Description	Size
CHM00510	4300-09	Rx11 Flush	16 oz.
CHM00410	4300-11	Rx11 Flush	32 oz.
CHM00826	4300-08	Starter Kit - Hose / Gun / Valve / Can	16 oz.
CHM00997	4300-30	Non-Pressurized Liquid Flush	19.5 oz

Item #	Vendor #	Accessory Description
TOL03326	4300-51	Rx11 Flush Gun Nozzle
HSE01611	4300-52	Rx11 Flush Hose
TOL02895	4300-50	Rx11 Line Set Cone Flush Tool
TOL03481	4300-89	4300-89 Rx11 Injection Valve



alkylbenzene and polvol ester.

#### DIVERSITECH

Item #	Description	Size
PF-KIT	Pro-Flush Kit	Kit
PF-16	Pro-Flush Flushing Solvent	16 oz.

#### **Pro-Flush** is a flushing solvent for air conditioning and refrigeration systems, and is formulated for R-410A retrofits, refrigerant conversions and compressor burnouts. Pro-Flush is compatible with all refrigerants and compressor oils.



- The reusable tank lowers cost since you only need to buy the Pro-Flush™ refill cans. Pre-charged cans include refrigerant propellants which are more expensive to use than nitrogen. .
- The trigger assembly allows for infinite control of dosage insuring more economical use of the solvent.
- Using nitrogen as the propellant is less expensive and more environmentally friendly than using HFC-134A.

#### CLIPLIGHT

ltem #	Description	Size
981	Super Change - Up To 6 Tons	2 oz.

**Super Change™** is the fast and easy way to complete an R22 system retrofit. It creates a strong compatibility link between all oils to any HFC refrigerants, including POE-based R407C & R410A – eliminating compressor downtime and line set flush.



### Drain Pan Epoxy & Repair

#### dynesic

Item #	Description	Coverage
2000-1PG	PanSeal Gallons	160 Sq. Ft @ 10mils.
2000-PC	PanSeal Cartridges	6 Sq. Ft @ 15mils.

#### • Works in standing water

- Seals leaks immediately
- No system down time
- No surface preparation required
- Works on both metal and plastic pans

#### **Nu-Calgon**

Item #	Vendor #	Description
CHM00492	4296-50	Nu-Calgon White Pan Spray

Pan-Spray is an effective, easy-to-use water proof rubberized coating that won't chip, flake, or peel. It's ideal for sealing out rust and corrosion as well as repairing leaky condensate pans, cooling towers, swamp coolers, roofing, gutters, and down spouts.



# **Ice Machine Chemicals**

CHM00379 4211-34 Nu-Calgon IMS-III Ice Machine Sanitizer 16 oz CHM00390 4287-34 Nu-Calgon Nickel Safe Ice Machine Cleaner 16 oz	ltem #	Vendor #	Description	Size
0	CHM00379	4211-34	Nu-Calgon IMS-III Ice Machine Sanitizer	16 oz.
INCORE Trans Nickel Safe Lee Mashing Cleanan 1 cel	CHM00390	4287-34	Nu-Calgon Nickel Safe Ice Machine Cleaner	16 oz.
INICO25301 I Frane Nickel Safe Ice Machine Cleaner I gai	IMC025301		Trane Nickel Safe Ice Machine Cleaner	1 gal.

IMS-III sanitizes ice machines, ice cream dispensing equipment and other food processing equipment. No rinsing is necessary;. Air dry and continue.



Nickel-Safe Ice Machine Cleaner is a food-grade product for removing scale deposits from ice makers having nickelplated or tin-plated evaporators.

## **Descaling Chemicals**

### RYDALLE

Item #	Description	Size
CHM00544	Rydlyme Descaler Small	1 gal.
CHM00545	Rydlyme Descaler Medium	5 gal.
CHM00546	Rydlyme Descaler Large	30 gal.
CHM00547	Rydlyme Descaler XL	55 gal.

RYDLYME is specifically designed to dissolve the toughest water scale, lime, mud, and rust deposits from virtually any piece of water scale, equipment. This powerful, yet totally safe, liquid is non-toxic, non-flammable, non-hazardous, non-corrosive and biodegradable; so *RYDLYME* will not harm your personnel, equipment or our environment.



### TRANE Supply

Item #	Description	Size
SCL025001	Trane Descaler Acid	1 gal.

This Premium low foaming descaler is perfect for maintaining cooling towers and water cooled systems.



### **Refrigeration Oils & Additives**

#### SFF Mineral Oil - For use with CFC & HCFC Refrigerants

Mineral oil is specially recommended for lubrication of compressors containing ammonia, R-11, 12, 13, 22, 113, 114, 123, 500 and 502. Do not use with HFC refrigerants such as R-134A.

	Item #	Viscosity	Replaces	Size
	1IN15001	150 SUS	3GS	1 gal.
N	1IN30001	300 SUS	3GS & 4GS	1 gal.



#### TRANE POE Oil - For use with HFC Refrigerants

POE oil is recommended for lubrication of compressors containing R-134a, R-404A, R-507, R-407C, R-32, and R-410A.

OIL00078 Grade 32 1 qt.   OIL00080 Grade 32 1 gal.   OIL00094 Grade 68 1 qt.	Item #	Viscosity	Size	REFRIGERATION	
OIL00094 Grade 68 1 qt.	OIL00078	Grade 32	1 qt.	COMICAN	RE
OIL00094 Grade 68 1 qt.	OIL00080	Grade 32	1 gal.		
OIL00048 Grade 68 1 gal	OIL00094	Grade 68	1 qt.	mov.onkavadil.com	
Gilde Go I gui.	OIL00048	Grade 68	1 gal.		

	OEM Mineral Oil - CFC &	HCFC Ref	rigerants
Item #	Description	Viscosity	Size
OIL00042	Oil w/ Lubricity Additive	150 SUS	1 gal.
OIL00015	OEM Formula Compressor Oil	300 SUS	1 gal.
OIL00031	Oil w/ Wear Additive	300 SUS	1 gal.
OIL00045	Oil w/ Lubricity Additive	300 SUS	1 gal.
OIL00022	White Mineral Centrifugal Oil	300 SUS	2.5 gal.

#### **Oil Additives**

Item #	Description	Size
CHM01005	MJ-X Additive - for Clearing Valves & Orifices	4 oz.
Nu-Calgo	on	

Item #

CHM00834	Additive/Lubricant for R-22 / R-407C / R-410A	4 o

Description

### Vacuum Pump Oil

UNIWELD			<b>1</b>
Item	Description	Size	
42005	Vacuum Pump Oil	1 qt.	
42006	Vacuum Pump Oil	1 gal.	Canada and Street Street

#### APPION

performance	mium Synthetic Blend improves vacuu e and provides greater protection to inter 5. It also reduces overall oil consumption a times longer than mineral oil.	nal pump		
ltem	Description	Size	TEZOM	-
TZM1PK TZMGLN	Pre-Charged Micron-Dry Cartridge Micron-Dry Vacuum Pump Oil	1 pk. 1 gal.		
		-		

#### DIVERSITECH

Item #	Description	Mix	Size
EG-55	ProTek Inhibited Ethylene Glycol	95/5	55 gal.
PG-PLUS-55	ProTek Inhibited Propylene Glycol	95/5	55 gal.



Glycol-water mixtures are commonly used to provide freeze protection in HVAC closed loop heating and cooling systems. Glycol is also regularly used to allow low temperature operation in thermal energy storage systems, where ice is made at night and used the next day to cool the building.

### **Thread & Gasket Solutions**

Don containt		
ltem #	Description	Size
13228	Dow Corning High Vacuum Grease	150g
	-melting silicone lubricating material.	

Excellent resistance to water, chemicals, high and low temperatures. Lubricates plug valves, control valves, flow meter bearings, synthetic rubber gaskets and seals in high temperature applications. Seals vacuum and pressure systems.

150g	
	Day Co
	A CHARACTER STATE
14	

Item #	Description	Size
CLL-1	General Purpose Thread Sealant Tube	1.3 oz.
4036	Airserco Liqui-Vac High Vacuum Sealant	1 Pint
around th	c will positively seal high vacuum leaks irreads, through flared connections, face	Discourses

around threads, through flared connections, face joints, wherever metal joins metal. Liqui-Vac sets up quickly, but remains flexible for easy disconnection. Liqui-Vac is resistant to most solvents, can seal to 1 micron, and withstands temperatures from -100° F to +325° F.

CRC



L@C <b>TIT</b>	E		
Item #	Gasket Material / Flange Sealant	Size	
SEL00922	LOCTITE <sup>®</sup> 515 <sup>™</sup> Gasket Eliminator	50ml	
SEL00376	LOCTITE <sup>®</sup> 515™ Gasket Eliminator	300ml	51
ltem #	Threadlocker	Size	Lacrat
SEL00490	LOCTITE <sup>®</sup> 242 <sup>™</sup> Blue Liquid Threadlocker	1.3 oz.	
ltem #	Gasket Remover	Size	
	Gasket Kelliovel	3120	

#### Honeywell

Item #	Description	Size
107408	Honeywell Heat Conductive Compound	4 oz.
	ctive paste is ideal for optimizing sensor wel to improve and assure proper temperature readir	



Glycol

### Lubricants, Cleaners & Degreasers

Item #	Description	Size
03005	3-36 <sup>®</sup> Multi-Purpose Lubricant	16 oz.
03095	Heavy Duty Degreaser	20 oz.
03185	Chlor-Free Degreaser	20 oz.
03282	SP-400 Corrosion Inhibitor	16 oz.
03130	QD Electrical Contact Cleaner	16 oz.
SL3190	STA-PLEX Premium Red Grease Cartridge	14 oz.

#### **Industrial Degreasers**

ltem #	Description	Size
SLV051201	Trane E-Solv Degreasing Solvent Chemical	1 gal.
SOV00045	4083-75 Nu-Calgon Degreasing Solvent EF Aerosol	17 oz.
SOV00046	4162-07 Nu-Calgon Degreasing Solvent EF	1 gal.

**Trane E-SOLV** cleans electric motors, machined parts, coils, breakers, and other components. It is a safer alternative to chlorinated solvents.

**Nu-Calgon Solvent EF** is an ozone-safe, environmentally friendly, volatile solvent. It provides effective cleaning and controlled drying with no residue. Dielectric strength of over 26,000v.



#### **Penetrants and Lubricants**

Item #	Description	Size	+	1	
CO-1	Pull-a-Spout Oiler	4 oz.	4	4	W <b>D-4</b> U
CR-1	Rust Breaker	4 oz.	PULL	All.	MARTSTRIM
WD40	WD40 Can	11 oz.	OILER	BREAKE	And the second
16PB	PB Blaster Penetrant	11 oz.	LAL	IAI water	

Item #	Description	Size	4957776	۲	
LUB00007	Loctite 76732 Silver Grade Anti-Seize	8 oz.	Silver Grade Anti-Seiten	S	
S-350	Superior All Purpose Grease	14 oz.	With A state		
				August.or	

## **Miscellaneous Aerosols**

#### TRANE OEM Touch-Up Paint

Item #	Description	Unit Info	Size
PAI00061	Commercial Executive Beige	CVHE, CVHF, CVHG, CVHH, CVHS, CVHF, RAUC, RTHA, RTHC	12 oz.
PAI00074	Residential Slate Gray	2-4TTB, 2-4TWB 2-4TTA, 2-4TWA, TCC, WCC, 2-4TCC, 2-4WCC, TWE	12 oz.
PAI00086	Commercial Slate Gray	YSC, TSC, WCS,TCD,	12 oz.
PAI00246	Residential Tarpaulin Gray	2TTZ, 4TTZ, 2TTX, 2TTR, 4TTR	12 oz.
PAI00248	Residential Anthracite Gray	GAM & TAM Air Handlers	12 oz.

#### General Purpose & Insulating Paints

ltem #	Description	Size
V2404	General Purpose Black Spray Paint	12 oz.
18412	CRC Zinc-It Cold Galvanize Coating	12 oz.
GLYPAL	Glyptal Red Enamel Insulating Paint	12 oz.

**Glyptal** was originally produced as an insulating coating for the treatment of coils and armatures, its outstanding resistance to corrosion, moisture, heat, acid, oil and dust has seen it employed in numerous industries as a adhesive, primer, sealer and protective finish.



#### **Coil Coating Aerosols**

ltem #	Description	Size
CG-AER	Clear Coil-Guard w/ Blue Tint	19 oz.
CHM01441	4083-90 Nu-Calgon DuraCoil Coating	11 oz.

**DuraCoil** is a specially formulated coil and surface protectant for HVACR components. The product is an aerosol based, air-dry phenolic brown colored coating designed to extend the life of the coil or other system component in a corrosive environment.



#### Pipe Insulation Spray

ltem #	Description	Size
770-15	Sweat-Free Pipe Insulation - Aerosol	15 oz.

**Sweat-Free** is a spray-on insulation for cold water pipes, refrigeration and air conditioning lines. Stops sweating and dripping problems. Dries to a white, flexible and water-resistant coating. Adheres to galvanized, black iron, steel, brass, copper and PVC piping.

#### Wasp & Hornet Spray

Item #	Description	Size
EWHIK16	Enforcer Knockdown Killer Spray	15 oz.

Instant knockdown formula kills wasps, hornets, yellow jackets on contact. Jet blast up to 22 feet lets you spray from a safe distance. Non-conductive up to 47,300 volts. Residual action kills wasps and hornets returning to the nest. For Outdoor use only.



### **Chemical Tools & Supplies**

#### **Condensate Line Cleanout Tools**

Item #	Description
GG-1	Gallo Gun Condensate Line Drain Tool
GG-12	C02 Cartridges for Gallo Gun - 12pk
GG-1A	Gallo Gun Nozzle Adapter Kit for PVC
97795	Mighty Pump

# The **Gallo Gun** is a lightweight (3 oz.) portable tool designed to blowout drain lines instantly. The cartridges now deliver 1200 PSI of oil-free CO2 to clear the line. Each unit comes equipped with a tapered fitting to work on 3/8'' - 3/4'' drain openings. The **Mighty Pump** clears drains with a powerful push/pull action from inside or outside of the building.



PS-1

#### Sprayers, Pumps & Foggers

Item #	Descri	ption
BS-32	Quart S	prayer
1002	Hand Held Pu	ump Spraye
2601	1 Gallon Wa	ind Spraye
2602	2 Gallon Wa	ind Spraye



# Item #DescriptionDST00857Nu-Calgon Coil GunPS-1Diversitech Power SprayerTOL00201B&G 2600 Fogger Unit

**PS-1** is a backpack sprayer that holds up to 4 gallons of coil cleaning solution. The battery powered unit will spray continuously for 10 hours on a single charge.

**TOL00201** is fitted with a flexible hose and adjustable flow control, allowing users to control the quantity and direction of the output. This flow control provides adjustment of the discharge as a mist with flow rates between 0-540 ml per minute.

#### BREEDCLEAN Ductless Cleaning Tools

ltem #	Vendor #	Description
KIT16711	MSB-KIT	Mini Split "Bib" Cleaning & Maintenance Kit
KIT16712	MSB-01	Additional Mini-Split Plastic Bibs
SEL01212	MSB-07-1	Replacement Low-Tack Bib Tape - 4" x 200'

- Kit Includes bib, adjustable mounting brackets, & 5-gallon bucket
- Fits virtually any brand ductless fan unit up to 44" wide.
- Keeps walls and surroundings safe from water & chemicals.
- Quick to set up and easy to move from job-to-job.



TOI 00201