

FAMILY OWNED AMERICAN TOOL COMPANY SINCE 1872













Limited Lifetime Warranty

Since 1872, the Seymour name has been synonymous with quality, durability and honest value.

At Seymour Midwest, we build tools that offer outstanding performance, year-after-year. We stand behind our products by extending to the original purchaser a LIMITED LIFETIME WARRANTY that our products will be free from manufacturing defects in materials and workmanship during normal use, subject to the qualifications indicated below. Simply return the defective tool to where you purchased it, with proof of purchase, or visit *SeymourMidwest.com* to learn how to make a warranty claim.

The typical life of a tool is determined by the conditions and level of use. Frequent, daily use will wear out a tool faster than infrequent, occasional use. Defects in materials or workmanship typically arise early in the life of a tool. Our limited warranty does not cover normal wear, lost parts, damage inflicted intentionally by the user, or failures due to accident, misuse, abuse, negligence, alteration or modification. Seymour Midwest's sole liability and the purchaser's sole remedy for a failure of products under this warranty shall be limited to the replacement or repair of the product, or the issuance of a credit therefor, at the option of Seymour Midwest (no automatic deductions by the purchaser are allowed).

<u>Lifetime Warranty Exceptions:</u> The period of warranty for Striking tools, ProValue tools and SmartBuy tools is for one (1) year rather than for lifetime.

Seymour Midwest assumes no liability for special, incidental or consequential damages caused by a product's failure to conform to the above written warranty, except where required by law. Seymour Midwest's warranty as set forth above is the sole and exclusive warranty. There are no other warranties expressed or implied. No person is authorized to give any other warranties.

If you have any questions concerning the warranty or its application, please write to: Customer Care, Seymour Midwest LLC, PO Box 1674, Warsaw, Indiana 46581 USA

Genuine Seymour Midwest Replacement Parts

Frequent professional use can wear out the parts on many tools. We offer replacement blades, wood handles, springs and other component parts for our products. Identify replacement parts easily by visiting the Replacement Parts and Replacement Handles sections of our website at *SeymourMidwest.com*.

We're always improving. Product configurations, specifications and photos shown in this catalog can change to better meet market needs. Consult our website at <u>SeymourMidwest.com</u> for the latest information and to see additional products not included in this print catalog.

TABLE OF CONTENTS



Warranty Information
Our Brands
The Structron Advantage
Shovels
Fiberglass / Standard17-19Fiberglass / Specialty20-23
Fiberglass / Trenching & Cleanout
Wood / Standard
Wood / Specialty
Wood / Trenching & Cleanout
Polymer / Specialty
All-Steel / Specialty
Toolite / Specialty
Rakes
Lawn & Leaf
Bow
Level Head
Landscape44-45
Aluminum / Specialty
Aquatic
Brooms
Hoes
Edgers
Cultivators
Forks
Scoops 58-60
Scrapers
Post Hole Diggers
Fencing Tools
Augers
Snaths & Scythe Blades
Weed & Brush Cutting
Machetes & Knives

Pruning Tools
Saws
Hand Pruners
Hedge Shears
Loppers
Tree Pruners / Fruit Picker
Extension Handles
Planting Tools
Garden Tools
Squeegees
Lutes
Concrete Tools
Asphalt & Seal Coating Tools
Tampers & Rollers
Soil Probes & Trenchers85
Wheelbarrows
Striking Tools Hammers
Measuring Tools
Valve Keys & Wrenches93
Irrigation Tools
Sports Field Tools
Snow Tools
LINK Replacement Handles
Introduction
Handle Display Merchandising
Handles
Eye Size Charts
How To Replace A Handle
Fireplace
Outdoor Living
Firestarter
Rings & Ring Fasteners
Merchandising

HERITAGE

In 1872, Seymour Manufacturing was founded as an agricultural tool and implement manufacturer in Seymour, Indiana. Early products were grain cradles, wagon wheels, scythes, and snaths.



Julius C. Birge of St. Louis, Missouri was among the initial group of investors in the company and eventually bought out his partners to begin over a century of ownership by members of the Birge family.

Early in the 20th century,

Seymour purchased the Hall Manufacturing Company of Indiana to expand the product offering into post hole diggers and earth augers. The Dunn Edge Tool Company and the North Indianapolis Cradle Works were purchased after World War I to further expand the company's offerings.

As part of the national efforts in World War II, Seymour produced starter cartridges for airplanes, magazines for small arms and wooden wheelbarrows that required minimal metal for assembly. The company also expanded with new innovations for the farm and ranch markets including hog rings and ringers, cattle de-horners and other rugged farm tools.


The company expanded into consumer markets in the 1950's with the launch of fireplace tools and a snow sled for children. These winter-time product offerings eventually were expanded into a full range of snow tools.



Seymour embraced the development of stronger, lightweight tools using fiberglass handles in the early 1990's. The 1995 acquisition of Structron Corporation of San Marcos, California positioned Seymour as the market leader in tools made with handles of pultruded fiberglass

composite plastics. Structron has grown to be the company's most popular brand worldwide.

In 2004, Seymour acquired the O.P. Link Corporation, which included the O.P. Link Company of Salem, Indiana, the Sequatchie Handle Works of Sequatchie, Tennessee, the Bruner-Ivory Company of Hope, Arkansas, and the Turner-Day Handle Company of Crossville, Tennessee.



These combined companies are

the leading All-American manufacturers of hickory replacement handles for tools of all shapes and sizes. Today the Link operation offers 8,000 different handle patterns and has helped customers worldwide renew tools with new handles.

In 2012, Seymour Manufacturing was purchased by the shareholders of Midwest Rake Company to form Seymour

Midwest. Also based in Indiana, Midwest Rake had



previously acquired the Kenyon, Toolite, and Northstar brands and has a long history of manufacturing professional-grade tools. Today the family-owned company sells over 3,500 tools and 8,000 different repair handles to customers worldwide. The consolidated product offering includes a broad selection of styles, price-points, and features to appeal to both consumers and professionals.

SEYMOUR MIDWEST FACTS-AT-A-GLANCE

Company Headquarters: Warsaw, Indiana USA

Manufacturing Facilities: Seymour and Warsaw, Indiana; Altamont, Crossville and Sequatchie, Tennessee

Distribution Centers: Warsaw, Indiana • Seymour, Indiana • Sequatchie, Tennessee

Products Offered: Over 10,000 items

GET TO KNOW SEYMOUR MIDWEST



Seymour Midwest is a family-owned, global supplier to the hand-tools market, providing both innovative solutions and time-tested products from our manufacturing facilities in Indiana and Tennessee.

The quality, dependability, and performance of our products meet the high standards of those who use tools everyday: contractors, handymen, farmers, ranchers, landscapers and others. Our diverse selection of products and brands allows our customers to order all of their tool needs from a single source.

Beyond best-in-class products, Seymour Midwest is also known as a leader in outstanding customer service, product training, and technical support in all of our business segments.

As a family-owned company, we believe in the values of integrity, quality, commitment, and innovation. We work hard to achieve performance that sets a standard of excellence and to build relationships with our customers that endure, not just because it is good business, but because it is the right thing to do.

ABOUT OUR BRANDS



Structron is our premium line of tools for tough job site conditions.

SEYMOUR'

Seymour tools continue our tradition of genuine value since 1872.

MIDWEST RAKE

Midwest Rake has a reputation for the finest rakes, brooms, and squeegees on the market today.

LINK HANDLES

Link Replacement Handles are individually hand-crafted in Tennessee by skilled artisans from American hickory.

Toolite

Toolite is a revolutionary and patented shovel that are highly valued for their releasing "hole" design, as well as their sifting capabilities.



Kenyon is the market leader in tools for professional landscaping and irrigation contractors.

Provalue

ProValue tools blend contractor-friendly features and attractive pricing to appeal to both professional and consumer users.

\$MARTBUY

Outstanding value is the key feature of our **SmartBuy** tools.



A DEDICATED TEAM

The hardworking men and women who build our tools and serve our customers are driven by pride and commitment. It's our heritage to do what's right.



OUR BRANDS

STRUCTRON SUPERIOR HEAVY-DUTY TOOLS TRUCTRON ®

CTRUN RANGE OF TOOLS

The Structron name has long been synonymous with best-in-class industrial / contractor tools. We have added dozens of new tools to the Structron line including wood-handled shovels, striking tools, scrapers and post hole diggers.



OUR BRANDS

RANGE OF TOOLS



New choices in fiberglass, aluminum, and wood handled tools such as brooms, rakes, squeegees, and specialty tools plus new wheelbarrows make Structron the industry's broadest premium brand.



SEYMOUR° RANGE OF TOOLS

Seymour tools continue our tradition of genuine value since 1872. They are built to stand up to the rigors of everyday use by contractors, farmers, handymen, and others who appreciate a well-built tool.



OUR BRANDS

RANGE OF TOOLS **SEYMOUR**°


Seymour shovels offer legendary pro-grade performance on the job site, farm and ranch. Experience tough features like highest quality contoured hardwood handles, front-turned steps for secure foot placement and rugged head-to-handle connections. It's no wonder why they're top-sellers worldwide.



OUR BRANDS

MIDWEST RAKE RANGE OF TOOLS

Midwest Rake has a reputation for the finest rakes, brooms and squeegees on the market today. The Midwest Rake line also includes innovative tools for special needs.



RANGE OF TOOLS LINK HANDLES

We offer the industry's widest selection of replacement handles that help you extend the life of your trusted tools. With over 6,000 handle patterns available, we can provide an exact match that fits the tool with an ergonomically-superior turned design.



Toolite RANGE OF TOOLS

These revolutionary and patented shovels are highly valued for their mud and muck releasing "hole" design, as well as their sifting capabilities. A superior tool when digging in mud, clay, and water saturated materials, but also ideal when sifting debris from sand, gravel, grain, sports turf maintenance, public works/utility and agricultural markets. Toolite shovels are lightweight, ergonomic, and will cause less fatigue than other shovels because of their unique design.



OUR BRANDS

RANGE OF TOOLS KENYON

Kenyon is the market leader in tools for professional landscaping and irrigation contractors.

These hard-working tools beautify landscapes worldwide.



Provalue RANGE OF TOOLS



OUR BRANDS

RANGE OF TOOLS SMARTBUY

Outstanding value is the key feature of our SmartBuy shovels. For homeowner-duty tasks, we offer several choices that handily blend attractive price and in-field performance. Our SmartBuy line is also ideal for special promotions.



ANATOMY OF A WINNER

BEST-IN-CLASS CONTRACTOR TOOLS

Since 1979, the Structron brand has lead the industry in contractor and industrial tools. Nearly indestructible, Structron tools are always there when you need them the most.

ProGrip™ comfort grip

Made of durable textured vinyl with a non-slip surface for a secure grip with excellent shock-absorbing protection. Unique double-wall construction for greater durability. Weather resistant.



Safety yellow reinforced in fiberglass handle

Strong yet lightweight hollow fiberglass handle provides maximum durability and visual impact.

ASSEMBLED IN THE USA

with American hands in Indiana.

PermaGrip™ steel collar

A rivetless ring of steel connects the shovel neck, handle, and fiberglass PowerCore™ rod, making it one solid unit. Provides the strongest head to handle connection. ✓

PowerCore™ solid fiberglass reinforcing rod

Extends 12.5 inches from the handle into the shank and blade for maximum strength at this critical stress point.

Highest quality tool head

14-gauge spring steel blade flexes but won't bend or break as easily as other shovel blades. Extra-sharp heat-treated, high-carbon stamped steel head provides the ultimate in durability - wears better, lasts longer.



ROUND POINT SHOVEL	WEIGHT	HANDLE LENGTH	CONNECTION HANDLE/HEAD SYSTEM INSERT		DYNAMIC TOOL TEST POUNDS TO FAILURE
49730 / S700	4.9#	48"	CRIMPED FERRULE NO RIVET	FIBERGLASS POWERCORE™	250 POUNDS
COMPETITOR 1	4.4#	46"	RIVET / FERRULE	4.5" PLASTIC PLUG	200 POUNDS
COMPETITOR 2	6.5#	47"	DUEL RIVET TAB SOCKET W/STEEL SPACER SOLID WOOD HANDL		216 POUNDS
COMPETITOR 3	4.2#	46"	RIVET / FERRULE	6" PLASTIC PLUG	110 POUNDS



SUPERIOR HEAVY-DUTY TOOLS TRUCTED No.

FIBERGLASS - SHOVELS

The 700 Series shovels feature heat treated, high-carbon, polished spring steel for the ultimate in durability. The 600 Series shovels feature tempered, heavy-duty, blades finished with a protective coating. Exclusive PowerCore™ solid fiberglass reinforcing rods extend 12.5 inches from the handle into the shank and blade.





49730 Structron round point shovel S700

- 14 gauge spring steel #2 head, rear rolled step
- 48" fiberglass handle with cushion grip
- PowerCore[™] solid fiberglass reinforcing rod

49560 Structron round point shovel S600

- 14 gauge tempered #2 head, forward turned step
- 48" fiberglass handle with cushion grip
- PowerCore[™] solid fiberglass reinforcing rod



49744 Structron closed back shovel S712

- 14 gauge tempered #2 head, forward turned step
- 48" fiberglass handle with cushion grip
- PowerCore[™] solid fiberglass reinforcing rod



WHY CLOSED BACK?

Closed back shovels have welded backplates to prevent material build-up. These plates also provide extra strength.





49731 Structron round point shovel S700D, d-grip


- 14 gauge spring steel #2 head, rear rolled step
- 29" fiberglass handle with poly d-grip
- PowerCore[™] solid fiberglass reinforcing rod



49561 Structron round point shovel S600D, d-grip

- 14 gauge tempered #2, forward turned step
- 29" fiberglass handle with poly d-grip
- PowerCore[™] solid fiberglass reinforcing rod

49732 Structron square point shovel S701



- 48" fiberglass handle with cushion grip
- PowerCore[™] solid fiberglass reinforcing rod

49562 Structron square point shovel \$601

- 14 gauge tempered #2 head, forward turned step
- 48" fiberglass handle with cushion grip
- PowerCore[™] solid fiberglass reinforcing rod



49742 Structron square point shovel S701D, d-grip

- 14 gauge spring steel #2 head, rear rolled step
- PowerCore[™] solid fiberglass reinforcing rod
- 29" fiberglass handle with poly d-grip



49563 Structron square point shovel S601D, d-grip

- 14 gauge tempered #2, forward turned step
- PowerCore[™] solid fiberglass reinforcing rod
- 29" fiberglass handle with poly d-grip

STRUCTRON QUALITY FEATURES



PowerCore™ solid fiberglass rod with PermaGrip™ rivetless steel collar

Extra large d-grip (SP51049) held with steel rivet (RM61002)






ProGrip™ comfort that's self-healing and all-weather resistant (SA32000)

SHOVELS - FIBERGLASS

Our Structron 800 series forged shovels feature a head made from a single piece of steel billet that is hammered and compressed to make the strongest tool available. They're ideal for heavy-duty contractor and industrial applications and will provide years of superior performance.



WHAT'S SO SPECIAL ABOUT FORGED SHOVELS?

Forged shovels are built to be stronger and more durable so they stand up to the toughest of job-site conditions Every forged shovel is made from a single piece of steel billet that is hammered and compressed while hot to form the head, neck (shank) and socket.

As the metal is shaped during the forging process, its internal grain is modified to match the shape of the part. As a result, the grain is continuous throughout the part, creating a single-piece shovel head that is dramatically stronger than a cast or machined part.

KEY CHARACTERISTICS OF SEYMOUR MIDWEST FORGED SHOVELS:

- Thicker and heavier head than traditional stamped steel
- Solid shank in the neck joins the blade and the socket providing maximum strength
- Sharp blade edge penetrates ground more easily

FORGED SHOVELS



49770 Structron forged round point shovel \$800

- Rugged forged-head, solid-shank design
- · Solid fiberglass reinforcing rod
- 44.5" fiberglass handle with cushion grip




49772 Structron forged square point shovel \$801


- Rugged forged-head, solid-shank design
- Solid fiberglass reinforcing rod
- 45.5" fiberglass handle with cushion grip, \$801



WHY FORGED SHOVELS?

- Forged heads are thicker and heavier than stamped.
- They're made from a single piece of steel billet.







SOLID FIBERGLASS HANDLE



49599 Structron closed back shovel

- 14 gauge #2 round point with front-turned step
- Closed back
- 48" solid fiberglass handle



49585 Structron impact irrigation shovel

- 10 ga. stamped & hot formed head, 7.5" x 9.5"
- Most rugged & reliable caprock on the market
- PermaGrip steel collar
- 48" fiberglass handle with ProGrip cushioned grip



49589 Structron impact drain spade

- 10 ga. stamped & hot formed head
- Most rugged & reliable caprock on the market
- · PermaGrip steel collar
- 48" fiberglass handle with ProGrip cushioned grip

FIBERGLASS - SHOVELS

Seymour contractor-grade tools are designed for frequent heavy-duty use by farmers, ranchers, landscapers, and other professionals.

ProValue homeowner-grade tools have features usually found only on more expensive tools. They provide good value in economical line of fiberglass handle tools.

SEYMOUR°

49450 Seymour round point shovel

- 16 gauge #2 head, forward turned step
- Fiberglass core insert
- 46" fiberglass handle with vinyl grip, SV-LR40

49452 Seymour square point shovel

- 16 gauge #2 head, forward turned step
- Fiberglass core insert
- 46" fiberglass handle with vinyl grip, SV-LS41



49451 Seymour round point shovel, d-grip

- 16 gauge #2 head, forward turned step
- Fiberglass core insert
- 28" fiberglass handle with poly d-grip, SV-DR42



49462 Seymour square point shovel, d-grip

- 16 gauge #2 head, forward turned step
- Fiberglass core insert
- 28" fiberglass handle with poly d-grip, SV-DS43

Provalue

49430 ProValue round point shovel

- 16 gauge #2 head, forward turned step
- · Solid, hardwood core insert
- 43" fiberglass handle with vinyl grip, SV-LR80



- Solid, hardwood core insert
- 43" fiberglass handle with vinyl grip, SV-LS81



49431 ProValue round point shovel, d-grip

- 16 gauge #2 head, forward turned step
- Solid, hardwood core insert
- 26" fiberglass handle with poly d-grip, SV-DR82



49433 ProValue square point shovel, d-grip

- 16 gauge #2 head, forward turned step
- · Solid, hardwood core insert
- 26" fiberglass handle with poly d-grip, SV-DS83



ProValue Fiberglass Tools Offer Exceptional Value for Homeowner Use

SHOVELS - FIBERGLASS / SPECIALTY

Our SuperShovel® tools continue to win contractor accolades for their superior ability to penetrate hard-packed, rocky and clay soils. They also easily chop through roots and tough sod. Our irrigation shovels have a special head that allows for digging of vertical-wall trenches and valve pits. The Caprock versions offer a forged head.





49630 Structron Super Shovel S710



- 14 gauge #2 head, forward turned step
- PowerCore[™] solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



SUPER SHOVEL®: BEST FOR TOUGH SOIL

Our Super Shovel® tools have cutting teeth to penetrate hard-packed, rocky and clay soils and also chop through roots and sod. They're 100% made in Seymour, Indiana USA.





49631 Structron Super Shovel S710D, d-grip



- 14 gauge #2 head, forward turned step
- PowerCore[™] solid fiberglass reinforcing rod
- 29" fiberglass handle with poly d-grip



49735 Structron irrigation shovel S706

- 14 gauge head, forward turned step
- PowerCore[™] solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



49575 Structron forged irrigation shovel S714

- Rugged #00 forged-head, 7" x 9.5", solid-shank design
- PowerCore™ solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



49455 Seymour irrigation shovel

- 16 gauge #2 head, forward turned step, 20 degree head lift
- Fiberglass core insert
- 48" fiberglass handle with vinyl grip



49748 Structron rice shovel S713

- 14 gauge head, forward turned step
- PowerCore™ solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



49465 Seymour rice shovel SV-RS40

- 16 gauge head, forward turned step
- Fiberglass core insert
- 48" fiberglass handle with cushion grip

STRUCTRON® IMPACT CAPROCK SHOVEL

Seymour Midwest introduces the new "Impact" caprock shovel, the most rugged and reliable caprock shovel on the market today. The result of precision engineering and best-in-class materials, this new shovel design will deliver outstanding performance for the professional user.



THICKEST AND STRONGEST HEAD:

10 gauge stamped and hot formed steel with rounded edge



PERMAGRIP STEEL COLLAR:

For solid head-to-handle connection, warranted lock tight



FLAT BLADE CAPROCK STYLE:



SOLID FIBERGLASS HANDLE:

With polymer outer jacket, finite reinforced



PROGRIP **CUSHIONED GRIP:**

Made of durable textured vinyl with non-slip surface, weather resistant



see page 131 for all of our new products for 2016

49588 Structron impact caprock shovel

- 10 ga. stamped & hot formed head
- Most rugged & reliable caprock on the market
- PermaGrip steel collar
- Solid fiberglass 48" handle with ProGrip cushioned grip



49781 Structron forged irrigation shovel S707

- Rugged #2 forged-head, solid-shank design
- PowerCore[™] solid fiberglass reinforcing rod
- 44.5" fiberglass handle with cushion grip

FIBERGLASS / SPECIALTY - SHOVELS

Roofing contractors love our top-selling SG1 shingle removal shovel because it makes shingle removal fast and easy and it stands up to continuous use. We offer a wide selection of garden and nursery spades for planting, preparing beds, bed edging and other landscape tasks. Our unique post spade has an elongated forged head perfect for post holes.







49749 Structron shingle remover SG1

- 9" steel head, fulcrum for leverage
- 36" fiberglass handle with poly d-grip
- Replacement blade: SP16003

ULTIMATE SHINGLE REMOVER

This professional quality tool makes shingle and nail removal easier. It has an extra strong steel brace and carbon steel skid plate.



POST SPADE



49782 Structron forged post spade S819D, poly d-grip

- Rugged forged-head, solid-shank design
- PowerCore[™] solid fiberglass reinforcing rod
- 29" Fiberglass Handle with poly d-Grip

SEYMOUR°



49454 Seymour garden/nursery spade SV-GD44

- 16 gauge #2 head, rear turned step
- Heavy-duty fiberglass core insert
- 27" fiberglass handle with poly d-grip



49453 Seymour garden/nursery spade

- 16 gauge #2 head, rear turned step
- Fiberglass core insert
- 48" fiberglass handle with vinyl grip

GARDEN/NURSERY SPADES



49733 Structron garden/nursery spade S705

- 14 gauge spring steel #2 head, rear rolled step
- PowerCore[™] solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



49553 Structron garden/nursery spade \$605

- 14 gauge #2 head, forward turned step
- PowerCore[™] solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



49734 Structron garden/nursery spade S705D, poly d-grip

- 14 gauge spring steel #2 head, rear rolled step
- PowerCore[™] solid fiberglass reinforcing rod
- 29" fiberglass handle with poly d-grip



49554 Structron garden/nursery spade S605D, poly d-grip

- 14 gauge #2 head, forward turned step
- PowerCore[™] solid fiberglass reinforcing rod
- 29" fiberglass handle with poly d-grip



49774 Structron forged garden/nursery spade S805D, poly d-grip

- Rugged forged-head, solid-shank design
- PowerCore[™] solid fiberglass reinforcing rod
- 29" fiberglass handle with poly d-grip



49653 Kenyon garden/nursery spade, polymer handle

- 14 gauge #2 head, forward turned step
- 48" solid fiberglass cored construction polymer handle



49654 Kenyon garden/nursery spade, polymer handle

- 14 gauge #2 head, forward turned step
- 28" solid fiberglass cored construction polymer handle with d-grip

SHOVELS - FIBERGLASS / SPECIALTY

Whether you're digging a trench, working in a tight space or transplanting shrubs, Seymour Midwest's large selection of drain spades provides you with options on blade length, handle and grip. The slightly cupped blade is effective in penetrating the ground and moving soil with minimum effort.





49736 Structron 14" drain spade S704

- 14 gauge spring steel #2 head, rear rolled step
- PowerCore[™] solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



49558 Structron 16" drain spade S604

- 14 gauge #2 head, forward turned step
- PowerCore[™] solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



49778 Structron 16" forged drain spade S715

- Rugged forged-head, solid-shank design
- PowerCore[™] solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



49576 Structron 14" forged drain spade

- Rugged forged-head, solid-shank design
- PowerCore[™] solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



49556 Structron 14" drain spade

- 14 gauge #2 head, forward turned step
- 48" solid fiberglass handle w/polymer outer jacket, finite reinforced



49566 Structron 14" drain spade, closed back

- 14 gauge #2 head, forward turned step, closed back
- PowerCore[™] solid fiberglass reinforcing rod
- 48" fiberglass handle with comfort grip



49737 Structron 14" drain spade S704D

- 14 gauge spring steel #2 head, rear rolled step
- PowerCore[™] solid fiberglass reinforcing rod
- 29" fiberglass handle with poly d-grip



49559 Structron 16" drain spade S604D

- 14 gauge #2 head, forward turned step
- PowerCore[™] solid fiberglass reinforcing rod
- 29" fiberglass handle with poly d-grip



49779 Structron 16" forged drain spade S715D

- Rugged forged-head, solid-shank design
- PowerCore[™] solid fiberglass reinforcing rod
- 29" fiberglass handle with poly d-grip



49577 Structron 14" forged drain spade

- Rugged forged-head, solid-shank design
- PowerCore™ solid fiberglass reinforcing rod
 30" fiberglass handle with poly d-grip



49557 Structron 14" drain spade

- 14 gauge head, forward turned step
- Solid fiberglass reinforcing rod
- 30" fiberglass handle with poly d-grip



49567 Structron 14" drain spade, closed back

- 14 gauge #2 head, forward turned step, closed back
- PowerCore[™] solid fiberglass reinforcing rod
- 30" fiberglass handle with poly d-grip

SEYMOUR°



49456 Seymour 14" drain spade SV-LD40

- 14 gauge head, forward turned step
- Heavy-duty fiberglass core insert
- 47" fiberglass handle with cushion grip



49457 Seymour 14" drain spade SV-DD40, d-grip

- 14 gauge head, forward turned step
- Heavy-duty fiberglass core insert
- 26" fiberglass handle with poly d-grip



Seymour 16" drain spade with d-grip

- 14 gauge head, forward turned step
- Heavy-duty fiberglass core insert
- Blue fiberglass handle with poly d-grip

49459 - 26" fiberglass handle, SV-DD46 49459LO - 30" fiberglass handle



- 14 gauge "V" shaped head, closed back
- Heavy-duty fiberglass core insert
- 48" fiberglass handle with vinyl grip



49437 ProValue 14" drain spade SV-DD80, d-grip

- 16 gauge head, forward turned step
- Solid hardwood core insert
- 26" fiberglass handle with poly d-grip



MINIPRO

49352 Seymour MiniPRO Shovel SV-DRMPFG



Wood versions of the MiniPRO can be found on page 30.

HOVELS - FIBERGLASS / TRENCHING & CLEAN OUT

Every contractor has their favorite! We offer the industry's most widest range of proven trenching shovels for cleaning mechanically-dug trenches or for hand digging in a variety of soil conditions. Color-coding of blades/labels makes for easy selection in-store. Tempered steel heads feature a boot-saver step.

28° TRENCH DIGGING, 14 GAUGE PUTS HANDLE CLOSER TO WORKÉR

89273 Structron 3" trenching shovel S708

- 14 gauge, 28 degree "V" shaped head, forward turned step
- Solid fiberglass reinforcing rod
- 54" extended fiberglass handle with cushion grip
- Boot Saver[™] step

89233 Kenyon 3" trenching shovel

- 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
- Wood reinforcing core
- 48" fiberglass handle with cushion grip
- Boot Saver™ step

89274 Structron 4" trenching shovel S709

- 14 gauge, 28 degree "V" shaped head, forward turned step
- Solid fiberglass reinforcing rod
- 54" extended fiberglass handle with cushion grip
- Boot Saver™ step





We offer two different head angles / thicknesses for our trenching shovels. Our 28 degree, 14 gauge heads put the handle closer to the worker for greater productivity while the 35 degree, 11 gauge heads are ideal for both digging and cleaning out trenches.

28° TRENCH DIGGING, 14 GAUGE PUTS HANDLE CLOSER TO WORKÉR

89234 Kenyon 4" trenching shovel

- 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
- Wood reinforcing core
- 48" fiberglass handle with cushion grip



89275 Structron 5" trenching shovel S717

- 14 gauge, 28 degree "V" shaped head,
 Forward turned Boot Saver™ step
- Solid fiberglass reinforcing rod
- 54" extended fiberglass handle with cushion grip



89235 Kenyon 5" trenching shovel

- 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
- Wood reinforcing core
- 48" fiberglass handle with cushion grip



89236 Kenyon 6" trenching shovel

- 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
- Wood reinforcing core
- 48" fiberglass handle with cushion grip

TRENCHING COLOR CODES AND HEAD WIDTHS					THS
DIGGING STYLE	HANDLE STYLE	3 inch head COLOR CODE BLUE	4 inch head COLOR CODE ORANGE	5 inch head COLOR CODE RED	6 inch head COLOR CODE GREEN
70%	48" hardwood	89223	89224	89225	89226
Puts handle closer to worker for greater productivity	48" fiberglass	89233	89234	89235	89236
4914 Heavy duty blade	48" solid polymer	89243	89244	89245	89246
▼► E gauge	54" extended fiberglass	89273	89274	89275	
35° angle	47" hardwood	89023	89024	89025	89026
digging and cleaning trenches	48" fiberglass	89123	89124	89125	89126
4511 Extra heavy duty ribbet blade gauge	53" extended fiberglass	89133	89134	89135	89136

CLEAN OUT TRENCHING SHOVELS AND HEADS SMALLER THAN 3" ARE NOT LISTED IN THIS GRID BUT ARE AVAILABLE IN THE TRENCHING SHOVEL SECTION OF THE CATALOG

FIBERGLASS / TRENCHING & CLEAN OUT - SHOVELS

35° GENERAL PURPOSE, 11 GAUGE IDEAL FOR BOTH DIGGING AND CLEANING TRENCHES

89123 Kenyon 3" trenching shovel

- 11 gauge, 35 degree "V" shaped head
- Forward turned Boot Saver[™] step
- Solid fiberglass reinforcing core
- 48" fiberglass handle with vinyl grip

89124 Kenyon 4" trenching shovel

- 11 gauge, 35 degree "V" shaped head
- Forward turned Boot Saver™ step
- Solid fiberglass reinforcing core
- 48" fiberglass handle with vinyl grip

89125 Kenyon 5" trenching shovel

- 11 gauge, 35 degree "V" shaped head
- Forward turned Boot Saver[™] step
- Solid fiberglass reinforcing core
- 48" fiberglass handle with vinyl grip

89126 Kenyon 6" trenching shovel

- 11 gauge, 35 degree "V" shaped head
 Forward turned Boot Saver™ step
- Solid fiberglass reinforcing core
- 48" fiberglass handle with vinyl grip

35° EXTENDED HANDLE, 11 GAUGE

IDEAL FOR BOTH DIGGING AND CLEANING TRENCHES

89133 Kenyon 3" digging/trenching shovel

- 11 gauge, 35 degree "V" shaped head
- Forward turned Boot Saver™ step
- Solid fiberglass reinforcing core
- 53" extended fiberglass handle with vinyl grip

89134 Kenyon 4" digging/trenching shovel

- 11 gauge, 35 degree "V" shaped head
 Forward turned Boot Saver™ step
- Solid fiberglass reinforcing core
- 53" extended fiberglass handle with vinyl grip

89135 Kenyon 5" digging/trenching shovel

- 11 gauge, 35 degree "V" shaped head
 Forward turned Boot Saver™ step
- Solid fiberglass reinforcing core
- 53" extended fiberglass handle with vinyl grip

89136 Kenyon 6" digging/trenching shovel

- 11 gauge, 35 degree "V" shaped head, forward turned step
- Solid fiberglass reinforcing core
- 53" extended fiberglass handle with vinyl grip

CLEAN OUT / TRENCHING SHOVELS 14 GAUGE STEEL HEADS

89184 Structron 4" clean out/trenching shovel S703

- 14 gauge spring steel head, forward turned step
- Solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



89084 Kenyon 4" clean out shovel SV-TR44

- 14 gauge tempered steel head
- Heavy-duty fiberglass core insert
- 45" fiberglass handle with vinyl grip



89185 Structron 5" clean out/trenching shovel S702

- 14 gauge spring steel head
- Forward turned Boot Saver[™] step
- Solid fiberglass reinforcing rod
- 48" fiberglass handle with cushion grip



89085 Kenyon 5" clean out shovel SV-TR45

- 14 gauge tempered steel head
- Heavy-duty fiberglass core insert
- 45" fiberglass handle with vinyl grip



89095 Kenyon 5" compact clean out shovel

- 14 gauge tempered steel head
- Fiberglass handle with poly d-grip
- 31" overall length

SHOVELS - WOOD

We're proud to introduce wood handled shovels as good as their name. As the Structron brand indicates, these are the finest wood handled shovels available. Structron wood features highest-grade hardwood handles with super-tough coating that resists sunlight and wet conditions. They won't let you down.





49330 Structron round point shovel

- 14 gauge #2 head, forward turned step
- Extended tab 11" socket, dual riveted
- 48" tapered hardwood handle, SV-LR30

49344 Structron round point shovel

- 14 gauge #2 head, forward turned step, closed back
- Extended tab 11" socket, dual riveted
- 48" tapered hardwood handle, SV-LR30CB



49340 Structron round point shovel

- 14 gauge #2 head, rear rolled step
- Extended tab 11" socket, dual riveted
- 48" tapered hardwood handle, SV-LR34



49170 Structron forged round point shovel

- Rugged forged-head, solid-shank design
- 48" tapered hardwood handle, SV-LR50



49331 Structron round point shovel

- 14 gauge #2 head, forward turned step
- Extended tab 11" socket, dual riveted
- 30" hardwood handle, steel d-grip, SV-DR32



49171 Structron forged round point shovel

- Rugged forged-head, solid-shank design
- 27" hardwood handle, steel d-grip, SV-DR52

STRUCTRON WOOD QUALITY FEATURES





Extended tab 11" socket

high carbon steel heads

Held with steel rivets

Double-riveted for strength

49332 Structron square point shovel

- 14 gauge #2 head, forward turned step
- Extended tab 11" socket, dual riveted
- 48" tapered hardwood handle, SV-LS31



49345 Structron square point shovel

- 14 gauge #2 head, forward turned step, closed back
- Extended tab 11" socket, dual riveted
- 48" tapered hardwood handle, SV-LS31CB



49342 Structron square point shovel

- 14 gauge #2 head, rear rolled step
- Extended tab 11" socket, dual riveted
- 48" tapered hardwood handle, SV-LS35



49172 Structron forged square point shovel

- Rugged forged-head, solid-shank design
- 48" tapered hardwood handle, SV-LS51



49333 Structron square point shovel

- 14 gauge #2 head, forward turned step
- Extended tab 11" socket, dual riveted
- 30" hardwood handle, steel d-grip, SV-DS33



49173 Structron forged square point shovel

- Rugged forged-head, solid-shank design
- 27" hardwood handle, steel d-grip, SV-DS53

WOOD-SHOVELS

Seymour shovels offer legendary pro-grade performance on the job site, farm and ranch. Experience tough features like highest quality contoured hardwood handles, front-turned steps for secure foot placement and rugged head-to-handle connections. It's no wonder why they're top-sellers worldwide.

49150 Seymour round point shovel

- 16 gauge #2 head, forward turned step, riveted
- 48" hardwood handle, SV-LR20



49151 Seymour round point shovel

- 16 gauge #2 head, forward turned step, riveted
- 30" hardwood handle, steel d-grip, SV-DR22



49152 Seymour square point shovel

- 16 gauge #2 head, forward turned step, riveted
- 48" hardwood handle, SV-LS21



49162 Seymour square point shovel

- 16 gauge #2 head, forward turned step, riveted
- 30" hardwood handle, steel d-grip, SV-DS23



SEYMOUR°

16 gauge heat-treated carbon steel head with forward turned step



PRO-GRADE PERFORMANCE

Frequent heavy-duty use by:

- Farmers
- Ranchers
- Contractors
- Other professionals with demanding industrial & commercial applications

Steel collar and rivet for strong head to handle connection

Highest quality hardwood handle

Contoured handle with super tough coating

SHOVELS - WOOD

Outstanding value is the key feature of our ProValue and SmartBuy shovels. For contractors looking to outfit a crew economically or for homeowner-duty tasks, we offer several choices that handily blend attractive price and in-field performance. Our SmartBuy line is ideal for special promotions.

Provalue



49130 ProValue round point shovel

- 16 gauge heat-treated #2 head, forward turned step
- Square shoulder 9-inch sockets
- 43" hardwood handle, SV-LR10



49131 ProValue round point shovel

- 16 gauge heat-treated #2 head, forward turned step
- Square shoulder 9-inch sockets
- 26" hardwood handle, steel d-grip, SV-DR12



- 16 gauge heat-treated #2 head, forward turned step
- Square shoulder 9-inch sockets
- 43" hardwood handle, SV-LS11



49142 ProValue square point shovel

- 16 gauge heat-treated #2 head, forward turned step
- Square shoulder 9-inch sockets
- 26" hardwood handle, steel d-grip, SV-DS13

SMARTBUY



- 16 gauge #2 head with step
- Square shoulder 9-inch socket
- 42" hardwood handle, SV-LR90



49831 SmartBuy round point shovel

- 16 gauge #2 head with step
- Square shoulder 9-inch socket
- 26" hardwood handle, poly d-grip, SV-DR92



- 16 gauge #2 head with step
- Square shoulder 9-inch socket
- 42" hardwood handle, SV-LS91



49833 SmartBuy square point shovel

- 16 gauge #2 head with step
- Square shoulder 9-inch socket
- 26" hardwood handle, poly d-grip, SV-DS93



WOOD / SPECIALTY - SHOVELS



49180 Structron forged irrigation shovel

- Rugged forged-head, solid-shank design
- 46.5" tapered hardwood handle, SV-IR50



49175 Structron forged irrigation shovel

- Rugged forged-head, solid-shank design
- 48" tapered hardwood handle



49155 Seymour irrigation shovel


- 16 gauge head, forward turned step
- 48" tapered hardwood handle



49181 Structron forged caprock shovel

- Rugged forged-head, solid-shank design
- 46.5" tapered hardwood handle, SV-CR50

Caprock irrigation shovels feature forged heads and low lift for near vertical digging The solid shank provides exceptional stength.



• 48" tapered hardwood handle, SV-RS20

SEYMOUR'



45420 Seymour transplant / floral shovel

- 16 gauge #0 head, forward turned step
- 44" tapered hardwood handle, SV-LR25

nsplant / floral shovel

45411 Seymour transplant / floral shovel

- 16 gauge #00 head, forward turned step
- 44" tapered hardwood handle



49163 Seymour Super Shovel



- 14 gauge #2 head, forward turned step
- 48" tapered hardwood handle, SV-LT34

Our Super Shovel® tools have cutting teeth to penetrate hard-packed, rocky and clay soils and also chop through roots and sod.





49164 Seymour Super Shovel, d-grip

- 14 gauge #2 head, forward turned step
- 29" hardwood handle, steel d-grip, SV-DT35



SHOVELS - WOOD / SPECIALTY

We're proud to introduce wood handled shovels as good as their name. As the Structron brand indicates, these are the finest wood handled shovels available. Seymour shovels offer legendary pro-grade performance on the job site, farm and ranch; outstanding value is the key feature of our ProValue shovels.





49174 Structron forged garden spade, d-grip

- Rugged forged-head, solid-shank design
- 30" hardwood handle, steel d-grip, SV-GD50



49334 Structron garden spade, d-grip

- 16 gauge #2 head, rear rolled step
- 30" hardwood handle, steel d-grip, SV-GD34



49335 Structron garden spade, closed back, d-grip

- 16 gauge #2 head, closed back, rear rolled step
- 30" hardwood handle, steel d-grip, SV-GD34CB



- 16 gauge #2 head, rear rolled step
- 48" tapered hardwood handle, SV-GL24



49154 Seymour garden spade, d-grip

- 16 gauge #2 head, rear rolled step
- 30" hardwood handle, steel d-grip, SV-GD24



49134 ProValue garden spade, d-grip

- 16 gauge #2 head, rear rolled step
- 26" hardwood handle, steel d-grip, SV-GD10



49178 Structron forged post spade, d-grip

- 12" rugged forged-head, solid-shank design
- 30" hardwood handle, steel d-grip, SV-PD50



49169 Seymour notched roofing spade

- Fulcrum head
- 29" hardwood handle, steel d-grip, SG-2DH



49191 Seymour ceremonial shovel, round point

- Chrome #2 head
- 29" hardwood handle with chrome d-grip, SV-DRCH



49351 Seymour MiniPRO shovel, round point

- Compact round point head, compact 27" overall length
- Hardwood handle with poly d-grip, SV-DRMP




49353 Seymour MiniPRO shovel, square point

- Compact square point head, compact 27" overall length
- Hardwood handle with poly d-grip, SV-DSMP

WOOD / SPECIALTY - SHOVELS







49336 Structron 14" drain spade, closed back

- 14 gauge head, "V" shaped head, closed back
- 48" tapered hardwood handle
- The original "Sharp Shooter"



- 49337 Structron 14" drain spade14 gauge head, "V" shaped head, closed back
- 27" hardwood handle with steel d-grip
- The original "Sharp Shooter"



49357 Structron 14" drain spade

- 14 gauge head, closed back
- 30" hardwood handle with steel d-grip



49346 Structron 16" drain spade

- 14 gauge head, forward turned step
- 48" tapered hardwood handle, SV-LD30



49347 Structron 16" drain spade, d-grip

- 14 gauge head, forward turned step
- 30" hardwood handle with steel d-grip, SV-DD30



49348 Structron 16" drain spade, d-grip

- 14 gauge head, forward turned step, closed back
- 30" hardwood handle with steel d-grip, SV-DD30CB



49179 Structron 16" forged drain spade

- Forged head, solid-shank design, forward turned step
- 30" hardwood handle with steel d-grip, SV-DD50

49156 Seymour 14" drain spade

- 14 gauge head, forward turned step
- 48" tapered hardwood handle, SV-LD20



49157 Seymour 14" drain spade, d-grip

- 14 gauge head, forward turned step
- 30" hardwood handle with steel d-grip, SV-DD20



49138 Seymour 16" drain spade, d-grip

- 14 gauge head, forward turned step
- 30" hardwood handle with steel d-grip



49137 ProValue 14" drain spade, d-grip

- 16 gauge head, forward turned step
- 26" hardwood handle with steel d-grip, SV-DD10



SHOVELS - wood / trenching & clean out

Every contractor has their favorite! We offer the industry's most widest range of proven trenching shovels for cleaning mechanically-dug trenches or for hand digging in a variety of soil conditions. Color-coding of blades/labels makes for easy selection in-store. Tempered steel heads feature a Boot-Saver™ step.

28° TRENCH DIGGING, 14 GAUGE PUTS HANDLE CLOSER TO WORKÉR

89223 Kenyon 3" trenching shovel

- 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
- 48" hardwood handle

- 89224 Kenyon 4" trenching shovel
 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
 - 48" hardwood handle



89225 Kenyon 5" trenching shovel

- 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
- 48" hardwood handle



89226 Kenyon 6" trenching shovel

- 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
- 48" hardwood handle



35° GENERAL PURPOSE, 11 GAUGE IDEAL FOR BOTH DIGGING AND CLEANING TRENCHES

89023 Kenyon 3" digging/trenching shovel

- 11 gauge, 35 degree "V" shaped head
 Forward turned Boot Saver™ step
- 47" hardwood handle

89024 Kenyon 4" digging/trenching shovel11 gauge, 35 degree "V" shaped head

- Forward turned Boot Saver™ step
- 47" hardwood handle



89025 Kenyon 5" digging/trenching shovel 11 gauge, 35 degree "V" shaped head Forward turned Boot Saver™ step

- 47" hardwood handle

89026 Kenyon 6" digging/trenching shovel

- 11 gauge, 35 degree "V" shaped head
- Forward turned Boot Saver[™] step
- 47" hardwood handle

CLEAN OUT / TRENCHING SHOVELS 14 GAUGE STEEL HÉADS

89044 Kenyon 4" clean out shovel SV-TR14

- 14 gauge, 35 degree tempered steel head
- 44" hardwood handle

89045 Kenyon 5" clean out shovel SV-TR15

- 14 gauge, 35 degree tempered steel head
- 44" hardwood handle





We offer two different head angles / thicknesses for our trenching shovels. Our 28 degree, 14 gauge heads put the handle closer to the worker for greater productivity while the 35 degree, 11 gauge heads are ideal for both digging and cleaning out trenches.

POLYMER / TRENCHING & CLEAN OUT - SHOVELS

28° TRENCH DIGGING, 14 GAUGE PUTS HANDLE CLOSER TO WORKÉR



89243 Kenyon 3" trenching shovel

- 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
- Solid fiberglass reinforcing core
- 48" polymer handle



89244 Kenyon 4" trenching shovel

- 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
- Solid fiberglass reinforcing core
- 48" polymer handle



89245 Kenyon 5" trenching shovel

- 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
- Solid fiberglass reinforcing core
- 48" polymer handle



- 14 gauge, 28 degree "V" shaped head with Boot Saver™ step
- Solid fiberglass reinforcing core
- 48" polymer handle

CLEAN OUT / TRENCHING SHOVELS 14 GAUGE STEEL HEADS



- 14 gauge tempered steel head
- Solid fiberglass reinforcing core
- 48" polymer handle



- 14 gauge tempered steel head
- Solid fiberglass reinforcing core
- 48" polymer handle

WHY PROFESSIONALS PREFER OUR POLYMER HANDLE TRENCHING SHOVELS

For the ultimate in durability, longevity and performance, there is no better solution than our solid fiberglass cored polymer jacketed handles. The solid core provides unmatched strength and high rigidity. The outer polyethylene jacket protects the tool from sun and weather damage. It also protects the user from handle splintering. These innovative tools last longer, keeping you productive, job after job.

See other Kenyon Polymer tools on page 34.

		TRENCHING COLOR CODES AND HEAD WIDTHS			
DIGGING STYLE	HANDLE STYLE	3 inch head COLOR CODE BLUE	4 inch head COLOR CODE ORANGE	5 inch head COLOR CODE RED	6 inch head COLOR CODE GREEN
70°	48" hardwood	89223	89224	89225	89226
Puts handle closer to worker for greater productivity	48" fiberglass	89233	89234	89235	89236
4514 Heavy duty blade quuge	48" solid polymer	89243	89244	89245	89246
▼► • gauge	54" extended fiberglass	89273	89274	89275	
750/					
J Jangle	47" hardwood	89023	89024	89025	89026
Ideal for BUTH digging and cleaning trenches	48" fiberglass	89123	89124	89125	89126
4 11 Extra heavy duty ribbed blade gauge	53" extended fiberglass	89133	89134	89135	89136

CLEAN OUT TRENCHING SHOVELS AND HEADS SMALLER THAN 3" ARE NOT LISTED IN THIS GRID BUT ARE AVAILABLE IN THE TRENCHING SHOVEL SECTION OF THE CATALOG

SHOVELS - SPECIALTY / POLYMER

We call it the "new fiberglass," for we believe that solid fiberglass cored polymer jacketed handles are attracting a growing following. You will find uses for the handle long after the head wears out. Maximum durability, maximum life; it's just that simple.



49666 Kenyon 14" drain spade

- 14 gauge "V" shaped head, closed back
- Solid fiberglass reinforcing core
- 48" polymer handle
- The original "Sharp Shooter"



49667 Kenyon 14" drain spade, d-grip

- 14 gauge "V" shaped head, closed back
- Solid fiberglass reinforcing core
- 28" polymer handle with d-grip
- The original "Sharp Shooter"



49656 Kenyon 14" drain spade

- 14 gauge head, forward turned step
- Solid fiberglass reinforcing core
- 48" polymer handle



49657 Kenyon 14" drain spade

- 14 gauge head, forward turned step
- Solid fiberglass reinforcing core
- 28" polymer handle with d-grip



- Rugged forged-head, solid-shank design
- Solid fiberglass reinforcing core
- 48" polymer handle



49692 Kenyon forged caprock shovel, d-grip

- Rugged forged-head, solid-shank design
- Solid fiberglass reinforcing core
- 28" polymer handle with d-grip



49650 Kenyon round point shovel

- 14 gauge #2 head, double riveted, forward turned step
- Solid fiberglass reinforcing core
- 48" polymer handle

49652 Kenyon square point shovel

- 14 gauge #2 head, double riveted, forward turned step
- Solid fiberglass reinforcing core
- 48" polymer handle



Solid fiberglass polymer handles are encased in polyethylene plastic to prevent any splinters.



49662 Kenyon square point shovel, d-grip

- 14 gauge #2 head, forward turned step
- Solid fiberglass reinforcing core
- 27" polymer handle with d-grip



- 16 gauge #2 head, forward turned step
- Solid fiberglass reinforcing core
- 48" polymer handle



49641 Kenyon round point shovel, d-grip

- 16 gauge #2 head, forward turned step
- Solid fiberglass reinforcing core
- 28" polymer handle with d-grip



49642 Kenyon square point shovel

- 16 gauge #2 head, forward turned step
- Solid fiberglass reinforcing core
- 48" polymer handle



49643 Kenyon square point shovel, d-grip

- 16 gauge #2 head, forward turned step
- Solid fiberglass reinforcing core
- 28" polymer handle with d-grip

SPECIALTY / ALL-STEEL - SHOVELS

Landscape and construction contractors who do heavy digging love our Kenyon all-steel products. They provide the best in rock-moving, root chopping and prying capabilities. Constructed of ultra-thick, heavy-weight 12 gauge welded steel with a smooth powder coat, these tools are ready for extreme applications.



49961 Kenyon all-steel caprock shovel

- Closed back with 10" semi-flat bowl
- 3" handle lift
- 48" steel handle, 58" overall length







49958 Kenyon 15" all-steel spade

- 14 gauge "V" shaped head, closed back
- 27" steel d-grip handle, 42" overall length



49044 Kenyon all-steel landscape lighting trencher

- 8.25" wide and 10" long blade with 1.25" step
- 48" handle



49045 Kenyon all-steel landscape lighting trencher

- 8.25" wide and 10" long blade with 1.25" step
- 45" t-handle, 45" overall length



ALL-STEEL PRODUCTS: NOT POLISHED... JUST POWERFUL!

Nursery spades are ideal for edging, transplanting and general purpose digging where cutting through stubborn soil or roots is required. Turned steps add operator comfort. Flat blade reduces soil buildup.

Landscape Lighting Trencher cuts a slit for easy installation of landscape edging, lighting wire, irrigation cable, CATV, dog fencing wire and other landscape products. Use it with model 85468 cable placer to push the wire into the full depth of the opening. Choose T-handle or straight-handle options

Caprock shovel has a medium lift for a more vertical cut. The semi-flat bowl allows for a clean cut.

SHOVELS - SPECIALTY / TOOLITE® MUD SHOVELS

These revolutionary and patented shovels are highly valued for their mud and muck releasing "hole" design, as well as their sifting capabilities. A superior tool when digging in mud, clay, and water saturated materials, but also ideal when sifting debris from sand, gravel, grain, sports turf maintenance, public works/utility and agricultural markets.

Toolite

- Mud and muck releasing blades
- 14 gauge tempered steel heads with 3/8" holes
- Thick walled fiberglass, polymer or wood handles
- 5" double dipped grip or 1 piece molded D-grip on fiberglass handles
- All reinforcing cores are polymer jacketed fiberglass
- Polymer handles have solid fiberglass core with polymer jacket
- Crimped collar and riveted headto-handle connection on fiberglass
- Lightweight, ergonomic, and will cause less fatigue
- U.S. Patent 5,601,325 Canada Patent 2,238,027 Mexico Patent 207,533



- 14 gauge #2 riveted head
- 48" fiberglass handle



49501 Toolite round point shovel, d-grip

- 14 gauge #2 riveted head
- 29" fiberglass handle with poly d-grip



- 14 gauge #2 riveted head
- 48" fiberglass handle



49503 Toolite square point shovel, d-grip

- 14 gauge #2 riveted head
- 29" fiberglass handle with poly d-grip



49507 Toolite 14" drain spade

- 14 gauge #2 riveted head
- 29" fiberglass handle with poly d-grip



49538 Toolite compact round point shovel

- 14 gauge #2 riveted head
- 28" overall length with poly d-grip



49539 Toolite compact square point shovel

- 14 gauge #2 riveted head
- 28" overall length with poly d-grip



49540 Toolite round point shovel, polymer handle

- 14 gauge #2 riveted head
- Solid fiberglass reinforcing core
- 48" polymer handle



49541 Toolite round point shovel, polymer handle

- 14 gauge #2 riveted head
- Solid fiberglass reinforcing core
- 29" polymer handle with d-grip



49542 Toolite square point shovel, polymer handle

- 14 gauge #2 riveted head
- Solid fiberglass reinforcing core
- 48" polymer handle



49543 Toolite square point shovel, polymer handle

- 14 gauge #2 riveted head
- · Solid fiberglass reinforcing core
- 29" polymer handle with d-grip

SPECIALTY / TOOLITE SCOOPS - SHOVELS

Toolite® scoops are perfect tools for sifting and removing debris when top-dressing athletic fields, courses, and diamonds. They sift debris from sand on beaches and in golf course bunkers and all types of soil. Great for screening and sifting rocks and unwanted material during pre-seeding and pre-sodding of lawns and landscapes.

49546 Toolite 14" drain spade, polymer handle

- 14 gauge #2 riveted head
- Solid fiberglass reinforcing core
- 48" polymer handle



49547 Toolite 14" drain spade, polymer handle

- 14 gauge #2 riveted head
- Solid fiberglass reinforcing core
- 29" polymer handle with d-grip



- 14 gauge #2 riveted head
- 48" hardwood handle



49491 Toolite round point shovel

- 14 gauge #2 riveted head
- 29" hardwood handle with poly d-grip



- 14 gauge #2 riveted head
- 48" hardwood handle



49493 Toolite square point shovel

- 14 gauge #2 riveted head
- 29" hardwood handle with poly d-grip



49497 Toolite 14" drain spade

- 14 gauge #2 riveted head
- 29" hardwood handle with poly d-grip

Toolite

- Mud and muck releasing blades
- 14 gauge tempered steel heads with 3/8" holes
- Thick walled fiberglass, polymer or wood handles
- 5" double dipped grip or 1 piece molded D-grip on fiberglass handles
- All reinforcing cores are polymer jacketed fiberglass
- Polymer handles have solid fiberglass core with polymer jacket
- Crimped collar and riveted headto-handle connection on fiberglass
- Lightweight, ergonomic, and will cause less fatigue
- U.S. Patent 5,601,325 Canada Patent 2,238,027 Mexico Patent 207,533



- One-piece, injection molded
 - 14" x 17" head
 - 27" handle with d-grip



49513 Toolite shovel/scoop

• 10" x 12" aluminum head • 48" hardwood handle



RAKES - LAWN & LEAF / SPRING BRACE

Our spring brace leaf rakes are built better to last longer. Intelligently-designed features include continuous tines from handle to tip and a durable spring brace that gives you the power to dig into thickly-matted leaves. Most of our rakes have single or double through-bolted heads that won't get loose or wobbly.

40928 Structron 24" spring brace rake SR22

- 24 tine 24" steel head, double-bolted
- 54" extra-reach fiberglass handle with comfort cushion grip
 - Highest overall strength



40948 Midwest Rake 24/24 spring brace rake LF-40

- Heavy-duty, 24 tine 24" steel head, single-bolted
- 54" extra-reach fiberglass handle, 6" vinyl grip



40945 Midwest Rake 24" spring brace rake

- 24 tine steel head, single-bolted
- 54" extra-reach wood handle LF-25



Midwest Rake 24/24 spring brace rake

- Heavy-duty, 24 tine steel head, double-bolted
- 54" extra-reach hardwood handle

40912 - Bulk 12 pack 40901 - BA 40902 - IB



Midwest Rake 18/18 spring-brace rake

- Heavy-duty, 18 tine steel head, double-bolted
 - 54" extra-reach wood handle

40932 - Bulk 12 pack 40930 - IB



Midwest Rake ProGrade 24/24 spring-brace rake

- Heavy-duty, 24 tine steel head, double-bolted
- 54" extra-reach powder-coated aluminum handle

40924 - Bulk 12 pack 40904 - BA 40905 - IB

Midwest Rake ProGrade 18/18 spring-brace rake

- Heavy-duty, 18 tine steel head, double-bolted
 - 54" extra-reach powder-coated aluminum handle

40936 - Bulk 12 pack 40931 - IB

40955 - Replacement spring for spring-brace rakes



MIDWEST RAKE SPRING BRACE RAKES:

- · Oversized heavy-duty replaceable spring
- ProGrade rakes offer large, 1" powdercoated aluminum handles while our heavy-duty rakes have 15/16" hardwood handles
- Double through-bolted head-to-handle connection
- 24" head with 24 heavy-duty steel continuous tines or 18" head with 18 heavy-duty steel continuous tines

40940 ProValue 18/18 spring brace rake

- Heavy-duty, 18 tine 18" steel head, no bolt
- 48" hardwood handle LF-18



40942 ProValue 22/22 spring brace rake

- Heavy-duty, 22 tine 22" steel head, no bolt
- 48" tapered hardwood handle LF-22



LAWN & LEAF - RAKES

Preferred by landscapers and gardeners when working in tighter spaces, our Pro-Flex rakes have more closely-spaced tines for moving lighter and finer debris. These rakes are ideal for everyday cleanup tasks. The tempered spring steel tines apply lighter pressure to avoid damage to plant roots.

Midwest Rake Pro-Flex 8" shrub rake

- 8" zinc plated tines on polymer base
- 48" powder-coated aluminum handle
- Replacement heads available

43310 - Bulk 12 pack 43310BK - BA 43333 - IB

Midwest Rake Pro-Flex 18" leaf rake

- 18" zinc plated tines on polymer base
- 48" powder-coated aluminum handle
 - Replacement heads available

43320 - Bulk 12 pack 43320BK - BA 43336 - IB

Midwest Rake Pro-Flex 24" rake

- 24" zinc plated tines on polymer base 48" powder-coated aluminum handle
- Replacement heads available

43326 - Bulk 12 pack 43326BK - BA 43339 - IB

Midwest Rake ProGrade Pro-Flex 8" shrub rake

- 8" zinc plated tines on polymer base
- 54" extra-reach aluminum handle

43311 - Bulk 12 pack

Midwest Rake ProGrade Pro-Flex 18" rake

- 18" zinc plated tines on polymer base
- 54" extra-reach aluminum handle

43321 - Bulk 12 pack

Midwest Rake ProGrade Pro-Flex 24" rake

- 24" zinc plated tines on polymer base
- 54" extra-reach aluminum handle

43327 - Bulk 12 pack

Midwest Rake Pro-Flex 18" rake

- 18" zinc plated tines on polymer base
 - 48" wood handle
 - Replacement heads available

43318 - 12 pack, assembled in box 43318BK - BA 43334 - IB

PRO-FLEX REPLACEMENT HEADS:

- 43351 Midwest Rake Pro-Flex 8" Replacement Head
- 43352 Midwest Rake Pro-Flex 18" Replacement Head
- 43353 Midwest Rake Pro-Flex 24" Replacement Head

Midwest Rake Pro-Flex 24" rake

- 24" zinc plated tines on polymer base
- 48" wood handle
- Replacement heads available

43324 - 12 pack, assembled in box 43324BK - BA 43337 - IB

Midwest Rake Pro-Flex 8" shrub rake

- 8" zinc plated tines on polymer base
- 48" vinyl-coated steel handle
- Replacement heads available

43309 - Bulk 12 pack 43332 - IB

Midwest Rake Pro-Flex 18" leaf rake

- 18" zinc plated tines on polymer base
 - 48" vinyl-coated steel handle
 - Replacement heads available

43319 - Bulk 12 pack 43335 - IB

Midwest Rake Pro-Flex 24" leaf rake

- 24" zinc plated tines on polymer base 48" vinyl-coated steel handle
- Replacement heads available

43325 - Bulk 12 pack 43338 - IB

ProValue 7" flexible steel shrub rake

- All-steel heads on all-steel bracing bar
- 48" vinyl-coated steel handle
- Replacement heads available
- Bulk assembled

43110 43103 - IB

ProValue 7" flexible steel shrub rake

- All-steel heads on all-steel bracing bar
- 48" wood handle
- Replacement heads available
- Bulk assembled

43108 43101 - IB

ProValue 18" flexible steel leaf rake

- All-steel heads on all-steel bracing bar
- 48" vinyl-coated steel handle
- Replacement heads available
- **Bulk** assembled



ProValue 18" flexible steel leaf rake

- All-steel heads on all-steel bracing bar
- 48" wood handle
 - Replacement heads available
- Bulk assembled



RAKES - LAWN AND LEAF

Our poly leaf rakes offer a single-piece head design for durability and longevity. The self-cleaning design is one of the best on the market. It typically only takes one easy back sweep to free the tines from leaves and debris.

40872 Structron 24" poly leaf rake PR2426 tine 24" poly head

- 51" extra-reach fiberglass handle with comfort cushion grip

SP13729 - Replacement 24" poly head



Midwest Rake 8" poly shrub rake

- 8" poly head
- 42" wood handle LF-8

40880 - Bulk 12 pack 40881 - IB





Midwest Rake 24" poly leaf rake

- 24" poly head 54" extra-reach wood handle LF-20

40882 - Bulk 12 pack



Midwest Rake 24" poly leaf rake, cushion grip

- 24" poly head
- 54" extra-reach wood handle with cushion grip LF-20CG

40883 - Bulk 12 pack



Midwest Rake 32" poly leaf rake

- 32" poly head 48" wood handle LF-30P

40884 - Bulk 12 pack



Midwest Rake 32" poly leaf rake, cushion grip

- 32" poly head
- 48" wood handle with cushion grip, LF-30PCG

40885 - Bulk 12 pack



43372 ProValue 22/22 poly leaf rake

- 22 tine 22" poly head with steel tines
- 48" hardwood handle



FIBERGLASS / BOW - RAKES

Curved tines on our bow rakes move soil effectively and are useful for separating and gathering stones and other debris from topsoil. The bow design gives the user greater control over the tine depth, while the extended-handle models allow maximum control.

42366 Structron 16" bow rake BR16 • 16 tine 16" forged head • 60" extended length fiberglass handle with cushion grip (SA32000)


SUPERIOR STRENGTH: WELDED AND RIVETED




Our Kenyon and Seymour bow rakes are heavy-duty and long lasting tools. The head-to-handle connection features a unique tapered steel plug (except 42324) that is press fit into the powder-coated aluminum handle and then drilled and riveted all the way through. The bow rakes also feature a steel bow that is moved closer to the edge of the head, providing greater lateral stability, and is welded on both the front and back sides of the head for greater strength.

42604 Kenyon 17" bow rake • 14" tempered head with welded & riveted steel plug • 60" extended length powder-coated aluminum handle 42604 Kenyon 17" bow rake • 17" tempered head with welded & riveted steel plug • 60" extended length powder-coated aluminum handle

42324 Seymour 15" bow rake BR-40 14 tine 15" welded head 60" extended length fiberglass handle with vinyl grip







RAKES - wood / bow and special

42357 Structron 16" bow rake• 16 tine 16" forged head 60" extended length hardwood handle BR-35 mmmm 42356 Seymour 15" bow rake 14 tine 15" welded head 60" extended length hardwood handle BR-30 mmmi 42355 Seymour 15" bow rake 14 tine 15" welded head 54" hardwood handle BR-20 mmmmi 42320 ProValue 14" bow rake 14 tine 14" welded head 54" hardwood handle BR-10

42016 Smart Buy 14" bow rake14 tine 14" welded head48" wood handle BR-90





ASPHALT RAKE

63128 Structron 16" forged asphalt rake

- 14 tine 16" forged steel head with 1/2" shank
- 60" hardwood handle AR-30

ADVANTAGES:

- Heavy-duty construction, designed for tough use in asphalt paving
- Long shank for extra reach to prevent asphalt build up





THATCHING RAKE

63130 Seymour grooming and thatching rake• 20 teeth 15" head

- - 60" extended hardwood handle TR-30

WHY THATCH?

Flanged teeth on both sides are designed for removing then collecting thatch and dead grass from lawns





LEVEL HEAD - RAKES

42390 Structron 16" level head rake LH1616 tine 16" steel head

- Riveted head-to-handle connection
- 64" fiberglass handle



- **42690 Kenyon 17" level head rake** 16 tine 17" tempered head with welded & riveted steel plug
 - 66" powder-coated aluminum handle



- **40020 Seymour 17" level head rake** 16 tine 17" tempered head
 - with welded & riveted steel plug 66" powder-coated aluminum handle





- 63126 Structron 18" forged stone rake
 16 tine 18" forged steel head
 Double riveted head-to-handle connection thru 8" steel ferrule
 - 62" hardwood handle



42350 Seymour 15" level head rake• 14 tine 15" steel head

- 60" hardwood handle FR-21



• 14 tine 16" forged stone rake • 14 tine 16" forged steel head • 62" hardwood handle SR-30



42351 Seymour 16" level head rake

- 16 tine 16" steel head
- 66" hardwood handle



RAKES - LANDSCAPE

We invented the bolted-through wrap-around bracing that distinguishes the Structron and Midwest Rake brand rakes from other imitators. We use a solid aluminum plug in the head-to-handle connection, unlike other brands that use wood or plastic plugs, or even no plug at all. The rake head is an engineered aluminum/magnesium alloy, selected for durability and strength.

Structron aluminum landscape rake Heavy-duty aluminum head and wrap-around bracing 66" fiberglass handle with cushion grip Replacement handle available (#SA20400) 12100 - 24" head LR24 12101 - 30" head 12102 - 36" head LR36 12103 - 42" head 12104 - 48" head mamamamamanana Structron aluminum screening rake Heavy-duty aluminum head and wrap-around bracing 66" fiberglass handle with cushion grip 11100 - 24" head 11101 - 30" head 11102 - 36" head 11103 - 42" head 11104 - 48" head

16114 Midwest Rake 14" aluminum mini landscape rake

- All-aluminum construction with "push-pull" bracing 60" powder-coated aluminum handle
 - Great for gardening and homeowner landscaping



16117 Midwest Rake 17" aluminum mini landscape rake

- All-aluminum construction with "push-pull" bracing 60" powder-coated aluminum handle
 - Great for gardening and homeowner landscaping



Midwest Rake aluminum landscape rake

- Heavy-duty aluminum head & wrap-around bracing 66" powder-coated aluminum handle with vinyl grip
- 10024 24" head 10030 - 30" head 10036 - 36" head 10042 - 42" head 10048 - 48" head manananaanaa



LANDSCAPE RAKES

have rounded teeth which provide a smooth non-gouging raking action, while its striking edge is excellent for grading. Strong wraparound bracing and heavy-duty double rib construction maximizes head stability and ensures long-lasting performance, even under the heaviest professional use.

Midwest Rake aluminum field/aggregate rake Heavy-duty aluminum head & wrap-around bracing

66" powder-coated aluminum handle with vinyl grip

12024 - 24" head 12030 - 30" head 12036 - 36" head 12042 - 42" head 12048 - 48" head 12072 - 72" head



FIELD/AGGREGATE RAKES

have rounded teeth offer smooth nongouging raking action, while its durable 66" powder-coated aluminum handle with non-slip vinyl grip and strong wraparound bracing take a real beating and yet still provide for long-lasting, comfortable performance.

11111111111



Kenyon Great Rake II

- Heavy-duty aluminum head and wrap-around bracing
 - 66" powder-coated aluminum handle

14024 - 24" single rake 14030 - 30" single rake 14036 - 36" single rake 14042 - 42" single rake 14048 - 48" single rake 14148 - Bulk 6 pack

14124 - Bulk 6 pack 14130 - Bulk 6 pack 14136 - Bulk 6 pack 14142 - Bulk 6 pack





GREAT RAKE II

The name says it all... this is a "great rake" for raking and leveling. The long curved teeth provide more efficient grading on the backstroke, while the deep grading edge allows for superior leveling. All aluminum construction with a 66" red powder-coated aluminum handle and wrap-around bracing.

ProValue aluminum field/aggregate rake

- All-aluminum construction with "push-pull" bracing
- 66" powder-coated aluminum handle
- Bulk 6 pack

92324 - 24" POP pkg 92330 - 30" POP pkg 92336 - 36" POP pkg 92342 - 42" POP pkg 92348 - 48" POP pkg minmannan

92024 - Brown box 92030 - Brown box 92036 - Brown box 92042 - Brown box 92048 - Brown box

Provalue



FIELD / AGGREGATE RAKES

This head is designed with an excellent grading and striking edge and rounded, non-gouging teeth. Its 66" powder-coated aluminum handle provides extra comfort, while its push-pull bracing is twisted in opposite directions to eliminate head wobble.

ProValue aluminum landscape rake

- Solid aluminum head with "push-pull" bracing
 - 60" hardwood handle
 - Bulk 6 pack

90424 - 24" POP pkg 90430 - 30" POP pkg

90324 - Brown box 90330 - Brown box

Provalue



HOMEOWNER LANDSCAPING

Designed with the consumer in mind, this landscape rake comes complete with a solid aluminum head, "push-pull" bracing to eliminate head wobble, and a 60" hardwood handle.

RAKES - ALUMINUM / SPECIALTY

Our specialty rakes include innovations only available from Midwest Rake. We listen to user needs and develop tools that get the job done better and smarter. Some tools offer multi-tasking capability for ultimate convenience.



Midwest Rake aluminum dual purpose rake

- Heavy-duty aluminum head and bracing
- Powder-coated aluminum handle with vinyl grip

12517 - 17" head, "push-pull" bracing and 60" handle 12524 - 24" head, wrap-around bracing and 66" handle 12536 - 36" head, wrap-around bracing and 66" handle

MIDWEST RAKE



WHY A DUAL PURPOSE RAKE?

A Sevmour Midwest exclusive. This innovative and versatile tool has two teeth profiles. The short teeth are used for breaking up hard packed clay and grading, while the long teeth are for wet clay and general raking.

Midwest Rake aluminum chisel tooth rake

maniamina

- Extra-thick aluminum teeth and wrap-around bracing
 - 66" powder-coated aluminum handle with vinyl grip

20024 - 24" head 20030 - 30" head 20036 - 36" head 20042 - 42" head 20048 - 48" head 20060 - 60" head



CHISEL TOOTH RAKE DESIGN:

The aggressive chisel-sharp teeth and forward grading edge set this rake apart from our others. It is an excellent choice when you need to penetrate and break up hard soils. It also works exceptionally well when spreading concrete or stone.

Midwest Rake aluminum screening rake

- Heavy-duty aluminum head and wrap-around bracing
- 66" powder-coated aluminum handle with vinyl grip

11024 - 24" head 11030 - 30" head 11036 - 36" head 11042 - 42" head 11048 - 48" head



SCREENING RAKE DESIGN:

This rake is specially designed for sifting, grading, and screening. It is an excellent tool when you need to sift or screen stones and debris from sand or fine soil.

ALUMINUM / SPECIALTY - RAKES

73320 Kenyon steel backfill rake

- Heavy-duty 20" replaceable steel head
- 60" powder-coated aluminum handle with vinyl grip

SP13470 - Replacement head for 73320





MORE EFFECTIVE THAN A SHOVEL FOR...

many landscaping, irrigation, and utility settings. A great tool for quickly backfilling trenches and moving soil and aggregate materials. Heads are replaceable.

41366 Seymour 11" McLeod rake

- Heat-treated, 11" steel head with 4" teeth Head is welded to the ferrule with 4 rivets
 - 48" hardwood handle





WHAT IS A MCLEOD RAKE?

A favored tool for firefighters when clearing fire lines, but also a heavy-duty tool for clearing any form of trail or pathway... or even creating a new planting bed or garden. The head measures 9" tall x 11" wide with 4" reinforced teeth.

16113 Seymour 14" horse trailer rake

- All-aluminum construction with "push-pull" bracing
 - 50" powder-coated aluminum handle





COMPACT FOR A PURPOSE

A compact 50" length rake that fits in a trailer tack box. This small 14" head size has straighter pitched teeth and a generous grading edge and is easy to handle.

Midwest Rake baserunner field rake

- Aluminum head with rounded, non-gouging teeth
 - Double lock 39" 70" telescoping fiberglass Superhandle®

12501 - 24" head 12502 - 30" head





THE PROFESSIONALS CHOICE

Knocks down for easy storage. The perfect tool for grooming infields and beach volleyball courts. The head was designed specifically for the sports turf industry, but it is also highly respected in the professional lawn and garden industry. The high straight edge is excellent for grading.

52917 Midwest Rake 17" mound and plate shaper Heavy-duty aluminum head and bracing

- 66" powder-coated aluminum handle





A "UTILITY INFIELDER" YOU CAN PLAY EVERYDAY...

The perfect size for restoring the pitching mound to a professional surface, just scarify, level, tamp and repeat. Great for shaving and carving the pitching mound. The flat front of this tool can be used as a tamp in secondary areas where light tamping is required.

RAKES - AQUATIC

Our aquatic rakes are a safe and effective way to remove unwanted weeds from lakes, ponds and golf course water hazards, without need for hazardous chemicals or expensive dredging. Built for maximum reach from on-shore or on-dock use, these rakes make it easy to gather and remove plant debris.



87028 Midwest Rake 28" Aquatic Weed Eradicator (AWE)

- Reinforced 28" serrated cutting blade (replaceable)
 11', 2-piece rust proof powder-coated aluminum handle Additional 66" extension handle sections available
 - SA10024 Replacement blades for AWE 87003 Extension handle sections

MIDWEST RAKE



SIMPLY AN AWE-SOME TOOL

The AWE, exclusive to Seymour Midwest, is the most effective bottom-cutting weed removal tool available on the market. No need for dangerous and expensive chemicals; this tool removes weeds at their source. You don't have to worry about the reinforced blades bending under a heavy load of weeds.

86036 Midwest Rake 36" aluminum lake rake with 11' handle

- Heavy-duty aluminum head with wrap-around bracing
- Detachable poly float and 50' poly rope also included
- 11', 2-piece rust proof powder-coated aluminum handle
 Additional 66" extension handle sections available

SP50065 - Replacement poly rope for lake rake (not made in USA) 87003 - Extension handle sections





A FLOATING RAKE?

Use it to skim floating aquatic vegetation and algae from the water. By shortening the handle and removing the float, you have a professional-grade landscaping rake, excellent for dressing beach sand. Float colors may vary.

86050 Midwest Rake 36" aluminum lake rake with 66" handle

- · Heavy-duty aluminum head and wrap-around bracing
 - Wire woven through heavy-duty teeth uproots aquatic weeds
 - 66" powder-coated aluminum handle with 50' of poly rope

SP50065 - Replacement poly rope for lake rake (not made in USA)



WIRE WOVEN TEETH...

A safe and effective way to seasonally weed lakes, ponds, golf course water traps. Wire woven through heavy-duty teeth uproots aquatic weeds.



82728 Structron 28" broom, 2 bristle rows

- Industrial maximum duty broom
- 60" fiberglass handle, cushion grip

83728 Structron 28" broom, 3 bristle rows

Industrial - maximum duty broom
 60" fiberglass handle, cushion grip

82704 Structron 24" duo broom

- Heavy-duty broom for smooth surfaces
 - 60" fiberglass handle, cushion grip

82706 Structron 36" broom, 3 bristle rows

- Heavy-duty broom
 - 60" fiberglass handle, cushion grip

These brooms have a highly effective sweeping action because of its strong inside bristles with outside bristles specifically designed to sweep the finest of materials.



82104 Structron 24" duo broom

- · Heavy-duty broom for smooth surfaces
- 60" ergonomic powder coated aluminum handle

82106 Structron 36" duo broom

- Heavy-duty broom for smooth surfaces
 - 60" ergonomic powder-coated aluminum handle

47045 Structron 12" flat steel wire broom

- Heavy-duty broom
- 60" fiberglass handle, cushion grip
- · For aggressive cleaning or scrubbing



47046 Structron 16" round steel wire broom

- Heavy-duty broom
- 60" fiberglass handle, cushion grip
- For aggressive cleaning or scrubbing



82014 Seymour 24" push broom PB24

- Medium-duty broom for smooth surfaces
 - 60" fiberglass handle, cushion grip



82008 Seymour 24" push broom PB24R

- Medium-duty broom for rough surfaces
- 60" fiberglass handle, cushion grip

82724 Structron 24" general purpose broom

- Heavy-duty broom
 - · 60" fiberglass handle, cushion grip

82736 Structron 36" general purpose broom

- Heavy-duty broom
- 60" fiberglass handle, cushion grip

82124 Structron 24" general purpose broom

- Heavy-duty broom
- 60" ergonomic powder-coated aluminum handle

82136 Structron 36" general purpose broom

- Heavy-duty broom
- 60" ergonomic powder-coated aluminum handle



- Heavy-duty broom
- 60" ergonomic powder-coated aluminum handle



82718 Structron 18" street broom

- Heavy-duty broom
 - 60" fiberglass handle, cushion grip



82926 Seymour 24" general purpose broom

- Heavy-duty broom
 - Collapsible fiberglass handle



82018 Seymour 24" street broom SB24R

- Medium-duty broom for rough surfaces
- 60" fiberglass handle, cushion grip



BROOMS

Building a better professional broom starts with our super-strong gusset bracing, the strongest head-to-handle connection on the market today. Choose from brooms for rough surfaces, smooth surfaces or "duo" models that combine bristles for all-purpose use. Our bent "ergonomic" aluminum handles provide more effective head-to-surface contact while promoting comfort and ease of use.



82614 Kenyon 24" wonder broom

- 3" medium bristles, super-strong gusset bracing
- 60" powder-coated aluminum handle
- Superior sweeping action



For smooth and semismooth surfaces such as warehouse floors and cement. The best value for maintenance dollars spent.



82602 Kenyon 24" wonder broom

- 3" dual bristles, super-strong gusset bracing
- 60" powder-coated aluminum handle
 - Versatile multi-purpose



An ideal combination broom for gardeners, landscapers and anyone wanting to move a heavy load as well as fine dust with the same broom.



82624 Kenyon 24" wonder broom

- 3" stiff bristles, super-strong gusset bracing
- 60" powder-coated aluminum handle
- Heavy-duty garage style



Unaffected by chemicals, oils, or petroleum solvents. A top performing, best selling garage style broom.



82918 Seymour 18" street/landscape broom

- 5" stiff bristles, super-strong gusset bracing
- 60" ergonomic powder-coated aluminum handle



The ergonomic handle is very comfortable to use and levels the bristle contact to the floor for maximized effeciency.



82919 Seymour 18" street/landscape broom

- 5" stiff bristles, super-strong gusset bracing
- 60" powder-coated aluminum handle



Stiff, extra-long bristles make this street broom an excellent choice when you are dealing with rough surfaces.

82902 ProValue 24" economy duo broom

- 3" stiff bristles, wrap-around bracing
- 60" hardwood handle



82924 Seymour 24" general purpose broom

- 3" durable bristles, super-strong gusset bracing
- 60" ergonomic powder-coated aluminum handle



82925 Seymour 24" general purpose broom

- 3" durable bristles, super-strong gusset bracing
- 60" straight powder-coated aluminum handle



These general purpose brooms use durable polypropylene bristles, firmly attached to a high quality hardwood shoulder.



82936 Seymour 36" general purpose broom

- 3" durable bristles, super-strong gusset bracing
- 60" ergonomic powder-coated aluminum handle



82904 Seymour 24" duo broom

- 3" durable bristles, super-strong gusset bracing
- For use on smooth surfaces
- 60" ergonomic powder-coated aluminum handle



82905 Seymour 24" duo broom

- 3" durable bristles, super-strong gusset bracing
- For use on smooth surfaces
- 60" straight powder-coated aluminum handle



82906 Seymour 36" duo broom

- 3" durable bristles, super-strong gusset bracing
- For use on smooth surfaces
 - 60" ergonomic powder-coated aluminum handle



SPECIALTY - BROOMS

Our selection of brooms extends beyond traditional pavement-style brooms. We also offer specialty brooms for large-area pavement cleaning, athletic field dressing and brushes for applying pavement seal coating products. For additional cleaning solutions, also see our squeegee products.



Seymour 28" industrial maximum duty broom

- 3" durable bristles, wrap-around bracing
- Scraping edge for breaking up dirt
 - 60" ergonomic powder-coated aluminum handle
 - Replaceable bristle rows (SP50068)

82928 - Broom with 2 bristle rows 83928 - Broom with 3 bristle rows



82500 Seymour heavy-duty contractor corn broom

- Contractor-grade product
 - Not a typical "box house" broom (not made in the USA)



Midwest Rake water broom

- Aluminum with high-pressure nozzles
- Insulated pistol grip garden hose type nozzle
- Brass fittings and caster roller wheels
- Not for use with pressure washers

46032 - 32" water broom w/8 nozzles, 4.75 GPM at 50PSI

46048 - 48" water broom w/12 nozzles, 5 GPM at 50PSI



47025 Midwest Rake 12" flat steel wire broom

- 5" wire head and super-strong gusset bracing
 - 60" ergonomic powder-coated aluminum handle



47026 Midwest Rake 16" round steel wire broom

- 3.75" wire head and super-strong gusset bracing
 - 60" ergonomic powder-coated aluminum handle



Seymour 28" double play scarifier broom

- 3" durable bristles, wrap-around bracing
 - 66" powder-coated aluminum handle
 - Replaceable bristle rows (SP50068)

82328 - Broom with 2 bristle rows 83328 - Broom with 3 bristle rows





Seymour 7' double play monster field broom

- 3.5" bristles plus short teeth for breaking up dirt
- Grooms infield and then brush to finish
 - · A-frame foam padded handle with hanging hooks
 - Replaceable bristle rows (SP50067)



Seymour 7' monster warehouse stadium drag broom

- 3.5" durable bristles
- For large area pavement cleaning
 - A-frame foam padded handle with hanging hooks
 - Replaceable bristle rows (SP50067)

82084 - Broom with 2 bristle rows 83084 - Broom with 3 bristle rows

77036 Midwest Rake aluminum blacktop sealing brush

- 36" brush with flexible 2.5" poly bristles
 - Solid aluminum frame
 - 66" powder-coated aluminum handle
 - Replacement bristles (SP50039)





77136 Midwest Rake blacktop sealing brush

- 36" brush with durable poly bristles
- · Solid aluminum frame
- Used with a threaded tip handle

HOES - STANDARD AND SPECIALTY

Our wide selection of professional-quality hoes offers models for every application and user preference. Standard hoes are for general-duty cultivating and cutting. Warren hoes have a pointed tip for making furrows and working close to existing plants. Beet/nursery hoes have 3 edges for precise use.

42458 Structron garden hoe H800 6" heavy-duty forged head Riveted nvlon collar • 60" fiberglass handle with cushion grip 42485 Structron Norwegian krafse hoe 14" curved crescent-shaped head The most popular hand tool in Norway • 44" fiberglass handle with cushion grip Great for moving aggregate and dirt! 42455 Seymour garden hoe GH-40 UNIQUE HEAD DESIGN 6" heavy-duty forged head Riveted nylon collar 54" fiberglass handle with cushion grip 42425 ProValue garden hoe GH-80 6" medium-duty welded head Riveted nylon collar 48" fiberglass handle with vinyl grip 42410 Seymour gooseneck hoe 6" medium-duty welded head with riveted steel plug 60" powder-coated aluminum handle, vinyl grip 42460 Seymour warren hoe (pointed) 6.25" heavy-duty forged head 54" hardwood handle, WH-30 WARREN HOE

42450 Structron garden hoe

- 6" heavy-duty forged head
- Steel ferrule
 - 60" hardwood handle, GH-30



42420 Seymour garden hoe

- 6" medium-duty welded head
 - Steel ferrule
 - 54" hardwood handle, GH-20



42448 ProValue garden hoe

- · 6" medium-duty welded head
- Steel ferrule
 - 54" hardwood handle, GH-10



42441 SmartBuy garden hoe

- 6" medium-duty welded head
- Steel ferrule
 - 48" hardwood handle, GH-90



42468 Seymour southern meadow hoe

- 6" medium-duty welded head
 - 60" hardwood handle, SH-36



42469 Seymour southern meadow hoe

- 7" medium-duty welded head
- 60" hardwood handle, SH-37



42465 Seymour beet / onion hoe

- 7" heavy-duty forged head
 - 54" hardwood handle, BH-30




42466 Seymour beet / nursery hoe


- 7" heavy-duty forged head
- 60" hardwood handle, BH-35



SPECIALTY - HOES

Our eye hoes are preferred for heavy-duty digging and cutting to open up planting beds. The grub hoes have a narrower blade for easier and deeper ground penetration. Hardwood handles are sold separately to allow these products to be customized to your preference.





- 7" blade, 1-3/4" diameter hole
- American pattern
- Head only, 2E-AE0

63009 - 54" circular shaped handle, DG-AEH 63001 - 60" circular shaped handle, DG-AEH-60

(both handles are 1-3/4" diameter)

42801 Seymour eye hoe

- 7.5" blade, 1-3/4" diameter hole
- American pattern
- Head only, 2E-AE1

63009 - 54" circular shaped handle, DG-AEH 63001 - 60" circular shaped handle, DG-AEH-60 (both handles are 1-3/4" diameter)

42802 Seymour eye hoe

- 7.75" blade, 1-3/4" diameter hole
- American pattern
- Head only, 2E-AE2

63009 - 54" circular shaped handle, DG-AEH 63001 - 60" circular shaped handle, DG-AEH-60 (both handles are 1-3/4" diameter)

EYE HOE FEATURES:

Eye hoes feature large, heavy blades best for heavy-duty digging and cultivating.

42805 Seymour grub hoe

- 4.5" blade, 1-3/4" diameter hole
- Head only, 2E-G60

63009 - 54" circular shaped handle, DG-AEH 63001 - 60" circular shaped handle, DG-AEH-60

(both handles are 1-3/4" diameter)

GRUB HOE FEATURES:

Grub hoe blades are narrower than eye hoes for easier and deeper ground penetration.

42808 Seymour Italian grape hoe

- 7" blade
- Head only, 2E-IG7

63011 - 40" oval shaped handle, DG-IGH

GRAPE HOE FEATURES:

Grape hoes are designed specifically for cultivating and weeding around grape vines.

EDGERS

Create crisp turf boundaries along walkways, driveways and other paved surfaces with our edgers. Our rotary turf edgers have been used for decades for crisp edges without stooping or bending. Gardeners and landscapers appreciate the easy, precise cuts from our half-moon edger.





- 6" blade, single wheel
- 48" hardwood handle, WE-51






49048 Seymour rotary turf edger, dual wheel

- 6" blades, dual wheel
- 48" hardwood handle, WE-52









- 8.75" 12 gauge steel blade with cast-iron socket for maximum durability
- 48" hardwood handle, WE-65



49079 Seymour sod lifter

- 8.75" forged blade
- Removes sod for planting beds and sod repair
- 30" hardwood handle with steel d-grip, SD-20



CULTIVATORS

42670 Kenyon 3 prong cultivator Welded steel head, riveted steel plug Gooseneck design for more precise work Claw tines for better cultivating • 60" powder-coated aluminum handle with 6" non-slip vinyl grip 42244 Seymour 4 prong forged cultivator, GC-40 5" forged head, riveted on nylon collar • 54" fiberglass handle with vinyl grip Seymour right angle cultivator Welded steel head, riveted steel plug • 60" powder-coated aluminum handle, vinyl grip 42203 - 3 prong head 42204 - 4 prong head 42201 Seymour 1 prong cultivator Gooseneck designed head, riveted steel plug • 60" powder-coated aluminum handle, vinyl grip 42103 Seymour combo cultivator/loop hoe 3 prong cultivator head, riveted steel plug Replacement loop hoe blade (SP10129) 60" powder-coated aluminum handle, vinyl grip **DUAL-PURPOSE DESIGN!** The perfect tool for weeding and cultivating.



FORKS

Our spading forks are used to work loose soil, aerate sod, dig root crops, transplant bulbs and divide perennial plants. Our manure forks are prized for moving mulch and light material without sifting.



49284 Structron forged spading fork SP30

- 4 tine head riveted on 8" chrome ferrule
- 30" fiberglass handle with poly d-grip



- 4 tine head
- 30" fiberglass handle with poly d-grip



49077 Structron forged spading fork

- 4 tine head
- 29" hardwood handle with steel d-grip, SF-30



49076 ProValue forged spading fork

- 4 tine head
- 31" hardwood handle steel d-grip, SF-10

49288 Structron forged compost fork CF5

- 5 tine head riveted on 8" chrome ferrule
- 54" fiberglass handle with cushion d-grip



- 5 tine head
- 48" fiberglass handle with vinyl grip, MF-45



- 48" hardwood handle, MF-24

49275 Seymour forged manure fork

- 4 tine head
- 54" hardwood handle, MF-24L

49276 Seymour forged manure fork

- 5 tine head
- 48" hardwood handle, MF-25

49277 Seymour forged manure fork

- 5 tine head
- 54" hardwood handle, MF-25L

49278 Seymour forged manure fork

- 6 tine head
- 54" hardwood handle, MF-26

49070 Seymour bedding fork

- 10 tine welded head
- 48" hardwood handle, BF-25

44111 Seymour bedding fork

- 16" poly head52" wood handle
- Individually boxed

44111BA Seymour bedding fork

- 16" poly head52" wood handle
- Bulk assembled, BF-20P





Bedding forks are designed to remove manure from stock bedding. They also work great for spreading mulch, compost and sifting leaves. Ensilage forks are for loading and unloading silage and working with mulch. Hay and barley straw forks make it easy to lift and move hay and straw.









- 48" hardwood handle, HF-20



• 54" hardwood handle, AF-20



49280 Seymour forged barley/straw fork

- 5 tine head
- 30" hardwood handle with steel d-grip, AF-20D



49285 Structron forged ensilage fork

- 10 tine head
- 30" hardwood handle with steel d-grip, EF-30D





49272 Seymour forged ensilage fork

- 10 tine head
- 30" hardwood handle with steel d-grip



• 30" hardwood handle with poly d-grip, EF-20D



- 4 tine head
- 30" hardwood handle with steel d-grip, FF-30

SCOOPS - FIBERGLASS AND POLYMER

Our professional aluminum and poly scoops are lightweight for operator comfort and corrosion resistant for longevity. Grain scoops are ideal for moving bulk granular materials and are offered in multiple configurations to match user preference. Western patterns have reinforcing ribs in the pan for heavy use.



49217 Structron general purpose scoop GP14

- #2 steel head
- 48" fiberglass handle with cushion grip



49216 Structron general purpose scoop GP14D

- #2 steel head
- 29" fiberglass handle with poly d-grip



49068 Structron grain scoop AS19

- #12 aluminum head
- 51" fiberglass handle with cushion grip



49069 Structron grain scoop AS19D

- #12 aluminum head
- 29" fiberglass handle with poly d-grip



• 51" fiberglass handle with cushion grip



49253 Structron grain scoop GS18D

- #12 ABS head
- 29" fiberglass handle with poly d-grip



49010 Seymour grain scoop SV-SDP12

- #12 poly head
- 27" fiberglass handle with poly d-grip

SCOOP SIZE CHART					
HEAD STYLE	MATERIAL TYPE	HEAD SIZE			
#2 Gen Purp	Steel	11" x 13.5"			
#2 Coal	Steel	13.5" x 14.5"			
#6	Steel	12" x 16.25"			
#8	Polymer	14" x 17"			
#8	Steel	14" x 17"			
#10	Aluminum	14.5" x 18"			
#10	Heavy Alum	14.5" x 18"			
#10	Poly	13.5" x 17"			
#12	ABS / Poly	14.25" x 19"			
#12	Aluminum	15.25" x 19"			
#12	Steel 15" x 19"				
#14	Aluminum	15.5" x 20"			



- #8, 14" x 17" head
 - 27" handle with d-grip



49910 Seymour Eastern pattern scoop



- One-piece, injection molded
- #8, 14" x 17" head
- 27" handle with d-grip



49010LO Seymour grain scoop SV-SDP12L

- #12 poly head
- 36" fiberglass handle with poly d-grip

WOOD-SCOOPS



49257 Structron Eastern pattern scoop

- #2 steel head, 11.125" x 16"
- 27" hardwood handle with steel d-grip



- 36" hardwood handle with steel d-grip



- #14 heavy aluminum head
- 36" hardwood handle with steel d-grip



• 48" hardwood handle



- 10" x 12" aluminum head
 48" hardwood handle



49062 Seymour grain scoop

- #10 aluminum head
- 29" hardwood handle with steel d-grip, SV-SDA10



49240 Seymour grain scoop

- #10 heavy aluminum head
- 29" hardwood handle with steel d-grip, SV-SDA10H



• 40" hardwood handle with steel d-grip, SV-SDA10HL



- #10 aluminum head
- 36" hardwood handle with steel d-grip, SV-SDA10HM



• 48" hardwood handle



49266 Seymour Western pattern scoop

- #12 aluminum head
- 36" hardwood handle with steel d-grip



- #12 aluminum head
- 29" hardwood handle with steel d-grip, SV-SDA12





• 36" hardwood handle with steel d-grip, SV-SDA14HM



• 40" hardwood handle with steel d-grip, SV-SDA14HL

SCOOPS - WOOD

General purpose scoops provide handy tools sized between square point shovels and larger grain scoops. They are best for moving sand, gravel, asphalt and other construction materials. They are also often used for snow removal, scraping and general clean-up.



49270 Seymour grain scoop

- #14 aluminum head
- 29" hardwood handle with steel d-grip, SV-SDA14



49066 Seymour Western pattern scoop

- #14 aluminum head
- 48" hardwood handle



49060 Seymour Eastern pattern general purpose scoop

- #2 11" x 13.5" aluminum head
- 48" hardwood handle



49219 Seymour Western pattern scoop

- #12 steel head
- 36" hardwood handle with steel d-grip



49019 Seymour grain scoop

- #12 steel head
- 29" hardwood handle with steel d-grip, SV-SDS12



49248 Seymour coal scoop

- #2 steel head
- 29" hardwood handle with steel d-grip, SV-SDSC2



- 54" hardwood handle, SV-SLSC2-54



49018 Seymour Eastern pattern scoop

- #2 steel head
- 29" hardwood handle with steel d-grip



49006 Seymour Eastern pattern scoop

- #6 steel head
- 29" hardwood handle with steel d-grip



49008 Seymour Western pattern scoop

- #8 steel head
- 29" hardwood handle with steel d-grip



49013 ProValue general purpose scoop

- #2 steel head
- 26" hardwood handle with steel d-grip, SV-SS10



49016 ProValue scoop/asphalt shovel

- #2 steel head
- 36" hardwood handle with steel d-grip, SV-SS10L



49017 ProValue scoop/asphalt shovel

- #2 steel head
- 44" hardwood handle, SV-SS11



49053 Seymour grain scoop

- #12 poly head
- 29" hardwood handle with poly d-grip, SV-SDP12W



49054 Seymour grain scoop

- #12 poly head
- 36" hardwood handle with poly d-grip, SV-SDP12WL



• 48" hardwood handle




49050 ProValue grain/snow scoop

- #12 poly head
- 29" hardwood handle with poly d-grip, SV-SDP12WP

SCRAPFR

Scrapers are used to remove ice on walks and drives, remove old flooring and roofing, clean concrete, and for general clean-up on construction sites and farms. These super-duty scrapers are also rugged enough to sever roots and loosen hard-packed soil.



Chrome plated ferrule

SUPERSCRAPERS™ ARE USEFUL FOR...

removing ice on walks and drives, removing old flooring and roofing, cleaning concrete, and for general clean-up on construction sites and farms. These super-duty scrapers are also rugged enough to sever roots and loosen hard-packed soil.

49031 Seymour 4" SuperScraper™

- Steel head
- 54" hardwood handle, SC-48



49032 Seymour 4" SuperScraper™

- Steel head
- 36" hardwood handle with poly d-grip



49033 Seymour 7" SuperScraper™

- Steel head
- 54" hardwood handle, SC-79



49034 Seymour 7" SuperScraper™

- Steel head
- 36" hardwood handle with poly d-grip, SC-79D

MIDWEST RAKE



78908 Midwest Rake 8" scraper



- Stainless steel head
- Replaceable blade (SP50027)
- Gusset bracing
- 66" powder-coated aluminum handle



78912 Midwest Rake 12" scraper

- Stainless steel head
- Replaceable blade (SP50028)
- Gusset bracing
- 66" powder-coated aluminum handle



78916 Midwest Rake 16" scraper

- Stainless steel head
 - Replaceable blade (SP50029)
 - Gusset bracing
 - 66" powder-coated aluminum handle

POST HOLE DIGGERS

Our post hole diggers have been and always will be 100% American made. Seymour Midwest manufactures the most complete line of post hole diggers in the industry, consisting of 25 different diggers, including models for fencing contractors, utility linemen, and others who require precision performance.

THE HERCULES PATTERN...

provides maximum strength for the most demanding industrial and commercial jobs.



21210 Structron hercules digger PD48

- 6.25" point spread, .112" thick
- 48" fiberglass handle, cushion grip



21219 Structron hercules digger PD96

- 6.25" point spread, .112" thick
- 96" fiberglass handle, cushion grip



21211 Sevmour Hercules digger DG-11FG

- 6.25" point spread, .112" thick
- 48" fiberglass handle, vinyl grip



21215 Structron hercules digger

- 6.25" point spread, .112" thick
- 48" hardwood handle



21200 Seymour hercules digger

- 6.25" point spread, .112" thick
- 48" hardwood handle, DG-11



21206 Seymour hercules digger

- 6.25" point spread, .112" thick
- 72" hardwood handle, DG-116



21208 Seymour hercules digger

- 6.25" point spread, .112" thick
- 96" hardwood handle, DG-118



is best suited for homeowner use and other occasional use applications.



- 6" point spread, .085" thick
- 48" fiberglass handle, vinyl grip





21110 Seymour atlas digger DG-100FG

- 6" point spread, .062" thick
- 48" fiberglass handle, vinyl grip



21180 ProValue homeowner digger DG-80FG

- 5" point spread, .083" thick
- 48" fiberglass handle, vinyl grip (not made in the USA)



21109 Seymour extra heavy-duty atlas digger

- 5" point spread, .085" thick
- 48" hardwood handle, DG-17



21105 Seymour medium-duty atlas digger

- 5" point spread, .068" thick
- 48" hardwood handle, DG-10



21106 Seymour medium-duty atlas digger

- 5" point spread, .068" thick
- 72" hardwood handle, DG-106



21108 Seymour medium-duty atlas digger

- 5" point spread, .068" thick
- 96" hardwood handle, DG-108



21100 Seymour atlas digger

- 5" point spread, .062" thick
- 48" hardwood handle, DG-100



21025 ProValue junior atlas digger

- 5" point spread, .083" thick
- 42" hardwood handle, DG-25

POST HOLE DIGGERS

THE PERFECTION PATTERN...

has a unique "clamshell" head for digging in sandy, loamy, loosely-packed soils.



21245 Seymour perfection digger DG-12FG

- 7.25" point spread, .085" thick
- 48" fiberglass handle, vinyl grip



21244 Seymour perfection digger

- 5" point spread, .085" thick
- 48" hardwood handle, DG-12



21246 Seymour perfection digger

- 5" point spread, .085" thick72" hardwood handle, DG-126




21248 Seymour perfection digger

- 5" point spread, .085" thick
- 96" hardwood handle, DG-128

THE GIBBS PATTERN...

combines a single blade with hinge action that acts like a bucket to bring loose soil to the surface. Also called a mud bucket.



- Single blade with hinge action, .085" thick
- 54" hardwood handle, DG-18



- Single blade with hinge action, .085" thick
- 72" hardwood handle, DG-186



21268 Seymour Gibbs digger

- Single blade with hinge action, .085" thick
- 96" hardwood handle, DG-188



THE BUCKEYE PATTERN...

features strong steel pipe handles welded to the square steel shanks and yoke. Super tough square-cut steel blades are ideal for digging in heavy, rocky soils.

21230 Seymour buckeye digger

- 6.5" point spread, .117" thick
- 48" steel handles, DG-16



features strong tubular steel handles welded to the thick yokes for digging in the hardest soils.



- 6.25" point spread, .112" thick
- 48" steel handles, DG-15



21075 ProValue homeowner digger

- 5" point spread, .083" thick
- 48" hardwood handle, DG-75



21060 SmartBuy promotional digger

- 5" point spread, .083" thick
- 48" hardwood handle, DG-60

POST HOLE DIGGER REPLACEMENT HANDLES

SP21096 48" replacement handle for DG-100, DG-75

SP21099 72" replacement handle for DG-106, DG-116, DG-126

SP21100 96" replacement handle for DG-108, DG-118, DG-128

SP21095 48" replacement handle for DG-10, DG-11, DG-12

SP21004 48" replacement handle for DG-14

SP21005 72" replacement handle for DG-186

SP21006 96" replacement handle for DG-188

SP21007 54" replacement handle for DG-18

SP21008 Short lever replacement handle for DG-18

FENCING TOOLS

For decades farmers, ranchers and fencing professionals have counted on Seymour for high quality fencing tools. Our all-steel post drivers can install posts in the toughest soil conditions. Handy fencing pliers are often used with our ring fasteners for wire and mesh fencing.



85620 Seymour post driver

- 2.5" square tube, 19 pounds of power
- Heavy-duty, powder coated construction



85623 Seymour post driver

- 3" square tube, 22 pounds of power
- Heavy-duty, powder coated construction



85630 Seymour long reach post driver

- 2.5" square tube, 19 pounds of power
- Heavy-duty, powder coated construction




85633 Seymour long reach post driver

- 3" square tube, 22 pounds of power
- Heavy-duty, powder coated construction

POST DRIVER CONSTRUCTION

- All steel
- Square tubing
- Powder coated
- Heavy-duty





41026 Seymour fence pliers

- 10.5" alloy steel head
- Forged handles with vinyl grips, 2T-1900



41020 Seymour fence pliers

- 10" square nose head
- Forged handles with vinyl grips, 2T-110



41021 Seymour fence pliers

- 10" round nose head
- Forged handles with vinyl grips, 2T-120



Professionals have relied on Seymour augers for generations to bore holes in all soil types. We offer models for post installation, shallow well drilling, tree root feeding, pest control and other applications. Count on these time-proven tools for great results.



IWAN AUGERS

are designed for general purpose use in a variety of soils. Steel blades are riveted to tough pliable iron yoke. Has a steel shaft with a welded steel t-handle.

21302 Seymour 2" Iwan auger

- 2" point spread, steel head/shaft
- Hardwood handle, AU-S2

21303 Seymour 3" Iwan auger3" point spread, steel head/shaft

- Hardwood handle, AU-S3

21304 Seymour 4" Iwan auger

- 4" point spread, steel head/shaft
- Hardwood handle, AU-S4

21306 Seymour 6" Iwan auger

- 6" point spread, steel head/shaft
- Hardwood handle, AU-S6

21308 Seymour 8" Iwan auger

- 8" point spread, steel head/shaft
- Hardwood handle, AU-S8

21310 Seymour 10" Iwan auger

- 10" point spread, steel head/shaft
- Hardwood handle, AU-S10

21312 Seymour 12" Iwan auger

- 12" point spread, steel head/shaft
- Hardwood handle, AU-S12

ADJUSTABLE IWAN AUGERS

will bore holes of varying diameters



- Steel head/shaft
- Hardwood handle, AU-A1



21326 Seymour 6-7-8" diameter adjustable iwan auger

- Steel head/shaft
- Hardwood handle, AU-A2

TREE FEEDING AUGERS

bore a 2" diameter hole for applying plant food and water to roots.

21332 Seymour 2" tree feeding auger

- 2" point spread, steel head
- 36" steel shaft, AU-02T

DIGWELL AUGERS

have a telescoping steel handle for a total working length up to 9'. The square steel extension is dimpled at 7" intervals for locking in settings.

21348 Seymour 8-14" digwell auger

- Hinged blade
- 5' steel shaft telescopes to 9', hardwood handle, DW-D1

AUGER REPLACEMENT HANDLES & PARTS

- SA22036 Auger Handle, hardwood cross, 21", for all except AU-S12
- SA22035 Auger extensions, 3/4" X 48" with threaded coupling
- SA22076 Auger Handle, hardwood cross, 30", for AU-S12
- SA11028 AU-A1 adjustable auger blade (including rivets)
- SA11029 AU-A2 adjustable auger blade (including rivets)
- SA11020 Iwan auger head, 10"
- SA11021 Iwan auger head, 12"
- SA11022 Iwan auger head, 8"

SNATHS & SCYTHE BLADES

The scythe is a powerful, versatile and useful tool for the mowing and removal of unwanted grasses, weeds, and young woody growth. Quiet and pleasant to use, the scythe provides numerous advantages over mechanical mowers and string trimmers, and can be used in many locations where mechanical mowers cannot.



21401 Seymour snath, wood handle

- Steel web, iron loop bolt, SN-1
- · For grass, weeds, and light brush

21408 Seymour snath, aluminum handle

- Steel web, iron loop bolt, SN-8
- · For light duty cutting

21409 Seymour snath, aluminum handle

- Iron loop bolt, SN-9
- · For medium duty cutting

Snath style	Light, thin grasses	Lush vegetation	Reedy grasses & thatch	Woody-stemmed plants & weeds	Green young saplings or bushes
No. 1 (wood)	•	•	•	•	•
No. 8 (aluminum)	•	•	0	×	×
No. 9 (aluminum)	•	•	•	0	×



21428 Grass scythe

- 28" steel blade
- 2B-42G28

21430 Grass scythe

- 30" blade
- 2B-42G30

21424 Weed scythe

- 24" steel blade
- 2B-42W24

• 26" blade

• 2B-42W26

= Good = Better = Best = Do Not Use

21426 Weed scythe

21420 Bush scythe

- 20" steel blade
- 2B-42B20

21438 Scythe blade

- 28" steel blade, lightweight
- 2B-040128

21440 Scythe blade

- 30" steel blade, lightweight
- 2B-040130



21450 Nib for snath, SP-16UB

- Lower and upper nib for 21401 & 21409
- Reverse threaded hex nut

21451 Nib for snath, SP-16LB

- Lower bush nib for 21401 • Reverse threaded hex nut

21452 Nib for snath, SP-16UG

- Upper grass nib for 21401 & both nibs for 21408
- · Reverse threaded hex nut

Scythe style	Light, thin grasses	Lush vegetation	Reedy grasses & thatch	Woody-stemmed plants & weeds	Green young saplings or bushes
Grass Blade	•	•	•	•	0
Weed Blade	•	•	•	•	•
Bush Blade	0	0	•	•	•
Hybrid Blade	•	•	0	0	×

Usage charts courtesy Benjamin Bouchard

WEED & BRUSH CUTT

Cutting dense brush and weeds is easy with our time-proven grass hooks, weed cutters and ditch bank blades. These rugged tools are based on decades-old designs that continue to be reliable favorites for their reliability and functionality.



• Steel tip, WE-35

36" hardwood handle

Reaches deep to remove the whole root

41700 Seymour grass hook, general purpose • Non-offset serrated edge blade

41705 Seymour grass hook, general purpose

- Offset plain edge blade
- Hardwood handle, 2G-507

• Hardwood handle, 2G-497

41710 Seymour grass hook, American pattern

- Plain edge blade, steel ferrule
- Hardwood handle, 2G-25

41711 Seymour grass hook, long handle, American pattern

- Plain edge blade, steel ferrule
- 53" hardwood handle, 2G-25LH



49081 Seymour hay hook

· Steel hook with wood handle

• 11" overall length

MACHETES AND KNIVES

Whether you are trimming, harvesting or clearing brush, Seymour Midwest has a high-quality knife or machete that is ready for the task. Each of our tough and durable products are fully resharpenable for use season after season.





41418 Kenyon 4" sickle / sod cutter

- 4" steel blade
- 6" polymer handle



41420 Kenyon 6.5" sickle

- 6.5" steel blade
- 8" wood handle



41044 Seymour sod cutter / harvesting knife

- 3" steel blade 5" polymer handle



41046 Seymour row crop harvesting knife

- 6" steel blade
- 5" polymer handle



41045 Seymour landscaper's pocket knife

- 2.5" closeable steel blade
- 4.5" polymer handle



41730 Seymour cane knife

- 13" steel blade
- Hardwood handle, 2P-CN13



41745 Seymour 15" corn knife

- Tapered steel blade
- Hardwood handle, 2C-66



41740 Seymour 18" corn knife

- Flexible steel blade
- Hardwood handle, 2C-33



41748 Seymour 18" corn knife

- Tapered steel blade
- Hardwood handle, 2C-99



41712 Seymour 12" machete

- Cutlery steel blade
- Black poly handle with brass rivets, 2P-MA12



41718 Seymour 18" machete

- Cutlery steel blade
- Black poly handle with brass rivets, 2P-MA18



41719 Seymour 18" sheath for machete

Canvas sheath with belt loop, 2P-MA18S



41722 Seymour 22" machete

- Cutlery steel blade
- Black poly handle with brass rivets, 2P-MA22



41723 Seymour 22" sheath for machete

• Canvas sheath with belt loop, 2P-MA22S



41724 Seymour 24" machete

- Cutlery steel blade
- Black poly handle with brass rivets, 2P-MA24



41725 Seymour 24" sheath for machete

Canvas sheath with belt loop, 2P-MA24S

SAWS-PRUNING TOOLS

Kenyon pruning saws are professional-grade tools that are designed to cut more easily. Choose folding models for small to medium branches and convenient in-field portability. Curved blades make cutting easier. Larger bow saws have increased capacity for larger branches and sharp, self-cleaning teeth.



PROFESSIONAL TOOLS CUT FASTER & EASIER!

Kenyon brand cutting tools are small, powerful and functional tools that will give you an "edge".






41429 Kenyon pruning saw

- 13" tempered alloy curved blade
- 6 precision ground teeth per inch
- Poly handle



41428 Kenyon folding saw

• 10" tempered alloy curved blade





41426 Kenyon folding pruning saw

- 8" steel blade
- Comfort poly grip with safety lock, WP-8708



41453 Kenyon 21" bow saw

- Replaceable steel blade (SP16047) with guard
- Tubular steel handle, WP-7621



41454 Kenyon 24" bow saw

- Replaceable steel blade (SP16048) with guard
- Tubular steel handle, WP-7624



41455 Kenyon 30" bow saw

- Replaceable steel blade (SP16049) with guard
- Tubular steel handle, WP-7630

PRUNING TOOLS - HAND PRUNERS

Classic design and dependability characterize each of our hand pruning tools. We offer the best in price and performance with tools that provide clean, consistent cuts, without binding or tearing. For contractor-friendly performance, upgrade to models with forged blades for added durability.





41407 Kenyon 1" forged professional bypass pruner

- Resharpenable blades, sap groove and wire-cutting notch
- 8.5" overall length with ergonomic handles
- Replaceable blade (SP13312) and spring (SP13311)



41406 Kenyon .75" forged professional bypass pruner

- Resharpenable blades, sap groove and wire-cutting notch
- 8" overall length with ergonomic handles
- Replaceable spring (SP13310)



41401 Kenyon .75" bypass pruner

- Hardened and coated non-gumming blades
- Ergonomically designed vinyl handles
- Metal latch for safe storage



41403 Kenyon 1" bypass pruner

- Hardened and coated non-gumming blades
- Ergonomically designed vinyl handles
- Metal latch for safe storage



41419 Kenyon forged professional thinning shear

- Resharpenable alloy blades
- 8.25" overall length with cushioned non-slip grips
- Replaceable spring (SP13313)



41405 Kenyon .75" anvil pruner

- Hardened and coated non-gumming blades
- · Ergonomically designed vinyl handles
- Metal latch for safe storage



41054 Kenyon nylon scabbard with belt clip

- Fits hand pruners and folding saws
- Keeps tools handy in the field



41055 Kenyon leather scabbard with belt slots

Top-grain leather



41473 ProValue .5" consumer bypass pruner

- Comfort molded handles
- Quick release, WP-1010



41474 ProValue .625" consumer bypass pruner

- Single action, enclosed spring
- Textured vinyl grips, WP-1030



41476 ProValue .625" consumer anvil pruner

- Single action, enclosed spring
- Textured vinyl grips, WP-1020

HEDGE SHEARS - PRUNING TOOLS

For trimming and shaping of large and dense shrubs and hedges, we offer a diverse selection of hedge shears for contractor and consumer use. Of special note are the models which incorporate innovative telescoping handles for instant added reach. All models feature resharpenable blades.



41471 Structron forged hedge shears with extension handles EXS24

- 9" steel blades
- Fiberglass handles with cushion grip
 Handles extend from 24" to 36" for added reach



41424 Kenyon forged hedge shears

- 9" steel blades with shock absorbing stop
- 12" aluminum handles with poly grips



41423 Kenyon forged hedge shears

- 9" steel blades with shock absorbing stop
- 11" hardwood handles with poly grips



41421 Kenyon hedge shears

- 8" steel blades with branch pruning notch for larger limbs
- 10" hardwood handles, WP-3220




41422 Kenyon hedge shears

- 8" steel blades with branch pruning notch for larger limbs
- 9" steel handles with vinyl grips, WP-3210



41492 ProValue hedge shears

- 9" steel blades with serrated edge for compound action
- 10" hardwood handles with cushion grips, WP-3230



PRUNING TOOLS - LOPPERS

For cutting larger limbs and vines, select from our wide offering of landscape loppers. Choose from models with traditional hardwood handles, fatigue-reducing aluminum, fiberglass, or high-strength tubular steel. Models with easy-reach extension handles are offered. Get extra cutting power (up to 3 times more) with compound-action models.



41467 Structron telescoping bypass lopper EXB36

- Single action steel blades
- 24"-33" fiberglass extension handles with cushion grips



41465 Structron bypass lopper BL24

- Single action steel blades
- 24" fiberglass handles with cushion grips





"These loppers are absolutely the best in the field."
- Patti Merick, Lawnranger Landscape



41463 Structron telescoping anvil lopper EXA36

- Compound action steel blades (SP16013 + SP16012)
- 24"-33" fiberglass extension handles with cushion grips



41461 Structron anvil lopper CL24

- Compound action steel blades (SP16013 + SP16012)
- 24" fiberglass handles with cushion grips

COMPOUND ACTION LEVER DESIGN

on pruning tools multiplies handle force to cutting blades for easier cutting.





41414 Kenyon 1.25" forged bypass lopper

- Resharpenable blades with sap groove
- Shock absorbing stop
- Tubular steel handles with poly grips, 19" overall length



41415 Kenyon 2.25" forged bypass lopper

- Resharpenable blades with sap groove
- Shock absorbing stop
- Aluminum handles with poly grips, 28" overall length



41411 Kenyon 1.25" bypass lopper

- Hardened and coated, non-gumming blades
- Shock absorbing stop, 29" overall length
- Oval-shaped steel handles with cushioned grips



41416 Kenyon 1.5" telescoping bypass lopper

- Hardened and coated, non-gumming blades
- Shock absorbing stop, 29" overall length
- 26"-39" aluminum handles with poly grips



41417 Kenyon 1.5" bypass lopper

- Hardened and coated, non-gumming blades
- Shock absorbing stop, 28" overall length
- · Wood handles with poly grip



41413 Kenyon 1.5" anvil lopper

- Hardened and coated, non-gumming blades
- Shock absorbing stop, 29" overall length
- Oval-shaped steel handles with cushioned grips

LOPPERS - PRUNING TOOLS



41488 ProValue 2" bypass lopper

- Compound action steel blades
- Shock absorbing stop
- 20" hardwood handles with cushion grips, WP-2140



41484 ProValue 1.25" bypass lopper

- Single action steel blades
- Shock absorbing stop
- 20" hardwood handles with cushion grips, WP-2130




41486 ProValue 1.25" bypass lopper

- Single action steel blades
- Shock absorbing stop
- 30" hardwood handles, WP-2136



41487 ProValue 1.25" bypass lopper

- Single action steel blades
- Shock absorbing stop
- 30" hardwood handles with cushion grips, WP-2137



41481 ProValue 1.25" bypass lopper

- Single action steel blades
- Shock absorbing stop
- 19" tubular steel handles with vinyl grips, WP-2120





41489 ProValue 2" anvil lopper

- Compound action steel blades
- 20" hardwood handles with cushion grips, WP-2145



41485 ProValue 1.5" anvil lopper

- Single action steel blades
- 20" hardwood handles with cushion grips, WP-2135



41483 ProValue 1.5" anvil lopper

- Single action steel blades
- 19" tubular steel handles with vinyl grips, WP-2110



Bypass loppers are recommended for pruning green wood while anvil loppers are for pruning dead or dying wood.

PRUNING TOOLS - TREE PRUNERS AND FRUIT PICKER

Our rugged tree pruners use telescoping fiberglass or aluminum handles for extended reach and lightweight operation. The exclusive patented STA-LOK on the Structron TP612 locks the handle in place to the exact length needed. Choose a model with compound action for extra cutting power.

41398 Structron tree pruner TP612

- 1.125" cutting capacity compound action lopper with 15" saw blade
- 15" replacement saw blade (SP16097)
- 6'-12' fiberglass extension handle, lightweight for easy reaching
- Non-slip foam grip



41400 Kenyon geared tree pruner

- · 2" cutting capacity anvil style pruner
- 12" interchangeable saw blade
- Heavy-duty gear and pulley system
- 4.5'-8' oval shaped aluminum telescoping handle with superior telescoping locking mechanism



41395 Kenyon tree pruner WP-6555


- 1.125" cutting capacity compound action lopper with 13" blade
- Replacement saw blade (SP13441) and replacement rope (SP50323)
- 7'-14' fiberglass extension handle with superior telescoping locking mechanism



41498 ProValue tree pruner WP-6525

- 1" cutting capacity compound action lopper with 13" blade
- Replacement saw blade (SP13441) and replacement rope (SP50323)
- 6'-12' fiberglass extension handle







42280 Seymour fruit picker FP-20

- Heavy gauge vinyl coated wire basket, grab and pull action
- 8' 2 piece wood handle

FIBERGLASS - EXTENSION HANDLES

Prized by painting contractors, cleaning professionals and other users who look for extended reach with maximum adjustability, our extension handles have been top-sellers for decades. Our patented STĀ-LOCK mechanism is the most convenient and reliable to use. Just twist to lock in any position.





Structron Superhandle® II Ultra extension handle with milled aluminum tip

- Machined aluminum tip
- Fiberglass telescoping handle with cushion grip
- Ultra Threaded Tip Replacement Kit (60279)

60270 - 1' to 2' handle w/STĀ-LOK & end cap

60271 - 2' to 4' handle w/dual lock

60276 - 3' to 6' handle w/dual lock

60272 - 4' to 8' handle w/dual lock

60273 - 6' to 12' handle w/dual lock

60274 - 8' to 16' handle w/dual lock

60275 - 8' to 24' handle w/dual lock





UPGRADE TO ULTRA

Our new "Ultra" version includes a virtually indestructible threaded tip milled from solid aluminum bar stock. Use it for heavierweight ends or when the tool end will be subject to high leverage forces.

SUPERHANDLE II ULTRA

PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF



Structron Superhandle® II extension handle

- Threaded #5 Acme aluminum tip
- Fiberglass telescoping handle with cushion grip
- Threaded Tip Replacement kit (60259)

60250 - 1' to 2' handle w/STĀ-LOK & end cap SE12

60251 - 2' to 4' handle w/dual lock SE24

60256 - 3' to 6' handle w/dual lock SE36

60252 - 4' to 8' handle w/dual lock SE48

60253 - 6' to 12' handle w/dual lock SE612

60254 - 8' to 16' handle w/dual lock SE816

60255 - 8' to 24' handle w/dual lock SE824

SUPERHANDLE® II DUAL LOCKING SYSTEM

The world's first extension handle with two locking systems to ensure the most secure handle lock available today. Built to industrial quality standards for outstanding performance and durability.

EXTERNAL LOCK

Screw down threaded collar to secure handle in any position.
Comfortable ergonomic design.

INTERNAL LOCK

Twist inner pole with patented STĀ-LOK® positive locking system until it snaps into locking position to quickly secure handle at any length

U.S. Patent 5,549,407.

SA22028 - Replacement part for collar lock poles

STRUTROV



Structron Superhandle® extension handle

- Threaded #5 Acme aluminum tip
- Fiberglass telescoping handle with collar lock, cushion grip
- Threaded Tip Replacement kit (60259)

60245 - 2' to 4' handle CE24

60244 - 3' to 6' handle CE36

60246 - 4' to 8' handle CE48

60247 - 6' to 12' handle CE612

60248 - 8' to 16' handle CE816

SI STREET BOARD

Structron straight extension handle

- Threaded #5 Acme aluminum tip
- Fiberglass handle with vinyl end cap
- Threaded Tip Replacement kit (60259)

60240 - 48" handle SS48

60241 - 60" handle SS60

60242 - 72" handle SS72

PLANTING TOOLS

Our rugged all-steel planting mattocks and cultivators easily cut into hard soils allowing for fast setting of groundcovers and bedding plants. Fine gardeners love our digging/weeding knife which provides precision, ease of cutting and ability to work in tough soils.



41202 Kenyon all steel ultimate planting mattock

- Pro-grade heavy-duty construction with 3/16" steel head
- Wide edge is 2", narrow edge is 1.25" for all plant sizes
- 14" overall length, anti-slip vinyl grip





41212 Kenyon all steel bedding mattock

- Pro-grade heavy-duty construction with 14 gauge head
- 3" wide, shovel-style head
- 14" overall length, anti-slip vinyl grip





41222 Kenyon all steel bedding cultivator and mattock

- Pro-grade heavy-duty construction with 14 gauge head
- 3" wide cultivator fork, 1.25" planting head
- 14" overall length, anti-slip vinyl grip

41040 Seymour landscaper digging / weeding knife

- 6.5" blade with tapered slicing edge
- 4.5" polymer handle with comfortable grip and thumb rest
- For digging, planting, weeding, cutting roots and more



41041 Seymour sheath for digging / weeding knife
41042 Seymour landscaper digging/weeding knife with sheath

Seymour Midwest developed these short-handled tools to better meet the needs of home gardeners who prefer more compact tools. They're durable and feel great in your hands.



41033 Seymour hand trowel

- Chrome plated 3.5" x 6" head
- Wood handle, WP-5400
- Hole in handle to hang up when not in use



41034 Seymour hand transplanter

- Chrome plated 2.5" x 6" head
- Wood handle, WP-5401
- Hole in handle to hang up when not in use



41035 Seymour dandelion weeder

- Chrome plated .75" x 2.5" head
- Wood handle, WP-5402
- Hole in handle to hang up when not in use



41031 Seymour hand cultivator

- Chrome plated 3" x 5" head
- Wood handle, WP-5403
- Hole in handle to hang up when not in use

GARDEN TOOLS

Our long-handled garden tools are the perfect fit for garden beds, smaller spaces and smaller hands. They are smaller and easier-to-use but are constructed of the same materials as our larger tools. Their versatility extends to floral or edible gardens, square-foot gardening, raised beds and use by children.



60700 Seymour floral shovel, round point

- Tempered high-carbon steel floral head
- Front-turned step
- 44" hardwood handle, SV-LR70



60701 Seymour floral shovel, round point with d-grip

- Tempered high-carbon steel floral head
- Front-turned step
- 30" hardwood handle with poly d-grip, SV-DR72



60703 Seymour floral shovel, square point with d-grip

- Tempered high-carbon steel floral head
- Front-turned step
- 30" hardwood handle with poly d-grip, SV-DS73



60710 Seymour v-hoe

- Forged 4" head
- 54" hardwood handle, VH-70



60711 Seymour garden cultivator

- Forged 3 tine head
- 54" hardwood handle, GC-70



60712 Seymour level head rake

- Forged 8 tine head
- 54" hardwood handle, FR-70



60718 Seymour shrub rake

- 8" 14 tine poly head
- 50" hardwood handle, LF-70



60720 Seymour soil knife

- Forged 2" head
- 15" hardwood handle with leather thong, SK-70H



60727 Seymour weeding hoe

- Forged 2.5" head
- 15" hardwood handle with leather thong, WH-70H



60721 Seymour garden cultivator

- Forged 3 tine head
- 15" hardwood handle with leather thong, GC-70H



60725 Seymour dandelion weeder

- Forged 1" head
- 15" hardwood handle with leather thong, WE-70H



60723 Seymour nursery trowel

- Forged 3.75" head
- 15" hardwood handle with leather thong, NT-70H



41038 Seymour bulb planter

- 3" heavy-duty head with beveled edge blade and foot step
- 30" steel loop handle, BP-20

SOUEEGEES - GENERAL

Our general purpose squeegees are ideal for pushing or pulling liquids off from hard surfaces. Each is sold as a complete tool – handle, frame and blade. Our straight-edge squeegee has a stiffer blade for a more robust scraping action. Replacement blades are always available for all of these items.



Structron general purpose squeegee

- 3" extra-wide reversible neoprene rubber blade
 - Heavy-duty aluminum head with wrap-around bracing
 - 66" fiberglass handle, cushion grip

76502 - 24" squeegee 76503 - 36" squeegee



EASILY REPLACEABLE BLADES

The "clamp-style" frame has wing nuts to make blade installation and replacement convenient.

Seymour general purpose squeegee

- Replaceable neoprene rubber blade
- Black powder-coated steel scraper head
 - 60" fiberglass handle, cushion grip

76602 - 24" squeegee IC24 76603 - 36" squeegee IC36



Midwest Rake straight blade squeegee

- 36" double-edge neoprene blade with wrap-around bracing
 - 66" powder-coated aluminum handle
 - Replaceable blade (SP50076)

75036 - Squeegee with yellow handle 75936 - Squeegee with blue handle





STRAIGHT BLADE SQUEEGEE

is excellent for removing heavier liquids such as mud and for moving fine aggregate. The neoprene blade is stiffer, so it scrapes as well as squeegees.

Seymour snow squeegee

- 3" deep reversible and replaceable rubber blade
- Clamp-style frame for ease of use
- 66" powder-coated aluminum handle, vinyl grip

96624 - 24" squeegee 96636 - 36" squeegee





A SQUEEGEE... FOR SNOW?

Great for the removal of fresh snow and slush on walks, driveways and entry floors. Doesn't hang up on uneven surfaces.



Midwest Rake medium-duty squeegee head, curved frame design

- Durable neoprene rubber blade
- Cast aluminum "T"-style handle adapter
- Replaceable blades available
- Uses a tapered wood handle (see page 116)

47210 - 18" squeegee 47211 - 24" squeegee 47212 - 30" squeegee 47213 - 36" squeegee 47213 - 36" squeegee



Midwest Rake medium-duty squeegee head, straight frame design

- Durable neoprene rubber blade
- Cast aluminum "T"-style handle adapter
- Replaceable blades available
- Uses a tapered wood handle (see page 116)

47100 - 18" squeegee 47101 - 24" squeegee 47102 - 30" squeegee 47103 - 36" squeegee 5P50125 - Replacement blade 5P50126 - Replacement blade 5P50127 - Replacement blade 5P50128 - Replacement blade

ROLLER - SQUEEGES

Widely used on sports fields, tennis courts and golf courses, our roller squeegees lead the industry in features and performance. Choose from a variety of head widths which are paired with our ergonomic handle design for maximum efficiency. Two roller types are offered for turf and pavement.

70924 Midwest Rake 24" non-absorbent roller squeegee

- Great for turf applications
 - 60" ergonomic powder-coated blue aluminum handle
 - Replacement rollers (SA10047)





ERGONOMIC HANDLE DESIGN

Our bent "ergonomic" powder-coated aluminum handles allow for effective downward and forward pressure which provides increased head-to-surface contact. It's also more comfortable to use.

70936 Midwest Rake 36" non-absorbent roller squeegee

- Great for turf applications
 - 60" ergonomic powder-coated blue aluminum handle
 - Replacement rollers (SA10048)





STAINLESS STEEL AXLES

Just roll water off floors, pavement, tennis courts, golf greens and sports fields with a roller squeegee. The heavy-duty aluminum frame construction and stainless steel axles ensure the roller stays secure.

70948 Midwest Rake 48" non-absorbent roller squeegee

- Great for turf applications
 - 60" ergonomic powder-coated blue aluminum handle
 - Replacement rollers (SA10049)





POWDER-COATED HANDLES MAKE A DIFFERENCE

A high quality poly-blend powder-coating formula is bonded to our durable aluminum handles, providing a superior grip when the tool is wet, blister reduction, and greater durability.

72036 Midwest Rake 36" PVA absorbent roller squeegee

- Great for hard surfaces like concrete and asphalt
- 60" ergonomic powder-coated blue aluminum handle
 - Replacement rollers (SA10051)





PVA ABSORBENT ROLLERS

are great for hard surfaces like concrete and asphalt

SQUEEGES - APPLICATION

Applying seal coatings to asphalt, sports courts and other hard surfaces is best accomplished with one of our renowned Midwest Rake seal coating squeegees. Choose from a variety of blade styles and dimensions. Our pull-action squeegees apply evenly, preventing wasted material.







46001 Midwest Rake heavy-duty u-crack filler squeegee

- 5/16" x 2.25" neoprene rubber blade with steel frame
- 9.5" deep by 3" U-shaped cavity
- Replaceable blade (SP50120)
- Uses a tapered wood handle (see page 116)



46002 Midwest Rake lightweight u-crack filler squeegee


- 1.25" tall neoprene rubber blade
- 2.5" inside cavity
- Replaceable blade (SP50121)
- Uses a tapered wood handle (see page 116)





46005 Midwest Rake push/pull v-crack filler squeegee

- .25" x 2" neoprene rubber blade
- 70 degree, 2" tall v-shaped cavity
- Replaceable blade (SP50122)
- Uses a tapered wood handle (see page 116)



Move and smooth material quickly and efficiently with exactly the right lute for the task. We can customize the tool you need. Start by choosing from 5 different head styles in 4 different widths. Then choose your preferred handle diameter, bracing and length. The chart shows dozens of high performing options.

Structron light lute/rake

- · Aluminum head with Goliath bracing
 - 82" fiberglass 1.25" handle with cushion grip

56824 - 24" head 56830 - 30" head 56836 - 36" head 56842 - 42" head

Structron standard lute/rake

- Aluminum head with Goliath bracing
 - 82" fiberglass 1.25" handle with cushion grip

50824 - 24" head 50830 - 30" head





Straight

Standard



Straight

Light



56011

Gusset **Bracing**







Around **Bracing**



Bracing

50836 - 36" head 50842 - 42" head

Kenyon super lute

- Oversized 1-3/8" handle diameter
- Extra Long 82" powder-coated aluminum handles
 - Brown box single shippers

56730 - 30" head, bulk 6 pack 56735 - 36" head, bulk 6 pack 56742 - 42" head, bulk 6 pack

56630 - 30" head, brown box single shipper 56635 - 36" head, brown box single shipper 56642 - 42" head, brown box single shipper

GOLIATH BRACING IS THE BEST!
Dual and convertible gusset and wrap-
around bracing system with bolted-through
"bracing to bandle" and "bandle to bead"

'bracing to handle" and "handle to head connection points

Head Style	Handle Diameter in.	Handle Length in.	Brace Style	Head Width 24"	Head Width 30"	Head Width 36"	Head Width 42"
		66	Goliath	56001	56002	56138	56003
	1.1/0		Wrap-Around	56024	56030	56036	56042
	1-1/8	82	Gusset	56025	56031	56037	56043
			Goliath	56004	56130	56137	56005
Light Lute			Wrap-Around	56224	56230	56236	56242
Light Lute		82	Gusset	56225	56231	56237	56243
	Oversized		Goliath	56006	56131	56437	56007
	1-3/8		Wrap-Around	56324	56330	56336	56342
		106	Gusset	56325	56331	56337	56343
			Goliath	56008	56009	56335	56010
		66	Goliath	56011	56012	56141	56013
	4.4/0	1/8 82	Wrap-Around	56027	56033	56039	56045
	1-1/8		Gusset	56026	56032	56038	56044
Straight Light Lute			Goliath	56014	56133	56140	56015
Straight Light Lute		d 82	Wrap-Around	56227	56233	56239	56245
	Oversized 1-3/8		Gusset	56226	56232	56238	56244
			Wrap-Around	56327	56333	56339	56345
		106	Gusset	56326	56332	56338	56344
			Wrap-Around	50024	50030	50036	50042
	1-1/8	82	Gusset	50025	50031	50037	50043
			Goliath	-	-	50136	-
Standard Lute		82	Wrap-Around	50224	50230	50236	50242
	Oversized	02	Gusset	50225	50231	50237	50243
	1-3/8	106	Wrap-Around	50324	50330	50336	50342
		100	Gusset	50325	50331	50337	50343
Straight Standard Lute	1-1/8	82	Wrap-Around	50026	50033	50039	50044
<u> </u>	1 1/0	66	Wrap-Around	52024	52030	52036	-
Scarifier Lute	1-1/8	82	Wrap-Around	-	-	52037	-
	Oversized 1-3/8	82	Wrap-Around	-	52032	52038	52044

CONCRETE TOOLS

Our concrete placers are durable but also lightweight to minimize operator fatigue. Choose from aluminum, hardwood or fiberglass handles. The heads can set at varying angles to match the application and are replaceable to renew the tool for additional use.

73310 Structron steel concrete placer with hook CC20

- Steel 20" x 4" head
 - 60" fiberglass 1.25" handle with cushion grip

73020 Structron aluminum concrete placer CC20A

- Aluminum 20" x 4" head without hooks
- Head-to-handle connection with varying angles
- 60" fiberglass 1.25" handle



SA60058 - Universal replacement hooks (pair) for aluminum placers 73000 - Replacement head kit w/o hooks for aluminum placers 73001 - Replacement head kit w hooks for aluminum placers

73021 Midwest Rake aluminum concrete placer

- Aluminum 20" x 4" head with hooks
- Head-to-handle connection with varying angles
- 60" fiberglass 1.25" handle



Midwest Rake aluminum concrete placer

- Aluminum 20" x 4" head
- Head-to-handle connection with varying angles
- 60" powder-coated aluminum handle



73121 - Tool with hooks 73122 - Tool without hooks

73120 Midwest Rake aluminum concrete placer

- Aluminum 20" x 4" head
- Head-to-handle connection with varying angles
- 66" powder-coated aluminum handle



73123 Midwest Rake aluminum concrete placer

- Aluminum 20" x 4" head
- Head-to-handle connection with varying angles
- 82" powder-coated aluminum handle



Midwest Rake aluminum concrete placer

- Aluminum 20" x 4" head
- Head-to-handle connection with varying angles
- 60" oversized (1.375") powder-coated aluminum handle



73131 - Tool with hooks 73132 - Tool without hooks

Midwest Rake aluminum concrete placer

- Aluminum 20" x 4" head
- Head-to-handle connection with varying angles
- 60" painted hardwood handle



73141 - Tool with hooks 73140 - Tool without hooks

73300 Midwest Rake steel concrete placer with hook

- Steel 20" x 4" head
 - 60" hardwood handle, CM-30



42437 Structron mortar hoe MH10

- 10" forged steel head riveted with nylon connector
 - 66" fiberglass handle with cushion grip



42430 Midwest Rake mortar hoe

- 10" steel head with steel plug and rivet connection
 - 66" powder-coated aluminum handle



42434 Midwest Rake mortar hoe

- 10" steel head
 - 66" hardwood handle, MH-30



42432 Midwest Rake mortar hoe

- 7" steel head
 - 54" hardwood handle, MH-20



CONCRETE TROWELS



ROUNDED END TROWELS



4" x 16" - 47465 4" x 18" - 47466

3" x 12" - 47475

3" x 16" - 47477





3/16" V-Notch - 47406 1/4" V-Notch - 47403 1/2" V-Notch - 47402

MORE FLEXIBLE "SPRING FORM" TROWEL

Shorter rib, more flexibility



Square Edge 5" x 16" - 47470 Rounded Edge 5" x 16" - 47468



3" x 12" - 47460 3" x 16" - 47461





4" x 12" - 47404 4" x 16" - 47405

ASPHALT & SEAL COATING

Midwest Rake offers an industry-leading assortment of asphalt seal coating tools for paving contractors, asphalt maintenance experts and municipal maintenance departments. We are a single source for the professional tools seal-coating experts prefer.

63128 Structron forged steel asphalt rake

- 14 tine 15.5" head
 - 60" hardwood handle, AR-30



47245 Midwest Rake 24" blacktop sealing brush

- · Head only
- Threaded socket



- Head only
- Threaded socket



47002 Midwest Rake 7" edging brush

- Head only
- Threaded socket



46102 Midwest Rake asphalt shoes

- Heavy riveted felt-soled shoes (pair)
- Contractor choice for comfort and protection



Midwest Rake seal coat II squeegee with black rubber blade • Aluminum handle with black vinyl grip

MAGEIN

76802 30" blade with 66" handle
76803 36" blade with 66" handle
76804 48" blade with 66" handle
76805 60" blade with 66" handle
76806 72" blade with 66" handle
76811 24" blade with 82" handle
76812 30" blade with 82" handle
76813 36" blade with 82" handle
76814 48" blade with 82" handle
76815 60" blade with 82" handle

76801 24" blade with 66" handle

Seal coat II black rubber

Replacement rubber for squeegee

SP50241 - 24" SP50242 - 30"

SP50243 - 36"

SP50244 - 48"

SP50245 - 60"

SP50246 - 72"



Midwest Rake seal coat II squeegee with black rubber blade

• Oversized (1.375") aluminum handle with black vinyl grip



76821 24" blade with 66" handle
76822 30" blade with 66" handle
76823 36" blade with 66" handle
76824 48" blade with 66" handle
76825 60" blade with 66" handle
76826 72" blade with 66" handle
76831 24" blade with 82" handle
76832 30" blade with 82" handle
76833 36" blade with 82" handle
76834 48" blade with 82" handle
76835 60" blade with 82" handle

TAMPERS AND ROLLERS

Our rugged tampers make it easy to compact loose soil, sand and aggregate. They are a must-have tool for preparing a foundation for paving surfaces on drives, walks and patios. They also prized for compacting trenches (especially the narrow version) and for making sod repairs.



85078 Structron 8" tamper TP-8FG

- 8" x 8" cast iron head with braced corners
- 44" fiberglass handle with cushion grip



• 8" x 8" 3/8" steel base plate

- · Heavy-duty construction for maximum strength
- 48" steel handle with 12" double-dipped vinyl grip

85058 Kenyon 8" all-steel tamper

- 8" x 8" 3/8" steel base plate
- Heavy-duty construction for maximum strength
- 60" steel handle with 12" double-dipped vinyl grip



85010 Kenyon 10" all-steel tamper

- 10" x 10" 1/4" steel base plate
- Heavy-duty construction for maximum strength
- 48" steel handle with 12" double-dipped vinyl grip



85050 Kenyon 10" all-steel tamper

- 10" x 10" 1/4" steel base plate
- · Heavy-duty construction for maximum strength
- 58" steel handle with 12" double-dipped vinyl grip



85054 Kenyon 4" x 10" all-steel tamper

- 4" x 10" 1/4" steel base plate
- Heavy-duty construction for maximum strength
- 58" steel handle with 12" double-dipped vinyl grip
- Ideal for trench tamping



85088 Kenyon 8" tamper

- 8" x 8" cast iron head with braced corners
- 44" tapered hardwood handle, TP-30



85090 Kenyon 10" tamper

- 10" x 10" cast iron head with braced corners
 44" tapered hardwood handle, TP-32



WHAT IS A TAMPER BOOT? A tamper boot softens the blow

and prevents soil from sticking.



85098 Kenyon 8" tamper boot

8" x 8" vinyl tamper boot with velcro closure



Our lawn roller helps even-out new sod installations and holds up to 270 lbs. (approx. 28 gallons) of water.

85750 Seymour lawn/sod roller

- 24" wide with 18" diameter
- 14 gauge steel
- Replacement plug is available (63221)




Our compost spreader is often used for topdressing existing lawns.

85755 Seymour compost spreader

• 24" wide with 18" diameter

SOIL PROBES AND TRENCHERS

Soil probes allow contractors to test soil consistency and identify underground obstructions. CATV, landscape lighting and irrigation contractors use our wire trenchers and cable placers for installing low voltage cables in the landscape.





49045 Kenyon all-steel landscape lighting trencher/edger

- 8.25" x 10" head
- 45" steel t-handle



49044 Kenyon all-steel landscape lighting trencher/edger

- 8.25" x 10" head
- 48" steel handle



85310 Kenyon all-steel manhole lifter with digout spike

- .75" steel hex shaft
- 36" overall length with sure-grip handle



WHEELBARROWS

Our wheelbarrows make hard work easy. Choose heavy-duty features like all-steel construction and flat-free tires for reliable job-site performance. Large-capacity trays are available for hauling mulch and compost. Standard-duty units provide an optimum mix of price and performance.



85765 Seymour 10 cu. ft. wheelbarrow, poly tray

- Homeowner-duty poly tray black, dual standard tires
- Hardwood handles, WB-10P



85725 ProValue 6 cu. ft. wheelbarrow, poly tray

- Light-duty poly tray black, standard tire
- Hardwood handles, WB-6P



85724 Seymour 6 cu. ft. heavy-duty wheelbarrow, steel tray

- Heavy-duty steel tray blue, with steel handles
- Flat-free tire
- Skid pad leg brace brackets (not shown), WB-6SHDS



85740 Seymour 6 cu. ft. wheelbarrow, steel tray

- Heavy-duty steel tray blue, with hardwood handles
- Standard knobby tire
- Skid pad leg brace brackets (not shown), WB-6SHD



85728 Seymour 6 cu. ft. wheelbarrow, steel tray

- Light-duty steel tray orange, standard tire
- Hardwood handles



85723 ProValue 6 cu. ft. wheelbarrow, steel tray

- Light-duty steel tray green, standard tire
- Hardwood handles



85721 ProValue 4 cu. ft. wheelbarrow, steel tray

- Light-duty steel tray green, standard tire
- Hardwood handles, WB-4S



85720 Seymour children's wheelbarrow, poly tray

- Poly tray red, solid rubber tire
- Hardwood handles, WB-JR
- Also available in plain box (85720IB / WB-JRB)

85720PP Seymour children's wheelbarrow in retail box

- 85720 in full color retail box
- Nesting design

WHEELBARROWS

LOOKING FOR THE MOST DURABLE WHEELBARROW ON THE MARKET TODAY? STRUCTRON'S GOT IT.



The new EXCAVATOR MAX is built solid to handle the toughest jobs and designed to last for years.

- Rugged steel tray and frame haul soil, gravel, pavers and more with ease.
- "Flat-free" tires standard eliminates down-time and maintenance hassles.
- Crew tested and preferred for hardscape, concrete and landscape tasks.



85736 Structron Excavator® 6 cu. ft. wheelbarrow

- Rugged steel tray yellow, with steel handles
- Flat free knobby tire



85738 Structron Excavator® 6 cu. ft. wheelbarrow

- Rugged steel tray yellow, with steel handles
- Dual flat free knobby tires

6 REASONS WHY CONTRACTORS PREFER "FLAT-FREE" TIRES:

- No employee down-time due to flats.
- Roll over nails, glass, staples without worries.
- Eliminates maintenance and spare parts.
- No need to carry an air pump.
- Same bounce and load handling.
- Abrasion, chemical and UV resistant.



85730 Seymour Excavator® 6 cu. ft. wheelbarrow

- · Heavy-duty steel tray blue, with steel handles
- Standard knobby tire



85731 Seymour Excavator® 6 cu. ft. wheelbarrow

- Heavy-duty steel tray blue, with steel handles
- Flat-free knobby tire

EXCAVATOR CONSTRUCTION:

- All steel design assembles in less than 10 minutes
- The 6 cubic foot tray is reinforced at the bottom with a heavy-duty 1/4" thick "H"shaped support to prevent damage when used for hauling rock or concrete
- The front roll bar supports heavy loads when dumping
- The location of the cross bar does not impede step



85732 Seymour Excavator® 6 cu. ft. wheelbarrow

- Heavy-duty steel tray blue, with steel handles
- Dual standard knobby tires



85733 Seymour Excavator® 6 cu. ft. wheelbarrow

- Heavy-duty steel tray blue, with steel handles
- Dual flat-free knobby tires

STRIKING TOOLS - HAMMERS



Structron cross peen hammer

- Chamfered edges
- 16" double-injected fiberglass handle

41576 - 2 lb. head HB-2FG 41577 - 3 lb. head HB-3FG 41578 - 4 lb. head HB-4FG



Seymour cross peen hammer

- Chamfered edges
- 16" hickory handle

41572 - 2 lb. head HB-2 41573 - 3 lb. head HB-3 41574 - 4 lb. head HB-4

Cross peen (or blacksmith) hammers are used to strike, shape, and bend unhardened metal.

Also used to shape block, brick, and stone.



Structron drilling hammer

- Chamfered edges
- 10.5" double-injected fiberglass handle

41511 - 3 lb. head HD-3FG 41512 - 4 lb. head HD-4FG



Seymour drilling hammer

- Chamfered edges
- 10.5" hickory handle

41550 - 2 lb. head HD-2 41551 - 3 lb. head HD-3 41552 - 4 lb. head HD-4

Drilling hammers are used to strike cold chisels, punches, star drills, brick chisels, and hardened nails.

They are designed to deliver heavy blows with limited swing in tight spaces.



41503 Seymour 32 oz. dead blow hammer

Molded polymer



Structron engineer hammer

- Chamfered edges
- 16" double-injected fiberglass handle

41509 - 2 lb. head HE-2FG 41514 - 3 lb. head HE-3FG 41515 - 4 lb. head HE-4FG 41516 - 6 lb. head 41517 - 8 lb. head

41513 - 10 lb. head



41536 Structron engineer hammer

- 4 lb. head with chamfered edges
- 16" premium hickory handle with double-dip grip



Seymour engineer hammer

- Chamfered edges
- 16" hickory handle

41553 - 2 lb. head HE-2 41554 - 3 lb. head HE-3 41555 - 4 lb. head HE-4

41566 - 6 lb. head HE-6 41567 - 8 lb. head HE-8



41500 Seymour 16 oz. rip hammer

13" hickory handle

Engineers hammers (short handle sledges) are used to strike stone, concrete, metal, and wood. Often used to drive stakes and rods or move timbers.



41501 Seymour 16 oz. rubber mallet

• 10" hickory handle



- Milled face
- 15" hickory handle



Structron sledge hammer

- Chamfered edges
- 36" double-injected fiberglass handle

41525 - 6 lb. head SH-6FG

41520 - 8 lb. head SH-8FG

41518 - 10 lb. head SH-10FG

41519 - 12 lb. head SH-12FG

41523 - 16 lb. head SH-16FG 41524 - 20 lb. head SH-20FG



Structron sledge hammer

- Chamfered edges
- 36" premium hickory handle with double-dip grip

41537 - 6 lb. head 41538 - 8 lb. head 41539 - 10 lb. head

HAMMERS (CONT.) / MAULS / AXES - STRIKING TOOLS

Seymour sledge hammer

- Chamfered edges
- 36" hickory handle

41571 - 4 lb. head. SH-4

41556 - 6 lb. head SH-6

41560 - 8 lb. head SH-8

41558 - 10 lb. head SH-10

41559 - 12 lb. head SH-12

41561 - 16 lb. head SH-16

41562 - 20 lb. head SH-20W

41569 SmartBuy 8 lb. sledge hammer

- Promotional quality
- Chamfered edges
- 36" hickory handle SH-8P



- Sledge eye head
- 36" double-injected fiberglass handle

41586 - 6 lb. head SM-6FG



Seymour splitting maul, sledge eye

- Sledge eve head
- 36" hickory handle

41580 - 6 lb. head SM-6 41582 - 8 lb. head SM-8





Seymour splitting maul, axe eye

- Axe eye head
- 36" hickory handle

41581 - 6 lb. head SM-6A 41583 - 8 lb. head SM-8A



41589 SmartBuy 6 lb. splitting mail, sledge eye

- Promotional quality, sledge eye head
- 36" hickory handle SM-6P

Seymour wood-splitting wedge

All-steel

41594 - 4 lb. WW-4 41595 - 5 lb. WW-5 41596 - 6 lb. WW-6



41599 Seymour grenade wedge

- 3.5 lb. splitting wedge
- 7" long

The grenade wedge makes splitting wood less of a chore than it is with a typical flat wedge. Unique four-sided diamond shape keeps the wedge from getting buried like standard wedges. Pointed end starts wedge easily, even by hand. Large head means fewer misses.



41521 Structron Michigan single bit axe AX-3FG

- Single bit 3.5 lb. head
- 36" double-injected fiberglass handle

Structron® premium fiberglass handles feature a solid fiberglass core with a doubleinjected molded polypropylene cover for the ultimate in durability for striking tools.



Structron Michigan single bit axe

- Single bit 3.5 lb. head
- 36" premium hickory handle with double-dip grip

41531 - 3.5 lb. head 41532 - 5 lb. head



Seymour Michigan single bit axe

- Single bit 3.5 lb. head
- 36" hickory handle

41547 - 3.5 lb. head AX-3 41544 - 5 lb. head AX-5



41543 SmartBuy Michigan single bit axe

- Single bit 3.5 lb. head
- Promotional quality
- 36" hickory handle AX-3P

STRIKING TOOLS - AXES (CONT.) / PICKS / MATTOCKS



41522 Structron Michigan double bit axe AX-DB3FG

- Double bit 3.5 lb. head
- 36" double-injected fiberglass handle



41533 Structron Michigan double bit axe

- Double bit 3.5 lb. head
- 36" premium hickory handle with double-dip grip



41548 Seymour Michigan double bit axe

- Double bit 3.5 lb. head
- 36" hickory handle AX-DB3



41542 Seymour miners axe

- Single bit 3.5 lb. head
- 27" hickory handle AX-3M

The miners axes features a 3.5 lb. head on a shorter 27" straight handle for use in tight places. Also makes a great camp axe for packing and splitting wood.



41545 Seymour boys single bit axe

- Single bit 2.25 lb. head
- 28" hickory handle AX-B2

Boys (house) single bit axes are lighter duty axes used to cut saplings, split kindling, trim branches, and prune trees.



41530 Structron boys single bit camp axe

- Single bit 1.25 lb. head
- 14" premium hickory handle with double-dip grip



41546 Seymour boys single bit camp axe

- Single bit 1.25 lb. head
- 14" hickory handle AX-B1

41510 Structron Pulaski axe

- Single bit 3.5 lb. head
- 36" double-injected fiberglass handle

Pulaski axes combine a single bit axe blade with a mattock blade. This blade combination makes it ideal for firefighting and for a variety of landscaping applications.

41534 Structron Pulaski axe • Single bit 3.5 lb. head

• 36" premium hickory handle with double-dip grip



85535 Structron garden pick mattock GP-2FG

- 2.5 lb. head, #10 slip eye
- 36" double-injected fiberglass handle

85532 Structron garden pick mattock

- 2.5 lb. head
- 36" premium hickory handle with double-dip grip



- 2.5 lb. head
- 36" hickory handle GP-2

Structron railroad pick

- #6 eye
- 36" double-injected fiberglass handle

85545 - 5 lb. head RP-5FG 85547 - 6 lb. head RP-6FG 85525 - 5 lb. head only RP-5H 85526 - 6 lb. head only RP-6H



- 63007 Structron fiberglass pick/mattock handle Nylon head (handle only)
- 36" poly coated handle

MATTOCKS (CONT.) / PRY BARS - STRIKING TOOLS

85555 Seymour railroad pick

- 5 lb., #6 eye
- 36" hickory handle, RP-5

85556 Seymour railroad pick

- 6 lb., #6 eye
- 36" hickory handle, RP-6

85543 Structron cutter mattock MC-5FG

- 5 lb. #6 eve
- 36" double-injected fiberglass handle

85552 Seymour cutter mattock

- 5 lb. #6 eye
- 36" hickory handle MC-5
- Replaceable head (85522 / MC-5H)

85537 Structron garden cutter mattock MG-2FG

- 2.5 lb., #10 slip eye
- 36" double-injected fiberglass handle



85536 Seymour garden cutter mattock

- 2.5 lb.
- 36" hickory handle MG-2

85541 Structron pick mattock MP-5FG

- 5 lb. #6 eye
- 36" double-injected fiberglass handle

85560 Structron pick mattock

- 5 lb. #6 eye
- 36" premium hickory handle with double-dip grip

85550 Seymour pick mattock

- 5 lb. #6 eye
- 36" hickory handle MP-5
- Replaceable head (85520 PM-5H)

85549 SmartBuy pick mattock

- 5 lb. #6 eve
- Promotional quality
- 36" hickory handle MP-5P



63031 Seymour wood pick/mattock handle

- Poly head
- 36" handle

85529 ProValue garden hoe mattock

- 2 lb.
- 51" handle HM-949



Seymour wrecking bar

Hex shank

85300 - 12" x 1/2" WR-12 85301 - 18" x 5/8" WR-18 85302 - 24" x 3/4" WR-24 85305 - 30" x 3/4" WR-30 85303 - 36" x 3/4" WR-36 85304 - 48" x 1["]

85364 Seymour San Angelo bar

- 60" x 1" hex shank, 14 lb.
- Chisel head & diamond point

85367 Seymour San Angelo bar

- 72" x 1" hex shank, 17 lb.
- Chisel head & diamond point DG-23

85366 Seymour posthole digging bar

- 72" x 1" shank, 17 lb.
- Chisel head & tamper head DG-19

85365 Seymour wedge point bar

• 60" x 1.25" shank, 18 lb. DG-WP60

85368 Seymour pinch point bar

• 60" x 1.25" shank, 18 lb. DG-PP60

Seymour slate bar

- 1" shank
- Bent chisel head & diamond point

85360 - 48" 11 lb. SB-48 85361 - 60" 14 lb. SB-60



85332 Seymour landscape bar

• 69" x 1.25" round shank, 29 lb.

MEASURING TOOLS

Kenyon ProGrade measuring wheel

- Heavy-duty 3/4" steel tube frame and handle
- Wheel is positioned in the center of frame
- Folds in half for storage and portability
- 5 digit, easy-to-read counter
- Measurements in feet up to 99,999 ft.
- · Comes with mud scraper

85713 - 3' wheel circumference 85714 - 4' wheel circumference



Kenyon Groundscaper

- · Molded ABS wheel
- Telescopic metal handle with kickstand
- · Geared counter
- Measurements in feet and inches up to 9,999 ft
- Lightweight and durable

85703 - 3' wheel circumference 85704 - 4' wheel circumference



41050 Kenyon tape measure

• 1" x 25' tape measure

85701 Kenyon small telescoping measuring wheel

- Wheel has 1' circumference with 4" diameter
- Handle telescopes from 17" to 38"
- Fits in a toolbox or briefcase
- · Geared counter
- Measurements in feet and inches up to 9,999 ft
- Adds while rolling forward and subtracts when pulled in reverse
- Weights less than 2 pounds





85712 Kenyon wide-trak measuring wheel

- Wheel has 2' circumference with 7.5" diameter
- · Solid and wider wheel for excellent balance
- Heavy-duty 3/4" steel handle
- 5 digit, easy-to-read counter
- Measurements in feet up to 99,999 ft.





VALVE KEYS & WRENCHES

INTERCHANGEABLE 3-IN-1 OPERATING WRENCH

Comes equipped with your choice of 3 ends that snap into place and store in the tool.

85490 Kenyon adjustable operating wrench

• 3'-5' with A, B, D

85491 Kenyon adjustable operating wrench

• 3'-5' with A, B, C

85495 Kenyon adjustable operating wrench

• 5'-9' with A, B, D

85496 Kenyon adjustable operating wrench

• 5'-9' with A, B, C





SP50162 Kenyon (A) square key

• Fits 2" operating nut

SP50163 Kenyon (B) valve key

• Fits 1" opening

SP50164 Kenyon (C) meter key

• Fits 1-1/8" opening

SP50167 Kenyon (D) meter key

• Fits 1/2" opening






METER & CURB STOP KEYS



85487 Kenyon operating wrench

- 60" long, 1" shaft diameter
- 2" key for operating gate valves with a 2" square nut
- · Heavy duty structural tubular steel
- T-bar handle provides maximum turning leverage





85452 32" heavy-duty meter key

• 5/8" groove width

85455 60" heavy-duty meter key

• 5/8" groove width

85486 32" meter key

• 1-1/8" opening


85499 6' meter key

• 1-1/8" opening

IRRIGATION TOOLS

SPRINKLER VALVE KEYS

For opening valves with cross handles



Seymour drain and irrigation channel cleaner

- 15" steel head
- 72" hardwood handle

21504 - 4" blade DR-DC4 21505 - 5" blade DR-DC5

41250 Kenyon EZ Out

- .5" & .75" all-steel
- · For extracting broken plastic pipe risers
- T-handle for extra torque

41251 Kenyon EZ Out

- 1" & 1.25" all-steel
- For extracting broken plastic pipe risers
- T-handle for extra torque



41255 Kenyon EZ Out

- .5" & .75" aluminum head
- For extracting broken plastic pipe risers
- Hand grip for extra torque

SPRINKLER HEAD TRIMMERS



- 5/8" structural steel rod shaft
- Red powder-coated steel
- Step plate for ease of use
- Available in seven diameters





SMW Item No.	Inside Head Diameter in.	O/A Length in.
85422	2-3/4	33
85423	3-1/2	33
85424	4	33
85426	6	33
85427	7	33
85428	8	33
85430	10	33

IRRIGATION TOOLS

IRRIGATION & PLUMBING PIPE SAWS



41440 Kenyon 6" mini hacksaw

- 6" x 1/2" blade, for use in tight spaces
- Cuts metal or plastic pipe
- Replaceable blade (SP13300, pack of 10)



41442 Kenyon high tension hacksaw

- 12" bi-metal blade
- Replaceable blade (SP13304)



41444 Kenyon tool box saw

- 14" flexible blade
- · For general purpose cutting



41446 Kenyon 18" PVC saw

- 18" blade
- Specially designed to cut PVC, CPVC, ABS, and plastic drainage pipe
- Replaceable blade (SP13305)



41448 Kenyon 36" cable saw

- 36" cable blade
- Cuts PVC, CPVC, ABS, and poly pipe
- Works well in trenches or tight spaces
- T-handles

PIPE & HOSE CUTTERS



41430 Kenyon 1-5/8" professional PVC pipe cutter

- Ratchet action cuts CL200 or SCH 40 PVC pipe
- Replaceable blade (SP13301)



41432 Kenyon 2" professional PVC pipe cutter

- Ratchet action cuts CL200 or SCH 40 PVC pipe
- Replaceable blade (SP13302)



41434 Kenyon professional pipe & hose cutter

- Unique spring-loaded design
- Cuts poly pipe, hose, or drip tubing
- Replaceable blade (SP13303)



41436 Kenyon ratcheting PVC pipe cutter

• 2" max cut

PIPE WRENCHES



41610 Kenyon 14" aluminum pipe wrench

• 14" overall length



41612 Kenyon 18" aluminum pipe wrench

• 18" overall length



41614 Kenyon 24" aluminum pipe wrench

• 24" overall length



41600 Kenyon 14" steel pipe wrench

• 14" overall length



41602 Kenyon 18" steel pipe wrench

• 18" overall length



41604 Kenyon 24" steel pipe wrench

• 24" overall length

SPORTS FIELD TOOLS

We are the leading toolmaker and supplier of choice to many different sports and recreational venues from the amateur to the professional level. The highly trained and passionate professionals who care for these sportscapes demand tools of quality and durability. Our line consistently exceeds their expectations.



Midwest Rake aluminum dual purpose rake


- Heavy-duty aluminum head and wrap-around bracing
- 66" powder-coated aluminum handle with vinyl grip

12524 - 24" head 12536 - 36" head



WHY A DUAL PURPOSE RAKE?

A Seymour Midwest exclusive. This innovative and versatile tool has two teeth profiles. The short teeth are used for breaking up hard packed clay and grading, while the long teeth are for wet clay and general raking.



66" powder-coated aluminum handle with vinyl grip

12024 - 24" head 12030 - 30" head 12036 - 36" head 12042 - 42" head

12048 - 48" head



THE RAKE THE PROS USE...


Engineered to the specifications of landscapers and professional baseball grounds crews, the extended grading edge on this rake was designed specifically for leveling.



Aluminum head with wrap-around bracing

66" powder-coated aluminum handle

51924 - 24" head 51936 - 36" head



PERFECT FOR AERATION...

A durable, versatile tool used to push aeration plugs off of turf and as a very effective scraper/leveler in a variety of settings.



Midwest Rake baserunner field rake

- Aluminum head with rounded, non-gouging teeth
- Double lock 39" 70" telescoping fiberglass Superhandle®

12501 - 24" head


12502 - 30" head

12503 - 36" head



TELESCOPING HANDLE RAKE

Knocks down for easy storage. The perfect tool for grooming infields and beach volleyball courts. The head was designed specifically for the sports turf industry. The high straight edge is excellent for grading.



66" powder-coated aluminum handle with vinyl grip

11024 - 24" head 11030 - 30" head 11036 - 36" head 11042 - 42" head 11048 - 48" head



SCREENING RAKE DESIGN:

This rake is specially designed for sifting, grading, and screening. It is an excellent tool when you need to sift or screen stones and debris from sand or fine soil.



36" aluminum head with wrap-around bracing


Fine serrated teeth along with extended grading edge

66" powder-coated aluminum handle with vinyl grip



OUR SCARIFIER LUTE RAKE...

has fine serrated teeth on this rake break up hardened surface materials, while the extended grading edge smooths and levels, while spreading material. Excellent for baseball and softball diamonds as well as clay tennis courts.




56923 - 24" head with 66" handle 56929 - 30" head with 66" handle

56935 - 36" head with 66" handle 56924 - 24" head with 82" handle

56930 - 30" head with 82" handle

56936 - 36" head with 82" handle



ON THE FIELDS & SKI SLOPES...

This lightweight, heavy-duty lute combines an engineered head design with our strong wrap-around bracing and is another great infield grooming rake. We use a solid aluminum plug in our head-to-handle connection, unlike the plastic or wood plugs used in many other brands.

SPORTS FIELD TOOLS



82925 Seymour 24" general purpose broom





OUR GENERAL PURPOSE BROOMS...

are often flipped for a final dressing of base paths and other skinned areas. These brooms use durable polypropylene bristles, firmly attached to a high quality hardwood shoulder.

Seymour 7' double play monster broom

- 3.5" bristles plus short teeth for breaking up dirt
 - A-frame foam padded handle
 - Hanging hooks
 - Replaceable bristle rows (SP50067)

82384 - Broom with 2 bristle rows 83384 - Broom with 3 bristle rows




7' DOUBLE PLAY & 7' STANDARD **MONSTER DRAG BROOMS...**

we've taken the standard infield drag broom and added a scarifier edge allowing the 7' double play drag broom to perform double duty. It functions as a 7' grooming rake and by simply flipping it over to the bristle side, you have the perfect finishing drag. The 7' Standard Drag Broom is still a great finishing drag, but can also be used as a top dressing broom on greens and tee boxes around the golf course. It also clears dew.

Seymour 7' monster warehouse drag broom

- 3.5" durable bristles
 - A-frame foam padded handle
 - Hanging hooks
 - Replaceable bristle rows (SP50067)

82084 - Broom with 2 bristle rows 83084 - Broom with 3 bristle rows





A UTILITY INFIELDER YOU CAN PLAY EVERYDAY...

The perfect size for restoring the pitching mound to a professional surface, just scarify, level, tamp and repeat. Great for shaving and carving the pitching mound. The flat front of this tool can be used as a tamp in secondary areas where light tamping is required.

Midwest Rake 36" non-absorbent roller squeegee


- Great for turf applications
 - 60" ergonomic powder-coated aluminum handle
 - Replacement rollers (SA10048)

70936 - Squeegee with blue handle 70636 - Squeegee with yellow handle



ERGONOMICS & PREMIUM HANDLES MATTER!

Our bent "ergonomic" powder-coated aluminum handles allow for a more effective downward and forward pressure which provides more effective head-tosurface contact while promoting comfort and ease of use. A high quality poly-blend powder-coating formula is bonded to our durable aluminum handles, providing a superior grip when the tool is wet, blister reduction, and greater durability.



- Great for turf applications
 - 60" ergonomic powder-coated aluminum handle
 - Replacement rollers (SA10049)

70948 - Squeegee with blue handle 70648 - Squeegee with yellow handle

SNOW TOOLS



96820 Structron snow shovel SS200

- 18" steel blade
- 41" fiberglass handle with poly d-grip



96823 Structron snow shovel AS200

- 18" aluminum blade with wear strip
- 41" fiberglass handle with poly d-grip



96800 Seymour snow shovel

- 18" steel blade
 41" hardwood handle with poly d-grip, SV-SS25



96803 Structron snow shovel

- 18" aluminum blade with wear strip
- 41" hardwood handle with poly d-grip, SV-SS22



96830 Structron snow pusher SP100

- 24" steel blade with braces
- 42" fiberglass handle with poly d-grip



96833 Structron snow pusher AP100

- 24" aluminum blade with wear strip & braces
- 42" fiberglass handle with poly d-grip



24" steel blade with braces


• 42" hardwood handle with poly d-grip, SV-SP25



- 24" aluminum blade with wear strip & braces
- 42" hardwood handle with poly d-grip, SV-SP22



96827 Structron ergonomic snow shovel PSE200





96829 Structron snow shovel PS200



- 19" 50/50 polycarbonate & ABS blend blade
- 43" iberglass handle with poly d-grip



& ABS blend blade

• 44" hardwood handle with poly d-grip, SV-SS20



& ABS blend blade

•44" fiberglass handle with poly d-grip



& ABS blend blade

•44" hardwood handle with poly d-grip, SV-SP20





- 16.5" poly blade
- 30" vinyl coated steel handle with poly d-grip



96808 ProValue ergonomic snow shovel

- 16.5" poly blade
- 35" bent tubular steel handle with cushion middle grip & poly d-grip



- 18" poly blade
- 31" vinyl coated steel handle with poly d-grip



- 19" poly blade
- 30" vinyl coated steel handle with poly d-grip

SNOW SQUEEGEE

Seymour snow squeegee

- 3" deep reversible and replaceable rubber blade
- Clamp-style frame for ease of use
 - 66" powder-coated aluminum handle with vinyl grip

96624 - 24" blade 96636 - 36" blade

ROOF RAKES

96032 Structron snow roof rake RR-25X

- 24" aluminum blade with braces (not made in the USA)
 - 1-piece 22' telescoping handle with vinyl grip

96701 Shingle saver sleeve



96022 Seymour snow roof rake RR-25

- 24" aluminum blade with braces
- 16', 3-section extendable handle with vinyl grip

96048 Seymour 4' extension handle, BA 96060 Seymour 5' extension handle 96148 Seymour 4' extension handle, IB 96701 Shingle saver sleeve

96322 Sevmour snow roof rake

- 24" aluminum blade with braces
 - 16', 4-section extendable handle with vinyl grip
 - 60" POP display box is UPS-compatible

96048 Seymour 4' extension handle, BA 96060 Seymour 5' extension handle 96148 Seymour 4' extension handle, IB 96701 Shingle saver sleeve

96716 ProValue snow roof rake

- 24" aluminum blade with braces
 - Shingle saver sleeve
 - 16', 3-section extendable aluminum handle

96758 ProValue 5' extension handle 96701 Shingle saver sleeve

96721 ProValue snow roof rake

- 24" aluminum blade with braces
- Shingle saver sleeve
 - 21', 4-section extendable aluminum handle

96758 ProValue 5' extension handle 96701 Shingle saver sleeve

LINK HANDLES - ABOUT

We offer the industry's widest selection of replacement handles that help you extend the life of your trusted tools. With over 6,000 handle patterns available, we can provide an exact match that fits the tool with an ergonomically-superior turned design.



LINK HANDLES

FACTS TO KNOW WHEN SELECTING A REPLACEMENT HANDLE

Tool handles can be made from a variety of hardwoods as well as fiberglass and steel. Each material has certain advantages and disadvantages for replacement handles.

American hickory and ash

The best replacement handles are made from American hickory and American ash because of their strength, elasticity, and ability to absorb shock. Hardwood handles do not conduct electricity.

Shock-absorbing American hickory

American hickory is dense, heavy, and a natural shock absorber making it ideal for striking and cutting tool handles.

The long fibers and unique cell structure of American hickory allow it to flex repeatedly and return to its original shape. It absorbs and dissipates shock before it reaches the user's hands.

The best hickory is grown in the Tennessee region of the USA

The best American hickory logs come from Tennessee, Kentucky, North Carolina, and South Carolina. This region has the ideal combination of soil minerals, rainfall, and sunshine to produce trees that grow slowly and uniformly for exceptional strength.

Wood from slower growing trees is denser and thus stronger than the lighter wood that comes from faster growing trees. All Link hickory comes from the Tennessee region of the USA. Some hickory grows in the northeastern United States, but it is generally of lower quality than the hickory grown in the Tennessee region.

American ash handles for agricultural tools

Many agricultural tool handles such as shovels, rakes, and hoes are made from American ash. It has a uniform grain structure that provides both the strength and the elasticity needed for the bending stresses these tools must endure.

Other hardwoods

When ash or hickory is not used, other hardwoods suitable for the application are selected.

While ash gives the finest strength to weight ratio, handles of other hardwoods are appropriately selected for many types of tools.

Fiberglass handles

Fiberglass handles are strong, lightweight, and do not conduct electricity. Fiberglass, however, is not flexible and *does not absorb shock*. Fiberglass handles cost more than hardwood handles.

Link offers fiberglass replacement handles.

Steel handles

Steel handles are extremely strong, but they are *heavy* and *expensive*. They are *not flexible* and *do not absorb shock*. Steel handles conduct electricity.



Vintage logo from the Sequatchie Handle Works

ABOUT - LINK HANDLES

Choose our shock-absorbing hickory handles for striking or cutting tools. The unique fibers of American hickory provide outstanding durability and shock absorption for less wear-and-tear on the user's hands. It's no wonder why drumsticks are made of hickory!

LINK HANDLES

ACCEPT NO SUBSTITUTES!

Turned handles are ergonomically superior to shaped handles

There are two ways to produce handles: shaping and turning.

Shaped handles are made from <u>flat boards</u> that are smoothed and rounded on the top and bottom. Shaping is a faster and less costly way to make handles.

Turned handles are made on a lathe from wood blanks that are <u>about 25% larger than</u> <u>the flat boards</u>. The result is a handle that has better grips and contours.

Anyone who holds a shaped handle and then a turned handle will immediately feel the higher quality of the turned handle. Link handles uses the turned handle method. Turned

Shaped

Hammer handles typically come with a wood and metal wedge. Axe handles typically come with a wood wedge. Slip eye handles (pick, garden mattock, grub hoe, long tire tool, etc.) don't come with any wedges.



The best replacement handles are turned rather than shaped. Turning results in ergonomically-superior handles that provide better comfort, control, and safety.

Only Link Handles offer superior ergonomic design Link handles are designed with the best combination

of length and contours so the user can best hold the handle and use the tool.

Our handle shape always works with the user. The handle becomes an extension of the body to provide better comfort, control, and safety.



WE TAKE THESE STEPS IN MAKING EVERY TURNED AXE HANDLE:

1. Start with an axe wood square or blank.

2. Half turned axe handle.

3. Full rough turned axe handle.

4. Axe handle after sanding.

5. Finished axe handle with label and wedge.

LINK HANDLES - QUALITY LEVELS

Link Handles have set the industry benchmark for when it comes to what customers care about most: consistent quality, outstanding ergonomics and exact fit matches to over 6,000 tools.

LINK HANDLES

ALL HANDLES ARE CAREFULLY GRADED & SORTED

LINK's experienced timber buyers grade log quality. They are looking for logs that are heavy and defect-free.

When the logs are sawed into squares (or blanks), the squares are graded. After the squares are turned into handles, they are graded again.

PRIMARY LOG QUALITY FACTORS

Some of the factors used to determine quality include:

STRAIGHTNESS OF GRAIN

MOISTURE CONTENT

DENSITY

FREEDOM FROM DEFECTS

WOOD COLOR NOT A QUALITY FACTOR

Color of the wood is not a factor in determining the quality of hickory handles. The best hickory handles may be all white, red-and-white, or all red.

LINK AMERICAN HICKORY QUALITY LEVELS

01 Best quality American hickory with sanded finish and yellow non slip grip. Meets or exceeds all government "A" specifications. Ideal for the most demanding industrial and commercial applications.

- **02** Best quality American hickory with a wax finish. Meets or exceeds all government "A" specifications. Ideal for the most demanding industrial and commercial applications.
- **04** Better quality American hickory with a wax finish. Ideal for frequent heavy-duty use by farmers, ranchers, contractors and other professionals with demanding construction and other professional applications.
- **19** Better quality American hickory with a clear lacquer finish. Fire finish provides a highly pleasing appearance. Ideal for frequent heavy-duty use by farmers, ranchers, contractors and other professionals with demanding construction and other professional applications.
- **08** Good quality American hickory with wax finish. These handles provide exceptional value and economy for homeowner and other occasional use applications.
- **09** Promotional quality American hickory with wax finish. These handles provide good value and economy for homeowner and other occasional use applications.

LINK AMERICAN ASH QUALITY LEVELS

- **18** Best quality American ash with a clear lacquer finish. Ideal for the most demanding industrial and commercial applications.
- **21** Better quality American ash with a clear finish. Ideal for frequent heavy-duty use by farmers, ranchers, contractors and other professionals with demanding construction and other professional applications.

SUMMARY OF LINK FINISHES AND QUALITY LEVELS

Quality Level #	Quality Level	Finish Type	Special Features	Govt. Specs	Suggested User
AMERICA	N HICKORY				
01	Best	Sanded	Non-slip grip	А	Industrial, commercial
02	Best	Wax		А	Industrial, commercial
04	Better	Wax			Contractor, professional
19	Better	Clear lacquer	Fire finish		Contractor, homeowner
08	Good	Wax			Homeowner
09	Promo	Wax			Homeowner
AMERICAN ASH					
18	Best	Clear lacquer			Industrial, commercial
21	Better	Clear lacquer			Contractor, homeowner

MERCHANDISING - LINK HANDLES

Link replacement handles allow today's consumer or professional contractor to get additional years of life out of trusted tools by replacing cracked, worn or broken handles. Handy merchandising units act as silent salesmen, guiding customers to the correct replacement.

THERE IS NO SUBSTITUTE FOR A GOOD DISPLAY

- Let customers know you carry common replacements.
- Illustrated display banner shows and tells which tools each handle fits.
- Simple plan makes every clerk an instant replacement handle expert.
- Makes selection easy for customers.
- Requires minimum space.
- Organized and neat.

- Strong and attractive rack.
- Available in 5, 8, and 12 hook models.
- Available in wall or floor versions.
- Easily customized to your exact needs.
- Improves inventory control.
- Simplifies re-orders.
- Increases sales profits.









The wall mount displays can be used as floor displays by using the floor stands (ordered separately).

ModelDescription64024 / LINK5HD5-hook display, pegboard wall mount, 15" wide64026 / LINK8HD8-hook display, pegboard wall mount, 24" wide64021 / LINK12HD12-hook display, pegboard wall mount, 24" wide64027 / LINKFSDFloor stand for wall mount displays

AXE AND BUSH HOOK HANDLES


SINGLE BIT CURVED GRIP AXE HANDLES

For 3 to 5 lb. axes and bush hooks, eye 2-5/16" x 3/4"

					3
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
64698/100-01	36"	10001-5	12	18.0	0.92
64701/100-02	36"	10002-2	12	18.0	0.92
64702 / 100-04	36"	10004-6	12	18.0	0.92
64703 / 100-08	36"	10008-4	12	18.0	0.92
64707 / 100-09	36"	00109-1	12	18.0	0.92
64709 / 100-19	36"	10019-0	12	18.0	0.92
64889 / 102-02	32"	10202-6	12	15.0	0.92
64890/102-08	32"	10208-8	12	15.0	0.92
64894/102-19	32"	10219-4	12	15.0	0.92
64903 / 104-08	28"	10204-2	12	12.0	0.92


BOYS SINGLE BIT CURVED GRIP AXE HANDLES

For 2-1/4 lb. axes, eye 2-1/16" x 11/16"



HOUSE CURVED GRIP AXE HANDLES

For 2-1/4 lb. axes, eye 2-1/16" x 11/16"



STRAIGHT SINGLE BIT AXE HANDLES

For 3 to 5 lb. axes, eye 2" x 13/16"

22 10							
		UPC	Pack	Pack	Pack		
Model	Length	0 25545 +	qty	wgt	cube		
64730 / 119-09	36"	11909-3	12	18.0	0.92		
64731 / 119-19	36"	11919-2	12	18.0	0.92		

MINER'S STRAIGHT SINGLE BIT AXE HANDLES

For 3 to 5 lb. axes, eye 2" x 13/16"

		UPC	Pack	Pack	Pack	
Model	Length	0 25545 +	qty	wgt	cube	
64937 / 124-02	27"	12402-8	12	12.0	0.60	
64939/124-19	27"	12419-6	12	12.0	0.60	



DOUBLE BIT AXE HANDLES

For 3 to 5 lb. axes, some Pulaski axes, and #2 and #3 coal picks, eye 2-7/8" x 5/8"

The second	-			The same	
EL SS		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
64738 / 140-02	36"	14002-8	12	18.0	0.92
64739 / 140-04	36"	14004-2	12	18.0	0.92
64740 / 140-08	36"	14008-0	12	18.0	0.92
64743 / 140-09	36"	14009-7	12	18.0	0.92
64745 / 140-19	36"	14019-6	12	18.0	0.92
64941 / 142-19	32"	14219-0	12	15.0	0.92

CRUISER'S OR CEDAR DOUBLE BIT AXE HANDLES

For 2-1/2 lb. axes, eye 2-1/4" x 5/8"

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
64944 / 145-02	28"	14502-3	12	10.0	0.66
64945 / 145-08	28"	14508-5	12	10.0	0.66
64946 / 145-09	28"	14509-2	12	10.0	0.66
64947 / 145-19	28"	14519-1	12	10.0	0.66

PICK, MATTOCK & GRUB HOE HANDLES

DOUBLE BIT GARDEN MATTOCK HANDLES

For 2-1/2 lb. mattocks, No. 10 eye 3" x 1"

	ALC: NO	-		-	
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
64761 / 200-09	36"	20009-8	12	18.0	0.92
64762 / 200-19	36"	20019-7	12	18.0	0.92

CURVED GRUB HOE HANDLES

For 3-1/2 to 5 lb. grub hoes, No. 8 eye 3" x 2"

Townson.			-	WINDS NO.	
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
65117 / 210-19	36"	21019-6	12	30.0	1.37

STRAIGHT GRUB HOE HANDLES

For 3-1/2 to 5 lb. grub hoes, No. 8 eye 3" x 2"

		State of the latest state	THE RESERVE		4-9
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
65121 / 214-19	36"	21419-4	12	30.0	1.37
65123 / 215-19	40"	21519-1	12	34.0	1.57

PICK, MATTOCK & GRUB HOE HANDLES (cont.)

SMALL EYE GRUB HOE HANDLES

For 3 lb. grub hoes, No. 9 eye 2-1/2" x 1-7/8"

Model	Length	UPC 0 25545 +	Pack qty	Pack wgt	Pack cube
65119 / 213-19	40"	21319-7	12	32.0	1.66

SMALL EYE ITALIAN GRAPE HOE HANDLE

For 2E-IG7 Italian grape hoe, 2" x 1-5/8"

Model	Length	UPC 0 25545 +	Pack qty	Pack wgt	Pack cube
65126 / 216-19	40"	21619-8	12	32.0	1.57


RAILROAD OR CLAY PICK OR MATTOCK HANDLES

For 5 lb. and heavier picks and mattocks, No. 6 eye 3" x 2"

				_	
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
65030 / 220-01	36"	22001-0	12	30.0	1.37
65031 / 220-02	36"	22002-7	12	30.0	1.37
65033 / 220-04	36"	22004-1	12	30.0	1.37
65035 / 220-08	36"	22008-9	12	30.0	1.37
65039 / 220-09	36"	22009-6	12	30.0	1.37
63025 / 220-19	36"	22019-5	12	30.0	1.37

GARDEN OR NURSERY MATTOCK HANDLES

For 3 lb. mattocks, No. 7 eye 2-3/4" x 1-3/4"



MATTOCK HANDLE

For Laurel, Dig-Ezy, Southern Queen pattern mattocks, 1-1/2" round eye

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66689 / 813-21	54"	81321-2	6	9.0	0.61

STRIKING TOOL HANDLES

SLEDGE OR MAUL HANDLES

Oval eye 1-1/4" x 1"

	_		-		-	
		UPC	Pack	Pack	Pack	
Model	Length	0 25545 +	qty	wgt	cube	
For 6 to	16 lb. slo	edge or strikin	g hammers			
64403 / 001-01	36"	00101-5	12	18.0	0.74	
64407 / 001-02	36"	00102-2	12	18.0	0.74	



64412 / 001-08	64409 / 001-04	36"	00104-6	12	18.0	0.74
64419 / 001-19	64412 / 001-08	36"	00108-4	12	18.0	0.74
64536 / 002-01 32" 00201-2 12 16.0 0.60 64537 / 002-02 32" 00202-9 12 16.0 0.60 64538 / 002-08 32" 00208-1 12 16.0 0.60 64542 / 002-19 32" 00219-7 12 16.0 0.60 For 6 to 8 lb. sledge or striking hammers 64547 / 003-02 30" 00302-6 12 14.0 0.66 64548 / 003-04 30" 00304-0 12 14.0 0.66 64549 / 003-08 30" 00308-8 12 14.0 0.66 64552 / 003-19 30" 00319-4 12 14.0 0.66 64558 / 004-01 24" 00401-6 12 10.0 0.60 64559 / 004-08 24" 00408-5 12 10.0 0.60 64563 / 004-19 24" 00419-1 12 10.0 0.60	64417 / 001-09	36"	00109-1	12	18.0	0.74
64537 / 002-02 32" 00202-9 12 16.0 0.60 64538 / 002-08 32" 00208-1 12 16.0 0.60 64542 / 002-19 32" 00219-7 12 16.0 0.60 For 6 to 8 lb. sledge or striking hammers 64547 / 003-02 30" 00302-6 12 14.0 0.66 64548 / 003-04 30" 00304-0 12 14.0 0.66 64549 / 003-08 30" 00308-8 12 14.0 0.66 64552 / 003-19 30" 00319-4 12 14.0 0.66 64558 / 004-01 24" 00401-6 12 10.0 0.60 64559 / 004-08 24" 00408-5 12 10.0 0.60 64563 / 004-19 24" 00419-1 12 10.0 0.60	64419 / 001-19	36"	00119-0	12	18.0	0.74
64538 / 002-08 32" 00208-1 12 16.0 0.60 64542 / 002-19 32" 00219-7 12 16.0 0.60 For 6 to 8 lb. sledge or striking hammers 64547 / 003-02 30" 00302-6 12 14.0 0.66 64548 / 003-04 30" 00304-0 12 14.0 0.66 64549 / 003-08 30" 00308-8 12 14.0 0.66 64552 / 003-19 30" 00319-4 12 14.0 0.66 64558 / 004-01 24" 00401-6 12 10.0 0.60 64559 / 004-08 24" 00408-5 12 10.0 0.60 64563 / 004-19 24" 00419-1 12 10.0 0.60	64536 / 002-01	32"	00201-2	12	16.0	0.60
64542 / 002-19 32" 00219-7 12 16.0 0.60 For 6 to 8 lb. sledge or striking hammers 64547 / 003-02 30" 00302-6 12 14.0 0.66 64548 / 003-04 30" 00304-0 12 14.0 0.66 64549 / 003-08 30" 00308-8 12 14.0 0.66 64552 / 003-19 30" 00319-4 12 14.0 0.66 64558 / 004-01 24" 00401-6 12 10.0 0.60 64559 / 004-08 24" 00408-5 12 10.0 0.60 64563 / 004-19 24" 00419-1 12 10.0 0.60	64537 / 002-02	32"	00202-9	12	16.0	0.60
For 6 to 8 lb. sledge or striking hammers 64547 / 003-02 30" 00302-6 12 14.0 0.66 64548 / 003-04 30" 00304-0 12 14.0 0.66 64549 / 003-08 30" 00308-8 12 14.0 0.66 64552 / 003-19 30" 00319-4 12 14.0 0.66 64558 / 004-01 24" 00401-6 12 10.0 0.60 64559 / 004-08 24" 00408-5 12 10.0 0.60 64563 / 004-19 24" 00419-1 12 10.0 0.60	64538 / 002-08	32"	00208-1	12	16.0	0.60
64547 / 003-02 30" 00302-6 12 14.0 0.66 64548 / 003-04 30" 00304-0 12 14.0 0.66 64549 / 003-08 30" 00308-8 12 14.0 0.66 64552 / 003-19 30" 00319-4 12 14.0 0.66 64558 / 004-01 24" 00401-6 12 10.0 0.60 64559 / 004-08 24" 00408-5 12 10.0 0.60 64563 / 004-19 24" 00419-1 12 10.0 0.60	64542 / 002-19	32"	00219-7	12	16.0	0.60
64548 / 003-04 30" 00304-0 12 14.0 0.66 64549 / 003-08 30" 00308-8 12 14.0 0.66 64552 / 003-19 30" 00319-4 12 14.0 0.66 64558 / 004-01 24" 00401-6 12 10.0 0.60 64559 / 004-08 24" 00408-5 12 10.0 0.60 64563 / 004-19 24" 00419-1 12 10.0 0.60	For 6 to 8	8 lb. sle	edge or strikin	g hammers		
64549 / 003-08 30" 00308-8 12 14.0 0.66 64552 / 003-19 30" 00319-4 12 14.0 0.66 64558 / 004-01 24" 00401-6 12 10.0 0.60 64559 / 004-08 24" 00408-5 12 10.0 0.60 64563 / 004-19 24" 00419-1 12 10.0 0.60	64547 / 003-02	30"	00302-6	12	14.0	0.66
64552 / 003-19 30" 00319-4 12 14.0 0.66 64558 / 004-01 24" 00401-6 12 10.0 0.60 64559 / 004-08 24" 00408-5 12 10.0 0.60 64563 / 004-19 24" 00419-1 12 10.0 0.60	64548 / 003-04	30"	00304-0	12	14.0	0.66
64558 / 004-01 24" 00401-6 12 10.0 0.60 64559 / 004-08 24" 00408-5 12 10.0 0.60 64563 / 004-19 24" 00419-1 12 10.0 0.60	64549 / 003-08	30"	00308-8	12	14.0	0.66
64559 / 004-08 24" 00408-5 12 10.0 0.60 64563 / 004-19 24" 00419-1 12 10.0 0.60	64552 / 003-19	30"	00319-4	12	14.0	0.66
64563 / 004-19 24" 00419-1 12 10.0 0.60	64558 / 004-01	24"	00401-6	12	10.0	0.60
	64559 / 004-08	24"	00408-5	12	10.0	0.60
64441 / 009-19 36" 00919-6 12 18.0 0.60	64563 / 004-19	24"	00419-1	12	10.0	0.60
	64441 / 000 10					

HEAVY AND EXTRA HEAVY SLEDGE HANDLES

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
For 18 t	o 24 lb. h	neavy sledge	es, eye 1-1/2"	x 1-1/4"	
64645 / 010-02	36"	01002-4	12	20.0	0.92
64650 / 010-09	36"	01009-3	12	20.0	0.92
64652 / 010-19	36"	01019-2	12	20.0	0.92
64574 / 023-19	32"	02319-2	12	18.0	0.60
For exti	a heavy	sledges, eye	1-3/4" x 1-1/4	1"	
64659 / 015-02	36"	01503-6	12	22.0	0.92
64662 / 015-19	36"	01519-7	12	22.0	0.92

STRAIGHT DOUBLE BIT EYE SPLITTING MAUL HANDLES

No. 5 eye 2-1/8" x 7/8"

	1000					
			UPC	Pack	Pack	Pack
	Model	Length	0 25545 +	qty	wgt	cube
6	4765 / 205-02	36"	20502-4	12	18.0	0.92
6	4766 / 205-04	36"	20504-8	12	18.0	0.92
6	4767 / 205-08	36"	20508-6	12	18.0	0.92
6	4768 / 205-19	36"	20519-2	12	18.0	0.92

STRAIGHT SINGLE BIT EYE SPLITTING MAUL & BUSH HOOK HANDLES

Eye 2-5/16" x 13/16"

					- 3
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
64772 / 206-02	36"	20602-1	12	18.0	0.92
64773 / 206-04	36"	20604-6	12	18.0	0.92
64774 / 206-08	36"	20608-3	12	18.0	0.92
64777 / 206-19	36"	20619-9	12	18.0	0.92

STRIKING TOOL HANDLES (cont.)

CARPENTER'S ADZE HANDLES

For house or railroad carpenter's adze, eye 2-5/16" x 1-1/2"

The Person of th	_	_			
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
65130 / 224-02	36"	22402-5	12	20.0	0.92
65132 / 224-19	36"	22419-3	12	20.0	0.92

POST MAUL HANDLES

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
For cast	iron ma	uls, eye 2" x	1-7/16"		
65136 / 228-01	36"	22801-6	12	20.0	0.92
65138 / 228-19	36"	22819-1	12	20.0	0.92
For cast	iron ma	uls, eye 2-1/	4" x 1-11/16"		
65140 / 229-08	36"	22908-2	12	20.0	0.92
65141/229-19	36"	22919-8	12	20.0	0.92

DITCH BANK BLADE HANDLES

DITCH BANK BLADE HANDLES

	-		-		
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
For 4-ho	ole blade	s			
65220 / 255-19	40"	25519-7	12	22.9	1.02
For 3-ho	ole blade	s			
65227 / 260-08	40"	26008-5	12	22.8	1.02
65228 / 260-19	40"	26019-1	12	22.8	1.02
65236 / 262-19	36"	26219-5	12	21.9	0.92

CLAW HAMMER HANDLES

CLAW, RIPPING, NAIL HAMMER HANDLES


100000	-			Ī	
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
For 16 c	z. hamm	ers, eye 1-1	L/16" x 9/16"		
65382/300-02	14"	30002-6	12	5.0	0.20
65383 / 300-04	14"	30004-0	12	5.0	0.20
65386/300-08	14"	30008-8	12	5.0	0.20
65388 / 300-09	14"	30009-5	12	5.0	0.20
65392/300-19	14"	30019-4	12	5.0	0.20
For 16 c	z. and so	me 20 oz. l	hammers, eye	1-1/16'	' x 9/16"
65402/302-02	16"	30202-0	12	6.5	0.21
65403 / 302-04	16"	30204-4	12	6.5	0.21



For 20, 22	2, and 2	4 oz. hammers, e	ye 1-1/1	5" x 5/8"	
65412 / 310-02	14"	31002-5	12	5.0	0.18
65415 / 312-02	16"	31202-9	12	6.5	0.21
65416 / 312-04	16"	31204-3	12	6.5	0.21
65417 / 312-08	16"	31208-1	12	6.5	0.21
65419 / 312-19	16"	31219-7	12	6.5	0.21
65424 / 313-19	18"	31319-4	12	7.0	0.25
For 28 to	32 oz. l	nammers, eye 1-3	/16" x 3/	'4 "	
65426 / 321-02	16"	32102-1	12	6.5	0.33
65427 / 321-08	16"	32108-3	12	6.5	0.33
65428 / 321-19	16"	32119-9	12	6.5	0.33
65430 / 322-04	18"	32204-2	12	8.0	0.32
65431 / 322-19	18"	32219-6	12	8.0	0.32
For 13 oz.	. hamm	ers, eye 1" x 1/2"	,		
65435 / 325-02	13"	32502-9	12	4.0	0.18
65436 / 325-04	13"	32504-3	12	4.0	0.18
65437 / 325-08	13"	32508-1	12	4.0	0.18
65438 / 325-09	13"	32509-8	12	4.0	0.18
65440 / 325-19	13"	32519-7	12	4.0	0.18
For 7 oz.	hamme	rs, eye 7/8" x 1/2			
65445 / 327-04	12"	32704-7	12	3.0	0.12
65447 / 327-09	12"	32709-2	12	3.0	0.12
65449 / 327-19	12"	32719-1	12	3.0	0.12

CLAW, RIPPING, NAIL OCTAGON BODY HAMMER HANDLES

For octagon body, 16 oz. hammers, eye 1-1/16" x 9/16"



BALL PEIN HAMMER HANDLES

BALL PEIN MACHINIST HAMMER HANDLES


		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
For 2 oz	. hamme	ers, eye 7/16	5" x 1/4"		
65530 / 400-19	10"	40019-1	12	2.0	0.12
For 4 to	6 oz. ha	mmers, eye	9/16" x 5/16	; "	
65535 / 401-19	10"	40119-8	12	2.5	0.12
For 8 to	12 oz. h	ammers, ey	e 3/4" x 7/16	;"	
65539 / 403-02	12"	40302-4	12	3.0	0.12
65541 / 403-04	12"	40304-8	12	3.0	0.12
65544 / 403-08	12"	40308-6	12	3.0	0.12
65546 / 403-09	12"	40309-3	12	3.0	0.12
65548 / 403-19	12"	40319-2	12	3.0	0.12
For 16 t	o 20 oz. l	hammers, 2	9/32" x 17/3	2"	
65559 / 405-02	14"	40502-8	12	4.0	0.18
65560 / 405-04	14"	40504-2	12	4.0	0.18
65562 / 405-08	14"	40508-0	12	4.0	0.18
65565 / 405-09	14"	40509-7	12	4.0	0.18
65569 / 405-19	14"	40519-6	12	4.0	0.18

BALL PEIN HAMMER HANDLES (cont.)

For 24 to 28 oz. hammers, 1-1/16" x 19/32"									
65578 / 407-02	2 16"	40702-2	12	5.0	0.21				
65579 / 407-04	16"	40704-6	12	5.0	0.21				
65581 / 407-08	3 16"	40708-4	12	5.0	0.21				
65583 / 407-09	9 16"	40709-1	12	5.0	0.21				
65586 / 407-19	9 16"	40719-0	12	5.0	0.21				
For 32	to 48 oz	. hammers, e	eye 1-3/16"	x 11/16"					
65592 / 409-02	2 18"	40902-6	12	6.0	0.25				
65594 / 409-08	3 18"	40908-8	12	6.0	0.25				
65596 / 409-09	18"	40909-5	12	6.0	0.25				
65598 / 409-19	18"	40919-4	12	6.0	0.25				

TIRE HAMMER HANDLES

TIRE HAMMER HANDLES FOR KEN TOOL HAMMERS





Non-slip grip, for T11, T11C, T34, T35, and T36 eye 1-3/16" x 1-5/16"

65361 / 474-55	17"	47455-0	12	10.0	0.31
65365 / 477-55	30"	47755-1	12	20.0	0.54

SHORT SLEDGE AND OTHER HAMMER HANDLES

ENGINEER'S HAMMER HANDLES, OVAL EYE

	000		-	2	
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
For 1-1/	2 to 2-1,	/2 lb. hamm	ers, eye 7/8'	" x 5/8"	
65768 / 435-19	12"	43519-3	12	4.0	0.18
65697 / 421-02	14"	42102-8	12	4.0	0.22
65701 / 421-19	14"	42119-6	12	4.0	0.22
For 3 to	4 lb. har	mmers, eye	1" x 3/4"		
65710 / 423-01	16"	42301-5	12	5.0	0.21
65711 / 423-02	16"	42302-2	12	5.0	0.21
65712 / 423-04	16"	42304-6	12	5.0	0.21
65714 / 423-08	16"	42308-4	12	5.0	0.21
65716 / 423-09	16"	42309-1	12	5.0	0.21
65720 / 423-19	16"	42319-0	12	5.0	0.21
For 3 to	4 lb. har	nmers, eye	1" x 3/4"		
65737 / 424-19	18"	42419-7	12	6.0	0.25



BLACKSMITH HAMMER HANDLES, FLAT EYE

For 2 to 3 lb. hammers, eye 1-3/16" x 11/16"

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
65741 / 430-01	14"	43001-3	12	4.5	0.23
65742 / 430-02	14"	43002-0	12	4.5	0.23
65743 / 430-04	14"	43004-4	12	4.5	0.23
65744 / 430-08	14"	43008-2	12	4.5	0.23
65746 / 430-19	14"	43019-8	12	4.5	0.23

For 3.5 lb. and heavier hammers, eye 1-1/4" x 1"									
65748 / 432-02	16"	43202-4	12	6.0	0.20				
·		43202-4	12	6.0	0.30				
65749 / 432-04	16"	43204-8	12	6.0	0.30				
65751 / 432-19	16"	43219-2	12	6.0	0.30				
For 3.5 II	o. and h	neavier hamm	ers, eye 1-1	/4" x 1"					
65758 / 433-02	18"	43302-1	12	7.0	0.33				
65759 / 433-04	18"	43304-6	12	7.0	0.33				
65760 / 433-08	18"	43308-3	12	7.0	0.33				
65762 / 433-09	18"	43309-0	12	7.0	0.33				
65764 / 433-19	18"	43319-9	12	7.0	0.33				

BRICK HAMMER HANDLES

For brick hammers and scutches, eye 1-1/16" x 19/32"



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
65782 / 440-19	12"	44019-7	12	5.0	0.18

STONE MASON HAMMER HANDLES

Oval eye 1-1/8" x 5/8"



HAND DRILL AND SLEDGE HAMMER HANDLES

For 2 to 4 lb. hammers, oval eye 1" x 3/4"



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
65993 / 480-02	10-1/2"	48002-5	12	5.0	0.23
65994 / 480-19	10-1/2"	48019-3	12	5.0	0.23
66004 / 481-19	12"	48119-0	12	6.0	0.21

LINK HANDLES - HICKORY & FILE HANDLES

SHORT SLEDGE AND **OTHER HAMMER HANDLES (cont.)**

STRAIGHT CALIFORNIA FRAMING HAMMER HANDLES



CURVED CALIFORNIA FRAMING HAMMER HANDLES

For 25 oz. hammers, eye 1-11/16" x 11/16"



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
65905 / 7078-19	18"	06493-5	12	7.0	0.33

HATCHET HANDLES

HATCHET HANDLES



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
For No.	2 shingli	ng, half-ha	tchet, claw,	and	
No. 1 b	road hato	hets, eye 1	19/32" x 1	.9/32"	
65273 / 330-02	14"	33002-3	12	6.0	0.23
65274 / 330-04	14"	33004-7	12	6.0	0.23
65275 / 330-08	14"	33008-5	12	6.0	0.23
65276 / 330-09	14"	33009-2	12	6.0	0.23
65278 / 330-19	14"	33019-1	12	6.0	0.23
For No.	3 and 4 l	broad hatch	nets and lin	esmen's h	natchets,
eye 1-1	3/16" x 5	5/8"			
65282 / 334-04	16"	33404-5	12	8.0	0.28
65283 / 334-09	16"	33409-0	12	8.0	0.28
65285 / 334-19	16"	33419-9	12	8.0	0.28

PLUMB EXPERT HATCHET HANDLES

For plumb, box, wallboard, and California lathe hatchets eye 1-1/4" x 1/2"





RIG BUILDER'S (RIGSTER) HATCHET HANDLES

For rig hatchets, eye 1-9/16" x 5/8"

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
65292 / 365-02	18"	36502-5	12	7.0	0.33
65293 / 365-19	18"	36519-3	12	7.0	0.33

BOY SCOUT AXE HANDLES



Model For 1-1,	-	UPC 0 25545 + s, eye 1-5/8	Pack qty 3" x 19/32"	Pack wgt	Pack cube			
65295 / 368-02	14"	36802-6	12	6.0	0.28			
65296 / 368-04	14"	36804-0	12	6.0	0.28			
65297 / 368-08	14"	36808-8	12	6.0	0.28			
65300 / 368-19	14"	36819-4	12	6.0	0.28			
For 1-3/4 lb. axes, 1-3/4" x 11/16"								
65309 / 369-19	16"	36919-1	12	7.0	0.33			

FILE HANDLES

LONG FERRULE FILE HANDLES



Mandal Janath	UPC	Pack	Pack	Pack				
Model Length		qty	wgt	cube				
4" x 1" (size No. 1) for 3" to 6" files								
64223 / 29541-00 4"	00018-6	36	2.0	0.06				
4-1/2 " x 1-3/16" (size No. 2) for 6" to 8" files								
64224 / 29542-00 4-1/2	' 00019-3	36	4.0	0.10				
5 " x 1-5/16" (size No. 3) for 8" to 12" files								
64225 / 29543-00 5"	00020-9	36	5.3	0.12				
5-1/2 " x 1-7/16" (size No. 4) for 12" to 16" files								
64227 / 29544-00 5-1/2"	' 00021-6	36	7.0	0.18				
6 " x 1-9/16" (size No. 5) for 16" to 20" files								
64229 / 29545-00 6"	00022-3	36	9.0	0.21				



FILE HANDLES & WEDGES - LINK HANDLES

FILE HANDLES (cont.)

SHORT FERRULE FILE HANDLES



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
3-1/2" x	13/16"	(size No. 00),	bore 1/8", f	or chain	saws
64240/31559-0	0 3-1/2	"00024-7	36	1.5	0.12
3-1/2" x	13/16"	(size No. 01),	bore 5/32",	for 3" to	4" files
64241/31561-0	0 3-1/2	' 00025-4	36	1.5	0.12
4" x 15/	16" (size	No. 02), bore	3/16", for 4	l" to 6" f	files
64242/31562-0	0 4"	00026-1	36	2.0	0.09
4-1/4" x	1-3/64"	(size No. 03),	bore 7/32",	for 6" t	o 8" files
64243 / 31563-0	0 4-1/4	' 00027-8	36	2.5	0.12
4-3/4" x	1-1/8" (size No. 04), k	ore 9/32", t	for 8" to	10" files
64244/31564-0	0 4-3/4	' 00028-5	36	3.5	0.15
5" x 1-1,	/4" (size	No. 05), bore	3/8", for 10	" to 14"	files
64245 / 31565-0	0 5"	00029-2	36	4.0	0.14

TITEGRIP SCREW-ON FILE HANDLES

A screw on handle that makes its own thread on tang of file



	Model	Length	UPC 0 25545 +	Pack qty	Pack wgt	Pack cube
	For 4" fi	iles				
64232 /	/30571-0	00	00032-2	36	1.5	0.05
	For 5" fi	iles				
64234 /	/30572-0	00	00033-9	36	3.0	0.09
	For 6" fi	iles				
64231,	/30569-0	00	00034-6	36	3.0	0.07
	For 8" fi	iles				
64235 /	/30573-0	00	00035-3	36	5.0	0.13
	For 10"	files				
64236	/30574-0	00	00036-0	36	5.0	0.13
	For 12"	files and	rasps			
64238 /	/30576-0	00	00037-7	36	7.3	0.19
	For 14"	files and	rasps			
64237	/30575-0	00	00038-4	36	7.3	0.19

NO. 10 FILE CARD

The sharp steel bristles quickly remove filings from file grooves



		UPC		Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
64246 / 324-00	8"	32400-8	12	2.0	0.07



HANDLE WEDGES

WOOD AND STEEL WEDGES

Each package contains 1 wood wedge and 2 steel wedges. Color coded for display. Includes step-by-step instructions and diagrams.



	Model	Color	UPC 0 25545 +	Pack qty	Pack wgt	Pack cube
	Hammer	handle	wedges	. ,	Ū	
64128 /	04510-00	Blue	00001-8	24	1.3	0.12
	Hatchet	handle	wedges			
64131 /	04511-00	Green	00002-5	24	1.3	0.12
	Sledge ar	nd maul	handle wedge	es		
64133 /	04512-00	Red	00003-2	24	1.5	0.12
	Axe hand	dle wed	ges			
64136 /	04513-00	Brown	00004-9	24	2.0	0.12
	Boxed as:	sortme	nt with 24 woo	d and stee	l wedges	;
	(6 each o	f all size	es)			
64139 /	04514-00		00005-6	1	1.8	

CORRUGATED STEEL WEDGES



		Package		Pack	Pack	Pack
	Model	wgt	0 25545 +	qty	wgt	cube
	Hamme	r handle	wedges, No. 2,	5/16" W	x 13/16"	Н,
	36 per p	ackage				
64144 /	50-490	3 oz.	00006-3	1	0.2	0.07
	Carpent	er's ham	mer handle we	dges, No	. 3, 1/2" V	V x
	1-1/16"	H, 36 pe	r package			
64145 /	50-491	9 oz.	00007-0	1	0.6	0.07
	Large ha	ammer h	andle wedges, N	No. 4, 3/4	l" W x 1-1	./16" H,
	36 per p	ackage				
64146 /	50-492	10 oz.	00008-7	1	0.6	0.07
	Sledge I	nammer	handle wedges,	No. 5, 1	" W x 1-1/	′16" H,
	36 per p	ackage				
64147 /	50-493	12 oz.	00009-4	1	0.8	0.07
	Axe han	dle wedg	es, No. 18, 1-1/4	1" W x 1-	3/16" H,	12 per
	package	!				
64148/	50-494	10 oz.	00010-0	1	0.6	0.07

LINK HANDLES - WEDGES

HANDLE WEDGES (cont.)

STEEL WEDGE AND RIVET ASSORTMENT IN COUNTER DISPLAY



Assortment includes 252 pieces plus display box. Contains 12 LR1 and 12 LR2 round wedges; 36 #2, 36 #3, 36 #4, 36 #5, and 12 #18 flat steel wedges; plus 72 rivets.

	UPC	Pack	Pack	Pack
Model	0 25545 +	qty	wgt	cube
64149 / 50-497	00011-7	1	3.0	0.07

WOOD WEDGES

Each package contains 12 wood wedges. Includes step-by-step instructions and diagrams.




Мо		ackage wgt	UPC 0 25545 +	Pack qty	Pack wgt	
Sing	gle bi	it axe har	ndle wedges, No	o. 2WW, 2 -1	L/2" W x	2-1/2" H
64151/13-	390	5.0	00012-4	12	2.1	0.18
Sled	dge l	nandle w	edges, No. 3W	/W, 1-3/8"	W x 2-1/	2" H
64153 / 13-	391	2.7	00013-1	12	1.3	0.18
Ma	chini	ist hamn	ner handle wed	dges, No. 4	ww,	
1-1,	/16"	W x 1-1	/2" H			
64155 / 13-	392	0.8	00014-8	12	0.5	0.08
Hat	chet	handle	wedges, No. 8\	NW, 1-5/8'	' W x 2" I	Н
64157 / 13-	393	3.4	00015-5	12	1.6	0.18
Dou	ıble	bit axe h	andle wedges,	No. 9WW,	3" W x 2	2-1/2" H
64158/13-	394	5.5	00016-2	12	2.5	0.18
Nai	han	nmer han	dle wedges, No	. 10WW, 1 -3	/16" W x	1-1/2" H
64159 / 13-	395	0.8	00017-9	12	0.5	0.08



ROUND (CONE-SHAPED) STEEL WEDGES

- Expands wood equally in all directions for tightest fit.
- Provides better holding power than flat wedges.
- Eliminates need for flat wood and steel wedges.
- Two sizes fit every need.



ROUND STEEL WEDGES, RETAIL PACK

Each retail package contains 2 round steel wedges. Includes step-by-step instructions and diagrams.



ı	Packag	e UPC	Pack	Pack	Pack
Model	wgt	0 25545 +	qty	wgt	cube
LR1 round	d steel	wedges, 9/1	6" H x 9/16"	diamete	r
64140 / 06903-00	0.7	06903-9	6	0.5	0.08
LR2 round	d steel	wedges, 3/4	" H x 3/4" di	ameter	
64142 / 06905-00	1.1	16905-0	6	0.6	0.08

ROUND STEEL WEDGES, BULK PACK

Each bulk package contains 12 round steel wedges.




Package UPC				Pack	Pack	Pack
	Model	wgt	0 25545 +	qty	wgt	cube
	LR1 round	steel	wedges, 9/16"	H x 9/16"	diamete	r
64141/	06904-00	3.7	16904-3	12	1.5	0.05
	LR2 round	steel	wedges, 3/4" I	H x 3/4" dia	meter	
64143 /	06906-00	6.1	16906-7	12	2.4	0.05

HEAVY-DUTY FIBERGLASS HANDLES

SLEDGE AND MAUL FIBERGLASS HANDLE

001 is for 6 to 16 lb. and some 18 to 24 lb. sledges and mauls. 010 is for heavy sledges. Handle comes with epoxy kit.



SINGLE BIT AXE FIBERGLASS HANDLE

For 3 to 5 lb. single bit axes. Handle comes with epoxy kit.



DOUBLE BIT AXE FIBERGLASS HANDLE

For 3 to 5 lb. double bit axes. Handle comes with epoxy kit.



RAILROAD AND GARDEN PICK FIBERGLASS HANDLE

220 is for railroad No. 6 eye picks and mattocks. 200 is for 2.5 lb. mattocks with #10 eye. Centrifugal force tightens head so no epoxy needed. 221 is for 2.5 lb. mattocks with 2-1/4"x 1-1/2" slip eye.



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
64764 / 200-99	36"	20099-9	6	14.6	1.20
65053 / 220-99	36"	06933-6	6	16.0	1.37
65057 / 221-99	36"	22199-4	6	16.0	1.30



63007 Structron fiberglass pick/mattock handle

- Nylon head (handle only)
- 36" poly coated handle

CLAW HAMMER FIBERGLASS HANDLE

Handle comes with epoxy kit.



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
65399 / 300-99	14"	06929-9	6	4.0	0.20

ENGINEER'S AND BLACKSMITH'S HAMMER FIBERGLASS HANDLE

Handle comes with epoxy kit.



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
65725 / 423-99	15"	42399-2	6	7.0	0.20
65998 / 480-99	10.5"	48099-5	6	2.6	0.15

SHOVEL FIBERGLASS HANDLE

For hollowback and closed back shovels. Handle comes with rivet.



D-GRIP SHOVEL FIBERGLASS HANDLE

For D-grip hollowback and closed back shovels. Handle comes with rivet.



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66776 / 871-99	27"	06931-2	6	10.0	0.68

EPOXY KIT

For attaching fiberglass handles



		UPC	Pack	Pack	Pack
Model I	Length	0 25545 +	qty	wgt	cube
64112 / 7001-00		04033-5	6	2.0	0.11

FORK HANDLES

STRAIGHT HAY FORK HANDLES

1-7/16" diameter, 7/16" bore, 8" ferrule

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66560 / 700-21	48"	70021-5	6	11	0.53
66561/701-21	54"	70121-2	6	12	0.51
66562 / 702-21	60"	70221-9	6	14	0.55

BENT HAY, 3-TINE HEADER, AND ALFALFA **FORK HANDLES**

1-7/16" diameter, 7/16" bore, 8" ferrule

Model	Length	UPC 0 25545 +	Pack qty	Pack wgt	Pack cube
66564 / 706-21	48"	70621-7	6	11	0.53
66566 / 707-21	54"	70721-4	6	12	0.61
66568 / 708-21	60"	70821-1	6	14	0.55

BENT MANURE AND BARLEY FORK HANDLES

1-7/16" diameter, 1/2" bore, 8" ferrule

		UPC	Pack	Pack	Pack
Model	Lengtn	0 25545 +	qty	wgt	cube
66574 / 715-18	48"	71518-9	6	11	0.53
66575 / 715-21	48"	71521-9	6	11	0.53
66580 / 716-21	54"	71621-6	6	12	0.61
66585 / 717-21	60"	71721-3	6	13	0.55

BENT SPADING FORK HANDLES

1-1/2" diameter, 5/8" bore, 8" ferrule

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66570 / 711-21	48"	71121-1	6	13	0.53
66806 / 922-21	54"	92221-1	6	14	0.61

BENT SPADING FORK HANDLE, STEEL D-GRIP



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66595 / 730-21	30"	73021-2	6	13	0.68



BENT MANURE FORK, CLAM FORK, BARLEY FORK, AND SOD LIFTER HANDLES, STEEL D-GRIP



Model	Length	0 25545 +	qty	wgt	cube				
1-1/2" diameter, 1/2" bore x 3", 8" ferrule									
66599 / 731-21	32"	73121-9	6	13	0.68				
1-1/2" diameter, 5/8" bore x 3", 8" ferrule									
66601/736-21	36"	73621-4	6	14	0.68				

BENT SEED, COKE, ENSILAGE, AND HEAVY MANURE FORK HANDLES, STEEL D-GRIP

1-1/2" diameter, 11/16" bore, 8" ferrule



	UPC	Pack	Pack	Pack
Length	0 25545 +	qty	wgt	cube
30"	72821-9	6	13	0.68
32"	73421-0	6	14	0.68
	30"	UPC Length 0 25545 + 30" 72821-9 32" 73421-0	Length 0 25545 + qty 30" 72821-9 6	Length 0 25545 + qty wgt 30" 72821-9 6 13

HOE & HOOK HANDLES

EYE HOE AND FIRE RAKE HANDLE

1-3/4" round eye

					T.
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66678 / 810-21	54"	81021-1	6	11	0.77
66681/811-18	60"	81118-8	6	12	0.86
66682 / 811-21	60"	81121-8	6	12	0.86

POTATO HOOK HANDLES

1-7/16" diameter, 1/2" bore, 4" ferrule

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66826 / 977-21	48"	97721-1	6	10	0.55
66827 / 978-21	54"	97821-8	6	11	0.61

HOE & HOOK HANDLES (cont.)

GARDEN HOE HANDLES

1-1/4" diameter, 3/8" bore, 4" ferrule. Also used for meadow hoes, light cotton hoes, light scuffle hoes, light hooks, stone hooks, and light potato hooks.

X- 3-		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66607 / 741-21	48"	74121-8	6	8	0.98
66611 / 742-21	52"	74221-5	6	8	0.50
66615 / 743-21	54"	74321-2	6	9	0.50
66618 / 744-21	60"	74421-9	6	9	0.55

GARDEN HOE, MEADOW HOE, LIGHT COTTON HOE HANDLES

1-1/4" diameter, 3/8" bore, chucked

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66621 / 746-21	52"	74621-3	6	8	0.50
66623 / 747-21	54"	74721-0	6	8	0.50
66627 / 748-21	60"	74821-7	6	9	0.55

SOCKET PATTERN HOE HANDLES

1-1/4" diameter, chucked

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66639 / 756-21	52"	75621-2	6	8	0.50
66643 / 757-21	54"	75721-9	6	8	0.50
66644 / 758-21	60"	75821-6	6	9	0.55

HEAVY COTTON HOE AND SCRAPER HANDLES, WITH FERRULES

1-3/8" diameter, 7/16" bore, chucked, 4" ferrule

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66631 / 752-21	54"	75221-4	6	9	0.50
66635 / 753-21	60"	75321-1	6	11	0.55

HEAVY COTTON HOE HANDLE, WITHOUT FERRULE

1-3/8" diameter, 7/16" bore, chucked, no ferrule

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66646 / 760-21	54"	76021-9	6	8	0.50



PLANTER'S HOE HANDLE

1-7/16" diameter, 9/16" bore, 4" ferrule

Model	UPC		Pack	Pack	Pack	
Model	Length	0 25545 +	qty	wgt	cube	
66603 / 739-21	60"	73921-5	6	11	0.55	

MORTAR HOE, SCUFFLE HOE, HEAVY HOOK, ROAD RAKE, ASPHALT RAKE, TAR RAKE, ETC. HANDLE

1-7/16" diameter, 9/16" bore, chucked, 8" ferrule

			UPC	Pack	Pack	Pack
	Model	Length	0 25545 +	qty	wgt	cube
66647 /	765-21	60"	76521-4	6	15	0.55
66649 /	767-21	72"	76721-8	6	17	0.55

MORTAR HOE, SCUFFLE HOE, HEAVY HOOK, ROAD RAKE, AND PINE NEEDLE RAKE HANDLE

1-7/16" diameter, 9/16" bore, 4" ferrule

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66651 / 780-21	60"	78021-7	6	30	0.55

HEAVY SOCKET COTTON HOE & SIDEWALK SCRAPER HANDLE

1-3/8" diameter, chucked

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66807 / 924-21	60"	92421-5	6	10	0.55

RAKE HANDLES (not made in the USA)

LAWN AND LEAF RAKE HANDLES

15/16" diameter, 2-1/2" chuck to 5/8"

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66454 / 22-342	42"	05385-4	6	5	0.98
66455 / 22-348	48"	04806-5	6	6	0.98
66460 / 22-351	51"	04803-4	6	6	0.29
66464 / 22-360	60"	05095-2	6	7	0.86

LAWN AND LEAF RAKE HANDLES

15/16" diameter, straight end, 9/32" cross drill 1-5/8" from end

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66491/22-604	54"	05240-6	12	11.2	1.06

RAKE HANDLES (not made in the USA)

LEVEL HEAD RAKE AND GARDEN HOE HANDLE

1-1/4" diameter, 3/8" bore, turned end ferrule

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66656 / 790-21	60"	79021-6	6	10	0.55

LEVEL HEAD RAKE HANDLE

1-1/4" diameter, 3/8" bore, chucked

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66664 / 794-21	60"	79421-4	6	9	0.55

BOW RAKE HANDLE

1-1/4" diameter, 4" ferrule, 7/16" bore

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66668 / 797-21	60"	79721-5	6	10	0.55

SCRAPER HANDLES

SIDEWALK SCRAPER HANDLE

1-3/8" socket style, 3-7/8" chuck

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66802 / 905-21	48"	90521-4	6	9	0.53

BARN SCRAPER HANDLE

1-7/16" diameter, 7/16" bore, 8" ferrule

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66808/930-21	60"	93021-6	6	15	0.86

AUGER, DRAIN TILE AND POST HOLE DIGGER HANDLES

AUGER HANDLE

For augers with cross T handles

C. C									
		UPC	Pack	Pack	Pack				
Model	Length	0 25545 +	qty	wgt	cube				
66427 / 22-027	21"	04848-5	6	2	0.68				



DRAIN TILE CLEANER HANDLE

For all size drain cleaners

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66430 / 22-076	72"	04877-5	6	2	0.95

SQUARE EYE POST HOLE DIGGER HANDLES

For Atlas, Hercules, and similar post hole diggers, drilled

-					
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66744 / 863-18	48"	86318-7	6	10	0.53
66745 / 863-21	48"	86321-7	6	10	0.53
66761/866-21	72"	86621-8	6	17	0.95
66763 / 867-21	96"	86721-5	6	20	0.76

ROUND END POST HOLE DIGGER HANDLES

Drilled

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66753 / 864-18	48"	86418-4	6	10	0.53
66754 / 864-21	48"	86421-4	6	10	0.53

POST HOLE DIGGER HANDLES

For Eureka post hole diggers

_		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66759 / 865-21	48"	86521-1	6	10	0.53

PRUNING TOOL HANDLES

HEDGE SHEAR HANDLES

21/32" bore, ferruled

(not made in the USA)		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66425 / 22 022	10"	04945 4	c	2	1 10

LOPPING SHEAR HANDLES

4" ferrule, 1/2" bore

	ALC: NAME OF TAXABLE PARTY.	-			
		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66428 / 22-033	24"	04854-6	6	5	1.18

WHEELBARROW HANDLES & WEDGES

WHEELBARROW HANDLES

Model	Length	UPC 0 25545 +	Pack qty	Pack wgt	Pack cube
=		straight patt , clear finish	ern, parallel	end to e	nd,
66534 / 35-025	60"	04769-3	6	27	0.86
=		straight patt , sand finish	ern, parallel	end to e	nd,
66545 / 36-025	60"	04771-6	6	27	0.86

1-3/8" x 1-3/4", straight pattern, parallel end to end, shaped grip end, no bore, sand finish, homeowner quality 66542 / 35-029 54" 05473-8 23 1.06

WHEELBARROW WEDGES, CLEAR FINISH

-		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66539 / 35-026	24"	04770-9	6	5	1.18

PAINT ROLLER, SQUEEGEE, AND PUSH **BROOM HANDLES**

PUSH BROOM AND SQUEEGEE HANDLES, **TAPERED END**

1-1/8" diameter, tapered to 3/4" within 3"

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66439 / 22-245	54"	04809-6	12	11	0.86
66441/22-250	60"	04810-2	12	15	0.86

PUSH BROOM HANDLES, METAL THREAD

15/16" diameter, 3/4" Acme metal thread

(not made in the USA)		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66446 / 22-299	54"	05042-6	12	13	1.06
66448 / 22-300	60"	04802-7	12	15	0.55

PUSH BROOM HANDLES, WOOD THREAD

15/16" diameter, 3/4" Acme wood thread

(not made in the USA)		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66459 / 22-350	60"	04811-9	12	14	0.86



WEED CUTTER HANDLES

WEED CUTTER HANDLE

Charles and the last of the la					
		UPC	Pack	Pack	Pack
Model I	ength	0 25545 +	qty	wgt	cube
65163 / 7248-00	30"	04123-3	12	15	1.18

TURF EDGER HANDLE

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66426 / 22-025	48"	04846-1	12	12	0.53

TAMPER HANDLES

SHAPED TAMPER HANDLE

1-7/16" diameter, straight eye, sanded finish

	UPC	Pack	Pack	Pack
Model Length	0 25545 +	qty	wgt	cube
66547 / 39652-21 44"	00582-2	6	2.5	0.53

UNSHAPED TAMPER HANDLE

1-1/2" diameter, straight eye, sanded finish

				- 0	
Model Le	ength	UPC 0 25545 +	Pack qty	Pack wgt	Pack cube
No slot	Ū		.,	Ü	
66548 / 39658-21	48"	00588-4	6	1.8	0.53
66549 / 39659-21	42"	00589-1	6	1.5	0.53
With single	e 2" sl	lot			
66554 / 49658-21	48"	00852-6	6	1.8	0.53
66555 / 49659-21	42"	05851-4	6	1.5	0.53

BENT HOLLOWBACK SHOVEL HANDLES WITH SHOULDER

LONG BENT HOLLOWBACK SHOVEL/SCOOP HANDLES WITH SHOULDER

1-1/2" diameter, 9" chuck with slot

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66704 / 827-18	48"	82718-9	6	10	0.53
66705 / 827-21	48"	82721-9	6	10	0.53
66713 / 828-21	54"	82821-6	6	12	0.61

BENT HOLLOWBACK SHOVEL HANDLES WITH SHOULDER (cont..)

BENT HOLLOWBACK SHOVEL/SCOOP HANDLES WITH SHOULDER, STEEL D-GRIP

1-1/2" diameter, 9" chuck with slot



BENT HOLLOWBACK SHOVEL HANDLES WITHOUT SHOULDER

LONG BENT HOLLOWBACK SHOVEL/SCOOP HANDLES WITHOUT SHOULDER

1-1/2" diameter, 9-1/2" eye chuck, eye slot

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66693 / 823-18	48"	82318-1	6	10	0.53
66694/823-21	48"	82321-1	6	10	0.53
66700/824-21	54"	82421-8	6	12	0.61

BENT HOLLOWBACK SHOVEL HANDLES WITHOUT SHOULDER, STEEL D-GRIP

1-1/2" diameter, 9-1/2" eye chuck, eye slot



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66702 / 825-21	30"	82521-5	6	10	0.68

STRAIGHT HOLLOWBACK SHOVEL HANDLES WITH SHOULDER

LONG STRAIGHT HOLLOWBACK FLORAL SHOVEL HANDLES WITH SHOULDER

1-7/16" diameter, 9" chuck with slot

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66628 / 750-21	42"	75021-0	6	7	0.53



LONG STRAIGHT HOLLOWBACK SHOVEL/SCOOP HANDLES WITH SHOULDER

1-1/2" diameter, 9" chuck with slot

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66766 / 870-21	48"	87021-5	6	10	0.53
66784 / 880-21	54"	88021-4	6	11	0.61

STRAIGHT HOLLOWBACK SHOVEL/SCOOP HANDLES WITH SHOULDER, STEEL D-GRIP

1-1/2" diameter, 9" chuck with slot



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66773 / 871-21	30"	87121-2	6	10	0.68
66653 / 789-21	38"	78921-0	6	13	0.68

STRAIGHT HOLLOWBACK SHOVEL HANDLES WITHOUT SHOULDER

STRAIGHT HOLLOWBACK SHOVEL HANDLES WITHOUT SHOULDER, STEEL D-GRIP

1-1/2" diameter, 9-1/2" chuck with slot



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66778 / 873-21	30"	87321-6	6	10	0.68

LONG STRAIGHT HOLLOWBACK SHOVEL HANDLES WITHOUT SHOULDER

1-1/2" diameter, 9-1/2" chuck with slot

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66787 / 881-21	48"	88121-1	6	10	0.53



CLOSED BACK SHOVEL HANDLES WITH SHOULDER

CLOSED BACK SOLID SHANK SHOVEL AND SPADE HANDLES WITH SHOULDER, STEEL D-GRIP

1-1/2" diameter, 6-1/2" chuck, regular weight



CLOSED BACK SOLID SHANK SHOVEL AND SPADE HANDLES WITH SHOULDER

1-1/2" diameter, 5-1/2" chuck, featherweight

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66724 / 836-21	44-1/2"	83621-1	6	8	0.68

CLOSED BACK SOLID SHANK SHOVEL AND SPADE HANDLES WITH SHOULDER, STEEL D-GRIP

1-1/2" diameter, 5-1/2" chuck, featherweight



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66727 / 838-21	24"	83821-5	6	8	0.68

CLOSED BACK SOLID SHANK SHOVEL AND SPADE HANDLES WITH SHOULDER

1-1/2" diameter, 6-1/2" chuck

Model	Length	UPC 0 25545 +	Pack qty	Pack wgt	Pack cube
66798 / 896-21	44-1/2"	89621-5	6	8	0.53
66800/897-21	46-1/2"	89721-2	6	9	0.53
66801/898-21	48"	89821-9	6	10	0.53

GENERAL PURPOSE SHOVEL HANDLE WITH SHOULDER

1-1/2" diameter





CLOSED BACK SHOVEL HANDLES WITHOUT SHOULDER

CLOSED BACK SOLID SHANK SHOVEL HANDLES WITHOUT SHOULDER, STEEL D-GRIP

1-1/2" diameter, 4-1/2" chuck



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66673 / 807-21	24"	80721-1	6	9	0.68
66675 / 808-21	25-1/2"	80821-8	6	9	0.68

CLOSED BACK SOLID SHANK SHOVEL HANDLES WITHOUT SHOULDER

1-1/2" diameter, 4-1/2" chuck

Model	Length	UPC 0 25545 +	Pack qty	Pack wgt	Pack cube
66733 / 844-21	44-1/2"	84421-6	6	9	0.53
66728 / 841-21	46-1/2"	84121-5	6	9.5	0.53
66730 / 842-21	48"	84221-2	6	10	0.53

CLOSED BACK SOLID SHANK SHOVEL HANDLES WITHOUT SHOULDER

1-1/2" diameter, 5-1/2" chuck

		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66831/989-21	44"	98921-4	6	9	0.86
66813 / 950-21	48"	95021-4	6	10	0.53

CLOSED BACK SOLID SHANK SHOVEL HANDLES WITHOUT SHOULDER, STEEL D-GRIP

1-1/2" diameter, 5-1/2" chuck



		UPC	Pack	Pack	Pack
Model	Length	0 25545 +	qty	wgt	cube
66816 / 951-21	24"	95121-1	6	8	0.68
66819 / 952-21	27"	95221-8	6	9	0.68
66820 / 953-21	30"	95321-8	6	10	0.68

LINK HANDLES - RED OAK / D-GRIPS / RIVETS

PLOW HANDLE & WALKING STICK


PLOW HANDLE

56" walking plow handle, red oak

 Model
 Length
 0 25545 + 04205 / 22-388
 Pack output
 Pack output

BENT WALKING STICK / CANE

37.5" waling stick / cane, red oak



D-GRIPS

TUBULAR STEEL D-GRIP

Rugged steel D-grips are designed to provide the best combination of balance, grip, and comfort. Sized to provide the best grip for both gloved and ungloved hands.



POLY D-GRIP

Extra-large D-grip handle designed to provide more room for gloved hands. Solid polypropylene grip is light weight yet durable. 1-1/4" diameter socket.




IRON RIVETS

IRON RIVETS* FOR SHOVEL HANDLES

Rivets are furnished with each shovel handle. It is wise, however, to have extra rivets on hand.

3/16" diameter, 1-3/4" long



^{* (50006-00} contains 4 rivets per package, 50005-00 has 36)



OUR SAWMILL LOCATIONS



SEYMOUR, IN



SEQUATCHIE, TN



CROSSVILLE, TN



ALTAMONT, TN

BETTER BY DESIGN

When your customers buy tool handles, they need handles with proper fit. The handle becomes an extension of their bodies and determines the comfort of the user. Link handles provide the time tested ergonomic shape and design that allows for better control, comfort, and safety.

COMMON HANDLE EYE SHAPES - LINK HANDLES

CLAW HAMMERS, 16 OZ.





Handle models

300

1-1/16" X 9/16"

304

CLAW HAMMERS, 20 TO 24 OZ.





Handle models

310

312 313

1-1/16" X 5/8"

CLAW HAMMERS, 28 TO 32 OZ.





Handle models

321 322

1-3/16" X 3/4"

BALL PEIN HAMMERS, 16 TO 20 OZ.





Handle models

405

29/32" X 17/32"

BALL PEIN HAMMERS, 24 TO 28 OZ.





Handle models 407

1-1/16" X 19/32"

ENGINEER OR BLACKSMITH OR DRILLING HAMMERS



Handle models

423

424

480 1" X 3/4"

481

BLACKSMITH HAMMERS, 3-1/2 LB. AND HEAVIER



Handle models

432 433

1-1/4" X 1"

SLEDGES AND MAULS. 6 TO 16 LB., OVAL EYE





Handle models

001 003 002 004

1-1/4" X 1"

SLEDGES AND MAULS, 18 TO 24 LB.




Handle models

010

023 1-1/2" X 1-1/4"

SPLITTING MAULS, NO. 5 EYE




Handle models

205

2-1/8" X 7/8"

SINGLE BIT SPLITTING MAULS



Handle models 206

2-5/16" X 13/16"

SCOUT OR HUNTER AXES, 1-3/4 LB.



Handle models

1-3/4" X 11/16"

DOUBLE-BIT AXES, 3-5 LB.



Handle models

140 142

2-7/8" X 5/8"

SCOUT AXES, 1-1/4 LB.





Handle models 368


1-11/16" X 5/8"


LINK HANDLES - COMMON HANDLE EYE SHAPES













GRUB HOES, NO. 8 EYE

HOW TO REPLACE HANDLES - LINK HANDLES

HAMMER & HAND AXE HANDLES

1. Saw off old handle flush with tool head.










4. Drive in steel wedge diagonally.

SLEDGE & AXE HANDLES













4. Drive in steel wedge diagonally.

MATTOCK & EYE HOE HANDLES










For your safety and convenience:


Wear safety goggles to protect your eyes. Bring old tool to store to measure for replacement handle.

LINK HANDLES - HOW TO REPLACE HANDLES

FORKS WITH D-GRIP HANDLES




2. Put protective wrap on new handle and place in vise. Drive tool head onto handle.




3. Secure handle to head with a screw or nail.


HOE, RAKE, & FORK HANDLES



- **2.** Lock handle in vise and pull tool head from old handle.
- **3.** Check handle fit and resize handle hole if needed. Put wood glue in handle hole.










4b. For socket pattern tools, follow steps 1 through 3. Then place head on solid surface and drive on handle.

SHOVEL & SPADE HANDLES




2. Rotate shovel on anvil of vise while hammering on shank of tool to loosen handle.





5a. For long handle, drive on against hard surface.



5b. For D-grip handle, drive on against wood surface or block.

6. Drill 3/16" hole and install rivet. Brad the rivet with round end of ball pein hammer.

OUTDOOR LIVING - FIREPLACE





98030 Seymour 14" hearth safety gloves

- · Leather with cotton lining, in poly bag
- 30-2682403



98020 Seymour hearth matches

- 11" long, 90 count
- 30-059



98032 Tan canvas log carrier.

- Heavy duty, cotton canvas with sewn "box" ends
- Tan with color trim. 32" L x 18" T
- 30-2682383

OUR HEAVY-DUTY STACK•IT BRACKETS™...

Packaged as sets with 4 brackets per box



• 30-360

are steel fixtures used to hold two-byfours together for storage racks, shelving, workbenches, and stands.

- Protects firewood: They have a unique design that keeps firewood high, dry, and safe from pests and decay.
- Adjustable: They can be built to any length.
- Easy to use: Simple, fast assembly and disassembly without tools, screws or bolts.



Submitted photo of a rack made with STACK•IT BRACKETS

FIRESTARTER





J. Seymour

BACK IN THE 1870'S

when everybody used wood or coal for cooking and heating, Julius Seymour invented the practically perfect lighter: safe, clean, sure. Lost for 100 years, his original formula was rediscovered by the Seymour family. Now it's the practically perfect lighter for today's charcoal grills, fireplaces, and campfires.

BURNS CLEAN

Seymour Midwest Fire Blox fire starters meet the strictest air quality codes on the country. Product complies with the South Coast Air Quality Management District Rule 1174. Ref. C14

California Prop. 65: Combustion of this product will result in the emission of carbon monoxide, soot and other combustion by-products which are known by the state of California to cause cancer, birth defects of other reproductive harm.

In California, use of this and other solid fuels may be restricted at times by law. Call 1-877-466-2876 or check www.8774noburn.org before burning.

WHY SEYMOUR FIRE BLOX FIRESTARTERS:

Starts all types of fires

- Each piece measures 1.75" x 1.5" x .5"
- Superior to liquids and other solid starters.
- Great for starting firewood, pellets, coal, and charcoal.
- Eliminates the need for liquids, kindling, and newspaper.

Works great even when it's wet

- Pieces burn hot for about 12 min. for fast, sure starts.
- Lights quickly, even when wet.
- Will ignite even damp firewood.

Safe to use anywhere

- Can't leak, spill, flash, flare-up, or explode.
- Safe to use both indoors and outdoors.
- · Non-toxic.
- Stores safely anywhere with long shelf life.

Economical - just pennies per light

- Need only 2 or 3 pieces to start.
- A 24-pc. package provides 8-12 starts.
- Pieces are scored and separate easily.

Burns clean

- Environmentally friendly
- Meets the strictest US air quality codes.

FOR CAMPFIRES -



Use one or more Fire Blox with twigs / wood scraps under the logs. Starts in rain and moderate wind. Ignites even damp wood.

FOR CHARCOAL GRILLS -



Place 3 Fire Blox cubes on edge in charcoal, leaving air space as shown, and light frayed edges of cubes.



Place one or more Fire Blox under at least 3 logs and light; no kindling needed.

FIRESTARTER





24-PIECE FIRESTARTER BOXES

98010 FIRE BLOX

- 24 pc. box
- 12 boxes in brown master carton
- 30-050-12



THESE CARTONS CONVERT INTO POP DISPLAYS

The 24 box/pack shipper cartons can be quickly converted to an attention-grabbing full-color shelf or counter display with a large header card.

FIRESTARTER COUNTER/SHELF DISPLAYS

98013 FIRE BLOX carton

- 24 boxes of 24 pieces
- POP display
- 15" x 10" x 7"
- 30-050-24



144-PIECE FIRESTARTER BOXES

98019 FIRE BLOX

- 144 pc. box
- 8 boxes in shipper box
- 30-589-08

THE BOX

FIRESTARTER COUNTER/SHELF DISPLAYS

98014 FIRE BLOX carton

- 24 packs of 24 pieces
- POP display
- 15" x 8" x 8"
- 30-052-24



4-PIECE FIRESTARTER CELLO PACKS

98016 FIRE BLOX

- Trial size plain box
- 104 packs of 4 pieces
- 30-054-104PB

SEYMOUR FIRE BLOX CAPTURE INSTANT ADD-ON SALES IN A VARIETY OF STORE ENVIRONMENTS.

MERCHANDISE THEM WITH:

- Outdoor grills and outdoor fireplace supplies
- Patio firepits, outdoor heaters and chimineas
- Camping supplies including hunting, fishing and backpacking
- Indoor fireplaces, wood stoves and heaters



24-PIECE FIRESTARTER CELLO PACKS

98011 FIRE BLOX

- Cello-pack, 12 packs of 24 pieces
- In brown master carton
- 30-052-12

RING FASTENERS

CUT STYLES OF RING TIPS









Slant

Slant Offset

Blunt

HOG RINGS are used to prevent swine from rooting in the ground. They are made from copper coated wire and come in various sizes.

Rings are defined by wire gage or diameter, material properties and cost, pattern, and cut. The ring wire materials below are listed in order of relative cost, with the least expensive listed first. For best value, select the lowest cost material that has the properties needed for the intended application.

BRIGHT BASIC STEEL RINGS are the most economical and are used for general purpose applications such as attaching tags.

COPPER COATED RINGS are economical and used for hog rings and general purpose applications.

GALVANIZED STEEL RINGS are best for applications such as fencing where moderate cost and resistance to rust are important.

ALUMINUM RINGS are relatively expensive, light weight and won't rust or corrode making them ideal for salt water use, cages and traps, and other special requirement applications.

STAINLESS STEEL RINGS are the most expensive and won't rust or corrode making them ideal for salt water use, cages and traps, food industry applications, and other special requirement applications.

HILL PATTERN RINGS close in a triangle shape.

BLAIR PATTERN RINGS close in an oval shape.

PREBENT RINGS reduce the effort needed to close the rings thus reducing hand fatigue.

ROPE TIE PATTERN RINGS are ideal for clamping rope and cable.

UPHOLSTERY PATTERN RINGS are designed to hold fabric to furniture frames.

SLANT CUT RINGS are best for applications requiring penetration such as upholstery and hog rings.

BLUNT CUT RINGS are best for applications such as fencing. They have no sharp points to cut or pierce, making them safer to handle.

NON-OFFSET RINGS close with the tips nearly touching. They are ideal for fastening large diameter materials such as fence wire where a small gap between the tips is OK.

OFFSET RING design allows the ring tips to pass for complete closure. They are best for fastening small diameter materials that could pass through a small gap.

RING FASTENERS are used for fastening wire fences, slit fences, steel mesh for wall reinforcement, fish traps, crab pots, animal cages, upholstery, and



attaching tags. They are also used to clamp rubber tie-down straps and for clamping rope. Seymour rings have a variety of uses in arts and crafts such as fastening holiday wreath materials.



TAB-TOP BOXES: Packaged rings come in convenient tab-top boxes that make them ideal for effective pegboard merchandising. Each box holds from 25 to 100 rings depending on the size of the rings.





10-PACK DISPENSER BOX: Packaged ring boxes are packed in convenient dispenser cartons with 10 tab-top boxes in each dispenser carton.

BULK RINGS



Bulk rings prices are listed in the price list and special order rings are available on a quotation basis. For special needs, just provide samples or specifications.

Model	Description	Point Style	Wire Gage	Material	Pieces per Cwt.
RN-1H1	Hill pig rings, bulk pack	Slant	12.5	Copper plated steel	28,000
RN-1H2	Hill shoat rings, bulk pack	Slant	12.5	Copper plated steel	23,600
RN-1H3	Hill hog rings, bulk pack	Slant	12.5	Copper plated steel	20,600
RN-1H4	Hill hog rings, bulk pack	Slant	11.0	Copper plated steel	10,800
RN-1B1	Blair pig rings, bulk pack	Slant	12.5	Copper plated steel	24,000
RN-1B2	Blair shoat rings, bulk pack	Slant	12.5	Copper plated steel	20,500
RN-1B3	Blair hog rings, bulk pack	Slant	12.5	Copper plated steel	18,800
RN-1PBH1	Hill prebent pig rings, bulk pack	Slant	12.5	Copper plated steel	26,000
RN-1PBH2	Hill prebent shoat rings, bulk pack	Slant	12.5	Copper plated steel	22,600
RN-1PBH3	Hill prebent hog rings, bulk pack	Slant	12.5	Copper plated steel	18,200

RING FASTENERS





RR-HM / 69045



RN-1PBH1 Prebent hill



RR-XM / 69305





RN-1B1

Blair









RR-HHM / 69041



RB-53 / 69006



Model	Description	Point Style	Wire Gage	Material	Pieces Per Box
RN-H1 / 69022	Hill pig rings	Slant	12.5	Copper plated steel	100
RN-H2 / 69024	Hill shoat rings	Slant	12.5	Copper plated steel	100
RN-H3 / 69027	Hill hog rings	Slant	12.5	Copper plated steel	100
RN-H4 / 69029	Hill hog rings	Slant	11.0	Copper plated steel	65
RN-B1 / 69011	Blair pig rings	Slant	12.5	Copper plated steel	100
RN-B2 / 69013	Blair shoat rings	Slant	12.5	Copper plated steel	100
RN-B3 / 69017	Blair hog rings	Slant	12.5	Copper plated steel	100
RN-PBH1 / 69032	Hill prebent pig rings	Slant	12.5	Copper plated steel	100
RN-PBH2 / 69034	Hill prebent shoat rings	Slant	12.5	Copper plated steel	100
RN-PBH3 / 69038	Hill prebent hog rings	Slant	12.5	Copper plated steel	100
RN-X1 / 69300	Humane pig rings	Slant	11.0	Copper plated steel	25
RN-X3 /69302	Humane hog rings	Slant	11.0	Copper plated steel	25
RN-541 / 69326	Cage/trap rings	Blunt	14.0	Stainless steel	5 lbs
RN-542 / 69327	Cage/trap rings	Slant	14.0	Stainless steel	5 lbs
RN-641 / 69323	Cage/trap rings	Blunt	14.0	Galvanized steel	5 lbs
RN-642 / 69324	Cage/trap rings	Slant	14.0	Galvanized steel	5 lbs
RN-741 / 69320	Cage/trap rings	Blunt	11.0	Aluminum	2 lbs
RN-742 / 69321	Cage/trap rings	Slant	11.0	Aluminum	2 lbs

Ringer pliers are specially designed to hold and close hog rings and ring fasteners.

The chart below indicates which pliers to use with the various ring patterns.

RR-SM Small

541,542, 641,642, 741,742, all rings less than 3/4"

RR-HM Hill H1, H2, H3, PBH1, PBH2, PBH3, B1, B2, B3

RR-HS Hill spring H1,H2, H3, PBH1, PBH2, PBH3, B1, B2, B3

RR-HLM Hill wide jaw H4, all heavy wire rings

RR-HHM Hill heavy H4, all heavy wire rings

RR-XM Humane X1,X3, H1,H2, H3, PBH1, PBH2, PBH3, B1, B2, B3

RR-DN De Neui H1,H2, PBH1, PBH2, B1,B2

Model	Description	Material					
RR-HM / 69045	Hill ringer pliers	Malleable iron casting with chrome finish					
RR-HS / 69046	Hill spring ringer pliers	Malleable iron casting with chrome finish					
RR-HLM / 69042	Hill wide jaw ringer pliers	Malleable iron casting with chrome finish					
RR-HHM / 69041	Hill large ringer pliers	Malleable iron casting with chrome finish					
RR-XM / 69305	Humane ringer pliers	Malleable iron casting with chrome finish					
RR-SM / 69356	Small ringer pliers	Malleable iron casting with chrome finish					
RR-DN / 69352	Denui ringer pliers	Malleable iron casting with chrome finish					
RB-31 / 69005	Bull ring, 5/16" x 2-1/2", solid brass, hinged and secured with solid brass set screw						
RB-53 / 69006	Bull ring 3/8" x 3", solid brass, hinged and secured with solid brass set screw						

MERCHANDISING

FLOOR MERCHANDISERS

Colorful floor displays can double or triple your inventory turns by attracting customer attention and using space efficiently. Great for end-caps, sidewalk displays, and seasonal merchandise. Ask for a complimentary copy of our brand new merchandising ideas guide with many standard display assortments.









STEEL MOBILE RACKS

are easy to assemble and can be used indoors or outdoors in any weather. They attract customer attention, and display tools and use space efficiently.

NO SET UP REQUIRED

for pallet displays. They come fully loaded with a removable protective wrap, and are attached to wooden pallets for ease of handling.

OUR NEW MERCHANDISING GUIDE

Our new 2015-2016 Merchandising Ideas Guide is now available from your Seymour Midwest representative. The right merchandising can dramatically accelerate tool sales by creating visibility and accessibility. This 40 page booklet details a fully-updated selection of proven display options for both retail and wholesale (contractor-supply) sales environments. Choose from rolling and stationary tool racks, in-aisle and impulse displays and updated signage.

Contact your representative for a complimentary copy and a consultation on your specific display needs.





USE SPACE EFFICIENTLY AND MAXIMIZE IMPACT

We custom-design planograms to maximize customer appeal and sell-through. Careful planning ensures that premium wall space yields maximum return on inventory investment.

MANY PLANOGRAM OPTIONS ARE AVAILABLE

with a variety of long handled and garden tool assortments. We develop planogram systems for retail hardware, lawn and garden, industrial supply, landscape wholesaler, irrigation wholesaler, utility wholesaler, fencing dealer / distributor, lumberyard, farm and ranch supply, and other markets.

To get started, contact our merchandising experts at *Marketing@SeymourMidwest.com*.

WIRE DISPLAY HOOKS



YDIS109 2-digger hanger

 Space saving front load design holds
 post hole diggers.



YDIS110 hoe hanger

 Designed specifically for garden, mortar, & specialty hoes.
 Also great for bow saws.



YDIS112 waterfall hanger

 Ideal for long handle tools such as shovels and rakes. Holds 3 tools.



YDIS108 11" double hook

Best hook for D-handled tools.



YDIS113 waterfall hanger

 Ideal for long handle tools such as shovels and rakes. Holds 6 tools.



YDIS107 10" single hook

 Ideal for tools and cards with a single hanging point




YDIS111 weeder/pruner holder

 Designed to hold loppers, hedge shears, and bow saws horizontally.

OUR DISPLAY HOOKS
WORK WITH 1/4"
PEGBOARD AND
HEAVY-DUTY
SLATWALL

NEW WEBSITE - SEYMOURMIDWEST.COM



Learn more about our complete family of brands including options for both professionals and consumers.

Download high resolution photos, spec sheets and product instructions.


Directly search for specific products by Seymour or Midwest Rake model code or UPC number.

Browse products by tool type or by industry category. Compare features and advantages at a glance.

Explore Seymour Midwest's history and learn how we are growing a sustainable, community-oriented future.

Submit technical questions and other inquiries using our Ask the Expert system.

Discover new products, merchandising tips, promotional ideas and more in our "What's New" pages.



NEW PRODUCTS



Stay up to date with all of the new quality products that Seymour Midwest has to offer! We have expanded our selection of tools that includes new products for every type of user.

STRUCTRON® IMPACT TOOLS

Seymour Midwest introduces 3 new "Impact" shovels - a caprock, irrigation, and drain spade - that are the most rugged and reliable shovels on the market today. The result of precision engineering and best-inclass materials, these new shovel designs will deliver outstanding performance for the professional user.



49588 Structron impact caprock shovel

- 10 ga. stamped & hot formed head
- Most rugged & reliable caprock on the market
- PermaGrip steel collar
- Solid fiberglass 48" handle with ProGrip cushioned grip



49585 Structron impact irrigation shovel

- 10 ga. stamped & hot formed head, 7.5" x 9.5"
- Most rugged & reliable caprock on the market
- PermaGrip steel collar
- 48" fiberglass handle with ProGrip cushioned grip



49589 Structron impact drain spade

- 10 ga. stamped & hot formed head
- Most rugged & reliable caprock on the market
- PermaGrip steel collar
- 48" fiberglass handle with ProGrip cushioned grip

STRUCTRON® SCOOPS

Seymour Midwest introduces a new Eastern pattern scoop for construction use. The result of precision engineering and best-in-class materials, this new shovel design will deliver outstanding performance for the professional user. Common applications include transferring bulk materials including asphalt, aggregate, sand and mulch.



49257 Structron Eastern pattern scoop

- #2 steel head, 11.125" x 16"
- 27" hardwood handle with steel d-grip

THE ORANGE SEYMOUR® WHEELBARROW IS BACK BY POPULAR DEMAND!



85728 Seymour 6 cu. ft. wheelbarrow, steel tray

- Light-duty steel tray orange, standard tire
- Hardwood handles

INDEX

SYMBOLS		12524	46, 96	21401	66	41400	74	41513	88	41594	89
	66	12536	46, 96	21408	66	41401	70	41514	88	41595	89
2B-42B20	66	14024	45	21409	66	41403	70	41515	88	41596	89
2B-42G28	66	14030	45	21420	66	41405	70	41516	88	41600	95
2B-42G30	66	14036	45	21428	66	41406	70	41517	88	41602	95
2B-42W24	66	14042	45	21430	66	41407	70	41518	88	41604	95
2B-42W26	66	14048	45	21438	66	41411	72	41519	88	41610	95
2B-040128	66	14124	45	21440	66	41413	72	41520	88	41612	95
2B-040130	66	14130	45	21450	66	41414	72	41521	89	41614	95
2C-33	68	14136	45	21451	66	41415	72	41522	90	41700	67
2C-66	68	14142	45	21452	66	41416	72	41523	88	41705	67
2C-99	68	14148	45	21504	94	41417	72	41524	88	41710	67
2E-AE0	53	16113	47	21505	94	41418	68	41525	88	41711	67
2E-AE1	53	16114	44	24124	66	41419	70	41530	90	41712	68
2E-AE2	53	16117	44	24126	66	41420	68	41531	89	41718	68
2E-G60	53	20024	46	40020	43	41421	71	41532	89	41719	68
2E-IG7	53	20030	46	40100	53	41422	71	41533	90	41722	68
2G-25	67	20036	46	40872	40	41423	71	41534	90	41723	68
2G-25LH	67 6 7	20042	46	40880	40	41424	71	41536	88	41724	68
2G-497	67 6 7	20048	46	40882	40	41426	69	41537	88	41725	68
2G-507	67	20060	46	40883	40	41428	69	41538	88	41730	68
2P-CN13	68	21025	62	40884	40	41429	69	41539	88	41740	68
2P-MA12	68	21060	63	40885	40	41430	95	41542	90	41745	68
2P-MA18	68	21075	63	40912	38	41432	95	41543	89	41748	68
2P-MA18S	68	21100	62	40924	38	41434	95	41544	89	42004	55
2P-MA22	68	21105	62	40928	38	41436	95	41545	90	42016	42
2P-MA22S 2P-MA24	68 68	21106	62	40930	38	41440	95	41546	90	42100	53
2P-MA24S	68	21108	62	40931	38	41442	95	41547	89	42103	55
10024	44	21109	62	40940	38	41444	95	41548	90	42141	53
10024	44	21110	62	40942	38	41446	95	41549	90	42201	55
10036	44	21117	62	40945	38	41453	69	41550	88	42203	55
10042	44	21180	62	40948	38	41454	69	41551	88	42204	55
10048	44	21200	62	40955	38	41455	69	41552	88	42224	55
11024	46, 96	21206	62	41020	64	41461	72	41553	88	42244	55
11030	46, 96	21208	62	41021	64	41463	72	41554	88	42254	55 55
11036	46, 96	21210	62 62	41026	64 76	41465	72 72	41555	88 89	42256	55 57
11042	46, 96	21211	62	41031 41033	76 76	41467 41471	71	41556 41558	89 89	42258 42280	57 74
11048	46, 96	21215 21219	62	41033	76 76	41471	70	41559	89 89	42314	41
11100	44	21219	63	41034	76 76	41474	70	41560	89	42314	41
11101	44	21230	63	41038	70 77	41476	70	41561	89	42320	42
11102	44	21244	63	41040	<i>76</i>	41481	73	41562	89	42324	41
11103	44	21245	63	41041	76	41483	73	41566	88	42350	43
11104	44	21246	63	41042	76	41484	73	41567	88	42351	43
12024	44, 96	21248	63	41044	68	41485	73	41569	89	42355	42
12030	44, 96	21264	63	41045	68	41486	73	41571	89	42356	42
12036	44, 96	21266	63	41046	68	41487	73	41572	88	42357	42
12042	44, 96	21268	63	41050	92	41488	73	41573	88	42364	41
12048	44, 96	21302	65	41054	70	41489	73	41574	88	42366	41
12072	44	21303	65	41055	70	41492	71	41576	88	42390	43
12100	44	21304	65	41202	76	41498	74	41577	88	42410	52
12101	44	21306	65	41212	76	41499	74	41578	88	42420	52
12102	44	21308	65	41222	76	41500	88	41580	89	42425	52
12103	44	21310	65	41250	94	41501	88	41581	89	42430	82
12104	44	21312	65	41251	94	41502	88	41582	89	42432	82
12501	47, 96	21324	65	41255	94	41503	88	41583	89	42434	82
12502	47, 96	21326	65	41366	47	41509	88	41586	89	42437	82
12503	47, 96	21332	65	41395	74	41511	88	41588	89	42441	52
12517	46	21348	65	41398	74	41512	88	41589	89	42448	52

A												
ASAMS S.	42450	E2	47245	02	40162	20	10311	26	10576	22	56025	96
March Sept												
142468 3.2												
24265 2.52												
Author A												
ABBIN G. ADDIT G. ADD								,				
14200								,				
A2800												
A2801 S.3												
ABBO												
42805 53 49035 61 49217 58 49453 21 49656 34 60270 75 42808 53 49035 61 49219 60 49455 20 49652 34 60271 75 43103 39 49043 54 49241 59 49456 23 49666 34 60273 75 43118 39 49045 35,85 49248 60 49457 22 49667 34 60274 75 43138 39 49045 35,85 49248 60 49459 23 49691 34 60275 75 43333 39 49048 54 49254 88 49466 20 49730 17 60700 77 43334 39 49068 60 49253 58 49490 37 49731 17 60700 77 43336 39 49053 60												
A2808 53												
43101 39												
43103 39												
43106 39												
43118 39												
A3332 39												
43333 39 49048 54 49251 58 49465 20 49730 17 60700 77 43334 39 49050 60 49253 58 49490 37 49731 17 60701 77 43336 39 49053 60 49260 59 49492 37 49733 21 60710 77 43337 39 49054 60 49265 59 49493 37 49735 20 60711 77 43338 39 49061 59 49266 59 44950 36 49735 20 60712 77 43343 39 49061 59 49267 59 49501 36 49746 22 60718 77 43349 39 49066 60 49270 60 49503 36 49744 17 60723 77 43349 39 49068 58 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
43334 39 49050 60 49253 58 49490 37 49731 17 60701 77 43335 39 49051 60 49257 59, 131 49491 37 49733 21 60710 77 43336 39 49053 60 49262 59 49493 37 49733 21 60711 77 43338 39 49060 60 49262 59 49497 37 49735 20 60712 77 43338 39 49061 59 49265 59 49500 36 49735 20 60712 77 43343 39 49061 59 49269 59 49501 36 49735 22 60720 77 43349 39 49066 60 49270 60 49503 36 49742 17 60721 77 43372 40 49068 58												
43335 39 49051 60 49257 59,131 49491 37 49732 17 60703 77 43336 39 49053 60 49260 59 49492 37 49734 21 60710 77 43338 39 49060 60 49265 59 49497 37 49735 20 60712 77 43338 39 49061 59 49266 59 49500 36 49736 22 60712 77 43343 39 49061 59 49266 59 49502 36 49737 22 60712 77 43346 39 49066 59 49269 59 49502 36 49742 17 60721 77 43346 39 49068 58 49271 57 49507 36 49744 17 60721 77 43372 40 4968 58												
43336 39 49053 60 49260 59 49492 37 49733 21 60710 77 43337 39 49060 60 49262 59 49493 37 49734 21 60711 77 43338 39 49061 59 49266 59 49500 36 49735 22 60712 77 43343 39 49061 59 49267 59 49501 36 49737 22 60720 77 43348 39 49066 60 49267 59 49501 36 49742 17 60721 77 43349 39 49066 60 49270 60 49503 36 49742 17 60721 77 43372 40 49068 58 49271 57 49507 36 49748 20 60725 77 44111 56 49069 58 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
43337 39 49054 60 49262 59 49493 37 49734 21 60711 77 43338 39 49060 60 49265 59 49497 37 49735 20 60712 77 43343 39 49062 59 49267 59 49501 36 49737 22 60720 77 43346 39 49064 59 49269 59 49502 36 49742 17 60721 77 43349 39 49068 58 49270 60 49503 36 49742 17 60721 77 44311 56 49068 58 49271 57 49510 37, 58 49749 21 60721 77 44111 56 49069 58 49273 57 49510 37, 58 49749 21 60727 77 44112 57 49076 56												
43338 39 49060 60 49265 59 49497 37 49735 20 60712 77 43339 39 49061 59 49266 59 49500 36 49736 22 60718 77 43346 39 49064 59 49269 59 49502 36 49742 17 60721 77 43349 39 49066 60 49270 60 49503 36 49744 17 60723 77 43372 40 49668 58 49271 57 49510 37 58 49748 20 60725 77 44111 56 49069 58 49272 57 49510 37 58 49770 18 63001 53 44112 57 49070 56 49273 57 49512 37 59 49770 18 63001 53 44118 5												
43339 39 49061 59 49266 59 49500 36 49736 22 60718 77 43343 39 49062 59 49267 59 49501 36 49737 22 60720 77 43346 39 49064 59 49269 59 49502 36 49742 17 60721 77 43347 39 49066 60 49270 60 49503 36 49742 17 60723 77 43372 40 49068 58 49271 57 49507 36 49748 20 60725 77 44111 56 49069 58 49272 57 49510 37, 58 49749 21 60725 77 44112 57 49070 56 49273 57 49512 37, 59 49770 18 63001 53 45411 29 49078 57												
43343 39 49062 59 49267 59 49501 36 49737 22 60720 77 43346 39 49064 59 49269 59 49502 36 49744 17 60721 77 43349 39 49066 60 49270 60 49503 36 49744 17 60723 77 43372 40 49068 58 49271 57 49510 37, 58 49749 21 60727 77 44111 56 49069 58 49272 57 49510 37, 58 49749 21 60727 77 44115 57 49070 56 49273 56 49513 37, 59 49772 18 63001 53 44115 57 49078 57 49276 56 49538 36 49774 21 63001 53 45210 29 49078 57 <td></td>												
43346 39 49064 59 49269 59 49502 36 49742 17 60721 77 43349 39 49066 60 49270 60 49503 36 49744 17 60723 77 43372 40 49068 58 49271 57 49507 36 49748 20 60725 77 44111 56 49069 58 49272 57 49510 37, 58 49749 21 60727 77 44112 57 49076 56 49273 57 49512 37, 59 49770 18 63001 53 44115 57 49076 56 49275 56 49538 36 49778 21 63009 53 45411 29 49078 57 49276 56 49538 36 49778 22 63031 91 45001 80 49081 67												
43349 39 49066 60 49270 60 49503 36 49744 17 60723 77 43372 40 49068 58 49271 57 49507 36 49748 20 60725 77 44111 56 49069 58 49272 57 49510 37, 58 49749 21 60727 77 44112 57 49070 56 49273 57 49512 37, 59 49770 18 63001 53 44115 57 49076 56 49275 56 49513 37, 59 49772 18 63007 90,111 44118 57 49077 56 49275 56 49538 36 49774 21 63009 53 45420 29 49079 54 49276 56 49539 36 49781 22 63011 53 4540 29 49079 54<												
43372 40 49068 58 49271 57 49507 36 49748 20 60725 77 44111 56 49069 58 49272 57 49510 37, 58 49749 21 60727 77 44111 57 49070 56 49273 57 49512 37, 59 49770 18 63001 53 44115 57 49076 56 49274 56 49513 37, 59 49772 18 63007 90, 111 44118 57 49076 56 49275 56 49539 36 49774 21 63009 53 45410 29 49079 54 49277 56 49540 36 49778 22 63011 53 45410 29 49079 54 49277 56 49540 36 49778 22 63011 53 45001 80 49081 6												
44111 56 49069 58 49272 57 49510 37, 58 49749 21 60727 77 44112 57 49070 56 49273 57 49512 37, 59 49770 18 63001 53 44115 57 49076 56 49274 56 49513 37, 59 49772 18 63007 90, 111 44118 57 49077 56 49275 56 49538 36 49774 21 63009 53 45411 29 49078 57 49276 56 49539 36 49778 22 63011 51 45420 29 49079 54 49277 56 49540 36 49779 22 63031 91 46001 80 49081 67 49278 56 49541 36 49781 20 63124 43 46002 80 49130 2												
44112 57 49070 56 49273 57 49512 37, 59 49770 18 63001 53 44115 57 49076 56 49274 56 49513 37, 59 49772 18 63007 90, 111 44118 57 49077 56 49275 56 49538 36 49778 22 63011 53 45410 29 49079 54 49277 56 49540 36 49779 22 63031 91 46001 80 49081 67 49278 56 49540 36 49781 20 63124 43 46001 80 49081 67 49278 56 49541 36 49782 21 63126 43 46002 80 49130 28 49280 57 49543 36 49782 21 63126 43 46032 51 49131 28 <td>43372</td> <td></td> <td>49068</td> <td></td> <td>49271</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	43372		49068		49271							
44115 57 49076 56 49274 56 49513 37, 59 49772 18 63007 90, 111 44118 57 49077 56 49275 56 49538 36 49774 21 63009 53 45411 29 49078 57 49276 56 49539 36 49778 22 63011 53 45420 29 49079 54 49277 56 49540 36 49778 22 63031 91 46001 80 49081 67 49278 56 49540 36 49781 20 63124 43 46001 80 49085 29 49279 57 49542 36 49782 21 63126 43 46005 80 49130 28 49283 56 49546 37 49831 28 63128 42,83 46032 51 49131 28 <td></td>												
44118 57 49077 56 49275 56 49538 36 49774 21 63009 53 45411 29 49078 57 49276 56 49539 36 49778 22 63011 53 45420 29 49079 54 49277 56 49540 36 49779 22 63031 91 46001 80 49081 67 49278 56 49541 36 49781 20 63124 43 46002 80 49085 29 49279 57 49542 36 49782 21 63126 43 46005 80 49130 28 49283 56 49546 37 49831 28 63128 42,83 46032 51 49131 28 49284 56 49547 37 49832 28 63130 42 46048 51 49137 31												
45411 29 49078 57 49276 56 49539 36 49778 22 63011 53 45420 29 49079 54 49277 56 49540 36 49779 22 63031 91 46001 80 49081 67 49278 56 49541 36 49781 20 63124 43 46002 80 49085 29 49279 57 49542 36 49782 21 63126 43 46005 80 49130 28 49280 57 49543 36 49830 28 63128 42, 83 46032 51 49131 28 49280 56 49546 37 49831 28 63130 42 46048 51 49131 28 49284 56 49547 37 49832 28 70624 79 47002 83 49134 30												
45420 29 49079 54 49277 56 49540 36 49779 22 63031 91 46001 80 49081 67 49278 56 49541 36 49781 20 63124 43 46002 80 49085 29 49279 57 49542 36 49782 21 63126 43 46005 80 49130 28 49280 57 49543 36 49830 28 63128 42,83 46032 51 49131 28 49283 56 49546 37 49831 28 63130 42 46048 51 49132 28 49284 56 49547 37 49832 28 70624 79 47002 83 49134 30 49285 57 49553 21 49833 28 70636 79, 97 47025 51 49137 31												
46001 80 49081 67 49278 56 49541 36 49781 20 63124 43 46002 80 49085 29 49279 57 49542 36 49782 21 63126 43 46005 80 49130 28 49280 57 49543 36 49830 28 63128 42,83 46032 51 49131 28 49283 56 49546 37 49831 28 63130 42 46048 51 49132 28 49284 56 49547 37 49832 28 70624 79 47002 83 49134 30 49285 57 49553 21 49833 28 70636 79, 97 47025 51 49137 31 49286 56 49554 21 49910 58 70648 79, 97 47026 51 49138 31					49276							
46002 80 49085 29 49279 57 49542 36 49782 21 63126 43 46005 80 49130 28 49280 57 49543 36 49830 28 63128 42,83 46032 51 49131 28 49283 56 49546 37 49831 28 63130 42 46048 51 49132 28 49284 56 49547 37 49832 28 70624 79 47002 83 49134 30 49285 57 49553 21 49833 28 70636 79, 97 47025 51 49137 31 49286 56 49554 21 49910 58 70648 79, 97 47026 51 49138 31 49288 56 49556 22 49957 35 70924 79 47045 49 49142 28												
46005 80 49130 28 49280 57 49543 36 49830 28 63128 42, 83 46032 51 49131 28 49283 56 49546 37 49831 28 63130 42 46048 51 49132 28 49284 56 49547 37 49832 28 70624 79 47002 83 49134 30 49285 57 49553 21 49833 28 70636 79, 97 47025 51 49137 31 49286 56 49554 21 49910 58 70648 79, 97 47026 51 49138 31 49288 56 49556 22 49957 35 70924 79 47045 49 49142 28 49330 26 49557 22 49958 35 70936 79, 97 47046 49 49150 27												
46032 51 49131 28 49283 56 49546 37 49831 28 63130 42 46048 51 49132 28 49284 56 49547 37 49832 28 70624 79 47002 83 49134 30 49285 57 49553 21 49833 28 70636 79, 97 47025 51 49137 31 49286 56 49554 21 49910 58 70648 79, 97 47026 51 49138 31 49288 56 49556 22 49957 35 70944 79 47045 49 49142 28 49330 26 49557 22 49958 35 70936 79, 97 47046 49 49150 27 49331 26 49558 22 49961 35 70948 79, 97 47100 78 49151 27												
46048 51 49132 28 49284 56 49547 37 49832 28 70624 79 47002 83 49134 30 49285 57 49553 21 49833 28 70636 79, 97 47025 51 49137 31 49286 56 49554 21 49910 58 70648 79, 97 47026 51 49138 31 49288 56 49556 22 49957 35 70924 79 47045 49 49142 28 49330 26 49557 22 49958 35 70936 79, 97 47046 49 49150 27 49331 26 49558 22 49961 35 70948 79, 97 47100 78 49151 27 49332 26 49559 22 51924 96 72036 79 47101 78 49152 27												
47002 83 49134 30 49285 57 49553 21 49833 28 70636 79, 97 47025 51 49137 31 49286 56 49554 21 49910 58 70648 79, 97 47026 51 49138 31 49288 56 49556 22 49957 35 70924 79 47045 49 49142 28 49330 26 49557 22 49958 35 70936 79, 97 47046 49 49150 27 49331 26 49558 22 49961 35 70948 79, 97 47100 78 49151 27 49332 26 49559 22 51924 96 72036 79 47101 78 49152 27 49333 26 49560 17 51936 96 73020 82 47102 78, 83 49153 30 49344 30 49561 17 52936 96 73120 82					49283							
47025 51 49137 31 49286 56 49554 21 49910 58 70648 79, 97 47026 51 49138 31 49288 56 49556 22 49957 35 70924 79 47045 49 49142 28 49330 26 49557 22 49958 35 70936 79, 97 47046 49 49150 27 49331 26 49558 22 49961 35 70948 79, 97 47100 78 49151 27 49332 26 49559 22 51924 96 72036 79 47101 78 49152 27 49333 26 49560 17 51936 96 73020 82 47102 78, 83 49153 30 49334 30 49561 17 52917 47, 97 73021 82 47210 78 49154 <t< td=""><td></td><td></td><td></td><td></td><td>49284</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>					49284							
47026 51 49138 31 49288 56 49556 22 49957 35 70924 79 47045 49 49142 28 49330 26 49557 22 49958 35 70936 79, 97 47046 49 49150 27 49331 26 49558 22 49961 35 70948 79, 97 47100 78 49151 27 49332 26 49559 22 51924 96 72036 79 47101 78 49152 27 49333 26 49560 17 51936 96 73020 82 47102 78, 83 49153 30 49334 30 49561 17 52917 47, 97 73021 82 47210 78 49154 30 49335 30 49562 17 52936 96 73120 82 47210 78 49156 31			49134		49285							
47045 49 49142 28 49330 26 49557 22 49958 35 70936 79, 97 47046 49 49150 27 49331 26 49558 22 49961 35 70948 79, 97 47100 78 49151 27 49332 26 49559 22 51924 96 72036 79 47101 78 49152 27 49333 26 49560 17 51936 96 73020 82 47102 78, 83 49153 30 49334 30 49561 17 52917 47, 97 73021 82 47103 78 49154 30 49335 30 49562 17 52936 96 73120 82 47210 78 49155 29 49336 31 49563 17 56923 96 73121 82 47211 78 49156 31	47025		49137		49286							
47046 49 49150 27 49331 26 49558 22 49961 35 70948 79, 97 47100 78 49151 27 49332 26 49559 22 51924 96 72036 79 47101 78 49152 27 49333 26 49560 17 51936 96 73020 82 47102 78, 83 49153 30 49334 30 49561 17 52917 47, 97 73021 82 47103 78 49154 30 49335 30 49562 17 52936 96 73120 82 47210 78 49155 29 49336 31 49563 17 56923 96 73121 82 47211 78 49156 31 49337 31 49566 22 56924 96 73122 82 47212 78 49157 31 <td></td>												
47100 78 49151 27 49332 26 49559 22 51924 96 72036 79 47101 78 49152 27 49333 26 49560 17 51936 96 73020 82 47102 78, 83 49153 30 49334 30 49561 17 52917 47, 97 73021 82 47103 78 49154 30 49335 30 49562 17 52936 96 73120 82 47210 78 49155 29 49336 31 49563 17 56923 96 73121 82 47211 78 49156 31 49337 31 49566 22 56924 96 73122 82 47212 78 49157 31 49340 26 49567 22 56929 96 73123 82	47045		49142		49330							
47101 78 49152 27 49333 26 49560 17 51936 96 73020 82 47102 78, 83 49153 30 49334 30 49561 17 52917 47, 97 73021 82 47103 78 49154 30 49335 30 49562 17 52936 96 73120 82 47210 78 49155 29 49336 31 49563 17 56923 96 73121 82 47211 78 49156 31 49337 31 49566 22 56924 96 73122 82 47212 78 49157 31 49340 26 49567 22 56929 96 73123 82												
47102 78, 83 49153 30 49334 30 49561 17 52917 47, 97 73021 82 47103 78 49154 30 49335 30 49562 17 52936 96 73120 82 47210 78 49155 29 49336 31 49563 17 56923 96 73121 82 47211 78 49156 31 49337 31 49566 22 56924 96 73122 82 47212 78 49157 31 49340 26 49567 22 56929 96 73123 82												
47103 78 49154 30 49335 30 49562 17 52936 96 73120 82 47210 78 49155 29 49336 31 49563 17 56923 96 73121 82 47211 78 49156 31 49337 31 49566 22 56924 96 73122 82 47212 78 49157 31 49340 26 49567 22 56929 96 73123 82												
47210 78 49155 29 49336 31 49563 17 56923 96 73121 82 47211 78 49156 31 49337 31 49566 22 56924 96 73122 82 47212 78 49157 31 49340 26 49567 22 56929 96 73123 82			49153		49334							
47211 78 49156 31 49337 31 49566 22 56924 96 73122 82 47212 78 49157 31 49340 26 49567 22 56929 96 73123 82			49154		49335							
47212 78 49157 31 49340 26 49567 22 56929 96 73123 82			49155		49336							
					49337							
47213 78 49162 27 49342 26 49575 20 56930 96 73131 82												
	47213	78	49162	27	49342	26	49575	20	56930	96	73131	82

INDEX

72122	82	85054	84	85713	92	89245	33	AU-S4	65	DG-80FG	62
73132 73140	82 82		84 84	85713 85714	92 92	89245 89246	33	AU-S6	65		62
73140	82 82	85058 85078	84	85720	92 86	89246	24	AU-S8	65	DG-100 DG-100FG	62
	82 82		84		86	89274	24		65		62
73300	82 82	85088 85090	84	85720IB 85720PP	86	89275	24	AU-S10	65	DG-106	62
73310 73320	62 47		84		86		45	AU-S12		DG-108	62
		85098		85721		90324		AX-3	89	DG-116	
75036	78	85310	85	85723	86	90330	45	AX-3FG	89	DG-118	62
75936	78	85422	94	85725	86	90424	45	AX-3M	90	DG-126	63
76502	78	85423	94	85728	86, 131	90430	45	AX-3P	89	DG-128	63
76503	78	85424	94	85730	87	92024	45	AX-5	89	DG-186	63
76602	78	85426	94	85731	87	92030	45	AX-B1	90	DG-188	63
76603	78	85427	94	85732	87	92036	45	AX-B2	90	DG-AEH	53
76801	83	85428	94	85733	87	92042	45	AX-DB3	90	DG-AEH-60	53
76821	83	85430	94	85736	87	92048	45	AX-DB3FG	90	DG-IGH	53
77036	51	85450	93	85738	87	92324	45	AX-P3	90	DG-PP60	91
77136	51	85452	93	85740	86	92330	45	В		DG-WP60	91
78908	61	85455	93	85750	84	92336	45			DR-DC4	94
78912	61	85462	85	85755	84	92342	45	BF-20P	56	DR-DC5	94
78916	61	85465	85	85765	86	92348	45	BF-25	56	DT-1640	67
82008	49	85466	85	86036	48	96022	99	BH-30	52	DW-D1	65
82014	49	85468	85	86050	48	96032	99	BH-35	52	E	
82018	49	85469	85	87003	48	96322	99	BL24	72	-	
82084	51, 97	85480	94	87028	48	96624	<i>78, 99</i>	BP-20	<i>77</i>	EF-20D	<i>57</i>
82104	49	85481	94	87600	67	96636	<i>78, 99</i>	BR-10	42	EF-30D	<i>57</i>
82106	49	85482	94	87605	67	96640	61	BR16	41	EXA36	72
82118	49	85483	94	87610	67	96716	99	BR-20	42	EXB36	72
82124	49	85484	93	87625	67	96721	99	BR-30	42	EXS24	71
82136	49	85485	94	87640	67	96800	98	BR-35	42	F	
82328	51	85486	93	89023	32	96803	98	BR-40	41	'	
82384	51, 97	85487	93	89024	32	96806	99	BR-80	41	FF-30	57
82500	51	85490	93	89025	32	96807	99	BR-90	42	FP-20	74
82602	50	85491	93	89026	32	96808	99	С		FR-21	43
82614	50	85495	93	89044	32	96809	98			FR-70	77
82624	50	85496	93	89045	32	96810	98	CC20	82	6	
82704	49	85499	93	89084	25	96811	61	CC20A	82	G	
82706	49	85525	90	89085	25	96813	98	CE24	<i>7</i> 5	GC-10	55
82718	49	85526	90	89095	25	96817	99	CE36	<i>7</i> 5	GC-20	55
82724	49	85529	91	89123	25	96818	98	CE48	<i>7</i> 5	GC-30	55
82728	49	85532	90	89124	25	96820	98	CE612	<i>7</i> 5	GC-40	55
82736	49	85534	90	89125	25	96823	98	CE816	<i>7</i> 5	GC-70	77
82902	50	85535	90	89126	25	96827	98	CF5	56	GC-70H	77
82904	50	85536	91	89133	25	96829	98	CL24	72	GH-10	52
82905	50	85537	91	89134	25	96830	98	D		GH-20	52
82906	50	85541	91	89135	25	96833	98	D		GH-30	52
82918	50	85543	91	89136	25	96838	98	DG-10	62	GH-40	52
82919	50	85545	90	89184	25	_		DG-11	62	GH-80	52
82924	50	85547	90	89185	25	A		DG-11FG	62	GH-90	52
82925	50, 97	85549	91	89194	33	AF-20	57	DG-12	63	GP-2	90
82926	49	85550	91	89195	33	AF-20D	57	DG-12FG	63	GP-2FG	90
82928	51	85552	91	89223	32	AP100	98	DG-15	63	GP14	58
82936	50	85560	91	89224	32	AR-30	42, 83	DG-16	63	GP14D	58
83084	51, 97	85620	64	89225	32	AS19	58	DG-17	<i>62</i>	GS18	<i>58</i>
83328	51, 51	85623	64	89226	32	AS19D	58	DG-17	62	GS18D	<i>58</i>
83384	51, 97	85630	64	89233	24	AS200	98	DG-171G	63		55
83728	49	85633	64	89234	24	AU-02T	65	DG-18 DG-19	91	Н	
83928	51	85701	92	89235	24	AU-A1	<i>65</i>	DG-19 DG-23	91 91	H800	52
85008	84	85703	92	89236	24	AU-A2	<i>65</i>	DG-25	62	H800 HB-2	32 88
85010	84	85704	92	89243	33	AU-S2	<i>65</i>	DG-23	63		88
85050	84	85712	92	89244	33	AU-S3	<i>65</i>	DG-00 DG-75	63	HB-2FG	88
33030	07	33,12	J_	332	33	11 ,10 33	0.5	DG-73	U.S	HB-3	ōŏ

HB-3FG	88	P		S600D	17	SH-12	89	SV-GD24	30	Т	
HB-4	88			S601	17	SH-12FG	88	SV-GD34	30		
HB-4FG	88	PB24	49	S601D	17	SH-16	89	SV-GD34CB	30	TP-8FG	84
HD-2	88	PB24R	49	S604	22	SH-16FG	88	SV-GD44	21	TP-30	84
HD-3	88	PD48	62	S604D	22	SH-20	53	SV-GD50	30	TP-32	84
HD-3FG	88	PD96	62	S605	21	SH-20FG	88	SV-GL24	30	TP612	74 42
HD-4	88	PP100	98	S605D	21	SH-20W	<i>89</i>	SV-IR50	29	TR-30	42
HD-4FG	88	PR24	40	S700	17	SH-36	52	SV-LD20	31	V	
HE-2	88	PS200	98	S700D	17	SH-37	<i>52</i>	SV-LD30	31		
HE-2FG	88	PSE200	98	S701	17 17	SK-70H	77 89	SV-LD40	23 28	VH-70	77
HE-3	88			\$701D \$702	25	SM-6A	89 89	SV-LR10 SV-LR20	28 27	w	
HE-3FG	88	R		\$702 \$703	25 25	SM-6FG	89 89	SV-LR25	29		
HE-4	88	RB-31	127	S704	22	SM-6P	89	SV-LR30	26	WB-4S	86
	88	RB-53	127	S704D	22	SM-8	89	SV-LR30CB	26	WB-6P	86
HE-4FG		RF-30	55	S705	21	SM-8A	89	SV-LR34	26	WB-6S	86
HE-6	88	RN-1B1	126	S705D	21	SM-8FG	89	SV-LR40	19	WB-6SHD	86
HE-8	88	RN-1B2	126	S706	20	SN-1	66	SV-LR50	26	WB-6SHDS	86
HF-20	57	RN-1B3	126	S707	20	SN-8	66	SV-LR70	77	WB-10P	86
HM-949	91			S708	24	SN-9	66	SV-LR80	19	WB-JR	86
1		RN-1H1	126	S709	24	SP-16LB	66	SV-LR90	28	WB-JRB	86
		RN-1H2	126	S710	20	SP-16UB	66	SV-LS11	28	WE-20	67 67
IC24	78	RN-1H3	126	S710D	20	SP-16UG	66	SV-LS21	27	WE-30 WE-35	67 67
IC-30	61	RN-1H4	126	S712	17	SP30	56	SV-LS31	26	WE-40	67
IC36	78	RN-1PBH1	126	S713	20	SP48	85	SV-LS31CB	26	WE-51	54
L		RN-1PBH2	126	S714	20	SP60	85	SV-LS35	26	WE-52	54 54
-		RN-1PBH3	126	S715	22	SP100	98	SV-LS41	19	WE-60	54
LF-18	38	RN-541	127	S715D	22	SR22	38	SV-LS51	26	WE-65	54
LF-20	40	RN-542	127	S717	24	SR-30	43	SV-LS81	19	WE-70H	77
LF-20CG	40	RN-641	127	\$800	18	SS48	<i>75</i>	SV-LS91	28	WH-30	52
LF-22	38	RN-642	127	S801	18	SS60	<i>75</i>	SV-LT34	29	WH-70H	77
LF-25	38	RN-741	127	S805D	21	SS72	75	SV-PD50	30	WP-1010	70
LF-30P	40	RN-742	127	S819D	21	SS200	98	SV-RS20	29	WP-1020	70
LF-30PCG	40	RN-B1	127	SB24R	49	SV-CR50	29 31	SV-RS40	20	WP-1030	70
LF-40	38	RN-B2	127	SB-48 SC-10	91 61	SV-DD10	31 31	SV-RS50 SV-SDA10HM	29 59	WP-2110	73
	<i>77</i>	RN-B3	127	SC-20	61	SV-DD20 SV-DD30	31	SV-SDA12	59	WP-2120	73
LF-70		RN-H1	127	SC-24	61	SV-DD30CB	31	SV-SDA14	<i>60</i>	WP-2130	73
LH16	43	RN-H2	127	SC-30	61	SV-DD40	23	SV-SDA14HL	59	WP-2135	73
M		RN-H3	127	SC-48	61	SV-DD46	23	SV-SDA14HM	59	WP-2136	73
		RN-H4	127	SC-79	61	SV-DD50	31	SV-SDP12	58	WP-2137	73
MC-5	91	RN-PBH1	127	SC-79D	61	SV-DD80	23	SV-SDP12L	58	WP-2140	73
MC-5FG	91	RN-PBH2	127	SD-20	54	SV-DR12	28	SV-SDP12W	60	WP-2145	73
MF-24	56		127	SE12	<i>75</i>	SV-DR22	27	SV-SDP12WL	60	WP-3210	71
MF-24L	56	RN-PBH3		SE24	<i>75</i>	SV-DR32	26	SV-SDP12WP	60	WP-3220	71 71
MF-25	56	RN-X1	127	SE36	<i>75</i>	SV-DR42	19	SV-SDS12	60	WP-3230 WP-5400	71 76
MF-25L	56	RN-X3	127	SE48	<i>75</i>	SV-DR52	26	SV-SDSC2	60	WP-5401	76
MF-26	56	RP-5FG	90	SE612	<i>75</i>	SV-DR72	<i>77</i>	SV-SLA12	59	WP-5401 WP-5402	76
MF-45	56	RP-5H	90	SE816	<i>75</i>	SV-DR82	19	SV-SLSC2-54	60	WP-5403	<i>76</i>
MG-2	91	RP-6FG	90	SE824	<i>75</i>	SV-DR92	28	SV-SP20	98	WP-6525	74
MG-2FG	91	RP-6H	90	SF-10	56	SV-DRCH	30	SV-SP22	98	WP-6535	74
MH10	82	RR-25	99	SF-30	56	SV-DRMP	30	SV-SP25	98	WP-6555	74
MH-20	82	RR-25X	99	SF-40	56	SV-DRMPFG	23	SV-SS10	60	WP-7621	69
MH-30	82	RR-DN	127	SG1	21	SV-DS13	28	SV-SS10L	60	WP-7624	69
MP-5	91	RR-HHM	127	SG-2DH	30	SV-DS23	27	SV-SS11	60	WP-7630	69
MP-5FG	91	RR-HLM	127	SG-2LH	30	SV-DS33	26	SV-SS20	98	WP-8708	69
MP-5P	91 91	RR-HM	127	SH-4	89	SV-DS43	19 26	SV-SS22	98	WR-12	91
IVIF-JF	71	RR-HS	127	SH-6	89 00	SV-DS53	26 77	SV-SS25	98 22	WW-4	89
		RR-SM	127	SH-6FG	88 89	SV-DS73	77 19	SV-TR14	32 32	WW-5	89
		RR-XM	127	SH-8EG	89 88	SV-DS83	19 28	SV-TR15	32 25	WW-6	89
N				SH-8FG SH-8P	88 89	SV-DS93 SV-DSMP	28 30	SV-TR44 SV-TR45	25 25		
		S		SH-10	89	SV-DSIVIP	29	SW7	61		
NT-70H	77	\$600	17	SH-10FG	88	SV-GD10	30	J,	31		
		3000	1/	0.7 107 0	00	0. 0010	30	I		1	



SEYMOUR'

LINK HANDLES

MIDWEST RAKE®

Toolite



Provalue

\$MART₂BUY

















#YDIS193 © 2016 Seymour Midwest LLC