

## **Quality Tools for Smart Cleaning**



## **PRODUCT ASSORTMENT 2016**

Valid from 01.01.2016

EN / VK061

## **2016** INNOVATION, EFFICIENCY & UNGER PROFESSIONAL QUALITY

#### FOR REAL PROFESSIONALS

Since more than 50 years, **UNGER** has gained considerable international reputation as leading manufacturer of professional cleaning and maintenance tools. In the process, our principles have always been innovation, first-class quality and customer-oriented development. At the same time, we have continuously expanded and advanced our product range in various areas. All **UNGER** systems are designed on the basis of effective, ergonomic and thorough work performance. Professional cleaning contractors in more than 80 countries around the world trust in UNGER quality, and in the fact that they receive the proper tools for the variety of cleaning requirements. It is our goal to help you save time and money, while achieving even better results. In addition to high quality standards and innovative product development, we maintain a sophisticated customer service that is always at your disposal for quick delivery and quick solutions to your requirements.



THE PREMIUM IN CLASSIC WINDOW CLEANING ErgoTec® NINJA is our premium range of sophisticated tools. Every product within ErgoTec® NINJA family is loaded with features to help you achieve outstanding results with minimum effort; high quality materials for each component have been carefully selected to ensure the best performance.  $p_{p.36}$ 

HYDRC POWER



Info:



THE MOST EFFICIENT DI PURE WATER SYSTEM EVER! nLite® HydroPower DI Filters exceed the highest requirements to efficiency, workflow organisation and comfort. They are part of the nLite® Cleaning System that offers practical solutions to professionals'.

, О<sub>р. 22</sub>



**EVOLUTIONARY WATER FED POLE TECHNOLOGY** Our latest developments such as the pioneering **HiFlo nLite**<sup>®</sup> Water Fed Poles is the most advanced glass cleaning tools of all times. With high tech design and multitude of useful features, **nLite**<sup>®</sup> is engineered to minimize fatigue and make it a pleasure to use the system, even when working at heights of up to 20 m.



GER

, О<sub>р. 40</sub>

Quality Tools for Smart Cleaning

**GREATER RESULTS – WITH LESS EFFORT!** For some time Squeegee users all around the world have been 'Dog Earring' their channels to improve performance and reduce detailing. Curved ends support the rubber at the edges for improved cleaning close to frame.



O<sub>p. 10</sub>

STINGRAY – THE MOST EFFICIENT INDOOR CLEANING TOOL EVER Introducing the revolutionary **UNGER Stingray,** the most efficient indoor cleaning tool ever. It cleans windows up to 25 % faster and uses up to 39 % less chemical than traditional methods.

р. 60

## TABLE OF CONTENTPRODUCT ASSORTMENT

#### WINDOW CLEANING

#### PURE WATER SYSTEM

| Introduction Pure Water System  | 8                    |
|---|----------------------|
| B: Water Fed Pole System<br>Introduction<br>HiFlo nLite® Master Poles, Extensions<br>HiFlo Advance Telescopic Poles   | 14                   |
| C: HiFlo nLite <sup>®</sup> & HiFlo Goosenecks  | 16                   |
| D: HiFlo nLite <sup>®</sup> & HiFlo Brushes   | 17                   |
| A: Pure Water Filters<br>Introduction<br>nLite® HydroPower DI Filter<br>nLite® HydroPower DI Kits<br>Ion Exchange Resin<br>nLite® HydroPower RO XXL<br>HiFlo RO Filter. | 22<br>26<br>27<br>28 |
| Accessories   | 32                   |

#### TRADITIONAL WINDOW CLEANING

| Introduction Traditional Window Cleaning<br>Icons and Overview |    |
|--|----|
| ErgoTec® NINJA System  |    |
| Squeegees  |    |
| Washers  | 42 |
| Telescopic Poles<br>Adapters & Maintenance                     |    |
| Scrapers   | 50 |
| Cloths   | 54 |
| Gloves   | 55 |
| Belts & Pouches  | 56 |
| Buckets & Soap   | 58 |
| Cleaning Sets  | 59 |

#### INDOOR WINDOW CLEANING

| NEW STINGRAY System           | 60 |
|-------------------------------|----|
| Indoor Window Cleaning System |    |





#### LITTER PICKING & REACHING AIDS

| Introduction  | 66 |
|---|----|
| Waste Collection<br>NiftyNabber® Bagger             | 66 |
| Paper Picker  | 67 |
| Grabber<br>NiftyNabber® Pro<br>NiftyNabber® Trigger |    |



#### MAINTENANCE

| Introduction                      | 68  |
|-----------------------------------|-----|
| Floor Cleaning                    |     |
| Floor Squeegees                   |     |
| Floor Handles                     |     |
| Maintenance Tools                 | 72  |
| Floor Scrapers                    |     |
| Cleaning Cart                     |     |
| Double Bucket & Mop Holder        | 75  |
| Microfibre Mops                   |     |
| Mop Handles, Brushes, Sets        | 77  |
| Microfibre Cloth System           |     |
| Microfibre Cloths, Grading System | 78  |
| Cloths & Sprayer                  |     |
|                                   |     |
| Bathroom Cleaning                 | 0.0 |
| Toilet Cleaning                   |     |
| Surface Cleaning                  |     |
| Inspection Tools                  | 80  |
| Dusting & Brushes                 |     |
| Brushes & Dusters                 | 82  |
| Microfibre Dusters                | 83  |

#### QUALITY OF UNGER PRODUCTS



0

**PREMIUM** Top of the range product, loaded with features

\*\* BEST

High on features bestseller
BETTER

Standard version

**GOOD** Basic version. Good value option.



p. XXX Quick Product Finder

p. XXX Further Information

i







#### **100 % Customer Satisfaction Guarantee**

At **UNGER**, we aim to stand apart from the rest thanks to our special "Yes We Can!" service spirit. We love what we do and as proof of that, we promise to deliver a 100 % Customer Satisfaction Guarantee on every product and service we offer. This ensures that every **UNGER** product you purchase meets your high standards – or you can return it for a replacement or refund. We have been manufacturing cleaning products

and systems since 1964. In that time we've learned a lot about what makes great tools. Plus, we listen to your feedback – all of it. You can count on everything we offer to be highly functional and provided with an exceptional service level at all times. Which means you can't go wrong with products from **UNGER**, this is our promise to you... or you get your money back.



UNGER



## WINDOW CLEANING



## **Professional Window Cleaning**

#### Delivering expert solutions and high quality service for over 50 years

**UNGER** is driven to continually develop new products that offer real value to cleaning professionals. All products are customer-oriented developed and approved by customers, before going to the market. The past more than 50 years have been filled with major milestones, many of which you will find in this catalogue.

MARKET LEADER UNGER has gained considerable international reputation as leading manufacturer of professional cleaning and maintenance tools. Cleaning contractors in more than 80 countries around the world trust in UNGER quality. Every **UNGER** product is designed with end user safety, comfort and efficiency in mind.

#### **UNGER BRAND STANDS FOR**

- → INNOVATION
- $\rightarrow$  QUALITY
- → SERVICE

#### PURE WATER CLEANING SYSTEM



Applied with water fed pole system such as **HiFlo nLite®**, **PURE WATER** water is the most efficient efficient way of cleaning at heights of up to 20 m safely from the ground. What's more, it requires no chemicals or drying the glass – saving time and money!

**TYPICAL APPLICATIONS:** Residential or commercial window cleaning, large areas of glass, building facades, vehicles, signs and solar panels.

#### TRADITIONAL WINDOW CLEANING

WINDOW CLEANING



Traditional handheld tools, designed to meet the demands of the professional window cleaning industry (see page 34). **TYPICAL APPLICATIONS:** Suitable for cleaning most types of outdoor and indoor glass and windows.

#### INDOOR WINDOW CLEANING



Innovative and effective tools, designed to meet the demands of general cleaners for quick and efficient indoor window cleaning (see page 60).

**TYPICAL APPLICATIONS:** Suitable for cleaning indoor glass, windows, mirrors and many other types of surfaces. Perfect for hard to reach areas and safe cleaning of surfaces at heights of up to 10 m.

### WINDOW CLEANING > PURE WATER SYSTEM

## **Cleaning with Pure Water**

#### WHAT IS PURE WATER ?

It's water in its purest form, physically processed to remove the minerals that would otherwise lead to limescale spots and streaks.

Such impurities are referred to as **TDS** (total dissolved solids) and are measured in **ppm** (parts per million).

The water is considered 100 % demineralised (pure) when TDS is 0 ppm.

#### ADVANTAGES

#### SAFETY

- **UNGER** Pole Systems allow to clean at heights of up to 20 m safely from the ground
- No need to use dangerous ladders or hire expensive equipment

#### LABOUR EFFICIENCY

- One step cleaning no need to dry windows
- Large areas can be cleaned faster than using traditional methods

#### **ECONOMIC BENEFITS**

- Improved safety helps to reduce insurance cost
- Greater efficiency means more work can be done in the same time
- No need to use expensive chemicals good for environment, operator and client!

#### WHY USE PURE WATER FOR CLEANING?

Because it's pure it offers superior cleaning power and results without the need for chemicals, leaving glass and surfaces spot and streak free - saving time, effort and money.

Applied with a water fed pole system, such as **UNGER HiFlo nLite**<sup>®</sup>, pure water is a fast, safe and effective method of cleaning, especially at height.

#### **TYPICAL APPLICATIONS**


#### WINDOW AND FACADE CLEANING:

- Fast and effective method great results!
- Easy access to hard to reach areas



#### PV- AND SOLAR PANEL CLEANING:

- Regular cleaning prevents build up of dirt for greater energy output
- Solar yield can be increased significantly!
- Cleaning with 100 % pure water leaves no streaks or detergent residue









#### PURE WATER FILTERS

There are 2 recognised methods of pure water production in the window cleaning industry - Reverse Osmosis and Deionisation.

The **UNGER** range includes filters utilising either of these methods - turn to page 21 for more information.

#### 🔎 p. 21

#### WATER FED POLE SYSTEMS

Light, modular and easy to use. Our **HiFlo nLite**<sup>®</sup> System sets a new benchmark in professional cleaning technology. Suitable for cleaning of glass and building facades, stainless steel, solar panels, signage and vehicles, the innovative system includes everything you need to clean at heights of up to 20 m (65 ft) high safely from the ground.

#### 🔎 p. 10

#### **GOOSENECKS (ANGLE ADAPTERS)**

Strong and light carbon fibre goosenecks allow the **nLite**<sup>®</sup> Brush to be screwed directly on to the gooseneck and then quickly fitted to the water fed pole to achieve any working angle.

🔎 p. 16

#### BRUSHES

Superlight Brushes feature high quality polyester or natural bristles designed to get into the smallest corner and help with scrubbing actions. With up to 12 different Jet locations and choice of sizes, there is a perfect Brush to help you overcome any cleaning challenge.

🔎 p. 17



## WINDOW CLEANING > WATER FED POLE SYSTEM



## Evolutionary Pole Technology for Professionals

- Innovative engineering
- Ease of use
- Adaptability

Suitable for cleaning of glass and building facades, stainless steel, solar panels, signage and vehicles, the innovative system includes everything you need to clean at heights of up to 20 m (65 ft) high safely from the ground.

Depending on the type of material, the four section **HiFlo nLite®** Master Pole has an extended length of up to 6.63 m (22 ft)\*, but greater heights can be easily reached and cleaned by adding two-section Extension Poles to the base of the Master Pole.

Each extension adds a further 3.41 m (11 ft) of extended length or 3 m (10 ft) on selected materials.

Add up to 4 Extension Poles to a Master Pole to reach the required height.

The number of Extension Poles that can be added depends on the pole material – see our Pole Selection Guide overleaf for details.

Crucially, the Extension Poles don't add anything to the width, grip and feel of the Pole which always measures 35 mm in diameter – an optimum size that fits easily into the hands of the professional for quick and comfortable cleaning.

Light, modular and easy to use, our **HiFlo nLite®** System sets a new benchmark in professional cleaning technology.

\* Master Pole length vary depending on pole material



## Perfection in every detail

#### CLAMPS

Easy and fast handed operation. Convenient **UNGER** Logo shaped screw for adjusting the tension of the clamp without tools. Yellow clamps identify the next modular component to prevent unintentional separation. Every clamp features removable Hose Clips for securing the Hose along the length of the Pole to avoid tangling and improve safety.



#### **HOSE MANAGEMENT**

The Hose management system focuses on user safety and convenience – fit the hose inside of the pole or secure it along the length of the pole, using removable hose clips. Whichever option you choose, the hose is kept under control to eliminate any potential safety risks.

#### ENDCAP

Made of durable plastic with ruber insert, the Endcap prevents accidental damage to the end of the pole. Features side aperture for hose.

## **Pole Materials**

With 6 grades of material to choose from, the **HiFlo nLite**<sup>®</sup> range provides the perfect balance between weight and rigidity.

See more details on next pages.

| <mark></mark> | ULTRA HIMOD ULUS CARB | ON |  |    |
|---------------|-----------------------|----|--|----|
| Нім           | Himodulus CARBON      |    |  |    |
| CAR           | CARBON                |    |  |    |
| НҮВ           | HYBRID                | i  | HiFlo nLite® ONLINE CONFIGURAT(  | DR |
| GLA           | GLASS FIBRE           |    | Build your personal<br><b>HiFlo nLite</b> ® System at<br>www.ungerglobal.com |    |
| ALU           | ALU                   |    |  |    |

## WINDOW CLEANING > WATER FED POLE SYSTEM

## **Rigidity of Pole Materials**

The highest professional cleaning standards are even easier to achieve with an **HiFlo nLite®** Pole System thanks to its perfect balance between weight and rigidity. Pole sets on the opposite page are recommened for comfortable and efficient work at specific maximum heights – based on the ultimate pole material strength, rigidity and weight.

#### THE MOST RIGID WATER FED POLE ON EARTH!

Having set an industry gold standard with our **HiFlo nLite**<sup>®</sup> professional water fed pole range, we've challenged ourselves to build the stiffest, most rigid water fed pole in the world! In 2014 we launched our **Ultra HiMod Carbon Fibre Pole –** 

the stiffest, most rigid water fed pole in the world, made using a complex combination of carefully selected ultra rigid premium carbon fibres to achieve an unrivalled **LDR of 74.4**. Ultimate strength of material: **760 GPa, 110 MSI**.

#### LDR EXPLAINED

The **Length Deflection Ratio (LDR)** has been developed by the **UNGER** Research and Development Team to provide a quantifiable way of measuring the perfect balance between length and rigidity of water fed poles.

The LDR formula accurately measures the deflection (or the rigidity) of the pole when fully extended, with a 2 kg weight attached to the centre of the pole. This simulates the average force applied to the pole in operation.

Complete specifications, including **LDR value** for measuring pole rigidity, are printed on every **HiFlo nLite**<sup>®</sup> Pole.

The resulting number reflects the rigidity of the pole: **the higher the LDR number – the greater the rigidity** (or stiffness) of the pole.

LDR =

overall length<sup>3</sup> deflection × 7<sup>2</sup>

#### **GREATER LDR VALUE = GREATER RIGIDITY!**

#### **GRADING SYSTEM - ULTIMATE STRENGTH OF MATERIAL**

| ULTRA HIMODULUS CARBON FIBRE: | 760 GPa |
|-------------------------------|---------|
| HIMODULUS CARBON FIBRE:       | 360 GPa |
| CARBON FIBRE:                 | 210 GPa |

GPa (gigapascal) is a measurement unit of material stiffness.

HYBRID (Glass Fibre/Carbon Composite):96 GPaGLASS FIBRE:70 GPaALUMINIUM:30 GPa

#### **CARBON FIBRE POLE STRUCTURE**

**LENGTHWISE FIBRES:** Provide the strength and rigidity needed in the lengthwise direction.

**CROSSWISE FIBRES:** Secure the tube structure to protect the lengthwise layers of carbon from splitting, thus facilitating a low rate of deflection even when the pole is fully extended.


**SURFACE:** The woven structure with a special resin reinforces the pole surface, making it incredibly hard, scratch and wear resistant.



## **Pole Selection Guide**

Greater heights require poles with greater rigidity and lower weight for optimal performance. When selecting the pole, also consider duration of the job – the longer you work, using a lighter pole can help reduce fatigue. All heights shown in the guide below are **maximum** recommended working heights for specific pole material.

#### Recommended pole sets below provide the perfect balance between weight and rigidity for working at specific heights.



#### **INFO**


• Remember that you can always reduce pole length to work at a lower height by removing the Extension Poles or collapsing the sections!

• Please consider local safety regulations on maximum working height permitted, as well as any restrictions on working at height due to adverse weather conditions.

• Your Approved UNGER Dealer can provide further advice on pole selection, with optimal rigidity, to meet your personal requirements and needs.

4x Extension UH35G

### WINDOW CLEANING > WATER FED POLE SYSTEM > TELE MOD & TELESCOPIC POLES



#### 

#### HiFlo Advance WATER FED TELESCOPIC POLES

A perfect choice for professional window cleaning, these quality poles are great value and reliable. Choose from carbon or glass fibre, extending to various lengths – from 2.80 m to 16 m.

#### FEATURES:

- Pole sections made of strong and sturdy material
- Robust and easy to operate clamp connections quick adjustment of height
- Internal hose, including standard connector for water filter. 4 metres extra length when pole is fully extended.
- Ideal for high and narrow buildings
- Fully compatible with **HiFlo MultiLink** Goosenecks, Extensions and Brushes

CARBONTEC TELESCOPIC



| Recomme   | <b>c Master Pole.</b><br>Inded for workir<br>ad Adapter and   | ng at heights of  | up to 20 m /6  | 5 ft.   | 5 GPa*                            |  | <b>sponding Teles</b><br>Jal warning are                                 |  |  | aration.                     |      |
|---|---|---|--|---|-----------------------------------|--|--|--|--|------------------------------|------|
| Part No.  | Extended  | Collapsed   | Sections   | Weight  | Pack                              | Part No.   | Extended   | Collapsed  | Sections                                       | Weight                       | Pack |
| UH67G   | 6,63 m  | 1,87 m  | 4  | 1,5 kg  | 1                                 | UH35G  | 3,41 m   | 1,91 m   | 2  | 0,7 kg                       | 1    |
| HiFl  | o nLite® HIN  | MOD CARB  | ON MASTE   | R POLE  |                                   | HiFu   | nLite® HIN   | 10D CARB   | ON EXTEN                                       | SION POLE                    | E    |
| Recomme   | <b>c Master Pole.</b><br>ended for worki<br>ad Adapter and  | ng at heights o   | f up to 20 m /   | 65 ft.  | 0 GPa*                            |  | sponding Teles   |  |  | aration.                     |      |
| Part No.  | Extended  | Collapsed   | Sections   | Weight  | Pack                              | Part No.   | Extended   | Collapsed  | Sections                                       | Weight                       | Pack |
| UC67G   | 6,63 m  | 1,87 m  | 4  | 1,5 kg  | 1                                 | UC35G  | 3,41 m   | 1,91 m   | 2  | 0,7 kg                       | 1    |
| HiFl  | o nLite® CA   | RBON MAS  | TER POLE   |   |                                   | HiFl   | <b>nLite</b> ® CA  | RBON EXT   | ENSION PO                                      | DLE                          |      |
| Recomme   | <b>c Master Pole.</b><br>Ended for worki<br>ad Adapter and  | ng at heights o   | f up to 13,50 r  | n/43 ft.  | 0 GPa*                            |  | sponding Teles<br>Jal warning are  |  |  | aration.                     |      |
| Part No.  | Extended  | Collapsed   | Sections   | Weight  | Pack                              | Part No.   | Extended   | Collapsed  | Sections                                       | Weight                       | Pack |
| CT67G   | 6,63 m  | 1,87 m  | 4  | 1,6 kg  | 1                                 | CT35G  | 3,41 m   | 1,91 m   | 2  | 0,8 kg                       | 1    |
| HiFl  | o nLite® HY   | BRID MAST   | ER POLE  |   |                                   | HiFu   | o nLite® HY  | BRID EXTE  | NSION PO                                       | LE                           |      |
| Recomme   | <b>c Master Pole.</b><br>Ended for worki<br>ad Adapter and  | ng at heights o   | f up to 10 m/3   | 35 ft.  | GPa*                              |  | sponding Teles<br>Jal warning are  |  |  | aration.                     |      |
| Part No.  | Extended  | Collapsed   | Sections   | Weight  | Pack                              | Part No.   | Extended   | Collapsed  | Sections                                       | Weight                       | Pack |
| HT67G   | 6,63 m  | 1,87 m  | 4  | 1,7 kg  | 1                                 | HT35G  | 3,41 m   | 1,91 m   | 2  | 0,9 kg                       | 1    |
| HiFl  | o nLite® GL   | ASS FIBRE   | MASTER F   | POLE  |                                   | HiFL   | <b>nLite</b> ® GL  | ASS FIBRE  | EXTENSIO                                       | N POLE                       |      |
|   | c Master Pole.  | ng at heights o   | f up to 9 m/3  | ) ft.   | GPa*                              |  | sponding Teles   |  |  | aration.                     |      |
| Recomme   | ad Adapter and  | Endcap. Stren   |  |   |                                   |  |  | 0.11   | Sections                                       | Weight                       | Pack |
| Recomme   |   | Collapsed   | Sections   | Weight  | Pack                              | Part No.   | Extended   | Collapsed  | Jections                                       | Weight                       | Tuck |
| Recomme<br>Incl. Threa  | ad Adapter and  |   | Sections<br>4  | <b>Weight</b><br>1,7 kg   | Pack<br>1                         | Part No.<br>GF30G                                | Extended<br>3,00 m   | 1,69 m   | 2  | 0,9 kg                       | 1    |
| Recomme<br>Incl. Threa<br>Part No.<br>GF60G   | ad Adapter and <b>Extended</b>  | Collapsed   |  | •   |                                   |  |  |  |  | •                            |      |
| Recomme<br>Incl. Threa<br>Part No.<br>GF60G<br>GF45G                                    | ad Adapter and <b>Extended</b> 6,00 m   | <b>Collapsed</b><br>1,71 m<br>1,34 m  | 4  | 1,7 kg<br>1,4 kg  | 1                                 | GF30G  |  | 1,69 m   | 2  | 0,9 kg                       |      |
| Recomme<br>Incl. Threa<br>Part No.<br>GF60G<br>GF45G<br>HiFLO<br>Telescopio<br>Recomme  | ad Adapter and<br>Extended<br>6,00 m<br>4,50 m<br>o nLite <sup>®</sup> AL   | Collapsed<br>1,71 m<br>1,34 m<br>UMINIUM M<br>Excellent rigid<br>ng at heights o                  | 4<br>4<br>MASTER PO<br>lity thanks to<br>f up to 9 m/30                                  | 1,7 kg<br>1,4 kg<br>DLE<br>modern const                           | 1<br>1<br>ruction techno          | GF30G<br>HiFlu<br>logy. The corre                | 3,00 m   | 1,69 m<br>UMINIUM E<br>copic Extensio                  | 2<br>EXTENSION<br>on Pole.                     | 0,9 kg                       |      |
| Recomme<br>Incl. Threa<br>Part No.<br>GF60G<br>GF45G<br>HiFLO<br>Telescopio<br>Recomme  | Adapter and<br>Extended<br>6,00 m<br>4,50 m<br>0 nLite® AL<br>c Master Pole.<br>ended for worki                                 | Collapsed<br>1,71 m<br>1,34 m<br>UMINIUM M<br>Excellent rigid<br>ng at heights o                  | 4<br>4<br>MASTER PO<br>lity thanks to<br>f up to 9 m/30                                  | 1,7 kg<br>1,4 kg<br>DLE<br>modern const                           | 1<br>1<br>ruction techno          | GF30G<br>HiFlu<br>logy. The corre                | 3,00 m<br>o nLite® ALI<br>sponding Teles                                 | 1,69 m<br>UMINIUM E<br>copic Extensio                  | 2<br>EXTENSION<br>on Pole.                     | 0,9 kg                       |      |
| Recomme<br>Incl. Threa<br>Part No.<br>GF60G<br>GF45G<br>HIFLO<br>Recomme<br>Incl. Threa | Adapter and<br>Extended<br>6,00 m<br>4,50 m<br><b>o nLite® AL</b><br><b>c Master Pole.</b><br>Ended for worki<br>ad Adapter and | Collapsed<br>1,71 m<br>1,34 m<br>UMINIUM M<br>Excellent rigid<br>ng at heights o<br>Endcap. Stren | 4<br>4<br><b>MASTER P(</b><br><b>lity thanks to</b><br>f up to 9 m/31<br>gth of fibre co | 1,7 kg<br>1,4 kg<br>DLE<br>modern const<br>0 ft.<br>mposition: 30 | 1<br>1<br>cruction techno<br>GPa* | GF30G<br>HiFlu<br>logy. The corre<br>Yellow visu | 3,00 m<br><b>o nLite® AL</b><br><b>sponding Teles</b><br>Jal warning are | 1,69 m<br>UMINIUM E<br>copic Extensional to avoid unit | 2<br>EXTENSION<br>on Pole.<br>Intentional sepa | 0,9 kg<br>N POLE<br>aration. | 1    |

\*GPa (Gigapascal) is a unit is a unit of measure of material strength.

#### While stocks last

#### HiFlo Advance TELESCOPIC POLES

- Durable glassfibre and long carbon fibre Poles Quick adjustment of height with clamps 4 m extra hose length when pole is fully extended Ready to use with HiFlo MultiLink Gooseneck System and Brushes Complete with internal hose and hoselock connector

| Part No. | Sections | Weight | Length  | Material     | Pack |
|----------|----------|--------|---------|--------------|------|
| FT28G    | 2        | 1,1 kg | 2,80 m  | Glass Fibre  | 1    |
| FT40G    | 3        | 1,5 kg | 4,00 m  | Glass Fibre  | 1    |
| FT52G    | 4        | 2,0 kg | 5,20 m  | Glass Fibre  | 1    |
| FT70G    | 5        | 3,0 kg | 7,00 m  | Glass Fibre  | 1    |
| FT84G    | 6        | 3,6 kg | 8,40 m  | Glass Fibre  | 1    |
| FT5XC    | 9        | 5,7 kg | 13,50 m | Carbon Fibre | 1    |
| FT6XC    | 9        | 6,6 kg | 16,00 m | Carbon Fibre | 1    |

Liffe 1)=> HT67G – Hybrid



#### HiFlo nLite® HYBRID STARTER KIT

| Contonto Dolo  | Destangular Druch 27an   | a Ilaaa Amala Adamtar  | , 2 Pencil and 2 Fan Jets |
|----------------|--------------------------|------------------------|---------------------------|
| Contents: Pole | . Reclandular Drush Z/Cr | 1. HOSE, ANGLE AGADLER | . Z Pencil and Z Fan Jels |
|                |                          |                        |                           |

| Part No. | Extended | Collapsed | Sections | Weight | Pack |  |
|----------|----------|-----------|----------|--------|------|--|
| HTKI4    | 6,63 m   | 1,87 m    | 4        | 1,7 kg | 1    |  |

## WINDOW CLEANING > WATER FED POLE SYSTEM > GOOSENECKS



#### HiFlo nLite® GOOSENECKS

Our carbon fibre gooseneck attachments will allow you to reach virtually any surface for cleaning, whilst keeping weight to a bare minimum for easier brush control. The new full-carbon fibre **nLite**<sup>®</sup> Goosenecks are made from



seamless, lightweight, super solid carbon fibre tube. The premium quality carbon fibre material is built to last, and ensures a long life and guaranteed results. Compatible with most water fed brushes featuring standard thread.

#### HiFlo nLite® MULTILINK GOOSENECKS

#### Superlight carbon fibre goosenecks. - Use individually or combine 2 or more to achieve any angle - NLG20 and NLG30 include nLite® Thread Adapter for attaching the brush - NLG15 includes adjustable plastic angle adapter

| Part No. | Size   | Weight | Material | Pack |
|----------|--------|--------|----------|------|
| NLG20    | 20 cm  | 130 g  | Carbon   | 1    |
| NLG30    | 30 cm  | 140 g  | Carbon   | 1    |
| NLG15    | 150 cm | 390 g  | Hybrid   | 1    |

NLG15

#### HiFlo® GOOSENECKS

For attaching the brushes to **UNGER HiFlo** and **nLite®** Water Fed Poles. Achieve nearly every working angle or distance with various combinations of Goosenecks.



#### HiFlo MultiLink GOOSENECKS & EXTENSION

- Hard anodised aluminium angle adapter.
- Strong, with secure connection
   Brush can be locked in any position through 360° creating the perfect
- working angle
- Combine 2 or more to achieve your perfect angle or distance

| Part No. | Size     | Pack |  |
|----------|----------|------|--|
| FTMGS    | Short    | 1    |  |
| FTMGL    | Long     | 1    |  |
| FTPLS    | Straight | 1    |  |

Pack

1




|                   | HiFlo MultiLink ADAPTER     |
|-------------------|-----------------------------|
| Plastic angle ada | pter with screw adjustment. |

#### – Simple to adjust – Robust – Compatible with all HiFlo Brushes

Part No. FTGOS

- The adjustable collar can be locked at any point through 360° creating numerous angles for hard to reach areas
- Made of robust hard anodised aluminium



### WINDOW CLEANING > WATER FED POLE SYSTEM > **BRUSHES**





#### HiFlo nLite® & HiFlo BRUSHES

|  |     | WEI                     | GHT                       | SIZE                    | BRU  | SH BODY        | r            | 1   | BRISTLES     | ;                          |          | JETS          | ;                 |       |
|--|-----|-------------------------|---------------------------|-------------------------|--|----------------|--------------|---|--------------|----------------------------|----------|---------------|-------------------|-------|
|  |     | only<br>brush           | incl.<br>adapter/<br>jets |                         | Material                                       | Format         | Jet<br>Pos.  | Material                                      | Soft/Hard    | Length                     | Flexible | Mate-<br>rial | Spray &<br>Pencil |       |
| HiFlo nLite®<br>BOAR BRISTLE<br>BRUSH                  | *** | 359 g*<br>466 g*        | 403 g*<br>510 g*          | 27 cm<br>40 cm          | plastic<br>porous core<br>smooth<br>solid skin |                | 4<br>8       | natural<br>boars hair                         | soft         | 8 cm*                      | 1        | plastic       | Spray &<br>Pencil | p. 19 |
| HiFlo nLite® NLR27<br>RADIUS BRUSH NLR40               | *** | 364 g<br>535 g          | 408 g<br>579 g            | 27 cm<br>40 cm          | plastic<br>porous core<br>smooth<br>solid skin |                | 4<br>8       | solvent<br>resistant<br>synthetic<br>bristles | medium       | 7,5 cm<br>8,5 cm           | 1        | plastic       | Spray &<br>Pencil | p. 19 |
| HiFlo nLite®<br>SOLAR RADIUS<br>BRUSH                  | *** | 364 g<br>535 g<br>872 g | 408 g<br>579 g<br>916 g   | 27 cm<br>40 cm<br>60 cm | plastic<br>porous core<br>smooth<br>solid skin | and the second | 4<br>8<br>12 | solvent<br>resistant<br>synthetic<br>bristles | medium       | 7,5 cm<br>8,5 cm<br>9,5 cm | 1        | plastic       | Spray &<br>Pencil | p. 19 |
| HiFlo nLite® NL27A<br>RECTANGULAR NL40A<br>BRUSH NL60A | *** | 270 g<br>408 g<br>806 g | 314 g<br>452 g<br>850 g   | 27 cm<br>40 cm<br>60 cm | plastic<br>porous core<br>smooth<br>solid skin | Mentanness     | 4<br>8<br>10 | solvent<br>resistant<br>synthetic<br>bristles | medium       | 7,5 cm<br>8,5 cm<br>9,5 cm | 1        | plastic       | Spray &<br>Pencil | p. 19 |
| HIFLO SOLAR<br>BRUSH FTSOY                             | **  | -                       | 490 g                     | 27 cm                   | solid<br>plastic                               | MHATANA        | 2            | synthetic<br>bristles                         | soft         | 5 cm                       | -        | brass         | Pencil            | p. 20 |
| HIFLO<br>RECTANGULAR FTS27<br>BRUSH                    | **  | -                       | 490 g                     | 27 cm                   | solid<br>plastic                               |                | 2            | synthetic<br>bristles                         | soft         | 5 cm                       | -        | brass         | Pencil            | p. 20 |
| HiFlo<br>RADIUS BRUSH FTR27<br>FBR27                   | **  | -                       | 560 g                     | 27 cm                   | solid<br>plastic                               |                | 2            | synthetic<br>bristles                         | soft<br>hard | 5 cm                       | -        | brass         | Pencil            | p. 20 |
| HiFlo<br>OVAL BRUSH FT027<br>FT040                     | **  | -                       | 450 g<br>690 g            | 27 cm<br>40 cm          | solid<br>plastic                               | AND DALLA      | 2            | synthetic<br>bristles                         | soft         | 5 cm                       | -        | brass         | Pencil            | p. 20 |
| HiFlo<br>CARBON TEC<br>BRUSH                           | **  | -                       | 347 g<br>380 g            | 27 cm<br>40 cm          | solid<br>plastic                               |                | 2            | synthetic<br>bristles                         | hard         | 5 cm                       | -        | brass         | Pencil            | p. 20 |

\* app. 10 % tolerance deviation possible with natural bristles

#### **PURCHASING GUIDE** You have to take 5 decisions:

i

- 1. WEIGHT:
- 2. SIZE:
- 3. BRISTLES:
- 4. SHAPE:
- 5. JETS:

ATTENTION:

- Choose lighter brush for longer periods of work.

27 cm for standard applications; 40 cm for large areas; 60 cm for special applications, e.g. solar panel cleaning.

Consider the type of surface and level of soiling - see brush bristle guide overleaf for details.

Rectangular - universal shape, ideal for any straight surface. Radius brush is perfect for window sills and frames. Consider the size of the area and type of glass to be cleaned, as well as water pressure available - see overleaf for information on jets types and using more than 2 jets.

Some surfaces are easily scratched. Always test brushes prior to use.

#### HiFlo nLite® BRUSHES

#### HiFlo nLite® BRUSHES

Superlight **UNGER** Brushes are designed to get into the smallest corners and lift dirt from surfaces with a highly effective scrubbing action. The **HiFlo nLite®** Brush stock features cutting edge engineering and design, with a porous core and smooth solid exterior skin it offers enhanced structural stability and lighter weight than solid brush block manufacturing.



#### JETS

Whereas conventional brushes usually only have two jets, **HiFlo nLite®** Brushes feature up to twelve quick release jets, making it much easier to control the water flow and rinse surfaces.

#### JET TYPES

Pencil Jets for Hydrophilic Glass (water repelling) Fan Jets for Hydrophobic Glass (water attracting)



#### **BRISTLE TYPES:**



**NATURAL BOAR BRISTLE:** Coarse to the touch, naturally split along the length, each fibre cleans the surface with its entire body, effectively removing dirt from the tiniest of crevices.

**POLYESTER BRISTLES:** Lightweight and highly durable, with a choice of flagged or unflagged single strands.

YELLOW POLYESTER, featured on solar brushes, will remove even stubborn dirt yet are gentle enough not to damage delicate surface of the PV-/Solar panels.

#### ADDING MORE JETS

Create variety of spray patterns with up to 12 locations for interchangeable, quick release Fan or Pencil Jets.

Mix and match the Jets, depending on the type and size of surface you clean, for example 2 Fan Jets and 2 Pencil Jets. One set of Pencil Jets is included as standard with every Brush.


#### PRESSURE GUIDE

Adding more jets allows you to clean larger areas quicker and better.

The number of jets you can use depends on the level of water pressure – the higher the water pressure, the higher the number of jets you can use at one time.

2 JETS = Included with brush 1 x NLBJP 1 Set Pencil Jets 1 x NLHPC Hose Kit

4 JETS = Extra parts required: 1 Set of jets 2 x NLHPC Hose Kit



#### 6 JETS = Extra parts required: 2 Sets of jets 4 x NLHPC Hose Kit



| HiFlo nLite® BRUSH CONNECTION KIT |
|-----------------------------------|
|-----------------------------------|

|          | <b>jets to the brush.</b><br>s (each app. 29 cm) + 1 T-<br>: No. 14954) | piece |
|----------|---|-------|
| Part No. | Pack  |       |
| NLHPC    | 1   |       |
| 14954    | 1   |       |





NL27A NL40A NL60A

#### HiFlo nLite® BOAR BRISTLE BRUSH

Super light water fed brush with best cleaning power.

– Best cleaning power as bristles clean with full bristle length - High quality boars bristles

- For glass or flat surfaces

| 5        |       |        |          |      |
|----------|-------|--------|----------|------|
| Part No. | Size  | Weight | Jet Pos. | Pack |
| NLE27    | 27 cm | 403 g  | 4        | 1    |
| NLE40    | 40 cm | 510 g  | 8        | 1    |

#### **BOARS BRISTLE**

The best boars bristle had been sourced by UNGER specialists to produce the new HiFlo nLite® Boar Bristle Brushes. Coarse to the touch, naturally split along the length, each fibre cleans the surface with its entire body, effectively removing dirt from the tiniest of crevices. Individually set by hand into the body of the Brush with epoxy resin, each bundle of bristles delivers unrivalled cleaning performance, without chemicals. The colour of natural bristles might be subject to change.

#### HiFlo nLite® RADIUS BRUSH/SOLAR RADIUS BRUSH

- Superlight water fed brush with unflagged polyester bristles.
- Curved brush body, ideal for cleaning window sills and frames
   Variable positions for interchangeable quick release jets
- Plastic porous core brush body for lighter weight

|--|

| Part No. | Size  | Weight | Jet Pos. | Pack |
|----------|-------|--------|----------|------|
| NLR27 🔴  | 27 cm | 408 g  | 4        | 1    |
| NLR40 🔴  | 40 cm | 579 g  | 8        | 1    |
| NL27Y 😑  | 27 cm | 408 g  | 4        | 1    |
| NL40Y 😑  | 40 cm | 579 g  | 8        | 1    |
| NL60Y 😑  | 60 cm | 916 g  | 12       | 1    |

#### HiFlo nLite® RECTANGULAR BRUSH

#### Superlight water fed brush with unflagged polvester bristles.

- Straight body brush, ideal for any surface
- Variable positions for interchangeable quick release jets
- Plastic porous core brush body for lighter weight

| Part No. | Size  | Weight | Jet Pos. | Pack |
|----------|-------|--------|----------|------|
| NL27A 🔴  | 27 cm | 314 g  | 4        | 1    |
| NL40A 🔵  | 40 cm | 452 g  | 8        | 1    |
| NL60A 🔴  | 60 cm | 850 g  | 10       | 1    |



#### HiFlo nLite® BRUSH SOCKET

| gooseneck. | <b>socket for connection of</b><br>d to change angle of the<br>c of jets |  |
|------------|--|--|
| Part No.   | Pack   |  |
| NLBRS      | 1  |  |

#### **Brush Rotation**

The brush stock can be switched to a new position by rotating the brush socket through 180°. Switching the position of the brush socket can change the position and angle of the bristles and jets providing greater flexibility and control when cleaning and rinsing different surfaces, angles and structures.



\*\*\*

## WINDOW CLEANING > WATER FED POLE SYSTEM > **BRUSHES**

 HiFlo BRUSHES


 Image: A state of the state of







|   |   | HiFlo RADIUS BRUSH |      |  |  |
|---|---|--------------------|------|--|--|
| <ul> <li>Curved body</li> <li>Ideal for sills,</li> </ul> | flagged or hard, with unflagged polyester bristles.<br>body<br>- sills, corners and frames<br>te with hose connection |                    |      |  |  |
| Part No.  | Size  | Bristles           | Pack |  |  |
| FTR27   | 27 cm   | Soft               | 1    |  |  |
| FBR27   | 27 cm   | Hard               | 1    |  |  |



| Part No. | Size  | Bristles | Pack |
|----------|-------|----------|------|
| FT027    | 27 cm | Soft     | 1    |
| FTO40    | 40 cm | Soft     | 1    |

### WINDOW CLEANING > PURE WATER FILTERS



#### PURE WATER FILTERS

## Choosing Your Filter System

There are 2 recognised methods of pure water production in the window cleaning industry – **Reverse Osmosis** and **Deionisation.**  The **UNGER** range includes filters utilising either of these methods. This page will help you to decide which method suits your cleaning requirements best and will deliver the highest return on your investment.

#### **UNGER DEIONISATION (DI) HYDRO POWER**



These filters utilise ion exchange resin which removes ionised salts and impurities from water, producing 100 % deionised pure water, with no waste water.

Though DI filters require a relatively low initial investment when compared to RO, frequent replacement of old resin with new is necessary for 100 % pure water production.

Mobile design and portability, with no need for power or pumps, our DI filters can be easily set up anywhere – all you need is a tap water supply.

p. 22

#### **RECOMMENDED FOR:**

- Areas with soft or medium water hardness level
- Small size filters are ideal for cleaning small to moderate size areas, as well as an entry level solution for professional cleaning
- Medium to large sizes for frequent cleaning of large areas
- Use as final stage of water purification process, after R0 membrane, to achieve 100 % pure water

## UNGER REVERSE OSMOSIS (RO)



These filters utilise a mechanical filtration process, through a semipermeable reverse osmosis membrane, which removes up to 98 % of minerals from the water. **UNGER R030** has a built-in resin filter that completes the purification process to produce 100 % pure water.

Despite its comparatively high purchase cost, RO filters require minimal maintenance and offer a cost effective way of producing a constantly high volume of pure water. Incoming water is separated into pure and waste water during the filtration process, requiring a separate drainage facility to flush away the impurities as waste water.



#### **RECOMMENDED FOR:**

- Areas with hard or very hard water level
- Constant, high volume pure water production





15a



www.ungerglobal.com

UNGE

D FILTER

## WINDOW CLEANING > PURE WATER FILTERS > nLite® HYDRO POWER DI FILTER



#### THE nLite<sup>®</sup> HYDRO POWER DI SYSTEM

## The Most Efficient DI Pure Water System Ever!


Inspired by our customers and packed with the latest patented design innovations, **nLite® HydroPower DI** Filters offer a wealth of benefits for professional window cleaners (and everyone who works or cleans with pure water).

**nLite® HydroPower DI** Filters exceed standard DI filter efficiency, performance, workflow and comfort thanks to these new features:

- FloWater Technology
- QuickChange Resin Bags
- FastLock Opening

#### FLOWATER TECHNOLOGY

The innovative water distribution system ensures more efficient water flow through the entire vessel, improving resin efficiency and increasing its lifetime.



NEW nLite<sup>®</sup> HydroPower Filter HIGHER EFFICIENCY

SIMPLE AND EFFECTIVE HANDLING



#### FastLock Opening

- Easy and quick opening and locking of the filter
- Safe, self locking mechanism
- Features pressure release valve

#### Removable cover

 Including resin stop mechanism to prevent loose resin from leaking with outgoing water flow

#### **TDS (Total Dissolved Solids)**



• For instant measuring of the outgoing water hardness

#### Standard hose fittings

• Reliable quick release connectors, suitable for most hoselock type fittings commonly used on most water fed poles

#### QUICKCHANGE RESIN BAGS

The ingenious **QuickChange Resin Bags** 

allow users to speed up the resin change process by up to 10 times - simply remove the bag with expired resin and insert a new one.

The new **QuickChange Resin Bags** offer fast and easy resin replacement on the spot with minimal mess - anytime and anywhere!

- Resin change process is now as simple as changing coffee pods in a coffee machine
- No need for time-consuming emptying, rinsing and filling up of narrow filter vessels
- Each bag is made from a water-permeable material and contains a pre-proportioned amount of **UNGER** High Capacity Premium Grade Virgin Mixed Bed Resin

### WINDOW CLEANING > PURE WATER FILTERS > nLite<sup>®</sup> HYDRO POWER DI FILTER

## The nLite® HydroPower DI System



## WINDOW CLEANING > PURE WATER FILTERS > nLite<sup>®</sup> HYDRO POWER DI FILTER



#### **CUSTOMISED IN EVERY SIZE**

Choose from 3 filter sizes depending on the volume of pure water required and frequency of use to maximise your return on investment.

All filters are supplied complete with **QuickChange** Resin Bags and integrated TDS metre to monitor the incoming and outgoing water hardness.



DI24x Contains 2 QuickChange ResinBags (12 l)

GER

Cart

DI48x Contains 4 QuickChange ResinBags (24 l)

nLite® HydroPower DI FILTER

DI12W



| i ai titoi | Buse     | mengine | nesin bags  | meets        | ourt |  |
|------------|----------|---------|-------------|--------------|------|--|
| DI48T      | 30×31 cm | 116 cm  | 4           | -            | -    |  |
| DI48C      | 30×31 cm | 116 Cm  | (24 l)      | -            | ✓    |  |
| DI24T      |          |         |             | -            | -    |  |
| DI24W      | 30×31 cm | 59 cm   | 2<br>(12 l) | $\checkmark$ | -    |  |
| DI24C      |          |         |             | -            | 1    |  |
| DI12T      | 30×31 cm | 35 cm   | 1           | -            | -    |  |
| DI12W      | 30×31 cm | 30 CM   | (6 l)       | ./           | _    |  |

#### FILTER PERFORMANCE

#### WATER HARDNESS

Filter productivity depends on several factors, such as filter size, water pressure, temperature and most importantly the level of water hardness.

Water hardness is measured in ppm (parts per million) and varies by geographical area.

The table below provides guidance on the expected nLite<sup>®</sup> HydroPower DI Filter performance, before the resin is spent and has to be replaced.



Small (nLite® HydroPower DI12...)

| 7 | Water Hardness* | Output in l |
|---|-----------------|-------------|
|   | Soft            | > 1.570     |
|   | Medium          | 470 - 1.570 |
|   | Hard            | 260 - 470   |
|   | Very Hard       | < 260       |

#### Medium (nLite® HydroPower DI24...)

| Output in I   |
|---------------|
| Output in l   |
| > 3.140       |
| 1.130 - 3.140 |
| 670 – 1.130   |
| < 670         |
|               |

#### Large (nLite® HydroPower DI48...)

| Water Hardness* | Output in l   |
|-----------------|---------------|
| Soft            | > 6.360       |
| Medium          | 2.450 - 6.360 |
| Hard            | 1.490 - 2.450 |
| Very Hard       | < 1.490       |

Water Hardness: Soft

< 100 ppm 100 – 250 ppm Medium 250 – 400 ppm Hard Very Hard > 400 ppm

All values based on 10 ppm as maximum for Pure Water quality.

#### **ECO FLO - OPTIMIZES THE WATER FLOW**

Depending on the pressure of the incoming water supply, using the HydroPower EcoFlo insert allows you to restrict the water flow to an optimum level of between 120 – 150 L per hour, which is ideal for regular glass cleaning.

Optimising the water flow in this way allows you to use less pure water, extending the lifetime and performance of a single resin refill in the nLite<sup>®</sup> HydroPower DI Filters by at least 20 %, without compromising the quality of your work.

- Automatically reduces the water flow see table:
- Fits any industry standard valves
- Can be fitted, removed or replaced inside the water flow valve in seconds – simple
- Supplied as standard with all nLite® HydroPower DI Filters, regardless of size
- Replacement can be ordered at: www.ungerglobal.com/ecoflo

| PI  | RESSURE GUIDE   |
|-----|---|
| Bar | <b>Pure Water Output</b><br>at the brush with EcoFlo and<br>with nLite <sup>®</sup> Pole Hose, 25 m |
| 6   | 180 L/hour  |
| 5   | 150 L/hour  |
| 4   | 120 L/hour  |
| 3   | Do not use EcoFlo!  |

### WINDOW CLEANING > PURE WATER FILTERS > nLite<sup>®</sup> HYDRO POWER DI KITS



#### STARTER KIT

#### nLite® HydroPower DI STARTER KIT

| Content:<br>DI12T<br>AN60G<br>FTG0S<br>NLR27*<br>NL20G | nLite®<br>HiFlo M<br>nLite® | HydroPower DI 61 (incl. TDS Meter -<br>Alu Master Pole 6 m<br>MultiLink Angle Adapter<br>Radius Brush 27 cm<br>Hose 20 m | · Resin) |
|--|-----------------------------|--|----------|
| Part No.   |                             | Pack   |          |
| DIK12  |                             | 1  |          |

\*Colour might be subject to change



#### ADVANCED KIT

#### nLite® HydroPower DI ADVANCED KIT

| Content:<br>DI24W<br>GF60G<br>FTG0S<br>NLR27*<br>NL20G | nLite®<br>HiFlo<br>nLite® | HydroPower DI 12l (incl. TDS Meter<br>Glass Fibre Master Pole 6 m<br>MultiLink Angle Adapter<br>Radius Brush 27 cm<br>Hose 20 m | + Resin + Wheels) |
|--|---------------------------|---|-------------------|
| Part No.   |                           | Pack  |                   |
| DIK24  |                           | 1   |                   |

\*Colour might be subject to change



#### PROFESSIONAL KIT

#### nLite<sup>®</sup> HydroPower DI PROFESSIONAL KIT

| Content:<br>DI48C<br>CT67G<br>CT35G<br>NLG20<br>NLR27*<br>NL25G | nLite® HydroPower DI 24l (incl. TDS Meter + Resin + Cart)<br>nLite® Carbon Fibre Master Pole 6.63 m<br>nLite® Carbon Fibre Extension Pole 3.41 m<br>nLite® MultiLink Angle Adapter 20 cm<br>nLite® Radius Brush 27 cm<br>nLite® Hose 25 m |
|---|---|
| Part No.  | Pack  |
| DIK48   | 1   |

\*Colour might be subject to change

### WINDOW CLEANING > PURE WATER FILTERS > ION EXCHANGE RESIN





## QuickChange Resin Bags

#### for nLite® HydroPower Filters

The ingenious QuickChange Resin Bags allow users to speed up the resin change process by up to 10 times simply remove the bag with expired resin and insert a new one.

The new QuickChange Resin Bags offer fast and easy resin replacement on the spot with minimal mess - anytime and anywhere!

#### QuickChange RESIN BAGS 6 L

Bag is made from a water-permeable material.

- For nLite<sup>®</sup> HvdroPower DI Filters
- Contains a pre-portioned amount of UNGER High Capacity Premium Grade Virgin Mixed Bed resin ne

| <ul> <li>Simply remove the bag with expired resin and insert a new or</li> </ul> |
|--|
|--|

| Part No. | Info                              | Pack |
|----------|-----------------------------------|------|
| DIB61    | 1 bag (6 l) in air tight bucket   | 1    |
| DIB64    | 4 bags (24 l) in air tight bucket | 1    |

## **Premium Grade Virgin Mixed Bed Resin**

High capacity virgin mixed bed ion exchange resin for total de-ionisation and purification of water.

### Immediately produces 100 % pure water for streak free glass cleaning.

#### Suitable for use in:

- Refillable DI cartridges
- DI pressure vessels
- Filters for Pure Water Window Cleaning

#### PREMIUM GRADE VIRGIN MIXED BED RESIN

#### Available in 25 L plastic bag or a re-sealable bucket.

- Ideal for all UNGER HiFlo DI cartridges and nLite® HydroPower DI Filters
- Immediately produces 100 % pure water for streak free glass cleaning - Suitable for use in refillable DI cartridges, DI pressure vessels or filters for pure
- water window cleaning

| Part No. | Product     | Pack |  |
|----------|-------------|------|--|
| DIB25    | Bag 25 l    | 1    |  |
| DIP25    | Bucket 25 l | 1    |  |



DIB25

### WINDOW CLEANING > PURE WATER FILTERS > nLite<sup>®</sup> HYDRO POWER RO XXL





#### THE NEW nLite® HYDRO POWER RO XXL SYSTEM

- Fully integrated trailer system with reverse osmosis filter and 750 l water tank
- Total flexibility for producing and transporting 100 % pure water for water fed pole cleaning!



- Maximum tank volume: 750 l, capacity: 650 l pure water
- 1 or 2 man operation via 2 stainless steel hose reels and 2 x 12V (10 bar, 150 psi) pumps
- 2 high quality 100m hoses for optimal reach
- Pure water output up to 250 l per hour per person
- Digital controller monitors water flow, pressure and battery power
- Control water flow manually or by wireless remote control (max. reach 100m in open area)
- 3 stage water purification production with dedicated 12V (10 bar, 150 psi) pump. (Carbon Pre-filter, RO Membrane and nLite® HydroPower DI Filter Polisher)
- Integrated TDS meter
- High capacity 12 Volt Gel battery offers 'all day' operation before requiring recharge
- Maintenance free 210 amp hour Gel battery with mains charger supplied
- Optional: Proctection cover available for hose reels.

# SAFETY:

The multi-chamber tank design with low centre of gravity is designed to maximise stability during transportation. Also includes Auto Shut Off features, activated during water production mode when the tank becomes full and during use when the TDS of the outgoing water measures 5 ppm (can be changed to lower or higher number).

#### FLEXIBILITY:



The flow rates for Wash modes can be adjusted anytime at the digital control panel. This allows the operator(s) to choose more or less powerful flow rates to suit the cleaning job, saving and conserving water when less intense water flow is needed. You can also switch between Wash and Rinse modes at the touch of a button using the wireless remote control

#### PROTECTION:




Optional protection cover for the hose reels. Robust truck tarpaulin that can be fixed on the new fixing point at the trailer frame.

#### nLite® HydroPower RO XXL TRAILER

Part No. TRLR1 18845 (Protection Cover)

CE certified

## WINDOW CLEANING > PURE WATER FILTERS > HIFLO RO FILTER



R060S



REVERSE OSMOSIS FILTERS (RO)

#### Perfect for constant, high capacity, pure water production. Easy Operation: No switch, "Plug & Play".

The physical reverse osmosis process removes approx. 98 % of minerals from the water. The built-in resin filter completes the purification process to produce 100 % pure water.

#### **HiFlo RO FILTER**

- Automatic pump control with dry run protection for added safety
- Pure water output improved to 60 % at 350 l/hr
- Built in resin filter ensures 100 % water purity
- Economic way of pure water production for general cleaning purposes
- Built in TDS meter monitors water and resin quality
- Includes robust trolley frame for complete mobility
- Weight app. 50 kg
- No control valves or covers that could accidentally be adjusted
- R030C: includes Carbon Pre-Filter against chlorine in the water (lasts app. 100.000 l at 2 ppm chlorine)

#### **HiFlo HIGH PERFORMANCE RO FILTER**

- → All the great features of R030C and more!
- Double Membrane for extended water output (more than 700 l/h)
- Extra high power pump to support high water flow
- Big Pre-Filter, optimal security for the membranes
- Big Carbon Pre-Filter (instead of resin polisher) to save membranes from chlorine
- Ideal for two workers with no loss of water capacity or one worker with increased performance
- Perfect for solar cleaning more water on the panel, better rinsing and cleaning
- Carbon filter lasts app. 200.000 litres at 2 ppm chlorine

#### HiFlo RO FILTER

| Part No. | Product                     | Pack |
|----------|-----------------------------|------|
| R030G    | Mobile RO Filter            | 1    |
| R030C    | Mobile RO Filter "Chlorine" | 1    |

#### HiFlo RO HIGH PERFORMANCE FILTER

| Part No. |  |
|----------|--|
| R060S    |  |

Pack



#### HiFlo nLite® HOSE

#### Durable hose for water supply from water filter to the Brush. - Complete with standard hose connector for water supply

| Part No. | Length | Pack |
|----------|--------|------|
| NL11G    | 11 m   | 1    |
| NL20G    | 20 m   | 1    |
| NL25G    | 25 m   | 1    |



#### HiFlo nLite® HOSE EXTENSION KIT

Adapters for connection of 2 hoses into one. - Includes 2 x Hose End Pieces, 1 x Quick Connector - Insert the Hose End Pieces into each hose and connect using the Quick Connector

Part No. NLQUI

Pack 1

| FTTHR  | HFNLC | HiFlo nLite®<br>TOOL ADAPTER |  |  |  |
|--|-------|------------------------------|--|--|--|
| Plastic adapter for attaching tools on HiFlo nLite® poles.<br>– FTTHR: Thread adapter for attaching brushes on the pole<br>– HFNLC: Locking cone adapter for attaching traditional window cleaning tools |       |                              |  |  |  |
| Part No.   |       | Pack                         |  |  |  |
| FTTHR  |       | 1                            |  |  |  |
| HFNLC  |       | 1                            |  |  |  |





#### HiFlo nLite® BAG

For storage, protection and transportation of a complete  ${\rm HiFlo}~{\rm nLite}^{\otimes}$  Kit. - Made from solid nylon material

- Can be carried in hand or over shoulder
- Fits 5 or more poles, 2 brushes, 1 gooseneck, 1 hose
  Pocket for spare jets and small pieces

Part No. NLBA1

TMECP

Pack 1

Pack

1




#### **HiFlo Control**

- The On/Off Switch for instant water flow control at the pole.
- Fits onto the base sections of the pole
- Hose fits inside the switch, under the lever
   Adjust or shut off the water flow competely with one quick lever motion
- Fits any poles Ø 20–70mm
   Fits hoses external Ø 8 and 9mm

| Part No. | Info                                       | Pack |
|----------|--|------|
| TMOOV    | Complete with nLite® Clips + Velcro Straps | 1    |
| TMOON    | Clips for fitting to Ø 35 mm nLite® pole   | 1    |
| TMOOT    | Universal Velcro Straps                    | 1    |

## WINDOW CLEANING > PURE WATER FILTERS > ACCESSORIES





### WINDOW CLEANING > TRADITIONAL WINDOW CLEANING



All **UNGER** products are expertly designed to meet the high demands of the Professional Window Cleaning Industry.

Innovation and ergonomics are always at the forefront of our research and product development to enable professionals to work faster, more efficiently and above all safely.

Today our range includes wide selection of traditional, handheld tools and accessories, built to last and withstand continuous use, day after day.

From the traditional washer and squeegee to the latest microfiber pads for indoor cleaning - we have a solution to any cleaning challenge. What's more, all of our tools can be fitted to **UNGER** telescopic pole, allowing you to clean at heights of up to 10 m safely from the ground.

Look out for the **ErgoTec**<sup>®</sup> Locking Cone symbol, identifying products that can be locked securely on the pole with a quick-release button preventing falling off or spinning.



#### PREMIUM

Top of the range product, loaded with features



#### BEST

High on features bestseller



Standard version



Basic version. Good value option

#### **SECURE FIT POLE**



#### PUSH ON / SCREW ON

These tools can be pushed on and screwed onto the ACME thread of the UNGER Cone to ensure tight and secure fit. The grooves on the UNGER Cone prevent the tools from twisting during work.



#### PUSH ON AND CLICK TO LOCK IN PLACE

All tools with a slot in the handle and "LOCK" inscribed on it, securely lock into the **ErgoTec**<sup>®</sup> Locking Cone. Eliminating twisting or dropping during work the ErgoTec® Locking Cone is a standard feature on all **OptiLoc** and **TelePlus** poles.



## **Professional Window Cleaning**

p. 37



SQUEEGEES

**UNGER** squeegees feature comfortable handles, high quality rubber and special locking mechanism for quick and easy change of the channel.

ErgoTec® NINJA, ErgoTec®, ErgoTec® SwivelLoc, S-Channel Plus, Pro, VisaVersa®, GC, UniTec, UniTec Light



**UNGER** washers are available in a choice of materials with different features and absorbency, as well as various T-Bar designs.

p. 42

ErgoTec® NINJA, ErgoTec®, Alu, Swivel, UniTec, MicroStrip, Monsoon, Original, Pad



Lightweight, yet durable telescopic pole in various lengths put everything within arm's reach. Clean at heights of up to 10 m safely from the ground, without ladders.

OptiLoc, TelePlus, UniTec



**UNGER** scrapers are perfect for removing stubborn dirt and glue reside. With various designs, safety features and blade sizes, there is an option to suit any budget and task.

ErgoTec<sup>®</sup> NINJA, ErgoTec<sup>®</sup>, ProTrim, Trim



Our extensive range includes everything to build up a professional kit – from waterproof gloves, belts and pouches to specialist detergents, buckets and cloth.





| <b>ErgoTec® NINJA SQUEEGEE</b><br>The ultimate performance  | <b>ErgoTec® NINJA WASHER</b><br>Makes tough jobs a lot easier  |
|---|--|
| Available in 2 working angles:<br>30° & 40°<br>Available sizes:<br>20 cm - 105 cm   |  |
| Ergonomic bi-component swivel handle with TriLoc<br>mechanism for secure hold of the channel and with<br>new Lock-Function. Extruded Aircraft Aluminium T6<br>channel will not bend or break. Complete with<br>Soft Rubber.   | Strong yet lightweight hard anodised aluminium T-Bar<br>with 180° swivel and with new Lock-Function. Highly<br>absorbent sleeve with 2 abrasive side pads features<br>built-in rows of scrubbing fibres.   |
| <b>ErgoTec® NINJA</b><br>SCRAPER  | ErgoTec <sup>®</sup> NINJA<br>BUCKET ON A BELT   |
| Practical Holster for the Belt  | Fits all <b>UNGER</b> squeegees. Holds 2<br>squeegees, 1 washer and 1 scraper.<br>Suitable for left or right handed work.<br>Clip lock for quick fitting to any belt.  |
| <b>UNGER</b> proudly presents the new <b>ErgoTec® NINJA</b><br><b>Scraper System</b> . Meet the first 2-in-1 scraper featuring<br>the latest <b>UNGER</b> innovation – a solid, rust resistant<br>steel angle change mechanism that enables two working<br>angles – 0° and 30°. | Made of highly absorbent, lint free<br>microfibre with 4 scrubbing corners<br>for removing stubborn dirt or hanging<br>the cloth on the pole for easy spot and<br>corner cleaning at height. Machine<br>washable up to 500 times. Available<br>in 3 sizes. |

### WINDOW CLEANING > TRADITIONAL WINDOW CLEANING SQUEEGEES



#### **SQUEEGEES**

#### **PRODUCT OVERVIEW** Use the guide below to compare various models of **UNGER** Squeegees and identify the right one for your cleaning tasks and budget. BUDGET HANDLE SWIVEL CHANNEL RUBBER\* O Fits to Tension Fitting Sizes Material Fitting Material Locking adjust-ment Туре Soft Hard Cone The ultimate high performance Metal squeegee, featuring TriLoc mecha-nism for reliable hold of channel 2k (Plastic /ith rubbe insert) **ErgoTec**<sup>®</sup> TriLoc: clip Side Clips screw eeds coir 20 -T6 Alupress & release on Ninja Channe Molded J p. 38 \*\*\* and freely adjustable and lockable swivel head. Available in 30° and 105 cm minium NINJA or screw driver 40° angle-version. Super light, hand-crafted carbon S-Spring press & release **ErgoTec**<sup>®</sup> fibre handle. 18 % lighter than bicomponent ErgoTec® squeegee Carbon fibre Press \_ p. 39 \*\*\* S-Spring Karbon handle. Stainless steel squeegee with 2k bi-component handle. Advanced ergonomic design for comfortable use every day. Quick and simple S-Spring: press & release (Plastic with rubbe 15 – 55 cm Stainless Steel Press S-Spring **ErgoTec**<sup>®</sup> \*\*\* Molded 1 p. 39 1 insert) channel change. Swivel squeegee head, freely Plastic ٥° adjustable and lockable – a problem solver for hard-to-reach areas. Available in 2 head angles – Plastic crew turr ° positior fixable 2k (Plastic vith rubber 0°: screw off plate 30° press S-Spring screwed plate **ErgoTec**<sup>®</sup> only handle 0° / 30° Stainless Steel Only handle \*\*\* p. 39 \_ SwivelLoc straight and 30° version, ideal for working at height. insert) with button S-Spring Solid, stainless steel squeegee with rubber coated handle. Metal + S-Spring 15 -Stainless S li 1 1 Press \*\* Molded p. 39 Rubber press & release S-Spring for easy & quick channel 55 cm Steel S-Spring sleeve and rubber change. Standard Squeegee for daily work. Metal + Rubber sleeve Clip lock easy release Clip for easy & quick channel and rubber change. Rubber sleeve for 15 \_ Stainless Steel li Pro \*\* Molded 1 1 Open clip p. 39 55 cm comfortable grip. Squeegee and washer in one tool. Great time saving choice for clean Plastic Finger grooves S-Spring press & release Visa-15 – 55 cm Stainless Steel Press S-Spring p. 39 \*\* Molded 1 ing at height - no need to change the tool! Versa® Screwed Plate 25 – 55 cm Classic style brass squeegee. Screw off \* li GC Brass Brass Extruded 1 p. 41 Sturdy and durable. needs plate screwdrive Basic metal squeegee. 25 -Stainless UniTec Saueezed Turn \* liŤ p. 41 J Metal Extruded \_ 45 cm Quick channel release. by button Steel button Lightweight squeegee for glass UniTec Channel li Alu-Fixed to \* 1 p. 41 or flat surfaces, ideal for house-Plastic hold by 30 cm Extruded minium channel Light hold use handle

\* Soft and Hard Rubber are interchangeable and available to order separately.

PURCHASING GUIDE You have to take 5 decisions:

1. BUDGET:

1

How long do you work, how big is the area, how many extra features do vou need?

2. HANDLE:

3. SWIVEL FUNCTION:

4. CHANNEL:

5. RUBBER:

Weight, Feature, Ergonomics Do you need to reach hard to reach areas? Do you work with telescopic poles? How big is the surface to be cleaned? How important is a quick channel change? Soft or hard rubber? Professional quality or is standard quality enough?



This product securely locks on ErgoTec® Locking cone.

This product fits on **UNGER** Poles without safety locking mechanism.

37

# WINDOW CLEANING > TRADITIONAL WINDOW CLEANING > **SQUEEGEES**



#### ErgoTec® NINJA WINDOW SQUEEGEE



Complete with NINJA Channel and professional Soft Rubber. - Ergonomic handle with 180° swivel

- The centre position can be locked by pressing the lock button
- Handle with TriLoc mechanism for secure hold of the channel
- Extruded Aircraft Aluminum T6 Channel: will not bend or break

- Fits securely to pole with Locking Cone

| Part No. | Angle | Size  | Rubber | Pack |  |
|----------|-------|-------|--------|------|--|
| EN300    | 40°   | 30 cm | Soft   | 5    |  |
| EN350    | 40°   | 35 cm | Soft   | 5    |  |
| EN450    | 40°   | 45 cm | Soft   | 5    |  |
| E3300    | 30°   | 30 cm | Soft   | 5    |  |
| E3350    | 30°   | 35 cm | Soft   | 5    |  |
| E3450    | 30°   | 45 cm | Soft   | 5    |  |



### HARD

- Shore hardness:  $60 \pm 2$
- Ideal for warmer temperatures
- Ideal for large, smooth surfaces

40° 30°

Choose between  $40^\circ$  and  $30^\circ$  head angle versions



Locking Mechanism to secure the swivel head in center position



end clip mechanism ErgoTec<sup>®</sup> NINJA HANDLE



Lock 0

Ergonomic swivel handle with 180° swivel
 TriLoc mechanism for secure hold of the channel

180°

The center position can be locked by

open

signal coloured

New and improved

closed

pressing the lock button

– Fits securely to pole with Locking Cone

| Part No. | Angle | Pack |
|----------|-------|------|
| EN000    | 40°   | 5    |
| E3000    | 30°   | 5    |

#### **İ** RUBBER INFO





- Shore hardness:  $53 \pm 2$
- Ideal for colder temperatures
- Adjusts better to uneven surfaces



Pack

1

\*\*\*

\*\*\*

A \*\*



#### ErgoTec® CARBON HANDLE

#### The lightest professional squeegee handle.

- 18 % lighter than bicomponent ErgoTec® squeegee handle
   Premium materials: Handle: Carbon fibre T700, 7 layers;
- S-Spring: High value stainless steel 1.4310
- Anti-slip coating for reliable grip
  Compatible with S-Channel and S-Channel Plus

#### Part No.

#### UCH00

#### ErgoTec® SQUEEGEE

#### Stainless steel squeegee with bi-component handle.

Advanced ergonomic handle design for comfortable use
 Quick and simple channel change

- Fits securely to pole with Locking Cone

| Part No. | Size    | Rubber    | Pack |  |
|----------|---------|-----------|------|--|
| ES250    | 25 cm   | Soft      | 10   |  |
| ES350    | 35 cm   | Soft      | 10   |  |
| ES450    | 45 cm   | Soft      | 10   |  |
| ES550    | 55 cm   | Soft      | 10   |  |
| ES25H    | 25 cm   | Hard      | 10   |  |
| ES35H    | 35 cm   | Hard      | 10   |  |
| ES45H    | 45 cm   | Hard      | 10   |  |
| ES55H    | 55 cm   | Hard      | 10   |  |
| ETG00    |         | Handle    | 10   |  |
| ETX00    | +2,5 cm | Handle XL | 10   |  |
|          |         |           |      |  |

#### **S** SQUEEGEE

#### Stainless steel squeegee with rubber coated handle.

– Solid handle design

- Quick and simple channel change with S-Spring - Fits on telescopic pole

| Part No. | Size  | Rubber | Pack |  |
|----------|-------|--------|------|--|
| SE250    | 25 cm | Soft   | 10   |  |
| SE350    | 35 cm | Soft   | 10   |  |
| SE450    | 45 cm | Soft   | 10   |  |
| SE25H    | 25 cm | Hard   | 10   |  |
| SE35H    | 35 cm | Hard   | 10   |  |
| SE45H    | 45 cm | Hard   | 10   |  |
| SG000    |       | Handle | 10   |  |

#### VisaVersa®

### Squeegee and washer in one tool. Complete with S-Channel, Original Sleeve and professional Soft-Rubber.

Time saving performance without changing tool

| – Fits securely to pole with Locking Cone for extra safety |       |        |                 |      |  |
|--|-------|--------|-----------------|------|--|
| Part No.   | Size  | Rubber | Material        | Pack |  |
| VP250  | 25 cm | Soft   | Blended fabric* | 10   |  |
| VP350  | 35 cm | Soft   | Blended fabric* | 10   |  |
| VP/60  | 45 cm | Soft   | Blended fabric* | 10   |  |

#### Pro SQUEEGEE

[i] \*\*

Stainless steel squeegee with rubber coated handle.

Solid handle design
Quick release clip for fast and easy channel change

E ita an talaa.

| - Fils off letes | copic pole |        |      |  |
|------------------|------------|--------|------|--|
| Part No.         | Size       | Rubber | Pack |  |
| PR250            | 25 cm      | Soft   | 10   |  |
| PR350            | 35 cm      | Soft   | 10   |  |
| PR450            | 45 cm      | Soft   | 10   |  |
| PR000            |            | Handle | 10   |  |

\* Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

# WINDOW CLEANING > TRADITIONAL WINDOW CLEANING > **SQUEEGEE RUBBER & CHANNELS**

\*\*;



#### Pro SQUEEGEE RUBBER

25 rubbers per storage box. Professional quality.

| – Hi | ghly | durabl | le and | efficien | t |  |
|------|------|--------|--------|----------|---|--|
|      |      |        |        |          |   |  |

- Sharp edges enable thorough wiping for superior finish

| - Sturdy plastic | storage box keep | s rubbers clean a | nd straight |  |
|------------------|------------------|-------------------|-------------|--|
| Part No.         | Size             | Rubber            | Pack        |  |
| RP300            | 30 cm            | Soft              | 25          |  |
| RP350            | 35 cm            | Soft              | 25          |  |
| RP450            | 45 cm            | Soft              | 25          |  |
| RP30H            | 30 cm            | Hard              | 25          |  |
| RP35H            | 35 cm            | Hard              | 25          |  |
| RP45H            | 45 cm            | Hard              | 25          |  |



#### **Pro** SQUEEGEE RUBBER

#### 10 rubbers per bag. Professional quality.

Highly durable and efficient
Sharp edges enable thorough wiping for superior finish

| Part No.<br>Soft | Part No.<br>Hard | Size   | Pack |  |
|------------------|------------------|--------|------|--|
| RR200            | RR20H            | 20 cm  | 10   |  |
| RR250            | RR25H            | 25 cm  | 10   |  |
| RR300            | RR30H            | 30 cm  | 10   |  |
| RR350            | RR35H            | 35 cm  | 10   |  |
| RR400            | RR40H            | 40 cm  | 10   |  |
| RR450            | RR45H            | 45 cm  | 10   |  |
| RR500            | RR50H            | 50 cm  | 10   |  |
| RR550            | RR55H            | 55 cm  | 10   |  |
| RR600            | RR60H            | 60 cm  | 10   |  |
| RR650            | RR65H            | 65 cm  | 10   |  |
| RR750            | RR75H            | 75 cm  | 10   |  |
| RR920            | RR92H            | 92 cm  | 10   |  |
| RR990            | RR99H            | 106 cm | 10   |  |

#### **RUBBER INFO**

#### Soft

- Shore hardness:  $53 \pm 2$ - Ideal for colder
- temperatures - Adjusts better to uneven
- surfaces

#### Hard

- Shore hardness:  $60 \pm 2$
- Ideal for warmer temperatures
- Ideal for large, smooth surfaces





#### Stainless steel channel with variable positioning options.

Complete with soft rubber. - Curved ends support the rubber at the edges for improved cleaning close to frame

- Strong and durable - Easy change of rubber

- Fits on ErgoTec®-, S- and Pro-squeegees

|          |       | 15     |      |
|----------|-------|--------|------|
| Part No. | Size  | Rubber | Pack |
| UC300    | 30 cm | Soft   | 10   |
| UC350    | 35 cm | Soft   | 10   |
| UC450    | 45 cm | Soft   | 10   |



\*\*\*

#### S CHANNEL

#### Stainless steel channel with variable positioning options.

Complete with soft and hard rubber.

Strong and durable
 Easy change of rubber
 Fits on ErgoTec<sup>®-</sup>, S- ar

S- and Pro-squooqoor

| – Fits on Ergolec", S- and Pro-squeegees |       |        |      |  |
|--|-------|--------|------|--|
| Part No.                                 | Size  | Rubber | Pack |  |
| NE250                                    | 25 cm | Soft   | 10   |  |
| NE300                                    | 30 cm | Soft   | 10   |  |
| NE350                                    | 35 cm | Soft   | 10   |  |
| NE450                                    | 45 cm | Soft   | 10   |  |
| NE550                                    | 55 cm | Soft   | 10   |  |
| NE15H                                    | 15 cm | Hard   | 10   |  |
| NE25H                                    | 25 cm | Hard   | 10   |  |
| NE30H                                    | 30 cm | Hard   | 10   |  |
| NE35H                                    | 35 cm | Hard   | 10   |  |
| NE45H                                    | 45 cm | Hard   | 10   |  |
| NE55H                                    | 55 cm | Hard   | 10   |  |

i



\*



#### - Firm channel fit with screws

| - F | its on teles | scopic pole |  |
|-----|--------------|-------------|--|
|     |              |             |  |

| Part No. | Size  | Rubber        | Pack |
|----------|-------|---------------|------|
| GS000    |       | Brass Handle  | 10   |
| GC250    | 25 cm | Brass Channel | 10   |
| GC300    | 30 cm | Brass Channel | 10   |
| GC350    | 35 cm | Brass Channel | 10   |
| GC450    | 45 cm | Brass Channel | 10   |
| GC550    | 55 cm | Brass Channel | 10   |



#### HIGHWAY RUBBER

| – Convenient and pr<br>– Good value deal | <b>er roll. Household qu</b> a<br>actical<br>h easy rubber access | ality. |
|--|---|--------|
| Part No.                                 | Size  | Pack   |
| HIXXL                                    | 15 m  | 10     |



#### **Plastic Clips**

|          |                      |      | ic or brass. |
|----------|----------------------|------|--------------|
| Part No. | Info                 | Pack |              |
| PCLIP    | Plastic Clips 40/Box | 10   |              |
| MCLIP    | Brass Clips 100/Box  | 1    |              |



#### Ergo HANDLE EXTENSION

|          | <b>m reach for cleaning glass.</b><br>nal reach for safer cleaning withou<br>e tools | t ladders |  |
|----------|--|-----------|--|
| Part No. | Size   | Pack      |  |
| HH000    | 14 cm  | 10        |  |



Info

Complete

Complete

Complete

Handle

Pack

10

10

10

10





UniTec SQUEEGEE

Firm channel fit with screws
Fits on telescopic pole

Sturdy

Part No.

OW250

OW350

OW450

OG000

Convenient metal squeegee, good value.

Size

25 cm

35 cm

45 cm

#### \*

#### WASHERS



#### **PRODUCT OVERVIEW**

Use the guide below to compare various models of **UNGER** washers and sleeves and identify the right one for your cleaning tasks and budget.

#### T-BARS

|                               | BUDGET | HAND                          | LE                         | SWIVEL F       | UNCTION               |           | T-E        | BAR             |             |       |
|-------------------------------|--------|-------------------------------|----------------------------|----------------|-----------------------|-----------|------------|-----------------|-------------|-------|
|                               |        | Material                      | Fits to<br>Locking<br>Cone | Swivel<br>Head | Tension<br>adjustment | Material  | Weight     | Available Sizes | Function    |       |
| ErgoTec <sup>®</sup><br>NINJA | ***    | Plastic with<br>rubber insert |                            | 1              | Screw                 | Aluminium | Very light | 25 – 75 cm      | Swivel head | p. 44 |
| ErgoTec®                      | ***    | Plastic with rubber insert    |                            | -              | -                     | Plastic   | Light      | 25 – 45 cm      | Water wells | p. 44 |
| Alu                           | **     | Plastic                       |                            | -              | -                     | Aluminium | Very light | 15 – 55 cm      | Low weight  | p. 44 |
| Swivel                        | **     | Plastic                       | <u>I</u>                   | 1              | Knob                  | Aluminium | Very light | 35 – 45 cm      | Swivel head | p. 44 |
| UniTec                        | *      | Plastic                       | <u>I</u>                   | -              | -                     | Plastic   | Light      | 25 – 45 cm      | Water wells | p. 44 |

|                               |        |   | SLEE   | VES             |                |           |       |
|-------------------------------|--------|---|--|-----------------|----------------|-----------|-------|
|                               | BUDGET | MATERIAL  | FEATURES   | AVAILABLE SIZES | CLOSING        | SCRUB PAD | _0    |
| ErgoTec <sup>®</sup><br>NINJA | ***    | 100 % polyamide*<br>70 % polyacrylic**<br>20 % polyethylene**<br>10 % polyamide** | Superb water absorbtion and scrubbing action           | 25 – 75 cm      | Velcro         | 2 x       | p. 45 |
| MicroStrip                    | ***    | 100 % polyamide*<br>100 % polyethylene**  | High water retention - up to<br>6 times its own weight | 25 – 55 cm      | Velcro         | 1 x       | p. 45 |
| Monsoon                       | ***    | 100 % polyamide*<br>70 % polyacrylic**<br>20 % polyethylene**<br>10 % polyamide** | High water retention                                   | 15 – 55 cm      | Velcro         | 1 x       | p. 45 |
| Original                      | **     | 100 % polyethylene*<br>100 % polyacrylic**  | Good cleaning power                                    | 25 – 55 cm      | Velcro         | 1 x       | p. 45 |
| Pad                           | **     | 100 % polyethylene*<br>80 % polyacrylic**<br>20 % polyethylene**                  | Removes tough dirt                                     | 35 + 45 cm      | Velcro         | _         | p. 45 |
| UniTec                        | *      | 100 % polyester*/**   | Standard cleaning power                                | 25 – 45 cm      | Snap fasteners | -         | р. 45 |

\* Support material \*\* Fibres









Merch



and hard-to-reach-areas

The center position can be locked by pressing the lock button

ErgoTec® NINJA WINDOW WASHER

Complete with NINJA Washer T-Bar and highly absorbent sleeve with Microfibre.

- Ultimate cleaning performance. Sleeve is machine washable up to 500 times
   Sleeve with rows of scrubbing fibres and 2 abrasive side pads
- Strong yet lightweight hard anodised aluminium T-Bar with 180° swivel function
- Fits securely to pole with Locking Cone

| Part No. | Size  | Material        | Pack |
|----------|-------|-----------------|------|
| NA350    | 35 cm | Blended fabric* | 5    |
| NA450    | 45 cm | Blended fabric* | 5    |



### StripWasher® PAD STRIP PAC

#### Complete washer with blended fabric sleeve and scrub pad strip. - Removes tough dirt

Sleeve with scrub pad is machine washable up to 500 times
 Lightweight plastic T-Bar with water wells fits securely to pole

| Part No. | Size  | Material             | Pack |
|----------|-------|----------------------|------|
| RC350    | 35 cm | Scrub Pad + Fabric** | 10   |
| RC450    | 45 cm | Scrub Pad + Fabric** | 10   |

StripWasher® MICROSTRIP PAC

- Superior cleaning power
   Sleeve with side scrub pad is machine washable up to 500 times
- Lightweight plastic T-Bar with water wells fits securely to pole

Complete washer with highly absorbent microfibre sleeve.

| Part No. | Size  | Material      | Pack |
|----------|-------|---------------|------|
| NC350    | 35 cm | Microfibre*** | 10   |
| NC450    | 45 cm | Microfibre*** | 10   |



#### StripWasher® MONSOON STRIP PAC

- Complete washer with blended, extra long fibre sleeve.
- Excellent cleaning power
- Sleeve with side scrub pad is machine washable up to 500 times - Lightweight plastic T-Bar with water wells fits securely to pole

| 5 5      | 1     |                 |      |
|----------|-------|-----------------|------|
| Part No. | Size  | Material        | Pack |
| MC350    | 35 cm | Blended fabric* | 10   |
| MC450    | 45 cm | Blended fabric* | 10   |



#### StripWasher® ORIGINAL STRIP PAC

Complete washer with blended fabric sleeve.

- Good cleaning power
  Sleeve is machine washable up to 500 times

- Lightweight plastic T-Bar with water wells fits securely to pole

| Part No. | Size  | Material           | Pack |
|----------|-------|--------------------|------|
| WC250    | 25 cm | Blended fabric**** | 10   |
| WC350    | 35 cm | Blended fabric**** | 10   |
| WC450    | 45 cm | Blended fabric**** | 10   |

\* Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide \*\* Support material: 100 % polyethylene; Fibres: 80 % polyacrylic, 20 % polyethylene

\*\*\* Support material: 100 % polyamide; Fibres: 100 % polyethylene \*\*\*\* Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

### WINDOW CLEANING > TRADITIONAL WINDOW CLEANING > WASHER T-BARS



#### ErgoTec® NINJA T-BAR



Durable, lightweight hard anodized aluminium T-Bar.

Ergonomic bi-component handle with 180° swivel and lock function
 Superior performance without causing excessive strain on arms and shoulders
 Fits securely to pole with Locking Cone

| Part No. | Size  | Pack |
|----------|-------|------|
| NI250    | 25 cm | 5    |
| NI350    | 35 cm | 5    |
| NI450    | 45 cm | 5    |
| NI550    | 55 cm | 5    |
| NI750    | 75 cm | 5    |



StripWasher® ALU T-BAR

\*\*

[i] \*

Lightweight solid aluminium T-Bar with plastic handle. Finger grooves on the handle for secure grip
 Fits securely to pole with Locking Cone

| 1103 300 | arecy | <br>pore | witti | Locining | 0011 |
|----------|-------|----------|-------|----------|------|
|          |       |          |       |          |      |

| Part No. | Size  | Pack |  |
|----------|-------|------|--|
| AT150    | 15 cm | 10   |  |
| AT250    | 25 cm | 10   |  |
| AT350    | 35 cm | 25   |  |
| AT450    | 45 cm | 25   |  |
| AT550    | 55 cm | 10   |  |





Water wells for increased water retention
 Fits securely to pole with Locking Cone

| - This securety to po | te with Locking Cone |      |  |
|-----------------------|----------------------|------|--|
| Part No.              | Size                 | Pack |  |
| 0E250                 | 25 cm                | 10   |  |
| 0E350                 | 35 cm                | 10   |  |
| 0E450                 | 45 cm                | 10   |  |

Part No.

SV350

SV450

Size

35 cm

45 cm

Pack

5

5

# **WASHER SLEEVES**





StripWasher® ORIGINAL SLEEVE

Pack

10

10

10

10

Pack

10

10

Material

Blended fabric\*

Blended fabric\*

Blended fabric\*

Blended fabric\*

StripWasher® PAD SLEEVE

Material

Scrub Pad + Fabric\*\*

Scrub Pad + Fabric\*\*

Blended fabric standard sleeve with scrub pad strip and Velcro fastener.

Blended fabric standard sleeve with Velcro fastener.

25 cm

35 cm

45 cm

55 cm

 Good cleaning power - Machine washable up to 500 times Size

Part No. WS250

WS350

WS450

WS550

Part No.

RS350

RS450

ErgoTec® NINJA WASHER SLEEVE

Blended fabric sleeve with 2 abrasive side pads and velcro fastener. - Ultimate cleaning performance

- With rows of scrubbing fibres for effective removal of stubborn dirt

 High water retention - Machine washable up to 500 times

| Machine wa |       | , unes            |      |  |
|------------|-------|-------------------|------|--|
| Part No.   | Size  | Material          | Pack |  |
| NJ250      | 25 cm | Blended fabric*** | 5    |  |
| NJ350      | 35 cm | Blended fabric*** | 5    |  |
| NJ450      | 45 cm | Blended fabric*** | 5    |  |
| NJ550      | 55 cm | Blended fabric*** | 5    |  |
| NJ750      | 75 cm | Blended fabric*** | 5    |  |

| <b></b>                  |         |        |  |
|--------------------------|---------|--------|--|
| StripWasher <sup>®</sup> | MICRO S | SLEEVE |  |

Microfibre sleeve with scrub pad and Velcro fastener.

Superior cleaning power
High water retention – up to 6 times its own weight

- Machine washable up to 500 times

| Part No. | Size  | Material       | Pack |
|----------|-------|----------------|------|
| NS250    | 25 cm | Microfibre**** | 10   |
| NS350    | 35 cm | Microfibre**** | 10   |
| NS450    | 45 cm | Microfibre**** | 10   |
| NS550    | 55 cm | Microfibre**** | 10   |

| StripWasher® MONSOON SLEEVE | * |
|-----------------------------|---|
|                             |   |

Blended fabric sleeve with extra long fibres, scrub pad and Velcro fastener.

- Excellent cleaning power - High water retention

\*\*

\*\*

- Machine washable up to 500 times

| i lacinite ita |       | 0 111100          |      |
|----------------|-------|-------------------|------|
| Part No.       | Size  | Material          | Pack |
| MS150          | 15 cm | Blended fabric*** | 10   |
| MS250          | 25 cm | Blended fabric*** | 10   |
| MS350          | 35 cm | Blended fabric*** | 10   |
| MS450          | 45 cm | Blended fabric*** | 10   |
| MS550          | 55 cm | Blended fabric*** | 10   |



#### Synthetic fibre washer sleeve with snap fasteners.

#### Good cleaning power

- Good value deal

- Machine washable up to 500 times

| Part No. | Size  | Material      | Pack |
|----------|-------|---------------|------|
| ON250    | 25 cm | Polyester**** | 10   |
| 0N350    | 35 cm | Polyester**** | 10   |
| ON450    | 45 cm | Polyester**** | 10   |

\* Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

Time efficient cleaning of heavily soiled surfaced
 Machine washable up to 500 times

Size

35 cm

45 cm

\*\* Support material: 100 % polyethylene; Fibres: 80 % polyacrylic, 20 % polyethylene

\*\*\* Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide \*\*\*\* Support material: 100 % polyamide; Fibres: 100 % polyathylene \*\*\*\*\* Support material: 100 % polyamide; Fibres: 100 % polyathylene

\*

# WINDOW CLEANING > TRADITIONAL WINDOW CLEANING > TELESCOPIC POLE SYSTEM



#### **TELESCOPIC POLE SYSTEM**

# The UNGER Telescopic Pole System puts everything within arm's reach.

Telescopic poles in various lengths and with ergonomic handles allow for secure operation from the ground – without ladder – and in addition save time and money.

#### OptiLoc

- 2 or 3 section telescopic pole
- Available in 9 different lengths
- Reach in excess of 9 m (30 ft)
- (max. pole length 9 m (30 ft) + body height)
- **ErgoTec**<sup>®</sup> Locking Cone included

#### **TelePlus System**

- Extendable modular telescopic pole
- 2 or 3 section poles
- Extensions 1,25 m (4 ft) or 2,00 m (6,5 ft) simply attach
  Reach in excess of 10 m (32 ft)
- (max. pole length 10 m (32 ft) + body height)
- ErgoTec<sup>®</sup> Locking Cone included


#### UniTec

- 2 section telescopic pole
- Available in 3 different lengths
- Interior lock, twist right or left for locking
- Reach in excess of 4 m (13 ft) (max. pole length 4 m (13 ft) + body height)


#### AVOID WORKING ON LADDERS

- **UNGER** telescopic poles allow you to work safely reaching up to 10 m height, while standing on the ground
- The **UNGER ErgoTec**® Locking Cone ensures safer operation, since the tools lock in place and cannot drop
- Most accidents with ladders are caused by wrong handling, and not their damage
- Always check whether cleaning from the ground is a safe option. If not, discuss safe alternatives and corresponding costs with your client
- Always insist on safe working conditions. Do not risk your life just because the client does not accept certain services!
- Always choose the safest way. Ladders should not automatically be first choice simply due to convenience
- Ladders become extremely unsafe under certain conditions: Rain makes the ground slippery; uneven ground or contaminations can result in tilting, or even falling





# WINDOW CLEANING > TRADITIONAL WINDOW CLEANING > TELESCOPIC POLE SYSTEM





#### **OptiLoc** POLE, 2 SECTIONS

| Telescopic pole wit | h ErgoTec <sup>®</sup> Locking Cone. |  |
|---------------------|--------------------------------------|--|
| Part No.            | Size                                 |  |
| EZ120               | 1,25 m                               |  |
| EZ250               | 2,50 m                               |  |
| EZ300               | 3,00 m                               |  |
| EZ400               | 4,00 m                               |  |
| EZ500               | 5,00 m                               |  |
| EZ600               | 6,00 m                               |  |

#### OptiLoc POLE, 3 SECTIONS

| Telescopic pole with ErgoTec <sup>®</sup> Locking Cone. |        |  |
|---|--------|--|
| Part No.  | Size   |  |
| ED180   | 1,85 m |  |
| ED370   | 3,75 m |  |
| ED450   | 4,50 m |  |
| ED600   | 6,00 m |  |
| ED750   | 7,50 m |  |
| ED900   | 9,00 m |  |
|   |        |  |

| TelePlus      | 3 EXTENSION                            |  |
|---------------|--|--|
| Extension for | Extension for 2 section poles. Ø 29 mm |  |
| Part No.      | Size                                   |  |
| T3120         | 1,25 m                                 |  |
| T3200         | 2,00 m                                 |  |

| TelePlus4 EXTENSION                    |        |  |  |  |
|--|--------|--|--|--|
| Extension for 3 section poles. Ø 33 mm |        |  |  |  |
| Part No.                               | Size   |  |  |  |
| T4120                                  | 1,25 m |  |  |  |
| T4200                                  | 2,00 m |  |  |  |

| TelePlus5 EXTENSION                    |        |  |  |  |
|--|--------|--|--|--|
| Extension for 4 section poles. Ø 37 mm |        |  |  |  |
| Part No.                               | Size   |  |  |  |
| T5120                                  | 1,25 m |  |  |  |
| T5200                                  | 2,00 m |  |  |  |

| UniTec POLE, 2 SECTIONS                   |        |  |  |  |
|---|--------|--|--|--|
| Telescopic pole with standard nylon cone. |        |  |  |  |
| Part No.                                  | Size   |  |  |  |
| OS210                                     | 2,00 m |  |  |  |
| OS250                                     | 3,00 m |  |  |  |
| OS260                                     | 4,00 m |  |  |  |



| Part No. | Size  |  |
|----------|-------|--|
| HH240    | 60 cm |  |

### TelePlus POLE, 1,25 m SECTIONS

| Modular Telescopic | Modular Telescopic pole with ErgoTec® Locking Cone. |          |  |  |
|--------------------|---|----------|--|--|
| Part No.           | Size  | Sections |  |  |
| TZ250              | 2,50 m  | 2        |  |  |
| TD370              | 3,70 m  | 3        |  |  |
| TV500              | 5,00 m  | 4        |  |  |
| TF620              | 6,20 m  | 5        |  |  |
|                    |   |          |  |  |

#### TelePlus POLE, 2,00 m SECTIONS

And Designed

| Modular Telescopic pole with ErgoTec® Locking Cone. |         |          |  |
|---|---------|----------|--|
| Part No.  | Size    | Sections |  |
| TZ400   | 4,00 m  | 2        |  |
| TD600   | 6,00 m  | 3        |  |
| TV800   | 8,00 m  | 4        |  |
| TF100   | 10,00 m | 5        |  |

.

# **ADAPTERS & MAINTENANCE**





#### ANGLE JOINTS

Freely adjustable angle allows access to hard-to-reach places. – Available in sturdy zinc version or lightweight plastic version – Fits to telescopic pole

| Part No. | Version | Pack |
|----------|---------|------|
| CJA00    | Zinc    | 5    |
| CJN00    | Plastic | 5    |



| Ideal for paint rollers, scrapers and other tools with handle.                          |
|---|
| <ul> <li>Enables safe operation from the ground with secure tool handle lock</li> </ul> |
| <ul> <li>Adjustable angle that locks securely via bolt with nut</li> </ul>              |
| <ul> <li>Fits to telescopic pole</li> </ul>   |

Part No.

Pack 5



- Adapter is inserted into pole and locks in place via stand spring

| Part No. | Pack |  |
|----------|------|--|
| BE000    | 5    |  |
|          |      |  |

| BULB CHANGER                               |   |
|--|---|
| s.<br>I faster bulb change from the ground |   |
| Pack                                       |   |
|  |   |
|  | I light bulbs in high access areas without la<br>5.<br>I faster bulb change from the ground<br>pole |



Part No. NCANO

| hange via release butt | on |
|------------------------|----|
| Pack                   |    |
| 5                      |    |



#### FLOOD SUCKER

| With suction cups. | ght bulbs in high access areas without ladd<br>faster bulb change from the ground<br>pole | ers. |  |  |  |
|--------------------|---|------|--|--|--|
| Part No.           | Pack  |      |  |  |  |
| FS000              | FS000 5   |      |  |  |  |
|                    |   |      |  |  |  |





FIXI-SYSTEM

Innovative cleaning system, ideal for cleaning large and high surfaces such as boats and vehicles.

- Firmly retains sponge, cloth, by tightening the locking collar Fits on telescopic pole
 Stiff bristle brush effectively removes stubborn dirt

| Still bristie brush enectively removes stubborn unt |         |      |  |  |
|---|---------|------|--|--|
| Part No.  | Version | Pack |  |  |
| FIXI0   | Clamp   | 5    |  |  |
| HBR00   | Brush   | 5    |  |  |
| SP010   | Sponge  | 10   |  |  |

# WINDOW CLEANING > TRADITIONAL WINDOW CLEANING > GLASS SCRAPERS



#### **UNGER SCRAPERS**

**UNGER** offers scrapers and blades for all needs. The **GLASS SCRAPERS** provide an extra sharp carbon steel blade with two sharp edges. Perfect to remove stickers, paint etc. from glass.

These blades are available either as robust carbon steel blade or a high-quality, and flexible stainless steel blade.

The **SURFACE SCRAPERS** provide extra solid, reversible sharp/blunt blades. The sharp edge is ideal for removing stubborn objects such as stickers or paint, while the blunt side is great at removing heavy-duty dirt.

#### UNGER PREMIUM GLASS SCRAPER BLADES STAINLESS STEEL

- Longer lasting: Dual sided stainless steel blades. Extremely rust resistant. Designed with a specific flexibility to resist blade edge breaks and chips
- Designed for speed and ease of use: UNGER's new 440A stainless steel blades are fabricated specifically for superior cutting and removal of unwanted debris on glass. Each blade receives a precise honing process, creating a perfect cutting angle that is razor sharp and consistent, enhancing the speed and effectiveness of every scraper pass
- **Usage:** Ideal for daily site glass clean up: paint, decals, tape, heavy soil/debris and construction clean up

#### **1** UNGER CARBON STEEL BLADES

- Made of extra-sharp carbon steel and each blade is 4-way sharpened
- Two sharp sides for twice the wear on selected scraper blades
- Both sides lacquered for longer rust protection
- Individual wrapping in wax paper helps to protect blades from rusting and sticking together
- Safely packed and stored in convenient plastic dispenser. Blades remain dry and always available in safe dispenser









Switch the angle of the scraper head from 0 to 30° at the touch of a button!



Scraper includes removable protective blade cover



Safer and easier blade change – push slider release lock to access and change blade



Practical Holster & Scraper Comb



#### ErgoTec® NINJA HOLSTER

Made of durable solid plastic, the Holster is built to withstand frequent contact with sharp blades thanks to its integrated stainless steel strike plate.

Fits to most standard tool belts
Fits the scraper with or without protective cap

| Part No. | Compatible                   | Pack |
|----------|------------------------------|------|
| HT150    | Fits 10 cm and 15 cm scraper | 5    |



| PREMIUM GLASS SC<br>STAINLESS STEEL |       | RAPER BLADES       |          |  |
|-------------------------------------|-------|--------------------|----------|--|
| Part No.                            | Blade | Info               | Pack     |  |
| ENB10                               | 10 cm | 1 case = 25 blades | 10 cases |  |
| ENB15                               | 15 cm | 1 case = 25 blades | 10 cases |  |

Also fits ErgoTec<sup>®</sup>, ProTrim and Trim scrapers

| <b>ErgoTec® NINJ</b><br>(SCRAPER + H | <b>A</b> COMBO<br>OLSTER) |      | <b>*</b> |
|--------------------------------------|---------------------------|------|----------|
| Part No.                             | Blade                     | Pack |          |
| ENH10                                | 10 cm                     | 5    |          |
| ENH15                                | 15 cm                     | 5    |          |

# WINDOW CLEANING > TRADITIONAL WINDOW CLEANING > **GLASS SCRAPERS**

| Ergonomic<br>Spare blade<br>- Reversible<br>- Made of m   | es: SRB10, SRB<br>blade with sha   | <b>fety mechanism.<br/>20, SRBDB.</b><br>rp edges<br>r grip, sturdy and durable |            | *** |
|---|--|---|------------|-----|
| Part No.  | Size   | Info  | Pack       |     |
| SR03K   | 4 cm   | 20 in a box   | 20         |     |
| SR04K   | 4 cm   | 50 in a display box   | 50         |     |
| SAFETY  | SCRAPER  | fatu mashanian  |            | **  |
| Conveniont  |  | arety mechanism.  |            |     |
| – Reversible<br>– Made of m                               | e blade with sha<br>betal, sturdy and<br>blade for safe                    | <b>20, SRBDB.</b><br>Irp edges<br>I durable                                     |            |     |
| <b>Spare blade</b><br>– Reversible<br>– Made of m         | es: SRB10, SRB<br>blade with sha<br>netal, sturdy and                      | <b>20, SRBDB.</b><br>Irp edges<br>I durable                                     | Pack       |     |
| Spare blade<br>– Reversible<br>– Made of m<br>– Retractab | es: SRB10, SRB<br>blade with sha<br>netal, sturdy and<br>le blade for safe | <b>20, SRBDB.</b><br>Irp edges<br>I durable<br>ety                              | Pack<br>20 |     |



#### ErgoTec® GLASS SCRAPER

Large surface blade with ergonomic bi-component handle. Spare blades: TR100 (10 cm), TR150 (15 cm).

- Reversible sharp/blunt blade

Simple slide blade change, with protective cap for safety
 Fits securely to pole with Locking Cone

| The becardy to pole that Ecolory cond |       |                       |      |
|---------------------------------------|-------|-----------------------|------|
| Part No.                              | Size  | Info                  | Pack |
| EG100                                 | 10 cm | Packed in display box | 10   |
| EG150                                 | 15 cm | Packed in display box | 10   |

Info

In plastic bucket

| MINI SCRAPER   | * |
|--|---|
|  |   |
| Handy plastic scraper with special locking mechanism.<br>– Extremely handy – fits anywhere!<br>– Reversible blade for safety |   |

Pack

100

|   |   | 0   |                      |         |
|---|---|---|----------------------|---------|
|   |   |   | 0                    |         |
| PROTRIN   | 1 10  |   |                      | ***     |
|   | ient lightwe<br>es: TR100, K  | ight scraper for every day.<br>L100.  |                      |         |
| – Convenier   | nt and compa<br>le blade for  | act   |                      |         |
|   |   | d cleaning at push of a button  |                      |         |
| Part No.  | Size  | Info  | Pack                 |         |
| TX100   | 10 cm   | Packed in display box   | 10                   |         |
|   |   | and and   |                      |         |
| TRIM 10   | . 1   |   |                      |         |
| TRIM 10-  |   |   |                      | **      |
| Glass scrap   |   | ess steel holder. In practical plastic  | box, with 10         | blades. |
| Glass scrap<br>Spare blade<br>– Strong sta  | oer in stainle<br>es: TR100, K<br>ainless steel   | L100.   | box, with 10         | blades. |
| Glass scrap<br>Spare blade<br>– Strong sta<br>– Fits in UN                                    | oer in stainle<br>es: TR100, K<br>ainless steel   | L100.   | box, with 10         | blades. |
| Glass scrap<br>Spare blade<br>– Strong sta<br>– Fits in UN                                    | <b>ber in stainle</b><br>es: TR100, K<br>ainless steel<br>IGER squeeg                         | L100.   | box, with 10<br>Pack | blades. |
| Glass scrap<br>Spare blad<br>– Strong sta<br>– Fits in UN<br>– Folding m                      | <b>ber in stainle</b><br>es: TR100, K<br>ainless steel<br>IGER squeeg<br>aechanism fo         | L100.<br>ee handles for telescopic poles<br>ir safety                                       |                      | blades. |
| Glass scrap<br>Spare blad<br>– Strong sta<br>– Fits in UN<br>– Folding m<br>Part No.          | per in stainle<br>es: TR100, K<br>ainless steel<br>IGER squeeg<br>echanism fo<br>Size         | L100.<br>The handles for telescopic poles<br>or safety<br>Info                              | Pack                 | blades. |
| Glass scrap<br>Spare blad<br>– Strong sta<br>– Fits in UN<br>– Folding m<br>Part No.<br>TM100 | per in stainle<br>es: TR100, K<br>ainless steel<br>GER squeeg<br>echanism fo<br>Size<br>10 cm | L100.<br>ee handles for telescopic poles<br>r safety<br>Info<br>1 case = 1 holder+10 blades | Pack<br>10 cases     | blades. |
| Glass scrap<br>Spare blad<br>– Strong sta<br>– Fits in UN<br>– Folding m<br>Part No.<br>TM100 | per in stainle<br>es: TR100, K<br>ainless steel<br>GER squeeg<br>echanism fo<br>Size<br>10 cm | L100.<br>ee handles for telescopic poles<br>r safety<br>Info<br>1 case = 1 holder+10 blades | Pack<br>10 cases     | blades. |



#### CARBON GLASS SCRAPER BLADES 10/15 cm

|          |       | ersible sharp edges.<br>0,TM100, EN100, EN150. |          |
|----------|-------|--|----------|
| Part No. | Size  | Info   | Pack     |
| KL100    | 10 cm | 1 Box = 250 loose blades                       | 1 Box    |
| TR100    | 10 cm | 1 case = 25 blades                             | 10 cases |
| TR150    | 15 cm | 1 case = 25 blades                             | 10 cases |



#### CARBON GLASS SCRAPER BLADES 4 cm

For SR03K, SR04K, SR20K, SR50K, STMIN. – Single edge razor blade with aluminium holder

– Easy to replace

- SRBDB includes dispenser with tray for old blades

| Part No. | Size | Info                          | Pack   |
|----------|------|-------------------------------|--------|
| SRB10    | 4 cm | 1 box = 100 blades            | 1 Box  |
| SRB20    | 4 cm | 1 box = 250 blades            | 1 Box  |
| SRBDB    | 4 cm | 1 box =10 blades in dispenser | 48 Box |

Part No.

STMIN

Size

4 cm

# **SURFACE SCRAPERS**





#### $i \rightarrow EXPERT TIPS$

- Check if glass is scratch-resistant and suitable for scraper use. Unsuitable for use – e.g Plexiglas, crown glass, solar glass, safety glass (ESG). Follow the manufacturer's care instructions
- Perform a scrape test in advance on an inconspicuous section
- Before starting work, check the glass for damage and report it, if necessary
- Check the blade for damage and change it, if necessary, or reverse it
- The surface to be scraped should always be wet
- It is best to use a release agent, e.g. "UNGER's Liquid"
- Always scrape in one direction! Never pull the scraper back scratch risk!
- After scraping, check if adhesive or stucco residues are stuck to blade. If necessary, change or reverse blade

ATTENTION! UNGER blades are razor-sharp. Always handle with greatest care.





#### STAINLESS STEEL BLADES FOR SURFACES Reversible sharp/blunt edge stainless steel blade.

#### For SH000, SH250 - Sharp edge for scraping off paint, stickers, etc.

- Blunt side for removing cement and stucco
- Compact dispenser stores new and used blades
  Blades easily slide in and out of dispenser

| Part No. | Size  | Info                       | Pack    |  |
|----------|-------|----------------------------|---------|--|
| RB100    | 10 cm | 1 dispenser =<br>10 blades | 10 disp |  |



# WINDOW CLEANING > TRADITIONAL WINDOW CLEANING > **GLASS CLOTHS**

#### WINDOW MICROFIBRE CLOTH SYSTEM



#### CLEANING WITH MICROFIBRE

Microfibre is highly efficient in removing dirt, oils, embedded soils and bacteria from surfaces without chemicals due to its slightly abrasive fibre texture. When used dry the statically charged fibre attracts and holds dust in place, unlike cotton or paper cloths.

Highly absorbent microfibre requires less water and chemicals for effective cleaning, allowing a reduction in water and harsh chemical consumption.

Microfibre is hard wearing and reusable generating less waste for landfill disposal than cotton or paper disposable cloths.



#### ErgoTec® NINJA MICROWIPE

Best in Class premium Microfibre cloth.

- Fabric weight: 400 g/m<sup>2</sup>
- Double sided coarse for cleaning and smooth for polishing
- With 4 scrubbing corners for removing stubborn dirt

Conto

- Pocket corners for hanging the loth on the pole for detailing at height
   Reinforced overlock stitch along the edges ensures shape retention
- Machine washable up to 500 times

| indennie i | Machine Washable up to ooo times |               |             |      |
|------------|----------------------------------|---------------|-------------|------|
| Part No.   | Size                             | Info          | Material    | Pack |
| MN40H      | 40 x 40 cm                       | Standard size | Microfibre* | 5    |
| MN55H      | 55 x 55 cm                       | Medium size   | Microfibre* | 5    |
| MN60H      | 80 x 60 cm                       | Extra size    | Microfibre* | 5    |



- Overlock stitch along the edges ensures shape retention
- Machine washable up to 200 times

| Part No. | Size       | Material    | Pack |
|----------|------------|-------------|------|
| MF40E    | 40 x 40 cm | Microfibre* | 10   |
| MF60E    | 60 x 80 cm | Microfibre* | 10   |



| MICROWIPE *** The "Original" microfibre cloth Fabric weight: 350 g/m <sup>2</sup> - Double sided - coarse for cleaning and smooth for polishing |            |                 |             |      |  |  |
|---|------------|-----------------|-------------|------|--|--|
| – Overlock  |            | e edges ensures |             |      |  |  |
| Part No.  | Size       | Info            | Material    | Pack |  |  |
| MF40L   | 40 x 40 cm | Standard size   | Microfibre* | 10   |  |  |
| MF60L   | 60 x 80 cm | Extra size      | Microfibre* | 5    |  |  |
| C.L   |            |                 | SCRIM       |      |  |  |

For polishing and spot cleaning of glass surfaces.

- Robust and durable - Generous size for large surface
- Versatile best seller

| Part No. | Size       | Material    | Pack |
|----------|------------|-------------|------|
| SCRM1    | 92 x 92 cm | 100 % Linen | 10   |

\* 70 % polyester, 30 % polyamide

# **PROTECTIVE GLOVES**



#### **PROTECTIVE GLOVES**



#### **NEOPRENE GLOVES**

Choose from 2 designs of neoprene gloves to protect your hands from cold. **UNGER** Gloves may feel slightly smaller than your usual gloves size so we recommend to use the size guide charts on the right for perfect fit. Alternatively, you can order the Gloves in one size larger than you usually would.


#### **POLE GLOVES**

i

Design for all-year round protection, our Poles Gloves will help you avoid discomfort when working with poles in hot weather.

#### **IDENTIFY YOUR GLOVE SIZE:**

Measure the circumference of your hand at the widest point, right under the knuckles, excluding thumb. Check our size guide charts on the right to identify your glove size.





#### ErgoTec® NEOPRENE GLOVES

Protective gloves against cold, made of 3 mm thick textile neoprene.

- Tear resistant stitching and glue seal along seams for durability
   Knuckle inserts and flexible curved shape for ultra comfort
- Non slip palm with screened-on silicone for secure grip
- Adjustable Velcro wrist strap

| , ,      |          |                    |                   |      |
|----------|----------|--------------------|-------------------|------|
| Part No. | Size     | Hand circumference | Material          | Pack |
| GL02S    | S (7)    | 18 – 19 cm         | Neoprene, textile | 5    |
| GL02L    | L (8)    | 20 – 21 cm         | Neoprene, textile | 5    |
| GL02X    | XL (9)   | 22 – 23 cm         | Neoprene, textile | 5    |
| GL02Z    | XXL (10) | 24 – 25 cm         | Neoprene, textile | 5    |



#### **NEOPRENE GLOVES**

Protective gloves against cold. Rubber Neoprene.

- Tear resistant stitching and glue seal along seams for durability
   Soft and comfortable on inside
- - Non slip palm for secure grip - Adjustable Velcro wrist strap

| -        |          |                    |                         |      |
|----------|----------|--------------------|-------------------------|------|
| Part No. | Size     | Hand circumference | Material                | Pack |
| GLOV1    | S (7)    | 18 – 19 cm         | Neoprene,<br>rubberized | 10   |
| GLOV2    | L (8)    | 20 – 21 cm         | Neoprene,<br>rubberized | 10   |
| GLOV3    | XL (9)   | 22 – 23 cm         | Neoprene,<br>rubberized | 10   |
| GLOV4    | XXL (10) | 24 – 25 cm         | Neoprene,<br>rubberized | 10   |





#### POLE GLOVES

#### Premium quality gloves for all-year-round protection.

- Ergonomic design for full hand movement and pole control
- Non-slip textured reinforcement panels on palm and fingers
- Teflon coated fabric for superior water resistance, with triple seams - Adjustable velcro wrist strap with hook and loop for secure fitting
- Webbing loop for added ease while putting glove on
- Part No. Size Hand circumference Material Pack GLOC1 S (8) 19 – 21 cm Blended fabric\* 5 L (9) GLOC2 22 – 23 cm Blended fabric\* 5 GLOC3 XL (10) 23 – 24 cm Blended fabric\* 5 GLOC4 XXL (11) 24 – 26 cm Blended fabric\* 5

\* Palm: 50 % polyester, 50 % polethylene; Back of the hand: 50 % nylon, 50 % polythylene

# WINDOW CLEANING > TRADITIONAL WINDOW CLEANING > **BELTS, POUCHES**

| 8              |             | ErgoTec® BELT               |      |   |
|----------------|-------------|-----------------------------|------|---|
|                |             | ders. 4 eyes, padding, c    |      |   |
| Part No.       | Size        | Material                    | Pack |   |
| BSTBT          | 80 – 130 cm | nylon                       | 1    |   |
|                | E           | While stock                 |      | I |
| Perfect for ca |             | ErgoTec <sup>®</sup> BOTTLE |      |   |
| Part No.       | Size        | Material                    | Pack |   |
|                |             |                             |      |   |
| BSBTH          | 10 x 18 cm  | nylon                       | 1    |   |



ErgoTec® POUCH

3 compartments. Dry and damp cloths can be stored separately. Front pocket with flap and Velcro fastener. Part No. Size Material Pack

BSPOU 30 x 37 cm nylon



| ErgoTec | DOUBLE HOLSTER |
|---------|----------------|
|         |                |

1

|          | Strong leather holster with two loops.<br>With snap fasteners for easy attachment to belt. |      |  |  |  |
|----------|--|------|--|--|--|
| Part No. | Size   | Pack |  |  |  |
| BSDHR    | 8 x 13 cm  | 1    |  |  |  |





Part No. Size Material Pack BSPBG 15 x 20 cm nylon 1







#### BUCKET ON A BELT

| Durable plastic holder for squeegee, washer, scraper.      |  |
|--|--|
| <ul> <li>Conveniently holds all important tools</li> </ul> |  |
|  |  |

Ideal for use on ladders, indoors or in narrow spaces
 Clip lock for quick fastening

| – Clip lock for quick fastening |  |      |  |  |  |
|---------------------------------|--|------|--|--|--|
| Part No.                        | Info                                     | Pack |  |  |  |
| BB010                           | NINJA: 1 washer, 2 squeegees, 1 scraper  | 5    |  |  |  |
| BB020                           | Classic: 1 squeegee, 1 washer, 1 scraper | 5    |  |  |  |



| – Keeps esse | I nylon with 2 large compartments for clot<br>ntial tools protected<br>orking at height<br>justable belt | hs, scraper, etc. |  |
|--------------|--|-------------------|--|
| Part No.     | Material   | Pack              |  |
| SRZ10        | nylon  | 10                |  |

|              | THE BELT   |         |  |
|--------------|--|---------|--|
| - Convenient | <b>elt for attaching bucket and other tools on</b><br>loops for tools (squeegee, etc.)<br>quick fastening<br>ength | a belt. |  |
| Part No.     | Material   | Pack    |  |
| UB000        | polypropylene, nylon   | 5       |  |





# WINDOW CLEANING > TRADITIONAL WINDOW CLEANING > **BUCKETS, SOAP**



#### BUCKET 18 L

| – Lightweigh<br>– Metal hand | <b>lass cleaning.</b><br>It and easy to H<br>Ile with plastic<br>lastic holder fo | nandle                  |      |  |
|------------------------------|---|-------------------------|------|--|
| Part No.                     | Content   | Info                    | Pack |  |
| QB120                        | 18 ltr  | Complete w/ accessories | 10   |  |





QB080

#### ACCESSORIES FOR BUCKET 28 L

| Part | No. | Product                            | Pack   |
|------|-----|------------------------------------|--------|
| QB0  | 60  | Bucket Sieve                       | 5      |
| QB0  | 30  | Lid                                | 5      |
| QB0  | 70  | Set of Castors (1 Set = 4 castors) | 5 Sets |



UNGER's LIQUID

Window cleaning soap, liquid. Concentrate. Mixing ratio 1:100.

Economic and eco-friendly
 Excellent cleaning power

Excellent cleaning pow
 Simply add to water

| Part No. | Size  | Pack |
|----------|-------|------|
| FR100    | 1 ltr | 12   |
| FR500    | 5 ltr | 2    |

# Professional glass cleaner. Compact bottle with easy dispense cap. - Removes hard water stains, rust, mineral deposits, limescale and soap residue - Tough on stains, gentle on glass Part No. Capacity [ltr] Pack

 RUB20
 0,5 l
 12

| i |   |
|---|---|
|   |   |
|   | • |

#### GHS/CLP MARKING

**UNGER** products are manufactured and marked in accordance with the CLP regulation (EG) no. 1272/2008 where applicable.

# WINDOW CLEANING SETS





# INDOOR WINDOW CLEANING





# The most efficient indoor cleaning tool ever.

#### Recent research indicates that when cleaning indoor

windows, cleaning professionals face 2 key challenges – efficiency and safety. Current tools lead to time consuming issues, like re-arranging of furniture and reaching high or unusually positioned windows\*. Current solutions to these issues lead to more wasted time and the risks associated with the use of ladders. Moreover, for the least experienced need for intensive staff training create additional problems.

Introducing the revolutionary **UNGER Stingray**, the most efficient indoor cleaning tool ever. It cleans windows up to 25 % faster and uses up to 39 % less chemical than traditional methods.\*\*

Inspired by the power and glide of its namesake, the **UNGER Stingray** utilized several patent pending features to overcome the challenges associated with indoor window cleaning and delivers outstanding cleaning results. From its modular pole system that allows the cleaner to easily overcome obstacles to the ideal head design which ensures the cleaning solution is always in the right spot and uses a triangular shape to maximize the surface area coverage while cleaning edges and corners.

**UNGER Stingray**, the solution to your indoor window cleaning needs.

\*Source: Market Research – Professional Window Cleaners. Germany/UK, 2015, SR Strategy Routes \*\*compared to traditional spray and cloth cleaning [Source: "Interior Glass Cleaning", 16:07.15, Sabine R. Mück, Hygiene Consult Mück]

# AGILE LIKE A RAY

The **UNGER Stingray** lives up to its namesake. Clean hard to reach areas and places with tremendous agility and surprising ease.

# WINDOW CLEANING > INDOOR WINDOW CLEANING > STINGRAY SYSTEM



### ► FASTER

Speed up indoor glass cleaning up to 25 %\*\*

- New one step "Apply and Clean" Technology
- New microfibre **TriPad** for simultaneous cleaning of windows & frames
- Enclosed spray nozzle design prevents overspraying, eliminating drips, streaks and the rework associated with wet window sills
- 15 % larger pad size saves time via reduced frequency of pad change (compared to traditional pads like e.g. UNGER PHL20)
- TOTAL FLEXIBILITY Mastering every challenge with a single tool
  - Unique triangular **TriPad** shape makes it easy to clean corners and other hard to reach areas
  - New Easy-Click-Pole technology simply add on another pole extension to reach heights of up to 4 m!

3D DESIGN

#### ERGONOMIC AND SAFE Comfortable and safe working

up to 4 m

- Enclosed spray nozzle prevents inhalation of cleaning liquid
- Triangular pole shape facilitates enhanced grip for perfect control
- Stingray's weight distribution is towards the cleaning surface, so it is easy to use and minimizes back strain
- Battery powered sprayer helps to reduce operator fatigue

 INCREDIBLE EASE-OF-USE Professional results with minimal training

- Ready-to-use, easily replaceable pouches, pre-filled with top quality 3M Scotchgard<sup>™</sup> professional glass cleaner
- Spray activation button on each **Easy-Click-Pole** as well as on the handheld unit – press & play!

#### **REFILL POUCH** STINGRAY Glass Cleaner with

3M Scotchgard™ Protection. Ready-to-use formula effectively removes dirt, grease and fingerprints. Fast drying, leaves no streaks or marks.

powered by: scorengas

EASY-CLICK-POLE

ENCLOSED SPRAYING

> PRECISION SPRAY SYSTEM

MICROFIBRE

TRIPAD

CONTROLLED-VOLUME

SPRAY ACTIVATION BUTTON

**3D JOINT** 

# WINDOW CLEANING > INDOOR WINDOW CLEANING > STINGRAY SYSTEM



# Unrivalled efficiency offers business growth potential

The new **UNGER Stingray** system stands for excellent results even without professional window cleaning experience. Its highly intuitive design requires minimal operator training and it is suitable for most washable surfaces!

# Increased productivity, greater cost efficiency and sustainability because:

- ▶ It speeds up indoor glass cleaning by up to 25 %\*
- ▶ It ensures 39 % less liquid consumption\*
- Numerous ergonomic benefits improve workers' comfort and safety – less downtime and health risks!

Multitude of applications: indoor glass & windows, glass partitions, showcases, mirrors, glass refrigerator doors, elevators, washable doors & tables, etc.

#### Your investment will pay off within a few months!

\*compared to traditional spray and cloth cleaning (Source: "Interior Glass Cleaning", 16.07.15, Sabine R. Mück, Hygiene Consult Mück)














\*Powered by 2 x AA batteries lasting out approx. 6 months based on 11.000 cycles of one-second pushes 💦 \*\* at low to medium polluted surfaces

### STINGRAY GLASS CLEANER

#### The perfect cleaning liquid for all glass surfaces with excellent cleaning power.

**Stingray Glass Cleaner** not only cleans, but also makes glass easierto clean over time. **Scotchgard™ Protection** makes it more effective than leading glass cleaners at removing fingerprints, lipstick – even permanent marker. **Stingray Glass Cleaner** is fast drying and streak free.

- Works like a heavy-duty glass cleaner without the high levels of solvent or ammonia
- Cleans and protects glass and other silica-based surfaces like uncoated granite, ceramic and porcelain
- Keeps glass looking clean longer
- Stingray Glass Cleaner has <0.1 % VOC
- Reduces fogging on mirrors and other glass surfaces
- Also cleans but may not protect other surfaces such as stainless steel, chrome, aluminum, plastic, acrylic glass, etc.

#### Stingray GLASS CLEANER

Professional Glass Cleaner powered by 3M Scotchgard™

Easy gliding, quick drying – high efficiency
 Cleaning power up to 150 m<sup>2</sup> \*\*

– 24 pouches (a 150 ml) in a box (= minimum order quantity)

| Part No. | Content | Weight | Pack |  |
|----------|---------|--------|------|--|
| SRL01    | 150 ml  | 270 g  | 24   |  |

COTCHGARD

# WINDOW CLEANING > INDOOR WINDOW CLEANING > INDOOR WINDOW CLEANING SYSTEM







#### EFFECTIVE WINDOW CLEANING

#### THE UNGER INDOOR WINDOW CLEANING SYSTEM

Easy to use, professional system, ideal for every day cleaning, as well as polishing of glass and mirrors. Perfect for any user without window cleaning experience. Can be used with **UNGER** aluminium poles for safe and quick cleaning of high level windows, skylights and glass balustrades.


- Combine with **UNGER** telescopic to reach heights of up to 10 m safely from the floor
- Minimum water required no spills, no slips, no water wastage!
- Time saving one step cleaning
- No need for chemicals save money and safer for operator and the environment!



#### INDOOR CLEANING STARTER SET

| Content:<br>PHL20 (5 x)<br>PHH20<br>AFAET | Padho | ibre Cleaning Pad 20 cm<br>Ider 20 cm<br>I adapter for Alu-Poles |  |
|---|-------|--|--|
| Part No.                                  |       | Pack   |  |
| PFK20                                     |       | 1  |  |







#### PAD HOLDER (HANDHELD)

#### Aluminium handheld holder for indoor cleaning pads.

- Velcro backing for attaching the pads - Designed to enable perfect pressure application for thorough and precise cleaning

Size

- Easy to use

Part No.


PHD20

Pack 20 cm 5



Anodized aluminium adapter for fitting the Padholder to aluminium poles. Fits into any UNGER aluminium pole with 21mm diameter – just click in
 Enables connection between aluminium poles and MultiLink Goosenecks, Extensions and Brushes

| Part No. | Pack |  |
|----------|------|--|
| AFAET    | 5    |  |



#### PAD HOLDER

| <ul> <li>Velcro backing for</li> <li>Swivel function all</li> </ul> | ead holder for indoo<br>attaching the pads<br>ows access to hard to<br>I UNGER poles with t | o reach places |  |
|---|---|----------------|--|
| Part No.  | Size  | Pack           |  |
| PHH20   | 20 cm   | 5              |  |

# LITTER PICKING & REACHING AIDS

#### NiftyNabber<sup>®</sup> GRABBER AND BAGGER SYSTEM

Perfect for eco-friendly waste removal, indoor and outdoors, in industrial or domestic environment.

Durable, ergonomic and reliable **UNGER** grabbers are also perfect for easy reach and bend-free pick up of many daily objects.



#### NiftyNabber® BAGGER

A durable and weatherproof 180 l waste carrier that is a great multi-tasking alternative to plastic bags and the perfect companion to UNGER's super tough litter pickers. **Robust** 

Can be pulled across the floor, asphalt or ground due to solid plastic bottom and carry loops. Protects plastic bags from splitting.

#### Practical

Collapses flat and fastens with Velcro for compact storage and transportation. Can be used indoors or outdoors as a temporary waste disposal or recycling unit during the event.

#### Ergonomic

Allows to avoid unnecessary bending or lifting heavy bags. Always open for easy and safe access without touching litter. Made of robust material for reduced injury risk from sharp waste.

| Part No. | Size  | Colour | Pack |
|----------|-------|--------|------|
| NB300    | 180 l | •      | 1    |
| NB30B    | 180 l | •      | 1    |









Durable litter picker with a strong internal metal bar, a 360  $^\circ$  fully rotating head and a highly responsive trigger grip handle. Available in 4 lengths.

#### Robust metal bar inside

For extra durability and grab power. Will not stretch or snap, like string mechanism on other grabbers.

#### Trigger Grip Handle

Responsive mechanism for greater comfort. Made with glass-reinforced plastic for increased durability.

#### **Rubber Claws**

Reliable grip even with most difficult shapes. Opens up to 13 cm wide and holds items up to 4,5 kg.

#### **Rotating Head**

Access narrow areas with 360° rotating head. Locks securely every 90°. Aluminum Shaft

Durable and rust-resistant. Lightweight, designed to decrease fatigue.

| Part No. | Size   | Pack |  |
|----------|--------|------|--|
| NT060    | 63 cm  | 5    |  |
| NT080    | 83 cm  | 5    |  |
| NT090    | 93 cm  | 5    |  |
| NT100    | 102 cm | 5    |  |

#### NiftyNabber® PRO

A heavy duty litter picker with a strong internal metal bar, poweful claws and robust steel shaft. Available in 4 lengths, including 2,50 m long reach version!

#### Steel Claws

Molded rubber overlay for an extra-secure grip. Powerful hold of small or oddly shaped objects - broken glass, cigarettes or coins. Opens up to 15 cm wide.

#### Rugged Design

Shaft made from durable steel with rust resistant coating for dependable use over long time. Strong enough for heavy-duty work,light enough to protect from back and arm strain. Overall steel construction wears well under the rigours of every day use.

| -        |        |      |
|----------|--------|------|
| Part No. | Size   | Pack |
| NN400    | 52 cm  | 5    |
| NN900    | 97 cm  | 10   |
| NN140    | 130 cm | 5    |
| NN960    | 250 cm | 6    |

# **MAINTENANCE CLEANING**



# Professional Tools for daily and project cleaning tasks.

### Efficient, Ergonomic, Hygienic

**UNGER** Maintenance Cleaning tools provide simple solutions for many cleaning tasks. They help professionals to perform their job better, faster and easier. Their ergonomic design and state of the art functionality ensure full compliance with modern cleaning requirements.



**COLOUR CODING** Products are coded or can be coded for usage in specific area.

#### **RECOMMENDED USAGE**

|            | Bathroom Cleaning        |
|------------|--------------------------|
|            | Wash basin and Mirror    |
|            | Food and Bar Area        |
|            | General Low Risk Area    |
| $\bigcirc$ | Bespoke or Site Specific |



p. 80

# The World of Maintenance



#### **FLOOR CLEANING**

**UNGER** Floor Care & Maintenance Tools provide simple solutions for many cleaning tasks. This range includes Floor Squeegees, Floor Scrapers and a Waxing System.

#### WaterWand SmartColor AquaDozer®



A wide range of helpful and innovative dusting tools. Can be used as hand tools or on telescopic poles. Always work safe and quick from the ground.

#### StarDuster<sup>®</sup>



#### **BATHROOM CLEANING**

p. 70

The **UNGER** Bathroom and Toilet Cleaning System consists of ideally matched and ergonomically designed tools with an effective flow process for highly hygienic daily and project cleaning. The System is colour coded in red to prevent bacterial cross contamination.

### ErgoTec<sup>®</sup> NiftyNabber<sup>®</sup>



Five-colour system for optical coding optimises cleaning by dividing tools and areas. Matching coded tools assigned to specific cleaning areas prevent dangerous bacterial contamination.

SmartColor MicroWipe

# MAINTENANCE CLEANING > FLOOR CARE > FLOOR SQUEEGEES

| SANITARY SQUEEGEE  |       |      |  |  |
|--|-------|------|--|--|
| Squeegee with twin foam rubber blade, black. ACME thread.<br>– Plastic body for increased hygiene<br>– Acid-proof, rust-proof, scratch-proof<br>– With splashguard |       |      |  |  |
| Part No.   | Size  | Pack |  |  |
| PM45A  | 45 cm | 10   |  |  |
| PM55A  | 55 cm | 10   |  |  |



SANITARY COMBI BRUSH


 $2 \mbox{ tools}$  in one: Brush with polypropylene bristles and squeegee with twin foam rubber blade, black. ACME thread.

- Scrubber to remove dirt

Foam rubber blade for drying floors and joints
Very sturdy, but lightweight


| ,        | 5    | 5     |      |
|----------|------|-------|------|
| Part No. | Size |       | Pack |
| PB45A    |      | 45 cm | 10   |
| PB55A    |      | 55 cm | 10   |





| WaterWand     | HEAVY DUTY |
|---------------|------------|
| Tracel Traila |            |

| <b>Reinforced version for heavier jobs with double-lip black rubber.</b><br>– Great for cleaning joints<br>– Sturdy metal body<br>– For streak free floor drying |       |      |  |  |
|--|-------|------|--|--|
| Part No.   | Size  | Pack |  |  |
| HM450  | 45 cm | 10   |  |  |
| HM550  | 55 cm | 10   |  |  |
| HM750  | 75 cm | 10   |  |  |



#### WaterWand HEAVY DUTY RED

Reinforced version for heavy duty jobs with double-lip red foam rubber, oil and acid resistant.

– Great for cleaning joints

- Sturdy metal body

| - FUI SUREAK ITE | - For streak free floor dryffig |      |  |  |  |
|------------------|---------------------------------|------|--|--|--|
| Part No.         | Size                            | Pack |  |  |  |
| HW550            | 55 cm                           | 10   |  |  |  |
| HW750            | 75 cm                           | 10   |  |  |  |



| WaterWand ACME THREAD INSERT |  |
|------------------------------|--|
|                              |  |

For all WaterWand squeegees.

Part No.

FWAI0

**Pack** 10





For heavy duty jobs, black EPDM rubber. Ideal for industrial environment.

Sturdy construction

– Solid handle socket – Optimal for industrial application

| optimiter of medoaride applied for |       |          |      |
|------------------------------------|-------|----------|------|
| Part No.                           | Size  | Version  | Pack |
| FP600                              | 60 cm | straight | 6    |
| FP900                              | 90 cm | straight | 6    |
| FP60C                              | 60 cm | curved   | 6    |
| FP90C                              | 90 cm | curved   | 6    |
|                                    |       |          |      |

| ••                                     |       | <b>juaDozer</b> ®<br>PARE RUBBER |  |
|--|-------|----------------------------------|--|
| Black EPDM rubber, for all AquaDozer®. |       |                                  |  |
| Part No.                               | Size  | Pack                             |  |
| FRR60                                  | 60 cm | 10                               |  |
| FRR90                                  | 90 cm | 10                               |  |
|  |       |                                  |  |

|                     | AquaDozer®<br>ACME THREAD INSERT |  |
|---------------------|----------------------------------|--|
| For all AquaDozer®. |                                  |  |
| Part No.            | Pack                             |  |
| FAAI0               | 10                               |  |

# **FLOOR HANDLES**



| HANDLE DIAGRAM          |       |       |       |       |
|-------------------------|-------|-------|-------|-------|
|                         |       |       |       |       |
|                         | AL140 | AL14A | AL14T | AL14G |
| AquaDozer®              |       |       |       |       |
| with ACME thread insert |       | •     | •     |       |
| without thread insert   |       |       | •     |       |
| WaterWand               |       |       |       |       |
| with ACME thread insert |       | •     | •     |       |
| without thread insert   | •     |       |       | •     |
| SANITARY & COMBI        |       | •     | •     |       |

#### ProAlu 1,5° HANDLE, 3 SECTIONS KNOCKDOWN

| Heavy duty handle with rigid, fluted aluminium construction. |
|--|
| <ul> <li>Aluminium, lightweight and solid</li> </ul>         |
| 2 individual agetions accomplise into ano long handle        |

- 3 individual sections assemble into one long handle
 - Optimal for WaterWand

| - Optimation w |        |      |  |
|----------------|--------|------|--|
| Part No.       | Size   | Pack |  |
| AL14G          | 1,40 m | 5    |  |

| ProAlu 1,5°     | HANDLE             |      | Î |
|-----------------|--------------------|------|---|
| – Handle Ø 25 n | nd solid aluminium |      |   |
| Part No.        | Size               | Pack |   |
| AL140           | 1,40 m             | 10   |   |

| <ul> <li>Lightweight and s</li> <li>Handle Ø 25 mm</li> <li>Optimal for Water</li> </ul> |        |      | o)p. |
|--|--------|------|------|
| Part No.   | Size   | Pack |      |
| AL14T  | 1.40 m | 10   |      |

ProAlu 3,0° HANDLE

| MOP HANDLE   |                         |      | 1 |
|--|-------------------------|------|---|
| For Standard Mops.<br>– Lightweight and so<br>– Ø 23 mm, length 1<br>– To snap in mop ho | olid aluminium<br>,40 m |      |   |
| Part No.   | Size                    | Pack |   |
| MH140  | 1,40 m                  | 20   |   |

| <b>ProAlu</b> ACM                   | E   |      |  |
|-------------------------------------|---|------|--|
| – Lightweight ar<br>– Handle Ø 25 m | <b>ME threaded zinc alloy tip.</b><br>nd solid aluminium<br>nm<br>aterWand Squeegee |      |  |
| Part No.                            | Size  | Pack |  |
| AL14A                               | 1,40 m  | 10   |  |

# MAINTENANCE CLEANING > FLOOR CARE > **MAINTENANCE TOOLS**





#### ERGO DUST PAN

#### For quick and thorough waste removal.

Ergonomic and convenient
 Dust pan opens when raised, and retains the waste
 Taloscopic bandla (EDTREC) can be adjusted to suit it

| – relescopic na | ndle (EDTBG), car | i be adjusted to st | lit individual neigr |
|-----------------|-------------------|---------------------|----------------------|
| Part No.        | Size              | Туре                | Pack                 |
| EDTBG           | 83 x 30 cm        | Telescopic          | 6                    |
| EDPBR           | 83 x 30 cm        | Standard            | 6                    |



| <ul> <li>For applying</li> <li>Convenient</li> </ul> | y wax to wooden<br>operation while |          |      |  |
|--|------------------------------------|----------|------|--|
| Part No.   | Size                               | Material | Pack |  |

| QS140    | 40 cm             | Blended fabric* | 10   |
|----------|-------------------|-----------------|------|
| WonderWa | <b>axer</b> REPLA | CEMENT SLEEVE   |      |
| Part No. | Size              | Material        | Pack |
| QS010    | 40 cm             | Blended fabric* | 10   |

#### i WONDER WAXER

The super light and flexible WonderWaxer is ideal to reach almost all floor areas. Its flexible head can be angled as required. The sleeve is replaceable and due to a special holding fixture sits firmly on the T-bar. Makes a perfect team, together with the large bucket.

\* Support material: 100 % polypropylene; Fibres: 68 % polyacrylic, 32 % polyethylene

# **FLOOR SCRAPERS**





| – For industrial | ty jobs, with 1.50 r<br>scraping<br>arp/blunt edge blac |                 | ndle.       |  |
|------------------|---|-----------------|-------------|--|
| Part No.         | Handle  | Blade           | Pack        |  |
| MDSC0            | 1,50 m  | 15 cm           | 10          |  |
| FloorScraper Bla | des 15 cm – Doubl                                       | e-edged blade s | sharp/dull. |  |
| MDSB0            | 1 Dispenser =   | = 10 blades     | 5 disp.     |  |



#### HANG UP

| Available in 2 v<br>– Tools snap int<br>– Practical and | ol holder. Tools an<br>ersions (3 or 6 ho<br>to rubber rolls in f<br>ideal for quick acc<br>to wall, using dov | <b>lders).</b><br>ront<br>cess | front. |  |
|---|--|--------------------------------|--------|--|
| Part No.  | Size   | Info                           | Pack   |  |
| H0350   | 35 cm  | 3 holders                      | 5      |  |
| H0700   | 70 cm  | 6 holders                      | 5      |  |



#### HOLD UP

| – Simply attach to v | from the bottom and held in<br>vall, using dowels<br>all hooks on front to hang up |      | ber grips. |
|----------------------|--|------|------------|
| Part No.             | Size   | Pack |            |
| HU450                | 45 cm  | 5    |            |
| HU900                | 90 cm  | 5    |            |



#### Floor Scraper Blades 20 cm - Double-edged blade sharp/dull

| Part No. | Info                    | Pack    |
|----------|-------------------------|---------|
| HDSB0    | 1 Dispenser = 10 blades | 5 disp. |

# MAINTENANCE CLEANING > FLOOR CARE > CLEANING CART



### A HIGHER LEVEL OF CLEANING AND PRODUCTIVITY

An organized cleaning cart increases productivity significantly. The **SmartColor Cleaning Cart** was developed with many suggestions from users and offers many innovative features, such as the flexible clip system for hanging tools. Equip the **SmartColor Cleaning Cart** individually with our **SmartColor** cleaning equipment, such as dual bucket, mops, mopholder and microfibre cloths. Thus, you are perfectly equipped for daily cleaning challenge.



Storage Module doubles the supply space on the cart. Workers can resupply multiple restrooms without lost time returning to the supply area.



The base of the cart is designed to catch drips from cleaning tools. This allows workers to work quickly without the worry of staining clean floors.



Nothing sticks out beyond base of cart. Workers can move the cart through doorways, on/off elevators, without any tools catching on doorways, etc.



Wheel wells improve bucket stability and hold bucket in place. Helps eliminate messy spills when the cart hits thresholds, bumps into a frame.

#### SmartColor CLEANING CART

Complete transportation cart including vinyl trash bag, tool clips and holders – Drip tray: the base of the cart acts as a drip tray

- Drip tray: the base of the cart acts as a drip tray catching excess liquid
- Ergo Handrail: No matter which side of the cart you're on, you can push and pull with ease
  Clip System: Tools are always where they need to be,
- and always clipped on securely

| Part No. | Content        | Pack |  |
|----------|----------------|------|--|
| RRCRT    | Cart complete  | 1    |  |
| RRMOD    | Storage module | 1    |  |

Delivery time on request



# **DOUBLE BUCKET & MOP HOLDER**





- Labels included for colour colour Complete with vertical press
   Available accessories: Adapter hose WH180, side bucket SMSBG

| Part No. | Content | Colour | Pack |
|----------|---------|--------|------|
| COMBG    | 30 l    | •      | 1    |
| COMBR    | 30 l    | •      | 1    |



Additional storage on dual bucket. - Labels included for colour coding - Snaps to side of UNGER SmartColor Combo 30 L COMBG or COMBR

| Part No. | Colour | Pack |
|----------|--------|------|
| SMSBG    | •      | 1    |

|  |  |   | <b>martColor</b><br>OMBO 15 L |  |
|--|--|---|-------------------------------|--|
| <ul> <li>Two comparts</li> <li>Convenient hat</li> <li>Labels includ</li> <li>Complete with</li> </ul> | lete dual bucket we<br>ments keep clean<br>andle, keeps buck<br>ed for colour codin<br>h vertical press<br>essories: Adapter | and dirty water se<br>et straight<br>ng |                               |  |
| Part No.   | Content  | Colour                                  | Pack                          |  |
| COMSG  | 15 L   | •                                       | 1                             |  |
|  |  |   |                               |  |

I



| SmartColo   | r FLAT MOP M  | IOPHOLDER   |   |              |
|---|---|---|---|--------------|
| – UNGER mops<br>– Large surface<br>– Reduces clea<br>– Folds at the p | op holder with the<br>fit securely with le<br>provides more di<br>ning time by up to<br>push of a button, fo<br>et for cones or han | holding clips and<br>rect cleaning cont<br>10 % and reaches<br>or wringing or rep | can stay on during<br>tact, more scrubb<br>s in all corners<br>lacing mop | ing pressure |
| Part No.  | Size  | Colour  | Pack  |              |
| SM40G   | 40 cm   | •   | 5   |              |



SM40R

#### EASY ADAPTER WATERHOSE

5

40 cm

## Heavy duty adapter hose for dual bucket. - Fits on every standard water tap

- Allows for convenient filling of bucket on-site

| Part No. | Size   | Pack |  |
|----------|--------|------|--|
| WH180    | 180 cm | 10   |  |

## MAINTENANCE CLEANING > FLOOR CARE > **MICROFIBRE MOPS**



#### SmartColor MICR0 MOP 15.0

- Microfibre mop for severe contamination and rough floors.
- 15 mm long fibres, ideal for tiles and stone floor;
- Cut microfibre for improved dirt absorption and streak-free cleaning – Reduces bacterial contaminations up to 96 %
- Holds 6 times its own weight in water manages large areas
- Machine washable up to 500 times
- Available in 4 colours for proper colour coding
   Fits on UNGER flat mop holder SM40G

|          | to Entitation | p notael on |             |      |
|----------|---------------|-------------|-------------|------|
| Part No. | Size          | Colour      | Material    | Pack |
| MM40R    | 40 cm         | •           | Microfibre* | 5    |
| MM40Y    | 40 cm         |             | Microfibre* | 5    |
| MM400    | 40 cm         | ٠           | Microfibre* | 5    |
| MM40B    | 40 cm         |             | Microfibre* | 5    |



#### SmartColor MICR0 M0P 7.0

- Microfibre mop for medium contamination and rough floors.
- 7 mm long fibres ideal for floors with rough surface and flat joints
   Cut microfibre for improved dirt absorption and streak-free cleaning
   Reduces bacterial contaminations up to 96 %
- Holds 6 times its own weight in water manages large areas
- Machine washable up to 500 times
   Fits on UNGER flat mop holder SM40G

| Part No. | Size  | Colour | Material    | Pack |
|----------|-------|--------|-------------|------|
| MD40R    | 40 cm | ٠      | Microfibre* | 5    |
| MD40Y    | 40 cm |        | Microfibre* | 5    |
| MD400    | 40 cm | ٠      | Microfibre* | 5    |
| MD40B    | 40 cm | •      | Microfibre* | 5    |

## **NEW COLOUR**



### SmartColor DAMP MOP

- Microfibre mop for damp cleaning of smooth floors.
- Optimal in areas that need to dry quickly
   Cleans streak-free and uniformly
- High loop density for high absorption and low moisture release
- Machine washable up to 500 times
   Fits on UNGER flat mop holder SM40G

| Part No. | Size  | Colour | Material     | Pack |  |  |
|----------|-------|--------|--------------|------|--|--|
| DM40R    | 40 cm | •      | Microfibre** | 5    |  |  |
| DM40Y    | 40 cm |        | Microfibre** | 5    |  |  |
| DM400    | 40 cm | ٠      | Microfibre** | 5    |  |  |
| DM40B    | 40 cm | •      | Microfibre** | 5    |  |  |

\* Support material: 100 % polethylene; Fibres: 100 % polyester

\*\* Support material: 100 % polyester; Fibres: 100 % polyester



#### SmartColor SPILL MOP 1 L

#### Microfibre mop for absorption of large amounts of liquid.

- 14 mm long microfibres, extra-large surface
- Absorbs up to 1 l liquid immediately
- Machine washable up to 500 times
   Fits on UNGER flat mop holder SM40G

| Part No. | Size       | Colour | Material     | Pack |  |  |
|----------|------------|--------|--------------|------|--|--|
| MA45R    | 47 x 21 cm | •      | Microfibre** | 5    |  |  |
| MA45Y    | 47 x 21 cm |        | Microfibre** | 5    |  |  |
| MA450    | 47 x 21 cm | ٠      | Microfibre** | 5    |  |  |
| MA45B    | 47 x 21 cm | •      | Microfibre** | 5    |  |  |



#### SmartColor DAMP MOP PADHOLDER

- Swivel head glides easily across floors
- Features Velcro backing for easy pad fitting
   Use with SmartColor DV40 Series damp mo

| - Ose with Smallcotor DV40 Series damp hop pads |       |      |  |  |  |  |
|---|-------|------|--|--|--|--|
| Part No.  | Size  | Pack |  |  |  |  |
| SV40G   | 50 cm | 5    |  |  |  |  |





#### SmartColor DAMP MOP PAD

Microfibre pad with high density looped pile for streak free results.

- Machine washable up to 500 times
- Uses less water and solution so floors dry quicker

Attaches to PadHolder with Velcro backing
 Use with SV40G DampMop Pad Holder or any standard 40 cm pad holder

| Part No. | Size  | Colour | Material     | Pack |
|----------|-------|--------|--------------|------|
| DV40R    | 50 cm | •      | Microfibre** | 5    |
| DV40Y    | 50 cm |        | Microfibre** | 5    |
| DV400    | 50 cm | ٠      | Microfibre** | 5    |
| DV40B    | 50 cm | •      | Microfibre** | 5    |

# **MOP HANDLES, BRUSHES, SETS**







#### SmartColor MICROFIBRE STRING MOP

- Microfibre strings increase liquid and dirt absorption
- Looped ends provide greater floor coverage and control
- No tangling while laundering
  Faster and streak free floor drying
- Use with UNGER String Mop Holder Clip or any standard mop holder and handle - Heavy duty weights 450 g, 32 strands; medium duty weights 310 g, 22 strands

| neavy duty weights 450 g, 52 strands, medium duty weights 510 g, 22 strands |        |         |               |      |  |  |  |
|---|--------|---------|---------------|------|--|--|--|
| Part No.  | Colour | Quality | Material      | Pack |  |  |  |
| ST30R   | ٠      | 310 g   | Microfibre*** | 5    |  |  |  |
| ST30Y   |        | 310 g   | Microfibre*** | 5    |  |  |  |
| ST300   | ٠      | 310 g   | Microfibre*** | 5    |  |  |  |
| ST30B   | •      | 310 g   | Microfibre*** | 5    |  |  |  |
| ST45R   | ٠      | 450 g   | Microfibre*** | 5    |  |  |  |
| ST45Y   |        | 450 g   | Microfibre*** | 5    |  |  |  |
| ST450   | ٠      | 450 g   | Microfibre*** | 5    |  |  |  |
| ST45B   | •      | 450 g   | Microfibre*** | 5    |  |  |  |
| FC02G   |        | Str     | ingMop Holder | 5    |  |  |  |

| SmartColor TELEPOLE 250 |  |
|-------------------------|--|

#### Ergonomic aluminium telescopic handles.

- 2 sections, 2,50 m long. [2 x 1,25 m]
   Locks securely at individual height with screw mechanism
- Cone fits all UNGER mop holders Suitable for safe working at height from the ground
   Labels included for colour coding

| Part No. | Size          | Colour | Pack |
|----------|---------------|--------|------|
| EZ25G    | 1,30 – 2,50 m | •      | 10   |
| EP24R    | 1,30 – 2,50 m | •      | 10   |



#### SmartColor MOPHANDLE Lightweight aluminium mop handles.

– Mop holder snaps into place

- Solid and light, made of aluminium, with ergonomic plastic handle

- Labels included for colour coding

| Part No. | Size          | Ø     | Colour | Pack |
|----------|---------------|-------|--------|------|
| MH14G    | 1,40 m        | 23 mm | •      | 10   |
| HH13R    | 1,30 m        | 21 mm | •      | 10   |
| MS14G    | 1,40 m        | 21 mm | •      | 10   |
| MS18G    | 1,30 – 1,80 m | 25 mm | •      | 10   |





#### SmartColor SWIVEL BRUSH & SmartColor SWIVEL CORNER BRUSH

#### Narrow brush for corners and edges.

- Hard polypropylene bristles remove even severe dirt
   Labels included for colour coding
- Flat pivoting head easy to manoeuvre, easy on the back
- Bristles are at an angle, for optimal cleaning in corners and edges
   Handle socket with thread (ACME) for UNGER cone
- Part No. Size Pack

| SB20G | 20 x 8 cm | 10 |  |
|-------|-----------|----|--|
| CB20G | 22 cm     | 10 |  |



- Ergonomic handle, detachable - squeegee also fits on pole

| Ligonomicine |       | squeegee also h | no on pote |
|--------------|-------|-----------------|------------|
| Part No.     | Size  | Colour          | Pack       |
| EW35G        | 35 cm | •               | 10         |
| EW35R        | 35 cm | •               | 10         |

# MAINTENANCE CLEANING > MICROFIBRE CLOTH SYSTEM > MICROFIBRE CLOTHS



#### **MICROFIBRE CLOTH SYSTEM**

#### AVOID BACTERIAL CONTAMINATION!

- Five-colour system for optical coding optimises cleaning by dividing tools and areas
- Matching coded tools assigned to specific cleaning areas prevent dangerous bacterial contamination
- Colour-coding facilitates the application of specific chemicals, thus protecting valuables like furniture and floor coverings

#### **CLOTH SURFACE GUIDE**

- Guidelines for choosing the right microfibre for the right task
- Optimization of your return on investment (ROI) by purchasing the best grade for your needs
- Best Quality Microfibre available in each grade




## i why

#### WHY A GRADING SYSTEM?

The range of cleaning products that microfibre may be used for is dictated by many qualities, including fibre thickness, length, finishing, abrasiveness, absorbency, cloth dimension, edging and quality manufacturing techniques. **UNGER** has established several

#### DURABILITY



performance factors that have been tested, measured and validated by ASTM independent laboratories and other US standard industry tests. This criteria is designed to assist end users in the selection process when purchasing microfibre cloths.

#### **TEST DESCRIPTIONS**

- Durability (Wear Cycles)\*\* The higher the factor, the greater number of times the microfibre cloth can be moved across an abrasive surface before wearing through and degrading or developing holes
- Scrub Factor (Abrasiveness)\*\* The higher the scrub factor, the better the performance of the cloth in removing dirt and bacteria from surfaces and microscopic crevices
- Absorbency\* The higher the factor, the more liquid the cloth will absorb and hold
- Wash Cycles A higher number of wash cycles indicates the longevity of the cloth through machine wash and dry cycles before deteriorating

\*\* ASTM Tests \*Standard US Industry Tests

# **MICROFIBRE CLOTHS & SPRAYER**



#### SmartColor MicroWipe

High quality microfibre cloth. Resistant against frequent commercial wash cycles. Use the table below to choose the right grade to maximise the return on your investment.

| Part No. | Size       | Colour | Weight/m <sup>2</sup> | Durability | Scrub Factor<br>(Abrasivness) | Absorbency | Wash Cycles | Material      | Pack |
|----------|------------|--------|-----------------------|------------|-------------------------------|------------|-------------|---------------|------|
| 4000     |            |        |                       |            |                               |            |             |               |      |
| MF40R    | 40 x 38 cm | •      | 450 g                 | 4000**     | 38**                          | 1700 ml*   | 1500        | Microfibre*** | 10   |
| MF40J    | 40 x 38 cm | •      | 450 g                 | 4000**     | 38**                          | 1700 ml*   | 1500        | Microfibre*** | 10   |
| MF400    | 40 x 38 cm | ٠      | 450 g                 | 4000**     | 38**                          | 1700 ml*   | 1500        | Microfibre*** | 10   |
| MF40B    | 40 x 38 cm | ٠      | 450 g                 | 4000**     | 38**                          | 1700 ml*   | 1500        | Microfibre*** | 10   |
| 2000     |            |        |                       |            |                               |            |             |               |      |
| MB40R    | 40 x 40 cm | •      | 350 g                 | 2000**     | 36**                          | 1400 ml*   | 1000        | Microfibre*** | 10   |
| MB40J    | 40 x 40 cm | •      | 350 g                 | 2000**     | 36**                          | 1400 ml*   | 1000        | Microfibre*** | 10   |
| MB400    | 40 x 40 cm | •      | 350 g                 | 2000**     | 36**                          | 1400 ml*   | 1000        | Microfibre*** | 10   |
| MB40B    | 40 x 40 cm | ٠      | 350 g                 | 2000**     | 36**                          | 1400 ml*   | 1000        | Microfibre*** | 10   |
| 500      |            |        |                       |            |                               |            |             |               |      |
| MC40R    | 40 x 40 cm | •      | 300 g                 | 500**      | 34**                          | 1100 ml*   | 500         | Microfibre*** | 10   |
| MC40J    | 40 x 40 cm | •      | 300 g                 | 500**      | 34**                          | 1100 ml*   | 500         | Microfibre*** | 10   |
| MC400    | 40 x 40 cm | ٠      | 300 g                 | 500**      | 34**                          | 1100 ml*   | 500         | Microfibre*** | 10   |
| MC40B    | 40 x 40 cm | ٠      | 300 g                 | 500**      | 34**                          | 1100 ml*   | 500         | Microfibre*** | 10   |
| 200      |            |        |                       |            |                               |            |             |               |      |
| ME40R    | 40 x 40 cm | •      | 250 g                 | 200**      | 39**                          | 250 ml*    | 200         | Microfibre*** | 10   |
| ME40J    | 40 x 40 cm | •      | 250 g                 | 200**      | 39**                          | 250 ml*    | 200         | Microfibre*** | 10   |
| ME400    | 40 x 40 cm | •      | 250 g                 | 200**      | 39**                          | 250 ml*    | 200         | Microfibre*** | 10   |
| ME40B    | 40 x 40 cm | ٠      | 250 g                 | 200**      | 39**                          | 250 ml*    | 200         | Microfibre*** | 10   |
| ME40W    | 40 x 40 cm | 0      | 250 g                 | 200**      | 39**                          | 250 ml*    | 200         | Microfibre*** | 10   |

\*\* ASTM Tests \* Standard US Industry Tests, Details p. 78



A

8


#### SmartColor MICRO MITT HD

- Perfect for cleaning countertops, wood, glass metal and paintwork.
- Thick, soft strands on one side have increased surface area for incredible
- Beneficial and the state of the
- and polishing – Ideal for washing cars

| Part No. | Size  | Material      | Pack |  |
|----------|-------|---------------|------|--|
| MMIRG    | 22 cm | Microfibre*** | 5    |  |



| SPRAYER ON A BELT  |         |      |  |  |  |
|--|---------|------|--|--|--|
| Fits to the belt for optimum weight support.<br>- Flexible hose allows upside down spraying<br>- 1 l bottle included<br>- Cloth storage compartment<br>- Compatible with standard bottles<br>- Includes colour coding labels |         |      |  |  |  |
| Part No.   | Content | Pack |  |  |  |
| SOABG  | 1 l     | 5    |  |  |  |



#### **RECOMMENDED USAGE**



## MAINTENANCE CLEANING > BATHROOM CLEANING > **TOILET & BATHROOM CLEANING**



| Complete kit for professional application.<br>– Features 66 cm handle with 360° cleaning radius<br>– Replaceable brush heads or swabs available<br>– Swab for optimal application of cleaning products<br>– Hygienic, ergonomic holder is lightweight and keeps<br>bacteria isolated<br>– Holder can be hand-carried or hung on cart and<br>features a detachable base for easy emptying |                                    |      |  |  |
|--|------------------------------------|------|--|--|
| Part No.   | Content                            | Pack |  |  |
| BBWHR  | Brush, cpl., holder,<br>repl. head | 5    |  |  |
| BSWHR  | Swab, cpl., holder,<br>repl. head  | 5    |  |  |

ERGO TOILETBRUSH/SWAB

COMPLETE





## HANDLE + 2 BRUSH HEADS

- Ergonomic toilet brush for professional application. Features 66 cm handle with 360° cleaning radius Replaceable brush heads and swabs available

| <ul> <li>Swab for optimal</li> </ul> | application | of cleaning | products |
|--------------------------------------|-------------|-------------|----------|
|--------------------------------------|-------------|-------------|----------|

| Part No. | Content           | Pack |
|----------|-------------------|------|
| BBCOR    | 2 x Brush, handle | 5    |
| BSCOR    | 2 x Swab, handle  | 5    |
| BBHLR    | Brush Holder      | 5    |
| BBRHR    | 2 x Brush heads   | 5    |
| BSRHR    | 2 x Swab heads    | 5    |

|          | BATHROOM SAN<br>Brush with polypropylene bristles a<br>ade and ACME Thread. |      |  |
|----------|---|------|--|
| Part No. | Size  | Pack |  |
| PB45R    | 45 cm   | 10   |  |



#### Ergonomic squeegee for mirrors and smooth surfaces.

- Ergonomic bi-component handle, designed for comfortable hold - Stainless steel S-Channel with variable positioning options

- Professional quality Soft Rubber for optimal cleaning results

| Part No. | Size  | Pack |
|----------|-------|------|
| ES35R    | 35 cm | 10   |
| NE350    | 35 cm | 10   |
| RR350    | 35 cm | 10   |

|   | EC45R                              | NS45R                   |          |
|---|------------------------------------|-------------------------|----------|
|   | <b>StripW</b><br>45 cm             | asher® BATHRO           | М        |
| Durable microfibre washer for cleaning<br>– Superior cleaning power<br>– High water retention – up to 6 times its<br>– Machine washable up to 500 times slee<br>– Lightweight plastic T-Bar with water wa | s own weight, i<br>eve with side s | deal for cleaning large | er areas |

| Part No. | Size  | Material    | Pack |
|----------|-------|-------------|------|
| EC45R    | 45 cm | Microfibre* | 10   |
| NS45R    | 45 cm | Microfibre* | 10   |



| Nifty  | /Nahhor® | BATHROOM,  | /5 cm   |
|--------|----------|------------|---------|
| - NIIU | nauuei   | DAI HKUUM, | 40 CIII |


#### The hygienic all-purpose grabber.

- Keeps refuse at a distance 45 cm long handle
  Solid design made of aluminium and metal
  Powerful rubber-coated claws for firm and precise grip of objects

| Part No. | Size  | Pack |  |
|----------|-------|------|--|
| NN40R    | 45 cm | 10   |  |


\* Support material: 100 % polyamide; Fibres: 100 % polyethylene





## MAINTENANCE CLEANING > DUSTING BRUSHES & DUSTERS





# **MICROFIBRE DUSTERS**









Disposable or reusable replacement microfibre sleeves. – Effectively lift and hold the dirt

– Machine washable

| Part No | . Size | Info              | Material | Pack       |
|---------|--------|-------------------|----------|------------|
| PS50W   | 75 cm  | Disposable Sleeve | **       | 1 Bag (50) |
| PM05W   | 75 cm  | Microfibre Sleeve | *        | 1 Bag (5)  |

StarDuster®

PRO FLAT/FLEX SLEEVES

| StarDuster® PRO CEILING FAN          For dusting of ceiling fan blades and other flat surfaces.         - Holds dirt like a magnet with microfibre strands         - Microfibre sleeve is removable and machine washable         - Fits securely to pole with Locking Cone |       |               |      |  |  |
|--|-------|---------------|------|--|--|
| Part No.   | Size  | Material      | Pack |  |  |
| CEDUG  | 25 cm | Microfibre*** | 5    |  |  |



#### Telescopic lambswool duster with bendable head.

Telescopic handle extends from 70 to 150 cm for dusting high objects
 Statically charged disposable sleeve grabs and retains dust
 Includes 1 disposable sleeve

| Part No. | Size        | Info                      | Pack       |
|----------|-------------|---------------------------|------------|
| LWDUR    | 70 – 150 cm | Duster + 1 Disp. Sleeve** | 10         |
| DS10Y    | 46 x 18 cm  | Disposable Sleeve**       | 1 Bag (10) |
| DS50Y    | 46 x 18 cm  | Disposable Sleeve**       | 1 Bag (50) |





## www.ungerglobal.com NEWS - PRODUCT INFO - BROCHURES - VIDEOS AND MORE



Terms of delivery and payment: This product assortment replaces all previous lists -The general terms of delivery and payment of **UNGER** Germany GmbH apply · No responsibility accepted for accuracy; subject to change without notice.

UNGER Germany GmbH Piepersberg 44 D-42653 Solingen GERMANY Tel.: [49] 0212 2207 0 Fax: (49] 0212 2207 222 ungereurope@ungerglobal.com **UNGER Enterprises LLC** 425 Asylum Street Bridgeport, CT 06610

Bridgeport, CT 06610 USA Tel.: (1) 800 431 2324 Fax: (1) 800 367 1988 unger@ungerglobal.com UNGER UK Ltd. 9 Planetary Ind. Est. Willenhall, WV13 3XA UNITED KINGDOM Tel.: (44) 01902 306633 Fax: (44) 01902 306644 ungeruk@ungerglobal.com



www.ungerglobal.com