

TABLE OF CONTENTS

Arrows, Die-Cut	8	Marking Flags	13
Arrows, Directional	11	Masking Tape	21
Asbestos Hazard Products	23	Medical Gas Pipe Markers	11
Barricade Tapes	3, 4	Mold Abatement	24
Barrier Tape (Woven Cotton)	5	MSDS Information Center	26
Barrier Tape (Woven Plastic)	5	Non-Slip Tape	14 - 16
Biohazard Products	24	Paddle Signs	31
Carton Sealing Tapes	20	Pavement Marking Tape	17
Circles, Die-Cut	8	Pennant Lines	32
Conspicuity Tape	12, 30	Pipe Banding Tape	11
Custom Printing Capabilities	33	Pipe Markers	10 - 11
Detectable Underground Tape	6	Promotional Items	33
D.O.T. Shipping Labels	25	Radiation Tape	9
Double Face Foam Tape	21	Reflective Tapes (Safety)	12
Duct Tape	21	Retroreflective Tape (Conspicuity)	12, 30
Electrical Markers	11	Rewind Reel	5
Electrical Tape	21	Safety Banners	31
Flagging Tape	13	Safety Vests	18 - 19
Fencing	32	School Bus Conspicuity Tape	30
Floor Stands	17	Signs	29
Floor Tape Applicator	9	Spanish Catalog	33
Fluorescent Tape (UPVC)	20	Stake Whiskers	13
Foam Tape	21	Tailgate & Hazard Flags	31
Glow In The Dark Products	15 - 16	Tape Caddy	6
Hazardous Material Identification.....	26	Tape Tender	5
Hazard Warning Tape	9	Trailer Marking Tape	30
Hazardous Waste Labels	27	Underground Tape	7
Homeland Security.....	22	Vinyl Plastic Tape	8
Lead Abatement Products	27	Warning Flags	31



We at Harris Industries are pleased to present our 7th edition Catalog of Safety Identification Products.

We are excited about several new product lines that are included in this edition.

We are continuously adding equipment both in Rhode Island and California to ensure prompt deliveries anywhere in the country.

Thank you for your support.

The Staff at Harris Industries



HARRIS
INDUSTRIES, INC.

5181 Argosy Avenue • Huntington Beach, CA 92649

181 Conant Street • Pawtucket, RI 02860

Phone: (800) 222-6866 • Fax: (800) 228-1274

Phone: (714) 898-8048 • Fax: (714) 898-7108

email: info@harrisind.com

www.harrisind.com

BARRICADE TAPE

See our
Specialty
Barricade Tapes
on Page 4



Prevent accidents by increasing visibility of hazards with our non-adhesive Barricade Tape. Tape is a lightweight, economical, reusable polyethylene, with a continuous repeat of message or warning. Can be tied, stapled or nailed in place. Meets OSHA 1910.144 for marking physical hazards. Comes standard 3" x 1000'. Also available in 200', 300' and 500' lengths. Other widths available by special order. Comes in a variety of mil thicknesses.

CAUTION TAPES (Yellow Background)

CAT. NO.	LEGEND
BT-1	Caution Acid Hazard
BT-2	Caution Asbestos
BT-3	Caution Asbestos Hazard
BT-4	Caution Caustic Hazard
S BT-5	Caution Caution Caution
BT-6	Caution Chemical Hazard
S BT-7	Caution Construction Area
S BT-8	Caution Do Not Enter
BT-9	Caution Energized Area
BT-10	Caution Entry Requires Protective Gear
BT-11	Caution Hard Hat Area
S BT-12	Caution High Voltage
S BT-13	Caution Keep Out
S BT-14	Caution Men Working
BT-15	Caution Men Working Overhead
BT-16	Caution No Parking
BT-17	Caution No Smoking
BT-18	Caution Off Limits
S BT-19	Caution Open Trench
BT-21	Caution Radiation Area ☸ (magenta/yellow)
BT-23	Caution Wet Floor
BT-24	Caution Wet Paint
BT-56	Caution Authorized Personnel Only
BT-57	Caution Entry Requires Permission
BT-58	Caution Restricted Area Keep Out
BT-59	Caution Wet Concrete
BT-66	Caution Cuidado Caution

MUNICIPAL TAPES (Yellow Background)

CAT. NO.	LEGEND
S BT-26	Crime Scene Do Not Cross
S BT-27	Fire Line Do Not Cross
S BT-28	Police Line Do Not Cross
S BT-29	Security Line Do Not Cross
BT-30	Sheriff's Line Do Not Cross

HOMELAND SECURITY TAPES

Please see page 22 of our Catalog for these items.

Barcoding, shrink wrapping and dispenser boxes available.
Call our customer service department for pricing.

ALTERNATING-STRIPES

CAT. NO.	COLOR
BT-31	Black & Yellow
BT-32	Red & White
BT-33	Danger on Red & White Stripes

SOLID COLORS

CAT. NO.	COLOR
BT-34	Orange (4 mil only)
BT-35	Yellow
BT-36	Red
BT-37	Blue (4 mil only)
BT-38	Green (4 mil only)
BT-39	White

DANGER TAPES (Red Background)

CAT. NO.	LEGEND
BT-44	Danger Microbial Hazard Do Not Enter
BT-45	Danger Microbial Hazard (w/cautionary info)*
S BT-46	Danger Asbestos
BT-47	Danger Asbestos (w/cautionary info)*
BT-48	Danger Asbestos Hazard
S BT-49	Danger Danger Danger
S BT-50	Danger Do Not Enter
BT-51	Danger Hazardous Area
BT-52	Danger Hazardous Area Keep Out
BT-53	Danger Hazardous Material Do Not Enter
BT-54	Danger High Voltage Area
S BT-55	Danger Keep Out
BT-60	Danger Confined Space Do Not Enter
BT-72	Danger Peligro Danger

* These legends printed with Black and Red Letters on White Tape.

SPECIALITY TAPES

CAT. NO.	LEGEND	COLOR
BT-61	Caution Lead Hazard	Yellow
BT-62	Danger Lead Hazard	Red
BT-63	Danger Lead Removal, etc.	Red
BT-64	Warning Lead Work Area, etc.	Orange
BT-65	Caution Biohazard ☠	Orange

S = Available in Spanish - To order, use SBT- before the #.

SPECIALTY BARRICADE TAPES



REINFORCED BARRICADE TAPE



For those times you need a tape tough enough to go that extra mile, this heavy duty, highly visible, long-lasting, versatile, non-adhesive plastic tape has the stamina you need. Our reinforced barricade tape consists of high visibility safety red and/or yellow polypropylene with bold black letters. Tape helps prevent accidents by increasing visibility of hazards and can be tied, stapled or nailed in place.



CAT. NO.	SIZE	COLOR
BTR**-5	3" x 500'	YELLOW OR RED

** Add part number of stock legend requested. See page 3 for stock legends. To order, add legend # as suffix to BTR. Available in yellow or red with black copy.



FLUORESCENT BARRICADE TAPE



Our non-adhesive Fluorescent Barricade Tape is excellent for marking hazards, danger areas and for delineating boundaries.

Our tape is available in a variety of highly visible fluorescent colors (Pink, Blue, Green, Lime, Orange, Yellow, or Red). Tapes can be ordered either as solid rolls, or printed with a stock or custom legend. (See page 3 for list of stock legends).

CAT. NO.	SIZE
BT-FLO	3" x 1000'
	3" x 500'
	3" x 300'
	3" x 200'



BILINGUAL BARRICADE TAPE



Bilingual tapes have been a part of Harris' standard product line for over a decade. Tapes consist of highly visible safety yellow or red polyethylene with our standard bold black letters.

CAT. NO.	LEGEND
BT-66AL	Caution Cuidado
BT-72AL	Danger Peligro
BT-90AL	Caution Do Not Enter/Cuidado No Entrar
BT-91AL	Danger Do Not Enter/Peligro No Entrar



WOVEN PLASTIC BARRIER TAPE

Extra-durable polypropylene tapes are long-lasting solutions for marking off-limit or hazardous areas and for crowd control. Tensile strength is 100 lbs. for the 3/4" tape and 300 lbs. for the 2" tape. Available in solid colors, stripes, or printed with Caution or Danger legends. Custom printing available.



CAT. NO.	COLOR	SIZE
WB-1	SPECIFY COLOR	3/4" x 150 ft.
WB-2		2" x 200 ft.
WB-3		2" x 150 ft.

Colors Available: YB = yellow/black/yellow, WR = white/red/white, YM = yellow/magenta/yellow, YR = yellow/red/yellow, RB = red/black/red, YL = solid yellow, RD = solid red and OR = solid orange.

Legends Available: "Caution", printed on solid yellow (WB-2-05) and "Danger" printed on solid red (WB-2-49).

REWIND REEL

The Rewind Reel makes Barrier Tape even easier to reuse. Just attach the tape to a tree, post or barricade and dispense as needed. Hang reel with tape still attached to the last post. Simply roll it back up after the job is through. (For 2" tape only.)

- Quick
- Easy
- Labor Saving
- Reusable
- Lightweight
- Zinc-plated steel



Tape is also available mounted to the reel. Specify by adding tape color code as suffix to Reel Cat. No. Ex: WRR-01-RB.

CAT. NO.	DESCRIPTION
WRR01	Rewind Reel



WOVEN COTTON BARRIER TAPE

Repulable • Biodegradable • Reusable

Our Woven Cotton Barrier Tape is composed of tightly woven cotton fibers in a light weight strength. Custom printing available.



CAT. NO.	SIZE	LEGEND
WCL05-2	2" x 200'	Caution
WCL49-2	2" x 200'	Danger
WCL05-3	3" x 200'	Caution
WCL49-3	3" x 200'	Danger

Stock Legends Available: Solid Red printed with Black "Danger" and Solid Yellow printed with Black "Caution" legend.

TAPE TENDER™



Dispense Barricade Tape easily and quickly with our Tape Tender™. Made from a highly durable polypropylene, this portable dispenser has a convenient cutting blade so you only use what you need. Will accommodate standard 3" x 1000' rolls.

ORDER CATALOG NUMBER **T T D-01**



DETECTABLE UNDERGROUND TAPE

Avoid the problem of costly dig-ins to locate buried, non-metallic cables and pipelines with our Detectable Underground Tape. Providing you with double protection, this tape is easily located with an industrial grade non-ferrous metal detector before you dig, while its highly visible colors make it easy to locate after the dig has begun.

Printed with a black legend on standard APWA colors, our Aluminum Foil tape is double laminated for extra protection.

Colors Available: Red, Orange, Yellow, Green, Blue and Purple.



Conforms to the following specifications:

- NTSB-PSS-73-1
- American Gas Association 72-D-56
- OSHA 1926.956 (c) (1)
- DOT Office of Pipeline Safety USAS B31.8
- GSA Public Buildings Service Guide
- API RP 1109
- APWA Uniform Color Code
- Federal Gas Safety Regulations S 192-321 (e)

CAT. NO.	LEGEND	COLORS	SIZE
DU-01	Caution Buried Electric Line	Black / Red	All legends available in the following sizes: 2" x 1000' 3" x 1000' 6" x 1000' To specify roll width, follow catalog number with the appropriate size. Example: DU-01-6
DU-02	Caution Buried Gas Line	Black / Yellow	
DU-03	Caution Buried Pipeline	Black / Yellow	
DU-04	Caution Buried Sewer Line	Black / Green	
DU-05	Caution Buried Telephone Line	Black / Orange	
DU-06	Caution Buried Water Line	Black / Blue	
DU-07	Caution Buried Oil Line	Black / Yellow	
DU-08	Caution Buried CATV Line	Black / Orange	
DU-09	Caution Buried High Voltage Line	Black / Red	
DU-10	Caution Buried Fiber Optic Line	Black / Orange	
DU-11	Caution Buried Reclaimed Water Line	Black / Purple	
DU-12	Caution Buried Storm Drain Line	Black / Green	
DU-13	Caution Buried Electric Line	Black / Yellow	
DU-14	Caution Buried Irrigation Line	Black / Blue	
DU-15	Caution Buried Potable Line	Black / Blue	
DU-16	Caution Buried Non-Potable Line	Black / Blue	

Also available in custom legends - call for a quote.

TAPE CADDY

The Tape Caddy is an easy way to dispense Barricade, Underground and Detectable Underground Tape. It has a simple design yet is very useful at job sites. Can accommodate rolls up to 6" wide.

ORDER CATALOG NUMBER TC-01





UNDERGROUND TAPE



Vivid color-coded Underground Tapes quickly warn excavation crews of the existence of buried pipes and cables before damage can occur. Our non-adhesive polyethylene Underground Tape is a simple, economical way to protect buried utility lines. Tapes are impervious to alkalis, acids and other soil components. Available in 3" x 1000' and 6" x 1000' lengths from stock or other widths available by special order. These tapes are printed with many stock legends or can be printed with your own custom wording. Meets APWA recommended color codes.

Underground tape should be installed 12"-18" below ground level and 12" directly above buried pipes, cables and conduits, before final backfilling. Installation of underground tape should be supervised by a professional or authority concerned with the proper use of the product.

CAT. NO.	LEGEND	SIZE	COLOR
UT-1	Caution Buried Air Line Below	3" x 1000'	Yellow
UT-2	Caution Buried Installation Below	3" x 1000'	Yellow
UT-3	Caution Buried Process Line Below	3" x 1000'	Yellow
UT-4	Caution Buried Cable TV Line Below	3" x 1000'	Orange
UT-5	Caution Buried Condensate Line Below	3" x 1000'	Blue
UT-6	Caution Buried Diesel Oil Line Below	3" x 1000'	Yellow
UT-7	Caution Buried Electric Line Below	3" x 1000'	Yellow
UT-8	Caution Buried Electric Line Below	3" x 1000'	Red
UT-9	Caution Buried Fuel Line Below	3" x 1000'	Yellow
UT-10	Caution Buried Gas Line Below	3" x 1000'	Yellow
UT-11	Caution Buried High Voltage Line Below	3" x 1000'	Yellow
UT-12	Caution Buried High Voltage Line Below	3" x 1000'	Red
UT-13	Caution Buried Natural Gas Line Below	3" x 1000'	Yellow
UT-14	Caution Buried Oil Line Below	3" x 1000'	Yellow
UT-15	Caution Buried Pipeline Below	3" x 1000'	Yellow
UT-16	Caution Buried Sewer Line Below	3" x 1000'	Green
UT-17	Caution Buried Telephone Line Below	3" x 1000'	Orange
UT-18	Caution Buried Steam Line Below	3" x 1000'	Yellow
UT-19	Caution Buried Utilities Underground	3" x 1000'	Yellow
UT-20	Caution Buried Utility Line Below	3" x 1000'	Yellow
UT-21	Caution Buried Water Line Below	3" x 1000'	Blue
UT-43	Caution Buried Cable Line Below	3" x 1000'	Orange
UT-44	Caution Buried Fiber Optic Line Below	3" x 1000'	Orange
UT-45	Caution Buried Reclaimed Water Below	3" x 1000'	Purple
UT-49	Caution Buried Storm Drain Line Below	3" x 1000'	Green
UT-55	Caution Buried Irrigation Line Below	3" x 1000'	Blue
UT-56	Caution Buried Non-Potable Water Line Below	3" x 1000'	Blue
UT-57	Caution Buried Potable Water Line Below	3" x 1000'	Blue
UT-58	Caution Buried Wastewater Line Below	3" x 1000'	Green

CAT. NO.	LEGEND	SIZE	COLOR
UT-22	Caution Buried Air Line Below	6" x 1000'	Yellow
UT-23	Caution Buried Installation Below	6" x 1000'	Yellow
UT-24	Caution Buried Process Line Below	6" x 1000'	Yellow
UT-25	Caution Buried Cable TV Line Below	6" x 1000'	Orange
UT-26	Caution Buried Condensate Line Below	6" x 1000'	Blue
UT-27	Caution Buried Diesel Oil Line Below	6" x 1000'	Yellow
UT-28	Caution Buried Electric Line Below	6" x 1000'	Yellow
UT-29	Caution Buried Electric Line Below	6" x 1000'	Red
UT-30	Caution Buried Fuel Line Below	6" x 1000'	Yellow
UT-31	Caution Buried Gas Line Below	6" x 1000'	Yellow
UT-32	Caution Buried High Voltage Line Below	6" x 1000'	Yellow
UT-33	Caution Buried High Voltage Line Below	6" x 1000'	Red
UT-34	Caution Buried Natural Gas Line Below	6" x 1000'	Yellow
UT-35	Caution Buried Oil Line Below	6" x 1000'	Yellow
UT-36	Caution Buried Pipeline Below	6" x 1000'	Yellow
UT-37	Caution Buried Sewer Line Below	6" x 1000'	Green
UT-38	Caution Buried Telephone Line Below	6" x 1000'	Orange
UT-39	Caution Buried Steam Line Below	6" x 1000'	Yellow
UT-40	Caution Buried Utilities Underground	6" x 1000'	Yellow
UT-41	Caution Buried Utility Line Below	6" x 1000'	Yellow
UT-42	Caution Buried Water Line Below	6" x 1000'	Blue
UT-46	Caution Buried Cable Line Below	6" x 1000'	Orange
UT-47	Caution Buried Fiber Optic Line Below	6" x 1000'	Orange
UT-48	Caution Buried Reclaimed Water Below	6" x 1000'	Purple
UT-50	Caution Buried Storm Drain Line Below	6" x 1000'	Green
UT-51	Caution Buried Irrigation Line Below	6" x 1000'	Blue
UT-52	Caution Buried Non-Potable Water Line Below	6" x 1000'	Blue
UT-53	Caution Buried Potable Water Line Below	6" x 1000'	Blue
UT-54	Caution Buried Wastewater Line Below	6" x 1000'	Green



VINYL PLASTIC TAPE

Highly visible, tough, pressure-sensitive vinyl tapes are perfect for: color coding, aisle marking, duct sealing, abrasion protection, joint sealing, pipe wrapping, decorating, light bundling, packaging, safety marking, etc. Available in 12 colors and clear. Please specify color. Example: For 5" x 36 yds. in dark blue, specify VM108-DB.



All of our vinyl, pressure-sensitive tapes can be custom slit from widths of 1/4" and up.

CAT. NO.	COLOR	SIZE
VM100-	PLEASE SPECIFY COLOR	1" x 36 yds.
VM102-		2" x 36 yds.
VM104-		3" x 36 yds.
VM106-		4" x 36 yds.
VM108-		5" x 36 yds.
VM110-		6" x 36 yds.

CAT. NO.	COLOR	SIZE
VM120-	PLEASE SPECIFY COLOR	1" x 60 yds.
VM122-		2" x 60 yds.
VM124-		3" x 60 yds.
VM126-		4" x 60 yds.
VM128-		5" x 60 yds.
VM130-		6" x 60 yds.

COLORS AVAILABLE:

- | | | | |
|-----------------|------------|------------------|-------------|
| RD - Red | GY - Grey | YL - Yellow | OR - Orange |
| DG - Dark Green | BR - Brown | LG - Light Green | WT - White |
| DB - Dark Blue | BK - Black | LB - Light Blue | PU - Purple |

Also Available in Clear

OSHA COLOR REQUIREMENTS:

- RED** — Fire Protection Equipment, Emergency Stop Controls and Existing Danger Hazards.
- ORANGE** — Danger Points on Machinery.
- LIGHT GREEN** — Safety Equipment such as First Aid Kits and Eye-Wash/Shower Locations.
- LIGHT BLUE** — Warn Against Starting/Use of/Movement of Equipment Being Worked On.
- YELLOW** — Physical Hazards.
- MAGENTA/PURPLE** — X-Ray and Radiation Hazards.



DIE-CUT ARROWS & CIRCLES



Pressure-sensitive vinyl die-cut arrows and circles are great for aisle marking, inventory, color coding, and material identification, masking, package and box identification. Available in 12 colors plus clear. See vinyl colors above.

A = Arrows and C = Circles.

CAT. NO.	COLOR	SIZE
MC-6	PLEASE SPECIFY COLOR	1/2" x 1000/rl
MC-7		3/4" x 1000/rl
MA-1 or MC-1		1" x 1000/rl
MA-2 or MC-2		2" x 500/rl
MA-3 or MC-3		3" x 500/rl
MA-4 or MC-4		4" x 500/rl
MA-5 or MC-5		5" x 500/rl

Also available in fluorescent paper. Please specify: FO - Orange, FG - Green, FP - Pink, FL - Lime/Yellow or FR - Red.



HAZARD WARNING TAPE

A quick, easy and inexpensive way to mark aisles and physical hazards. This highly visible, pressure-sensitive vinyl tape is self-wound with a permanent adhesive, and is protected with an abrasion resistant clear laminate that resists oil, dirt and chemicals.

ALTERNATING STRIPES

CAT. NO.	COLOR	SIZE.
HT200-	PLEASE SPECIFY COLOR	2" x 18 yds.
HT202-		3" x 18 yds.
HT204-		4" x 18 yds.
HT206-		2" x 36 yds.
HT208-		3" x 36 yds.
HT210-		4" x 36 yds.



To specify color, add color designation to catalog number, i.e. HT200BW or HT226RW. Also available in right diagonal stripes. To order stripe with radiation symbol, use SY.



Colors conform to OSHA 1910.144 for marking requirements, Please Specify:

- BY - **BLACK/YELLOW**: Physical Hazards
- BW - **BLACK/WHITE**: Housekeeping and Aisle Marking
- RW - **RED/WHITE**: Fire Protection Equipment
- WB - **BLUE/WHITE**: Defective Equipment Warning
- OW - **ORANGE/WHITE**: Traffic and Caution Warning
- GW - **GREEN/WHITE**: Safety and First Aid
- MY - **MAGENTA/YELLOW**: Radiation Hazards

CHECKERBOARD PATTERN

CAT. NO.	COLOR	SIZE
HT220-	PLEASE SPECIFY COLOR	2" x 18 yds.
HT222-		3" x 18 yds.
HT224-		4" x 18 yds.
HT226-		2" x 36 yds.
HT228-		3" x 36 yds.
HT230-		4" x 36 yds.

ECONOMY HAZARD WARNING TAPE

Try our Alternating Striped Hazard Warning Tape without a laminate. This economical tape is available in 2", 3" or 4" in 18 yard lengths. Use Prefix HTE- when ordering. Economy tape is available in Black/Yellow, Black/White and Red/White only.

RADIATION HAZARD WARNING TAPE

This high strength vinyl-coated cotton cloth effectively combines economy with performance. Its synthetic rubber/resin adhesive, tensile strength of 45 lbs. per inch, 12-mil thickness, plus its ability to adhere to steel, make this tape ideal for use in nuclear facilities.


Features & Benefits:

- Superior adhesion with clean removal when needed.
- Highly conformable to irregular surfaces and odd shapes.
- Hand tearable
- Meets government specs A-A-1586A and PPP-T-60E.



CAT. NO.	SIZE	COLORS
RT230YM	2" x 30 yds.	Magenta/Yellow

FLOOR TAPE APPLICATOR



- Stable, stand alone design.
- Holds up to a 4" x 60 yd. roll floor marking or a 4" x 50 yd. roll pavement marking tape.
- Tape is applied quickly and easily with no awkward bending or stooping.
- Large wheel base ensures smooth placement of tape every time!
- Heavy duty construction stands up to years of constant use.

Minimum assembly required.

To order, use #FTA01

STOCK PIPE MARKER LEGENDS

LEGEND	BACK GROUND COLOR	PIPE DIAMETER—O.D.	
		3" OR LARGER	3" OR SMALLER
Acid	Y	PM-4	SP-4
Air	B	PM-5	SP-5
Air	Y	PM-6	SP-6
Alcohol	Y	PM-8	SP-8
Ammonia	Y	PM-9	SP-9
Argon	B	PM-10	SP-10
Boiler-Feed	Y	PM-16	SP-16
Brine	G	PM-18	SP-18
Carbon Dioxide	Y	PM-20	SP-20
Caustic	Y	PM-21	SP-21
Chilled Water	G	PM-24	SP-24
Chilled Water Return	G	PM-25	SP-25
Chilled Water Supply	G	PM-26	SP-26
Chlorine	Y	PM-27	SP-27
Circulating Water	G	PM-28	SP-28
City Gas	Y	PM-29	SP-29
City Water	G	PM-30	SP-30
Cold Water	G	PM-31	SP-31
Cold Water Return	G	PM-32	SP-32
Cold Water Supply	G	PM-33	SP-33
Compressed Air	B	PM-34	SP-34
Compressed Air	Y	PM-35	SP-35
Condensate	Y	PM-36	SP-36
Condensate Return	Y	PM-37	SP-37
Condensate Supply	Y	PM-38	SP-38
Cooling Water	G	PM-42	SP-42
Domestic	G	PM-47	SP-47
Domestic Cold Water	G	PM-48	SP-48
Domestic Hot Water	Y	PM-49	SP-49
Drain	G	PM-50	SP-50
Drain Water	G	PM-51	SP-51
Drinking Water	G	PM-52	SP-52
Exhaust Air	G	PM-54	SP-54
Exhaust Steam	Y	PM-56	SP-56
Fire Automatic Sprinklers	R	PM-60	SP-60
Fire-Dry Stand Pipe	R	PM-61	SP-61
Fire Protect. Water	R	PM-62	SP-62
Fresh Water	G	PM-64	SP-64
Fuel Oil	Y	PM-66	SP-66
Gas	Y	PM-67	SP-67
Gasoline	Y	PM-68	SP-68
Glycol	Y	PM-69	SP-69
Heating	Y	PM-73	SP-73
Heating Return	Y	PM-74	SP-74
Heating Supply	Y	PM-75	SP-75
Heating Water Return	Y	PM-175	SP-175
Heating Water Supply	Y	PM-176	SP-176
Helium	B	PM-76	SP-76
Hi-Pressure Air	Y	PM-77	SP-77
Hi-Pressure Condensate	Y	PM-78	SP-78
Hi-Pressure Gas	Y	PM-79	SP-79
Hi-Pressure Steam	Y	PM-80	SP-80
Hi-Pressure Water	Y	PM-81	SP-81
Hot Water	Y	PM-82	SP-82
Hot Water Return	Y	PM-83	SP-83
Hot Water Supply	Y	PM-84	SP-84

LEGEND	BACK GROUND COLOR	PIPE DIAMETER—O.D.	
		3" OR LARGER	3" OR SMALLER
Hydrogen	Y	PM-86	SP-86
Lo-Pressure Air	B	PM-93	SP-93
Lo-Pressure Condensate	Y	PM-94	SP-94
Lo-Pressure Gas	Y	PM-95	SP-95
Lo-Pressure Steam	Y	PM-96	SP-96
Make-up Water	G	PM-98	SP-98
Medical Air	B	PM-99	SP-99
Mixed Gas	Y	PM-103	SP-103
Natural Gas	Y	PM-106	SP-106
Nitrogen	G	PM-107	SP-107
Non-Potable Water	Y	PM-109	SP-109
Oil	Y	PM-110	SP-110
Oxygen	Y	PM-111	SP-111
Oxygen	B	PM-112	SP-112
Peroxide	Y	PM-113	SP-113
Plant Air	Y	PM-114	SP-114
Plant Water	G	PM-115	SP-115
Potable	G	PM-118	SP-118
Potable Water	G	PM-119	SP-119
Process Water	Y	PM-123	SP-123
Propane Gas	Y	PM-124	SP-124
Rain Water	G	PM-126	SP-126
Raw Water	G	PM-127	SP-127
Return	Y	PM-131	SP-131
Return	B	PM-132	SP-132
Return	G	PM-133	SP-133
Return	R	PM-177	SP-177
Sanitary Sewer	G	PM-135	SP-135
Sewage	G	PM-178	SP-178
Sludge	Y	PM-140	SP-140
Sprinkler-Fire	R	PM-143	SP-143
Sprinkler-Water	R	PM-144	SP-144
Steam	Y	PM-145	SP-145
Steam Return	Y	PM-146	SP-146
Steam Supply	Y	PM-147	SP-147
Storm Drain	G	PM-148	SP-148
Storm Sewer	G	PM-149	SP-149
Sulfuric Acid	Y	PM-152	SP-152
Supply	Y	PM-153	SP-153
Supply	G	PM-154	SP-154
Supply	R	PM-155	SP-155
Supply	B	PM-156	SP-156
Tower Water	G	PM-157	SP-157
Treated Water	G	PM-158	SP-158
Unsafe Water	Y	PM-160	SP-160
Vacuum	Y	PM-161	SP-161
Vacuum	G	PM-162	SP-162
Vapor	Y	PM-163	SP-163
Vent	Y	PM-164	SP-164
Vent	G	PM-165	SP-165
Waste	Y	PM-166	SP-166
Waste	G	PM-167	SP-167
Waste Water	G	PM-168	SP-168
Water	Y	PM-169	SP-169
Water	G	PM-170	SP-170
Well Water	G	PM-172	SP-172

**Materials Inherently Hazardous —
Yellow/Black Lettering**

Denotes materials that are flammable, toxic, explosive, chemically active or poisonous.

**Fire Quenching Materials —
Red/White Lettering**

Indicates sprinkler systems and fire protection equipment.

**Liquids of Inherently Low Hazard —
Green/White Lettering**

Presents little or no risk of hazard to life or property. Non-toxic, non-poisonous, does not produce fire or explosions.

**Gases of Inherently Low Hazard —
Blue/White Lettering**

Identifies gases with little or no threat to life or property.

Our vinyl pressure-sensitive pipemarkers are available in rolls 1" x 18 yards (SP-Series) and 2" x 18 yds (PM-Series). Labels come 72 markers per roll and are perforated every 9 inches.



PIPE AND ELECTRICAL MARKERS

6-1/2" PIPE MARKERS



Our **NEW** LP-Series is a 6-1/2" pressure-sensitive vinyl pipe marker that is an inexpensive way to mark pipes and conduits. A clear

lamine protects against harsh plant conditions. Roll size is 6-1/2" x 30' with a liner that is back slit every 3". A continuously repeating legend, there is no perforation in the marker itself.

This size marker is made for large diameter pipes. If a smaller size is needed, please see our Stock Pipe Marker Legends on page 10.

CAT. NO.	SIZE	COLOR
LP-**	6-1/2" x 30'	(See Below)

** Add part # of stock legend requested. See page 10 for stock legends and colors available.

PIPE BANDING TAPE

This pressure-sensitive vinyl tape provides a low cost way of color coding for identification of pipes. Colors are OSHA / ANSI approved. Use tapes by themselves or in combination with our pipe markers. See page 10 for sizes and colors.



MEDICAL GAS PIPE MARKERS

Each of our 3" x 3" pressure-sensitive vinyl markers is laminated and color coded to conform to specifications. Designed to fit pipes up to 1" O.D. Markers come in rolls of 50.



CAT. NO.	LEGEND	LEGEND COLOR	BACKGROUND COLOR
MPM-01	Carbon Dioxide	White	Grey
MPM-02	Cyclopropane	Black	Orange
MPM-03	Helium	White	Brown
MPM-04	Medical Air	Black	Yellow
MPM-05	Medical Vacuum	Black	White
MPM-06	Nitrogen	White	Black
MPM-07	Nitrous Oxide	White	Blue
MPM-08	Oxygen	White	Green

DIRECTIONAL ARROWS

Pressure-sensitive vinyl directional arrows are used to indicate flow direction of pipe contents. Colors are OSHA/ANSI approved for pipe and conduit marking. They can be applied alone or in combination with our pipe markers.



CAT. NO.	SIZE	COLOR CODE	
DA-1	1" x 18 yds.	White on Red	WR
DA-2	2" x 18 yds.	White on Green	WG
DA-3	4" x 18 yds.	White on Blue	WB
DA-4	1" x 36 yds.	Black on White	BW
DA-5	2" x 36 yds.	Black on Orange	BO
DA-6	4" x 36 yds.	Black on Yellow	BY

To specify color, add color code to catalog number.

Example: For 2" x 36 yds. white arrows on blue background, designate DA-5-WB.

ELECTRICAL MARKERS



The background color for all legends is Orange.

CATALOG NO.		LEGEND
PIPE DIAMETER 3" OR SMALLER (Outside Diameter)	PIPE DIAMETER 3" OR LARGER (Outside Diameter)	
SE-1	EM-1	AC
SE-2	EM-2	Air Conditioning
SE-3	EM-3	DC
SE-4	EM-4	Emergency
SE-5	EM-5	Exit Lights
SE-6	EM-6	Fire Alarm
SE-7	EM-7	Heating Circuit
SE-8	EM-8	Light & Power
SE-9	EM-9	Lighting
SE-10	EM-10	Power
SE-11	EM-11	Single Phase
SE-12	EM-12	Three Phase
SE-13	EM-13	110 Volts
SE-14	EM-14	115 Volts
SE-15	EM-15	120 Volts
SE-16	EM-16	208 Volts
SE-17	EM-17	220 Volts
SE-18	EM-18	230 Volts
SE-19	EM-19	240 Volts
SE-20	EM-20	277 Volts
SE-21	EM-21	440 Volts
SE-22	EM-22	460 Volts
SE-23	EM-23	480 Volts
SE-24	EM-24	550 Volts
SE-25	EM-25	600 Volts
SE-26	EM-26	2200 Volts
SE-27	EM-27	2300 Volts
SE-28	EM-28	2400 Volts
SE-29	EM-29	4160 Volts
SE-30	EM-30	4800 Volts
SE-31	EM-31	6900 Volts



REFLECTIVE SAFETY TAPES

This high quality, Engineering Grade reflective material is great on poles, barricades, fences, buildings, roads, etc. to help signify danger and/or roadway hazards. Excellent daytime and nighttime visibility. Our permanent adhesive sticks to most clean and dry surfaces. Material is rated for 5 to 7 years of outdoor life, depending on conditions. Meets ASTM specifications D4596-01.

SOLIDS

CAT. NO.	COLOR	SIZE
RF-1	PLEASE SPECIFY COLOR	1" x 10 yds.
RF-2		2" x 10 yds.
RF-3		3" x 10 yds.
RF-4		4" x 10 yds.
RF-5		1" x 50 yds.
RF-6		2" x 50 yds.
RF-7		3" x 50 yds.
RF-8		4" x 50 yds.
RF-9		6" x 50 yds.

Please specify: WT - White, OR - Orange, RD - Red, GN - Green, BL - Blue, YL - Yellow or BK - Black.



DIE-CUT ARROWS and CIRCLES

STRIPES

CAT. NO.	COLOR	SIZE
RS-1	PLEASE SPECIFY COLOR	1" x 10 yds.
RS-2		2" x 10 yds.
RS-3		3" x 10 yds.
RS-4		4" x 10 yds.
RS-5		1" x 50 yds.
RS-6		2" x 50 yds.
RS-7		3" x 50 yds.
RS-8		4" x 50 yds.
RS-9		6" x 50 yds.

Please specify: BY = black/yellow, RW = red/white, BW = black/white, and OW = orange/white.

Also available in right diagonal stripes.

CAT. NO.	COLOR	SIZE
RA-1 and RC-1	PLEASE SPECIFY COLOR	1" x 100/Roll
RA-2 and RC-2		2" x 100/Roll
RA-3 and RC-3		3" x 100/Roll
RA-4 and RC-4		4" x 100/Roll
RA-5 and RC-5		5" x 100/Roll

Please specify: WT - White, OR - Orange, RD - Red, GN - Green, BL - Blue, YL - Yellow or BK - Black.


Left Diagonal (standard)



Right Diagonal



SOLID COLOR CONSPICUITY TAPE



For use on:

- poles
- signs
- gates
- vehicles

Tape comes in two styles:

- Metalized Retro-reflective (Block Pattern)
- Hi-Performance Reflective (Honeycomb Pattern).

Colors available: Both Patterns: RD, WH, YL, GN, BL.
Honeycomb only: BR, OR or FLO (Fluorescent orange)

Block Pattern

CAT. NO.	SIZE	COLOR
KPT2XX-10	2" x 10 yds.	PLEASE SPECIFY COLOR
KPT2XX-25	2" x 25 yds.	
KPT2XX-50	2" x 50 yds.	

Honeycomb Pattern

CAT. NO.	SIZE	COLOR
KPT6XX-10	2" x 10 yds.	PLEASE SPECIFY COLOR
KPT6XX-25	2" x 25 yds.	
KPT6XX-50	2" x 50 yds.	

XX = Color Specification (ie. KPT2RD-10)

VINYL FLAGGING TAPE



Our non-adhesive vinyl flagging tape is excellent for marking hazards, trees, danger areas, as well as for flagging boundaries and survey markers. Available in solid, striped, and fluorescent colors.

SOLIDS

CAT. NO.	COLOR	SIZE	STD. CTN.
VST-1	Red	1 ³ / ₁₆ " x 300 ft.	144 Rolls
VST-2	Blue		
VST-3	White		
VST-4	Orange		
VST-5	Yellow		
VST-6	Green		

STRIPES*

CAT. NO.	COLOR	SIZE	STD. CTN.
VST-7	Red/White	1 ³ / ₁₆ " x 300 ft.	144 Rolls
VST-8	Blue/White		
VST-9	Yellow/White		
VST-10	Orange/White		
VST-11	Black/White		
VST-12	Black/Yellow		

FLUORESCENTS

CAT. NO.	COLOR	SIZE	STD. CTN.
VST-17	Pink	1 ³ / ₁₆ " x 150 ft.	144 Rolls
VST-18	Orange		
VST-19	Lime		
VST-20	Red		
VST-21	Blue		
VST-22	Green		
VST-24	Yellow		

* Call for additional striped colors available.

STAKE WHISKERS



Durable stake whiskers come in a variety of bright colors. They attach easily to 16-penny nails or wooden stakes. They are ideal for road construction, as well as grading stakes, utility line paths, forestry, agriculture, exploration and for seismographic applications. Colors Available: BL - Blue, YL - Yellow, RD - Red, OR - Orange, GN - Green, and FP - Fluorescent Pink.

CAT. NO.	WHISKERS LENGTH	QUANTITY PACKAGE	COLOR
SW1-	6"	25	SPECIFY

MARKING FLAGS



Our reusable, vinyl Marking Flags are the economical way to mark construction sites, roads, boundaries, utility lines, landscaping and more! These durable flags are made to last!

The flag stays on the 16 gallon wire stake and the colors stay bright! Available in nine eye-catching colors. Please specify color: RD - Red, YL - Yellow, WT - White, OR - Orange, BL - Blue, GN - Green, FR - Fluorescent Red, FL - Fluorescent Lime and FP - Fluorescent Pink.

CAT. NO.	FLAG SIZE	STAKE LENGTH	COLOR
MF-1	2 ¹ / ₂ " x 3 ¹ / ₂ "	15"	PLEASE SPECIFY
MF-2	4" x 5"	21"	
MF-3	4" x 5"	30"	

PVC stakes, other sizes and custom printing are available through special orders.



SAF-STEP / FLEX-STEP NON-SLIP TAPE




SAF-STEP is a long-lasting, adhesive backed tape designed especially for application in high traffic areas where slippery or dangerous surfaces may cause accidents. A rugged aluminum oxide grit surface is bonded to the tape and is impervious to water, grease, oil, detergents and solvents.

FLEX-STEP tape is a resilient, non-abrasive vinyl safety tape that provides traction in wet

or dry conditions with a clean, non-contaminating surface.

EASY TO APPLY . . . In no more time than it takes for an accident to happen, just peel off the backing and press in place. SAF-STEP and FLEX-STEP adheres instantly to most clean, dry, oil-free surfaces.



SUGGESTED APPLICATIONS:

SAF-STEP

- Stairs & Ladders
- Ramps & Dock Lifts
- Factories & Repair Facilities
- Truck Beds & Steps
- Restaurant Kitchens
- Machine Shops & Shipping Areas
- Service Stations

FLEX-STEP

- Showers & Bathtubs
- Locker Rooms
- Therapy Rooms & Equipment
- Swimming Pools
- Diving Boards
- Boats & Docks
- Aquatic Equipment

SAF-STEP

Available only in Black

CAT. NO.	SIZE
AS-1	1" x 60'
AS-2	2" x 60'
AS-3	3" x 60'
AS-4	4" x 60'
AS-6	6" x 60'
AS-12	12" x 60'
AS-18	18" x 60'
AS-24	24" x 60'

SAF-STEP "CLEATS"

Available in Black

CAT. NO.	SIZE
AS-34	3/4" x 24"
AS-55	5 1/2" x 5 1/2"
AS-66	6" x 24"

Can customize cleat sizes
per your specifications

FLEX-STEP

Available only in white

CAT. NO.	SIZE
FS-1	1" x 60'
FS-2	2" x 60'
FS-3	3" x 60'
FS-4	4" x 60'
FS-6	6" x 60'
FS-7	3/4" x 7 1/2"
FS-17	3/4" x 17 1/2"
FS-36	3/4" x 36"
FS-47	18" x 47"

IMPORTANT NOTICE:

It is the responsibility of the user to determine suitability of the product; user assumes any and all liability in connection with such use. Based on research and development data, we are confident that our products are reliable; however, this information does not constitute a warranty. Seller shall not be liable for any damages relating to this product.



COLOR-STEP NON-SLIP TAPE



The same high quality tape as our Saf-Step black is now available in a wide range of colors and stripes. Use Color-Step solids and stripes to clearly identify various pathways and/or hazardous areas requiring non-slip tape. Also available with printed legends. Call for pricing and availability.

COLOR-STEP SOLIDS

Available in 13 colors and in White and Clear. Please specify color.

CAT. NO.	SIZE
ASC-1	1" x 60'
ASC-2	2" x 60'
ASC-3	3" x 60'
ASC-4	4" x 60'

COLOR-STEP STRIPES

Available in Black/School bus Yellow, Black/Flo. Yellow, Black/White and Red/White. Please specify color.

CAT. NO.	SIZE
AST-2	2" x 60'
AST-3	3" x 60'

COLOR-STEP CLEATS

Please specify color.



CAT. NO.	SIZE
ASC-34	3/4" x 24"
ASC-55	5 1/2" x 5 1/2"
ASC-66	6" x 24"

COLOR-STEP COLORS AVAILABLE



DK. BLUE



SCHOOL BUS YELLOW



GREEN



FL. ORANGE



LT. BLUE



RED



FL. YELLOW



TAN



MUSTARD



BROWN



GREY

ALSO AVAILABLE IN WHITE AND CLEAR



GLOW-TRED NON-SLIP TAPE

Provides A Safe Escape During:
BLACK OUTS - FIRES - EARTHQUAKES



Our Glow in the Dark Non-Slip Tape can help reduce panic and ultimately save lives by delineating a safely planned escape route when the lights go out.



GLOW-TRED SOLIDS

CAT. NO.	SIZE
GT-1	1" x 60'
GT-2	2" x 60'
GT-3	3" x 60'
GT-4	4" x 60'
GT-6	6" x 60'
GT-8	8" x 60'
GT-12	12" x 60'
GT-18	18" x 60'
GT-24	24" x 60'

GLOW-TRED STRIPES

CAT. NO.	SIZE
GTS-2	2" x 60'
GTS-4	4" x 60'
GTS-6	6" x 60'



GLOW BRITE®

GLOW IN THE DARK PRODUCTS



Our **NEW** Safety Grade, Glow in the Dark tape is a long-lasting photoluminescent, pressure-sensitive tape that helps to delineate a safe escape route when the lights go out. This Safety Grade material absorbs and stores energy from any ambient or UV light source, providing an illumination time of 6+ hours in the event of an emergency. Tape is non-toxic, non-radioactive and UV stable.



Excellent For:

- Switches
- Hazardous Areas
- Emergency Equipment
- Handrails
- Uneven Surfaces
- Stairways/Doorways
- Building Exits
- Low Overheads
- Fire Extinguishers

SOLID* (Ivory)

CAT. NO.	SIZE
GL-1	1" x 10 yds.
GL-2	2" x 10 yds.
GL-3	3" x 10 yds.
GL-4	1" x 50 yds.
GL-5	2" x 50 yds.
GL-6	3" x 50 yds.

SIGNS

(Red Letters/Ivory Background)

CAT. NO.	DESCRIPTION	SIZE
GL-S01	Ivory Arrow/Red Background	2" x 10"
GL-S02	Exit	8" x 10"
GL-S03	Not An Exit	8" x 10"
GL-S04	Fire Extinguisher	8" x 12"
GL-S05	Exit w/Left Pointing Arrow	10" x 10"
GL-S06	Exit w/Right Pointing Arrow	10" x 10"

STRIPED (Black/Ivory)

CAT. NO.	SIZE
GS-1	1" x 10 yds.
GS-2	2" x 10 yds.
GS-3	3" x 10 yds.
GS-4	1" x 50 yds.
GS-5	2" x 50 yds.
GS-6	3" x 50 yds.

DIE-CUT ARROWS & CIRCLES (Ivory)

CAT. NO.	SIZE
GLA01 & GLC01	1" x 100/Roll
GLA02 & GLC02	2" x 100/Roll
GLA03 & GLC03	3" x 100/Roll
GLA04 & GLC04	4" x 100/Roll
GLA05 & GLC05	5" x 100/Roll

ARROWS (Black on Ivory)

CAT. NO.	SIZE
GA-2	2" x 10 yds.
GA-3	3" x 10 yds.
GA-5	2" x 50 yds.
GA-6	3" x 50 yds.

*Also available with printed legends. Call for pricing and availability.

*Glow brite is a registered trademark of Jessup.




WARNING ANTI-SKID TAPE



Our warning anti-skid tape identifies hazardous areas with a warning printed continuously on the tape plus has the added protection of an anti-skid tape.

CAT. NO.	DESCRIPTION
WAS-05	Caution
WAS-11	Caution Hard Hat Area
WAS-31	Stripes
WAS-200	Authorized Personnel Only
WAS-201	Caution Watch Your Step

Anti-Skid Overcoat



CORRUGATED PLASTIC FLOOR STANDS

These inexpensive floor stands help alert people to hazardous areas. These 12" x 20" floor stands are printed with a different legend on each side, inside and out, for multiple usage. They fold flat for easy storage and are reusable.

Need to make your floor stands even safer? Include the **NEW** Flashing Safety Light (KP-10) which is perfect for increasing visibility in hard to see hazardous areas. Comes with 7 different light patterns to choose from. The 2" x 3" battery operated Safety Light flashes for over 300 hours and is great for indoor or outdoor use. Clips easily to any of our Corrugated Plastic Floor Stands. (Batteries not included).



CAT. NO.	LEGEND	COLORS
KP-1	Side 1 - Danger Asbestos Side 2 - Potential Asbestos Hazard Area	Red & Black on White
KP-2	Side 1 - Caution Wet Floor Side 2 - Caution Slippery When Wet	Black on Yellow
KP-3	Side 1 - Caution Do Not Enter Side 2 - Caution Keep Out	Black on Yellow
KP-4	Side 1 - Caution Men Working Side 2 - Caution Hazardous Area	Black on Yellow
KP-5	Side 1 - Caution Wet Paint Side 2 - Caution Watch Your Step	Black on Yellow
KP-7	Side 1 - Caution Men Working Above Side 2 - Caution Men Working Below	Black on Yellow
KP-8	Side 1 - Caution Wet Floor/Bilingual (Spanish) Side 2 - Watch Your Step/Bilingual (Spanish)	Black on Yellow
KP-9	Side 1 - Keep Clear Restrooms out of Service Side 2 - Keep Clear No Entrance	Black on Yellow
KP-10	Flashing Light	NA
KP-11-YL	Blank Stand	Yellow
KP-11-WT	Blank Stand	White



PAVEMENT MARKING TAPE

Our reflective Pavement Marking Tape is a temporary way for redirecting traffic around construction sites and permanently marking driveways and parking lots. Available in economical construction grade and heavy duty wet strength. Available in yellow and white. Please Specify YL - Yellow or WT - White.

GRADE	CAT. NO.	SIZE
Construction	PT-1-2	2" x 50 yds.
Heavy Duty	PT-3-2	2" x 50 yds.
Construction	PT-1-4	4" x 50 yds.
Heavy Duty	PT-3-4	4" x 50 yds.
Construction	PT-1-6	6" x 50 yds.
Heavy Duty	PT-3-6	6" x 50 yds.

Use our Floor Tape Applicator on page 9 for quick and easy application!



SAFETY VESTS

Harris Industries offers a variety of safety vests to fit your needs while conforming to safety standards published by the International Safety Equipment Association (ISEA) and the American National Standards Institute (ANSI).



ANSI CLASS 1

Class 1 vests are for those separated from traffic such as warehouse workers, sidewalk maintenance workers and delivery vehicle drivers.

Vest contains 217 inches of fluorescent background material with 155 inches of reflective material.

ANSI CLASS 2

Class 2 vests are used by those who are in need of greater visibility due to bad weather or activities requiring them to be near traffic over 25 mph. The Class 2 standard is 775 inches of fluorescent background fabric with 201 inches of reflective material.

Vest is intended for such workers as crossing guards, parking attendants, airport crews, railway workers, and law enforcement directing traffic.



ANSI CLASS 3

Class 3 vests provide the highest level of visibility for workers. Its use is for those working a variety of weather conditions and are near traffic greater than 50 mph. Class 3 vest requirements are a minimum of 1,240 inches of fluorescent background fabric with 310 inches of reflective material. These vests should be worn by construction crew, utility workers, survey crews, and emergency responders.





SAFETY VESTS

In addition to ANSI specified vests, Harris also offers three additional safety vests to fit your needs: Our Heavy Duty Surveyors Vest, our Lightweight Economical Mesh and our Hybrid - Surveyor/Mesh. All are available with 1-3/8" reflective striping for added nighttime visibility. Our hybrid combines the best of both the Surveyor and Mesh vests. Custom screen printing is also available.



HEAVY DUTY - SURVEYOR



Our most popular Surveyors Vest is made from a high quality, washable, bright orange-red 35% cotton 65% polyester material.

Its features include two outside pockets (double pocket on left), and two inside pockets for a total of 14 compartments, zipper front and closed sides.

Stock sizes available are Small, Medium, Large and Extra-Large, however, custom sizing is available upon request. Please specify size when ordering. Order catalog number **SV-110**.

LIGHTWEIGHT - MESH

Made especially for hot climates, the open weave mesh construction allows free air flow and is the most comfortable vest for hot, humid summer work. Vest is bound with black bias, finished with elastic on sides and has velcro closure in front.

Available in either a fluorescent orange nylon mesh or a fluorescent green PVC coated nylon mesh.

One size fits most, however, adjustable sides are available upon request. For the orange vest, order catalog number **SV-125**. For the green vest, order catalog number **SV-120FG**.




HYBRID - SURVEYOR/MESH

This unique design combines the durability and pocketed zipper front of our heavy duty surveyors vest with the comfortability of a mesh back to maximize air flow in warm climates. Available in orange only. Order catalog number **SV-140**.

SPECIALTY TAPES

CARTON SEALING TAPES



For package and carton sealing, use our strong and economical shipping tapes. Water resistant with an aggressive permanent adhesive, these polypropylene tapes get the job done. Available in 2" x 55 yard rolls in Tan, White and Clear.

CAT NO.	SIZE	COLORS
ST001	2" x 55 yds.	Tan, White, Clear

CUSTOM PRINTED CARTON SEALING TAPES



Customize your shipments with our Custom Printed Carton Sealing Tapes. These 2" x 55 and 2" x 110 yard rolls are available in Tan, White and Clear, with your own custom legend printed with any standard color. Can print up to two colors maximum.

CAT NO.	SIZE	COLOR
KST-5	2" x 55 yds.	Tan, White, Clear
KST-10	2" x 110 yds.	Clear

UPVC FLUORESCENT TAPE (Pressure-Sensitive)




Enhance safety with our international red-orange pressure-sensitive fluorescent tape. Made of durable, scuff resistant vinyl, tape provides for fast and easy identification. Color resists fading from exposure to sunlight. Custom widths available. Tape can be used anywhere:

- Aisle Marking
- Barricades
- Equipment
- Fences
- Hats
- Machinery
- Poles
- Steps
- Trucks

CAT NO.	SIZE
UPVC-2	2" x 72 yds.

PACKAGING LABELS



PKL-01
3" w x 4" h



PKL-02
3" w x 5" h



PKL-03
4" w x 4" h

Avoid costly and unnecessary damage to your product with our Packaging Labels. These black on white labels help prevent damage from happening, but can also be helpful when filing a claim if an accident does occur. Labels are packaged in rolls of 500.

SPECIALTY TAPES

See New Colors!

CLOTH DUCT TAPE

Our polyethylene coated cloth duct tape with its natural rubber adhesive offers excellent bond strength and water-proofing qualities. The coating permits easy release from the roll and provides extra conformability for a neater job. Designed specifically for duct sealing, it is also used for splicing, sealing, patching, sound dampening, water-proofing and as a carpet padding tape. The possibilities are endless! Colors available are: Grey, Black, Yellow, Green, Red and Blue. Specify Color when placing order.



CAT NO.	SIZE
KD-2	2" x 60 yds.

Please Specify Color

New Product

DOUBLE FACE FOAM TAPE

A 1/32" double coated cross-lined polyethylene foam. This closed cell foam has low water absorption, is flexible and resilient. Foam is coated on both sides with a rubber based pressure-sensitive adhesive, making this high-tack double face tape ideal for most mounting, holding and splicing applications. Great for mounting nameplates, posters or signs. This extra thick tape is also excellent for laminating all types of materials such as plastic, cork, cloth or felt. Indispensable for point of purchase displays.

CAT NO.	SIZE
DF-50	1/2" x 36 yds.
DF-75	3/4" x 36 yds.
DF-1	1" x 36 yds.
DF-15	1 1/2" x 36 yds.
DF-2	2" x 36 yds.

VINYL ELECTRICAL TAPE



Our all weather vinyl electrical tapes are excellent for both indoor and outdoor applications. They offer flexibility and pliability to adhere and conform to the most irregular surfaces. These UL approved tapes are highly resistant to sun, water, oil, acids, alkalies, corrosive chemicals and aging.

Uses Include: General splicing, harness wrapping, weather-proofing inside and outdoor connections and receptacles and color coding for quick and easy identification. Please specify color: Black, White, Red, Blue, Green, Grey, Orange or Yellow. 10 rolls per package.

CAT. NO.	SIZE
VE-75	3/4" x 60'

GENERAL PURPOSE MASKING TAPE



An all-purpose economical masking tape with a rubber-based adhesive. This medium tack, utility grade tape offers good strength and adhesion for masking, bundling, sealing, splicing and surface protection. Resists water, solvents and oils. Conformable to odd shapes and irregular surfaces.

CAT NO.	SIZE
GP-75	3/4" x 60 yds.
GP-1	1" x 60 yds.
GP-2	2" x 60 yds.



HOMELAND SECURITY PRODUCTS®



Now Available Speciality Homeland Security Barricade Tape, Adhesive Tape and Triage Tags as Stock Items!

Be prepared for any Homeland Security Emergency and give your customer's options. Our speciality tape and tags will carry appropriate legends that will help organize departments or areas in case of an emergency, as well as assist in newly adopted security measures. Tapes are available in our standard specifications for barricade tape and adhesive tapes. Custom orders are also available.

Incident Command:



BT-73
PHT-73



BT-74
PHT-74



BT-75
PHT-75

Decon:



BT-76
PHT-76



BT-77
PHT-77



BT-78
PHT-78



BT-79
PHT-79

Triage:



BT-80
PHT-80



BT-81
PHT-81



BT-82
PHT-82



BT-83
PHT-83



BT-84
PHT-84

BT = 3" Barricade Tape
PHT = 2" Vinyl Tape

Triage Tags:

FRONT

100897 TRIAGE TAG PART # 1

Leave the correct Triage Category (BT) at the end of the Triage Tag.

Move the Waiting Wounded

Respirators - Over 30

Phusion - Outfit/roll

Mental Status - Unable to follow simple commands

Other: _____

ALLIED NUMBER: _____

HOSPITAL DESTINATION: _____

DECEASED

IMMEDIATE

DELAYED

MINOR

BACK

100897 TRIAGE TAG PART # 2

PERSONAL INFORMATION

NAME: _____

ADDRESS: _____

CITY: _____

STATE: _____

ZIP: _____

PHONE: _____

DECEASED


IMMEDIATE

DELAYED

MINOR

CAT. NO.	DESCRIPTION	SIZE
BT Series	Non Adhesive Barricade Tape	3" x 1000'
PHT Series	Printed Hazard Warning Tape	2" x 18 yds.
TR-TAG	Triage Tag	4 1/4" x 8 11/16"
HLH-KIT	Homeland Security Hazmat I.D. Kit	13" x 18 13/16" x 6 5/16"
HLM-KIT	Homeland Security Medical I.D. Kit	13" x 18 13/16" x 6 5/16"

HAZMAT & MEDICAL INCIDENT I.D. KITS



ASBESTOS HAZARD PRODUCTS

LABELS AND TAPES

Caution and Asbestos Free/Non Asbestos labels are 3" x 5" self-wound vinyl labels, 500 per roll.

Danger labels are printed on pressure-sensitive paper. Available in a variety of sizes, 500 per roll.



AHL-10



AHL-12



AHL-13



AHD-1, 2 & 3



AHD-4

Our vinyl, pressure-sensitive asbestos labels are available in rolls of 2" x 18 yards. Labels are perforated every nine inches, with 72 labels per roll. Legends are printed on OSHA approved background colors and are protected by a clear laminate.



AHL-1



AHL-2



AHL-3



AHL-4



AHL-5



AHL-6



AHL-7



AHL-8



AHL-9



AHL-14



AHL-15

BARRICADE TAPE



BT-2



BT-3



BT-46



BT-47



BT-48

SIGNS

Highly visible Danger Signs alert personnel to potential asbestos hazards. Printed red and black on white stock. Available in English and Spanish. Meets OSHA 1910-1001 standards for job site safety. Specify E for English and S for Spanish. Add as suffix to catalog number.



AHS-1, 2, 3-E



AHS-4-E



AHS-5

BIOHAZARD PRODUCTS

LABELS/TAPES

Our vinyl, pressure-sensitive biohazard labels are available in rolls of 2" x 18 yards. They are perforated every twelve inches, with 54 labels per roll. Legends are printed on the OSHA approved background color for biohazards and are protected by a clear laminate.

CAT. NO.	LEGEND	COLORS
BIT-1	Biohazard ☣	Black on Orange
BIT-2	Contaminated Disposables ☣	Black on Orange
BIT-6	Biohazard Burn w/o Opening ☣	Black on Orange



BIT-1



BIT-2



BIT-6

LABELS

These easy to apply biohazard labels of various sizes quickly alert the public to the presence of biohazard contaminants. Printed on easy to read, pressure-sensitive vinyl, they come packaged 500 labels per roll.

CAT. NO.	SIZE	QUANTITY	COLORS
BHL-1	1" Round	500/Roll	Black on Orange
BHL-2	2" x 4"	500/Roll	Black on Orange
BHL-3	3" x 3"	500/Roll	Black on Orange
BHL-4	3" x 4"	500/Roll	Black on Orange
BHL-5	3" x 5"	500/Roll	Black on Orange



BHL-1



BHL-2



BHL-3



BHL-4



BHL-5

BARRICADE TAPE

CAT. NO.	LEGEND	COLORS
BT-21	Caution Radiation Area	(magenta/yellow)
BT-65	Caution Biohazard ☣	Orange



BT-21



BT-65



MOLD ABATEMENT

Our Mold Abatement Barricade Tape and signs warn against microbial (mold) dangers. Protect against accidental exposure.

BARRICADE TAPES

CAT. NO.	LEGEND
BT-44	Danger Microbial Hazard Do Not Enter
BT-45	Danger Microbial Hazard (w/cautionary info)*



BT-45



BT-44



MHS1-E

SIGNS

CAT. NO.	LEGEND
MHS1E	Danger Microbial Hazard (w/cautionary info)*

* Also available in Spanish - please specify MHS1-S

DOT SHIPPING LABELS

Your shipments will meet the new DOT Rule HM-181 with our durable vinyl labels.

Potential liability in the handling of hazardous materials has reached crisis proportions. To comply with DOT safety requirements, all air, water, rail and highway packages and containers must be properly labeled for quick and easy recognition. Simply remove label from backing sheet and apply to clean surface. All labels include UN class numbers and meet DOT specification 49CFR172.400 for color, size and durability.



CAT. NO.	LEGEND	CLASS	SIZE	LABELS/RL
DT-01	Non-Flammable Gas	2	4" x 4"	100 or 500
DT-02	Flammable Gas	2		
DT-03	Inhalation Hazard	2		
DT-04	Flammable Liquid	3		
DT-05	Flammable Solid	4		
DT-06	Spontaneously Combustible	4		
DT-07	Dangerous When Wet	4		
DT-08	Oxidizer	5.1		
DT-09	Organic Peroxide	5.2		
DT-10	Poison	6		
DT-11	Stow Away From Food	6		
DT-12	Infectious Substance	6		
DT-13	Corrosive	8		
DT-14	Misc. Hazardous Material	9		
DT-15	Cargo Aircraft Only		4" x 5"	
DT-17	Empty		6" x 6"	
DT-18	Explosive (Specify 1.1, 1.2 or 1.3)	1	4" x 4"	
DT-19	Explosive 1.4	1		
DT-20	Blasting Agent 1.5	1		
DT-21	Explosive 1.6	1		
DT-22	Oxygen	2		

- Pressure-sensitive
- Resistant to weather
- Resistant to chemicals
- Resistant to abrasion

For 100 quantity, end catalog number with 1. Ex: DT04-1. For 500 quantity, end catalog number with 5. Labels may be grouped for best quantity price. Other legends available by special order, call for information.

HAZARDOUS MATERIALS IDENTIFICATION

HAZARDOUS MATERIAL LABELS AND TAGS


CHEMICAL NAME AND NUMBER:	
HEALTH	<input type="checkbox"/>
FLAMMABILITY	<input type="checkbox"/>
REACTIVITY	<input type="checkbox"/>
TARGE	<input type="checkbox"/>
PERSONAL PROTECTION SYMBOLS	
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

HLA-46

CHEMICAL NAME AND NUMBER:	
HEALTH	<input type="checkbox"/>
FLAMMABILITY	<input type="checkbox"/>
REACTIVITY	<input type="checkbox"/>
PERSONAL	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

HLB-46


4" x 6" Write-on, self-adhesive vinyl labels that use the stick-on symbols SS. 10 per pack.



LCR-22 2" x 2"
LCR-44 4" x 4"

Write-on style pressure-sensitive paper labels. 250 per roll.

SYSTEM SIGNS




VINYL AND PAPER WRITE-ON LABELS

CAT. NO.	SIZE	QTY	MATERIAL
HLA-46	4" x 6"	10/pkg	Vinyl
HLB-46	4" x 6"	10/pkg	Vinyl
LCR-22	2" x 2"	250/rl	Paper
LCR-44	4" x 4"	250/rl	Paper


SYSTEM SIGNS

CAT. NO.	SIZE	QTY	USE # SIZE
SS-22-V	2 1/2" x 2 1/2"	5/pk	1" - H1
SS-55-V	5 1/2" x 5 1/2"	5/pk	2" - H2
SS-10-V	10" x 10"	5/pk	4" - H4
SS-10-P	10" x 10"	5/pk	4" - H4



SXR-22 2" x 2"
SXR-44 4" x 4"

Write-on style pressure-sensitive paper labels with explanation. 250 per roll.



SSR-22 2" x 2"
SSR-44 4" x 4"

Write-on style pressure-sensitive paper labels. 250 per roll.

PAPER WRITE-ON SYSTEM SIGN LABELS W/EXPLANATION

CAT. NO.	SIZE	QTY	USE # SIZE
SXR-22	2" x 2"	250/rl	1" - H1
SXR-44	4" x 4"	250/rl	2" - H2

PAPER WRITE-ON SYSTEM SIGN LABELS

CAT. NO.	SIZE	QTY	USE # SIZE
SSR-22	2" x 2"	250/rl	1" - H1
SSR-44	4" x 4"	250/rl	2" - H2

MSDS INFORMATION CENTER

SIMPLIFY COMPLIANCE

OSHA Hazard Communication Standard 29 CFR 1910.1200 requires all employers to provide written information for their employees regarding hazardous chemicals used in the workplace. Our Material Safety Data Sheet Information Center enables you to meet your obligation economically. All your employees will have quick and easy access to the information they have a "Right-To-Know."

FEATURES

- Highly visible yellow 24" x 30" sturdy honey-comb plastic.
- Prominent red MSDS sign identifies Information Center.
- Large Compartment to store one 3-ring binder for Material Safety Data Sheets.
- Smaller Compartment for related Right-To-Know Pamphlets.

Also Available

- 2" 3-ring binder to organize your Material Safety Data Sheets
- 4" x 8-1/2" Employee Right-To-Know Pamphlets



CAT. NO.	PRODUCT
MSDS-1	MSDS Information Center
MSDS-2	3-Ring Binder
MSDS-3	Right To Know Pamphlets

LEAD ABATEMENT PRODUCTS

SIGNS

Highly visible warning signs alert personnel to potential lead hazards. These 14" x 20" paper signs meet the new Federal OSHA 1926-62 ruling for job site safety. Available in both English and Spanish. Specify E for English and S for Spanish. Add as suffix to catalog number.



LHS-1-E

CAT. NO.	SIZE	QUANTITY	COLOR
LHS-1	14" x 20"	100/Pkg	Black on Yellow
LHS-2	14" x 20"	100/Pkg	Black on Orange



LHS-2-E

LABELS

These 3" x 5" Danger/Caution labels quickly alert the public to the presence of lead contaminants. Printed on pressure-sensitive paper for easy application, they come packaged 500 labels per roll.

CAT. NO.	SIZE	QUANTITY	COLOR
LHL-1	3" x 5"	500/Roll	Rd/Blk on White
LHL-2	3" x 5"	500/Roll	Black on Yellow
LHL-3	3" x 5"	500/Roll	Rd/Blk on White



LHL-1



LHL-2



LHL-3

BARRICADE TAPE

CAT. NO.	LEGEND	COLOR
BT-61	Caution Lead Hazard	Yellow
BT-62	Danger Lead Hazard	Red
BT-63	Danger Lead Removal, etc.	Red
BT-64	Warning Lead Work Area, etc.	Orange




See page 3 for stock legends available.

HAZARDOUS WASTE LABELS

Proper labeling of all accumulations and shipments of hazardous waste by generators is required by DOT and EPA regulations. Satisfy compliance of the DOT Rule HM-181 with our Hazardous Waste Labels.

Our 6" x 6" exterior-grade labels are resistant to weather as well as underground environments (as required by EPA standards). Available in rolls of 100 and 500. For 100 quantity, suffix catalog number with 1. Ex. HW-02-1. For 500 quantity, suffix catalog number with 5.


CUSTOM LABELS - Have your Hazardous Waste Labels personalized by ordering our custom imprinted labels. Preprinted labels eliminate filling out the information by hand, paperwork snarls, chances of illegible handwriting and transposed numbers. Call for a quote.



HW-01
DOT Classified
Hazardous Waste



HW-02
Meets DOT & California
EPA Regulations



HW-03
Non-Hazardous Waste



HW-04
Non-Regulated Waste



HW-05
Caution Contains PCBs



HW-06
4" x 4"
No PCBs



HW-07

LABELS

ASBESTOS:

Use our 3" x 5" labels to identify products that are asbestos free. Printed blue on heavyweight white paper stock.

CAT. NO.	SIZE	QUANTITY	MATERIAL
AHL-12	3" x 5"	500/Roll	Paper
AHL-13	3" x 5"	500/Roll	Paper



AHL-12



AHL-13

BIOHAZARD:



BHL-1



BHL-2



BHL-3



BHL-4



BHL-5

These easy to apply biohazard labels of various sizes quickly alert the public to the presence of biohazard contaminants. Printed on easy to read, pressure-sensitive vinyl, they come packaged 500 labels per roll.

CAT. NO.	SIZE	QUANTITY	COLORS
BHL-1	1" Round	500/Roll	Black on Orange
BHL-2	2" x 4"	500/Roll	Black on Orange
BHL-3	3" x 3"	500/Roll	Black on Orange
BHL-4	3" x 4"	500/Roll	Black on Orange
BHL-5	3" x 5"	500/Roll	Black on Orange

CAUTION:

This 3" x 5" label is required by the Asbestos Hazard Emergency Response Act (AHERA) in schools where asbestos-containing materials are present. Label complies with 40 cfr 763.95. Printed black on yellow paper.

CAT. NO.	SIZE	QUANTITY	MATERIAL
AHL-10	3" x 5"	500/Roll	Paper



AHL-10

DANGER:

Asbestos danger labels quickly alert the public to the presence of hazardous asbestos fibers. They are printed on pressure sensitive paper for easy application.

CAT. NO.	SIZE	QUANTITY
AHD-1	3" x 5"	500/Roll
AHD-2	4" x 6"	
AHD-3	5" x 7"	
AHD-4	3" x 5"	
AHD-14	4" x 6"	
AHD-15	4" x 6"	



AHD-1, 2 & 3



AHD-4

LEAD ABATEMENT:

These 3" x 5" Danger/Caution labels quickly alert the public to the presence of lead contaminants. Printed on pressure-sensitive paper for easy application, they come packaged 500 labels per roll.

CAT. NO.	SIZE	QUANTITY	COLOR
LHL-1	3" x 5"	500/Roll	Rd/Blk on White
LHL-2	3" x 5"	500/Roll	Black on Yellow
LHL-3	3" x 5"	500/Roll	Rd/Blk on White



LHL-1




LHL-2



LHL-3

SIGNS

ASBESTOS HAZARD




AHS1,2,3-E



AHS4-E



AHS-5



MHS1-E

Highly visible Danger Signs alert personnel to potential asbestos hazards. Printed red and black on white stock. Available in English and Spanish. Meets OSHA 1910-1001 standards for job site safety. Specify E for English and S for Spanish. Add as suffix to catalog number.

CAT. NO.	SIZE	QUANTITY	MATERIAL
AHS-1	11" x 17"	100/Pkg	Paper
AHS-2	14" x 20"	1/Pkg	.010 Plastic
AHS-3	14" x 20"	100/Pkg	Paper
AHS-4	10" x 14"	100/Pkg	Paper
AHS-5	14" x 18"	200/Pkg	Paper
MHS1	11" x 17"	100/Pkg	Paper

LEAD ABATEMENT



LHS-1-E



LHS-2-E

Highly visible warning signs alert personnel to potential lead hazards. These 14" x 20" paper signs meet the Federal OSHA 1926-62 ruling for job site safety. Available in both English and Spanish. Specify E for English and S for Spanish. Add as suffix to catalog number.

CAT. NO.	SIZE	QUANTITY	COLOR
LHS-1	14" x 20"	100/Pkg	Black on Yellow
LHS-2	14" x 20"	100/Pkg	Black on Orange

CHARTS



SSHMC2226
22" x 26"



SSFAC2226
22" x 26"



SSLTADP
28" x 20"



SSLTAC
28" x 20"

Choose from the following standard legends in a .030 polystyrene material. Signs are flexible and resilient and are for both indoor or outdoor use. Other legends and material also available by special order. Please call for a quote.

MISC. CAUTION 10" x 14"



SSC0800



SSC0830



SSC1100

MISC. DANGER 10" x 14"



SSD0090



SSD0310



SSD0460

INFORMATION 10" x 14"



SSL3670



SSL3730



SSL3830

NOTICE 10" x 14"



SSN2100



SSN2190



SSN2250

GRAPHIC 7" x 17"



SSG6210



SSG6225



SSG6240

BILINGUAL GRAPHIC 7" x 17"



SSBG6210



SSBG6225



SSBG6240

TRAILER MARKING CONSPICUITY TAPE

Federal mandate now requires that **ALL** trailers having an overall width of more than 80 inches and a gross vehicle weight rating of more than 10,000 pounds be equipped on the sides and rear with some means for increasing their conspicuity.

With a brightness of 700-1000 candle power intensity, our alternating 11" red and 7" white Conspicuity Tape meets the ASTM D-4956-90 Type V sheeting requirements to comply with this new mandate.

Available in 2" width with the option of 10, 25 or 50 yard rolls, this pressure-sensitive tape resists dirt and grime, as well as common solvents. Also available is our Conspicuity Trailer Marking Kit that comes complete with 5 pressure-sensitive strips each measuring 2" x 18". Kits are sold 10 per case.



CAT. NO.	SIZE	COLOR
KPT-2RW-10	2" x 10 yds.	Alternating Red and White Stripe
KPT-2RW-25	2" x 25 yds.	
KPT-2RW	2" x 50 yds.	
KPT-KIT	(5) 2" x 18"	

SCHOOL BUS CONSPICUITY TAPE



National Standards for School Transportation recommends that all school buses be equipped with some means of increasing their conspicuity. With a brightness of 700-1000 candle power intensity, our School Bus yellow Conspicuity Tape

meets the requirements of FMVSS 5711131 and FMVSS217 to comply with these recommendations.

Available in 1" and 2" widths in 50 yard rolls, this pressure-sensitive tape resists dirt and grime, as well as common solvents. Also available is the Emergency Door Kit in a 1" x 30 yard roll and the 9-1/4" x 42" School Bus Sign.



CAT. NO.	SIZE	COLOR
SBC1	1" x 50 yds.	Yellow
SBC2	2" x 50 yds.	Yellow
SBCK (kit)	1" x 30 yds	Yellow
SBCS	9 1/4" x 42"	Yellow

Designate metalized retroreflective with a prefix of K (ie. KSBCCK)

Two styles to choose from: Metalized Retroreflective **Block Pattern** features brighter reflectivity, while the Hi-Performance Reflective **Honeycomb Pattern** features a brighter color.

SOLID COLOR CONSPICUITY TAPE



Great for use on poles, gates, signs and vehicles, our conspicuity tape also comes in two styles of solid colors. Metalized Retroreflective (Block Pattern) and Hi-Performance Reflective (Honeycomb Pattern). Colors available: Both Patterns: RD, WH, YL, GN, BL. Honeycomb only: BR, OR or FLO (Fluorescent orange)

Block Pattern

CAT. NO.	SIZE	COLOR
KPT2XX-10	2" x 10 yds.	PLEASE SPECIFY COLOR
KPT2XX-25	2" x 25 yds.	
KPT2XX-50	2" x 50 yds.	

Honeycomb Pattern

CAT. NO.	SIZE	COLOR
KPT6XX-10	2" x 10 yds.	PLEASE SPECIFY COLOR
KPT6XX-25	2" x 25 yds.	
KPT6XX-50	2" x 50 yds.	

XX = Color Specification (ie. KPT2RD-10)

HIGHWAY SAFETY

WARNING FLAGS



WF-1 Warning Flags are made from good quality Red Cotton Sheeting. 18" x 18" mounted on a 3/4" x 24" hardwood shaft.

WF-2 Warning Flags are made from a HEAVY DUTY Vinyl Coated Fluorescent Fire Orange Nylon. 18" x 18" mounted on a 3/4" x 24" hardwood shaft.

WF-3 Warning Flags are the same as the WF-2 except for a 3/4" x 30" hardwood shaft.

WF-4 are the same as the WF-2/WF-3 Flags except they come with a plastic stay.

WF-5 Warning Flags are made from a Mesh Fluorescent Fire Orange Nylon. 18" x 18" mounted on a 3/4" x 24" hardwood shaft.



SAFETY BANNERS



Use our Oversize Load Banners for transporting or moving extra large equipment, loads, or mobile homes. Black imprint on traffic yellow. Brass grommets in four corners and in center. Made from PVC coated nylon with reinforced edges all around.

CAT. NO.	SIZE
OL-1	6' x 18" high
OL-2	8' x 18" high

PADDLE SIGNS



Bold 6" letters on 18" x 18" octagonal shaped paddle signs make them ideal for traffic control. Made from strong, yet lightweight, weatherproof material. Comes complete with 1" diameter varnished hardwood handle.

Specify STSL-3 (Stop on one side, Slow on other side) or STST-4 (Stop on BOTH sides).

TAILGATE AND HAZARD FLAGS



Economical, durable, bright red polyethylene warning flags. Just nail or tie to overhanging load or wherever you want a fast, highly-visible warning of a potential hazard.

Each roll contains 1000 16" x 16" red flags, perforated for convenient dispensing. Order catalog number **THF-1**.

SAFETY FENCING

Bright orange, light weight, reusable mesh Safety Fencing is made of a High Density Polyethylene. Used for temporary enclosures at construction sites, industrial facilities, recreation areas, crowd and traffic control and delineation fencing. Mesh size is 1-1/2" x 3". Roll size is 4' x 100'. Catalog number SF001.

FEATURES:

- Bright Orange Color
- Easy to Install and Handle
- Rot and Rust Proof
- High Visibility
- UV Stabilized
- Reusable



PENNANT LINES

These attention-getting Pennants are ideal for traffic control, marking of hazardous areas, or for open-houses, sales events or any place you want HIGH VISIBILITY.

Each 60' line has 36 - 9" x 12" and our 100' line has about 60 - 9" x 12" brightly colored, polyethylene pennants double-sewn to a high strength cord. Multi-color lines have alternating Red, White, Blue, Green, Orange and Yellow Pennants. Solid lines are either all Red or all Yellow. Also available in other sizes and colors or with printed copy by special order only.

CAT. NO.	COLOR	SIZE
PL-1-	PLEASE SPECIFY COLOR	60' - 9"x12"
PL-2-		100' - 9"x12"



Available in Multi-color (MC), Red (RD) or Yellow (YL). To order, add color abbreviation as suffix. Example PL-1-MC.


According to OSHA, this product cannot be used as warning lines for roofers.



PRINTED PENNANT LINES

Call special attention to your event or area with these Printed Pennant Lines. Pennants come preprinted with special legends. Black legend on red or yellow background. Custom legends and other colors also available. Call for quote.

CAT. NO.	LEGEND	COLOR	SIZE
PPL-5	Caution	PLEASE SPECIFY COLOR	9" x 12" 60' Long
PPL-31	Black / Yellow Stripes		
PPL-49	Danger		
PPL-55	Danger Keep Out		



PROMOTIONAL ITEMS

Promote your company or an event. Order one of the following promotional items.

Mini Rolls

These 1" x 25' mini rolls are great as "give aways". Available in stock, custom or private label. Looks just like the "big" rolls, only in miniature. Minimum quantity is 120 rolls.



Private Label Tape

Choose any stock legend and have your company name, logo, address and phone number placed between the legends. Minimum order quantity is only 12 rolls.




SHOWROOM DISPLAYS

Boost your sales by choosing from the following point of purchase products:

Pony Pallet

Holds 144 rolls of Barricade Tape. Four legends may be mixed per pallet.



SPANISH CATALOG

Harris Industries offers our top selling items in a Spanish catalog, containing many stock legends. Expand your market with this new sales tool.



Call our customer service department to place an order for your free copy.

Llame nuestro departamento de ventas y en español le tomara su orden para su copia gratis de nuestro nuevo catalogo en español.

CUSTOM PRINTING CAPABILITIES

Harris Industries prides itself as a leader in Custom Printing on a variety of products. We can custom print any legend, artwork or language in up to three colors. Minimum order is only 6 rolls. A one time plate charge and a set-up charge on re-runs apply. Please contact a Harris Representative or our Customer Service Department for more information and pricing.

We can customize the following products:

- Barricade Tape
- Detectable Tape
- Hazard Warning Tape
- Non-Slip Tape
- Pipemarkers
- Underground Tape
- Woven Barrier Tape
- Carton Sealing Tape
- Glow-in-the Dark Tape
- Marking Flags
- Pennant Lines
- Reflective Tape
- Vinyl Tape



Call for Pricing on Private Labeling

INDEX

ANSI	18	MEDICAL GAS PIPE MARKERS	11
ANTI-SKID TAPE	16	MOLD ABATEMENT	24
ARROWS, DIE-CUT	8, 12, 16	MSDS INFORMATION CENTER	26
ARROWS, DIRECTIONAL	11	NON-SLIP TAPE	14 - 16
ASBESTOS HAZARD PRODUCTS	23, 28, 29	PACKAGING LABELS	20
BARRICADE TAPE	3, 4, 22, 23, 24, 27, 33	PADDLE SIGNS	31
BARRIER TAPE (WOVEN COTTON).....	5	PAVEMENT MARKING TAPE	17
BARRIER TAPE (WOVEN PLASTIC).....	5	PENNANT LINES	32
BILINGUAL	4, 33	PIPE MARKERS	10, 11
BIOHAZARD PRODUCTS	24	PIPE BANDING TAPE.....	11
CARTON SEALING TAPES	20	PONY PALLET	33
CHARTS	29	PRINTED PENNANT LINES.....	32
CIRCLES, DIE-CUT	8, 12, 16	PRIVATE LABEL TAPE	33
CHECKERBOARD PATTERN	9	PROMOTIONAL ITEMS	33
COLOR-STEP (NON-SLIP)	15	RADIATION HAZARD WARNING TAPE	9
CONSPICUITY TAPE	12, 30	REFLECTIVE SAFETY TAPES	12
CORRUGATED PLASTIC FLOOR STANDS	17	REINFORCED BARRICADE TAPE	4
CUSTOM PRINTING CAPABILITIES	33	REWIND REEL	5
DETECTABLE UNDERGROUND TAPE.....	6	SAF-STEP (NON-SLIP)	14
DIRECTIONAL ARROWS	11	SAFETY BANNERS	31
DOT SHIPPING LABELS	25	SAFETY FENCING.....	32
DOUBLE FACE TAPE.....	21	SAFETY VESTS	18 - 19
DUCT TAPE, CLOTH	21	SCHOOL BUS CONSPICUITY	30
ELECTRICAL MARKERS	11	SIGNS.....	23, 24, 26, 27, 29
ELECTRICAL TAPE	21	SOLID COLOR CONSPICUITY TAPE	30
FLEX-STEP (NON-SLIP)	14	SPANISH CATALOG.....	33
FLOOR STANDS, PLASTIC	17	SPECIALTY BARRICADE TAPES	4
FLOOR TAPE APPLICATOR	9	SPECIALTY TAPES	4, 20
FLUORESCENT TAPE	4, 20	STAKE WHISKERS	13
FOAM TAPE	21	STOCK PIPE MARKER LEGENDS	10
GLOW IN THE DARK PRODUCTS	15, 16	TAILGATE FLAGS	31
GLOW-TRED (NON-SLIP)	15	TAPE CADDY	6
HAZARD FLAGS	31	TAPE TENDER™	5
HAZARD WARNING TAPE.....	9	TRAILER MARKING	30
HAZARDOUS MATERIALS IDENTIFICATION.....	26	TRIAGE TAGS	22
HAZARDOUS WASTE LABELS	27	UNDERGROUND TAPE	7
HEAVY DUTY - SURVEYOR VEST	19	UPVC FLUORESCENT TAPE	20
HIGHWAY SAFETY	31	VESTS	18, 19
HOMELAND SECURITY	22	VINYL FLAGGING TAPE	13
IDENTIFICATION KITS.....	22	VINYL PLASTIC TAPE	8
LABELS	23, 24, 26, 27, 28	WARNING ANTI-SKID TAPE	16
LEAD ABATEMENT PRODUCTS	27 - 29	WARNING FLAGS	31
MARKING FLAGS	13	WOVEN COTTONBARRIER TAPE	5
MARKING TAPE	17	WOVEN PLASTIC BARRIER TAPE	5



Additional Products:
 - Hazard Flags Tape
 - Woven Cotton Barrier Tape
 - Woven Plastic Barrier Tape
 - Detectable Underground Tape
 - Electrical Tape
 - Fluorescent Tape
 - Hazard Warning Tape
 - Medical Gas Pipe Markers

Additional Products:
 - Woven Cotton Barrier Tape
 - Woven Plastic Barrier Tape
 - Detectable Underground Tape
 - Electrical Tape
 - Fluorescent Tape
 - Hazard Warning Tape
 - Medical Gas Pipe Markers

Additional Products:
 - Woven Cotton Barrier Tape
 - Woven Plastic Barrier Tape
 - Detectable Underground Tape
 - Electrical Tape
 - Fluorescent Tape
 - Hazard Warning Tape
 - Medical Gas Pipe Markers

Additional Products:
 - Woven Cotton Barrier Tape
 - Woven Plastic Barrier Tape
 - Detectable Underground Tape
 - Electrical Tape
 - Fluorescent Tape
 - Hazard Warning Tape
 - Medical Gas Pipe Markers

Huntington Beach, California

Pawtucket, Rhode Island

Mexico

Venezuela

DISTRIBUTED BY:

