

**Dayton**®


# Industrial / Commercial Wet / Dry Vacuums

Contractor • Industrial • Commercial



The Grainger Choice badge signals a broad selection of products that deliver quality and value, brought to you by Grainger.

**Dayton Utility Vacuums Cover Facility Maintenance From Front to Back**  
 Dayton vacuums provide a high level of cleaning productivity, operational durability and versatility for a wide range of applications such as industrial, commercial, Jan-San and contractor. They are custom designed and engineered using the latest technology and have innovative features to meet the demands of facility maintenance professionals. Our selection of vacuums offer different levels of cleaning performances, project minimal noise, maintain effective filtration and are easy to use.



**Push Sweeper** Sweep clean hard surface floors, aisles and sidewalks.



**Contractor/Industrial Wet/Dry Canister Vacuum** Heavy duty cleaning of dirt, debris and liquid pick up for contractors and workshops.



**Commercial/Industrial Wet/Dry Utility Canister Vacuums** Professional Heavy duty Industrial Jan-San cleaning applications.



**Commercial Stick Vacuums** Powerful, lightweight and innovative design. Reduces operator fatigue while increasing productivity. Commercial and Jan-San cleaning applications. (Carpet and hard floor dry debris pick up).



**Back Pack Vacuums** Lightweight, ergonomic design, for fast commercial and Jan-San cleaning jobs.



**Portable Vacuums** Compact, lightweight, durable design that will go where you go.



**Long Life Motor Vacuums** Brushless motor design provides increased performance and extra long life. Professional grade vacuums run service free for more than 5,000 hours.



**Dayton Utility Vacuums** Cover the wide variety of tough cleaning requirements for Institutional, Government, Contractor (HVAC, Construction, Electrical, Plumbing, Etc.), Hospitality (Hotel/Motel/Restaurant) and Hospital environments.



## CONTRACTOR WET/DRY VACUUMS

Contractor grade high airflow wet/dry vacuums are designed for moderate frequency use in general purpose applications.

- Quiet operation motor housing
- On-board tool storage
- Powerful single-stage by-pass motor
- Durable plastic tank
- Lock-On® positive connection hose system
- Convertible blower port



### 6, 8 & 10 Gallon Tank Vacuums

Includes:

- Deluxe 6-piece 1.25 in. dia. plastic tool set with 8 ft. Lock-On® hose
- Integral wide stance caster system
- Heavy duty cartridge filter
- Foam sleeve
- 10 Gal. No. 45UZ57 includes tank drain

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP†	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW‡	SEALED PRESSURE (In.)‡	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>6, 8 &amp; 12 Gallon Tank Vacuums</b>									
<b>3VE18</b>	6	Plastic	3.5	8.5	400	110	52	210	12
<b>3VE19</b>	8	Plastic	4.5	9.9	400	125	55	245	12
<b>45UZ57</b>	10	Plastic	5.0	11.3	400	140	58	245	12



### 12, 16, 22 & 32 Gallon Tank Vacuums

Includes:

- Deluxe 8-piece 2.5 in. dia. plastic tool set with 8 ft. Lock-On® hose.
- Large tank drain, tool storage.
- Heavy duty cartridge filter and foam sleeve.
- No. 3VE21 includes high efficiency disposable filter bag and wide stance caster system.
- No. 1UG91 includes high efficiency disposable filter bag and large rear wheel dolly with metal transport handle.
- No. 2RPD8 includes high efficiency filter bag large rear wheel dolly with (2) 10 in. fully pneumatic tires and metal transport handle.



ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP†	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW‡	SEALED PRESSURE (In.)‡	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>12, 16, 22 &amp; 32 Gallon Tank Vacuums</b>									
<b>12Z214</b>	12	Plastic	5.5	11.6	1100	145	70	375	18
<b>3VE21</b>	16	Plastic	6.5	12.0	1100	155	72	425	18
<b>1UG91</b>	22	Plastic	6.5	12.0	1100	155	72	425	18
<b>2RPD8</b>	32	Plastic	6.5	12.0	1100	150	68	340	20



### 12 & 16 Gallon Stainless Steel Tank Vacuums

Includes:

- Large tank drain.
- Deluxe 8-piece 2.5 in. dia. plastic tool set with 8 ft. Lock-On® hose.
- 22XJ47 includes wide stance platform dolly with 4 casters, heavy duty cartridge filter and foam sleeve.
- 22XJ48 includes large rear wheel dolly with metal transport handle, deluxe on-board tool storage, high efficiency disposable filter bag, heavy duty cartridge filter and foam sleeve.

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP†	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW‡	SEALED PRESSURE (In.)‡	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>12 &amp; 16 Gallon Stainless Steel Tank Vacuums</b>									
<b>22XJ47</b>	12	Stainless Steel	5.5	11.6	1100	145	70	375	18
<b>22XJ48</b>	16	Stainless Steel	6.5	12.0	1100	155	72	425	18





22XJ54

22XJ55

## Long Life Brushless Motor Vacuums

Includes:

- Innovative, brushless by-pass motor design.
- Provides 5,000 hours of motor run time.
- Increased productivity and decreased downtime.
- Large tank drain.
- Deluxe 8-piece 2.5 in. dia. plastic tool set with 8 ft. Lock-On® hose.
- HEPA cartridge filter, high efficiency disposable filter bag and foam sleeve.

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	AMPS @120V	CFM AIR FLOW <sup>‡</sup>	SEALED PRESSURE (In.) <sup>‡</sup>	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>Long Life Brushless Motor Vacuums</b>							
<b>22XJ54</b>	12	Plastic	12.0	130	62	200	18
<b>22XJ55</b>	18	Plastic	12.0	130	62	200	18

## INDUSTRIAL WET/DRY VACUUMS

Industrial wet/dry vacuums are designed for high frequency use in heavy duty applications.

- Powerful two-stage by-pass motors (wet/dry pick up)
- Greater suction for liquids and heavier particles
- Heavy duty dollies, large tank drains (on canister models).
- Lock-On® positive connection hose system (on canister models).



4TB82

22XJ49

## 16 Gallon Plastic & 10 Gallon Stainless Steel Tank Vacuums

Includes:

- Deluxe 6-piece 1.5 in. dia. metal floor cleaning kit with 10 ft. Lock-On® hose.
- Deluxe on-board tool storage.
- Heavy duty cartridge filter and foam sleeve.
- No. 22XJ49 features integral 4-wheel dolly and metal transport handle.

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP <sup>†</sup>	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW <sup>‡</sup>	SEALED PRESSURE (In.) <sup>‡</sup>	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>16 Gallon Plastic &amp; 10 Gallon Stainless Steel Tank Vacuums</b>									
<b>4TB82</b>	16	Plastic	2.0	8.5	750	82	73	185	20
<b>22XJ49</b>	10	Stainless Steel	2.0	8.5	750	82	73	185	20



22XJ46

4TB85

## 16 Gallon Stainless Steel & 22 Gallon Plastic Tank Vacuums

Includes:

- Deluxe 6-piece 1.5 in. dia. metal floor cleaning kit with 10 ft. Lock-On® hose.
- Heavy duty cartridge filter and foam sleeve.
- Integral 4-wheel heavy duty vacuum cart with metal transport handle.
- Deluxe on-board tool storage.
- No. 22XJ46 features (2)10 in. fully pneumatic wheels.

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP <sup>†</sup>	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW <sup>‡</sup>	SEALED PRESSURE (In.) <sup>‡</sup>	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>16 Gallon Stainless Steel &amp; 22 Gallon Plastic Tank Vacuums</b>									
<b>22XJ46</b>	16	Stainless Steel	2.0	8.5	750	82	73	185	50
<b>4TB85</b>	22	Plastic	2.0	8.5	750	82	73	185	20



22XJ63

22XJ64

## 12 & 18 Gallon Long Life Motor Vacuums

Includes:

- Long life 2 stage by-pass motor design.
- Provides 1800 hours of motor run time.
- Increased productivity and decreased downtime.
- Deluxe 7 piece 1.5 in dia. tool set with 12 ft. Lock-On® hose.
- HEPA cartridge filter with foam sleeve and high efficiency disposable filter bag.

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	AMPS @120V	CFM AIR FLOW <sup>‡</sup>	SEALED PRESSURE (In.) <sup>‡</sup>	AIR WATTS <sup>‡</sup>	POWER CORD LENGTH (Ft.)
<b>12 &amp; 18 Gallon Long Life Vacuums</b>							
<b>22XJ63</b>	12	Stainless Steel	8.0	78	63	155	18
<b>22XJ64</b>	18	Plastic	8.0	78	63	155	18



22XJ50

4YE62

## 15 & 20 Gallon Stainless Steel Tank Vacuums

Includes:

- 1.5 in. dia. tools: 7 ft. Lock-On® hose, utility nozzle with squeegee insert.
- Ultra duty cartridge filter with nanofiber media and foam sleeve and full performance cloth.
- Side handles included on tank and motor housing.
- Heavy duty 4-wheel dolly with 10 in. rear wheels, metal hubs, full swivel caster and integral metal transport handle.

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP <sup>†</sup>	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW <sup>‡</sup>	SEALED PRESSURE (In.) <sup>‡</sup>	AIR WATTS <sup>‡</sup>	POWER CORD LENGTH (Ft.)
<b>15 &amp; 20 Gallon Stainless Steel Tank Vacuums</b>									
<b>22XJ50</b>	15	Stainless Steel	3.0	11.0	750	80	85	230	18
<b>4YE62</b>	20	Stainless Steel	4.0	11.5	800	100	90	300	18



22XJ56

22XJ57

## Industrial Long Life Brushless Motor Vacuums

Includes:

- Innovative, brushless by-pass motor design.
- Provides 5,000 hours of motor run time.
- Increased productivity and decreased downtime.
- Deluxe 10-piece commercial 1.5 in dia. tool set with 12 ft. Lock-On® hose.
- Heavy duty 4-wheel Flip-N-Pour® dolly, on-board tool storage, non-marking wheels.

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	AMPS @120V	CFM AIR FLOW <sup>‡</sup>	SEALED PRESSURE (In.) <sup>‡</sup>	AIR WATTS <sup>‡</sup>	POWER CORD LENGTH (Ft.)
<b>Industrial Long Life Brushless Motor Vacuums</b>							
<b>22XJ56</b>	20	Stainless Steel	12.0	90	100	260	35
<b>22XJ57</b>	20	Plastic	12.0	90	100	260	35



4YE60

1VHG3

4YE63

## Industrial Wet/Dry Vacuum Heads

Includes:

- 1.5 in. dia. tools: 7 ft. hose, utility nozzle with squeegee insert.
- Mount on 55 Gal., full remove head (FRH) drum.
- Ultra duty cartridge filter with nanofiber media.
- No. 1VHG3 features Long Life Brushless Motor, provides 5,000 hours of motor run time, and 12 ft. hose.
- Nos. 4YE63 and 1VHG3 metal housing provides durability for heavy duty use.

ITEM NO.	PEAK HP <sup>†</sup>	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW <sup>‡</sup>	SEALED PRESSURE (In.) <sup>‡</sup>	AIR WATTS <sup>‡</sup>	POWER CORD LENGTH (Ft.)
<b>Industrial Long Life Brushless Motor Vacuums</b>							
<b>4YE60</b>	3.0	11.0	750	80	85	230	18
<b>4YE63</b>	4.0	11.5	800	100	90	300	18
<b>1VHG3</b>	N/A	12.0	N/A	90	98	255	35



## COMMERCIAL WET/DRY VACUUMS

Commercial wet/dry vacuums are designed for high frequency use in Commercial and Jan-San heavy duty applications. Provide routine cleaning maintenance in areas where quiet operation is preferred.

- Powerful two-stage by-pass motors (wet/dry pick up) (No. 4YE65 features a single-stage by-pass motor).
- Greater suction for liquids and heavier particles.
- Quiet operation, deluxe tool make-ups, Lock-On® positive connection hose system.
- Heavy duty dollies, large tank drains (12 gallon and larger canister vacuums).

### 6 & 10 Gallon Plastic Tank Vacuums

Includes:

- Deluxe 1.25 in. dia. tool sets: No. 4YE65 includes 8 piece set with 8 ft. Lock-On® hose and No. 4YE66 includes 7 piece set with 10 ft. Lock-On® hose.
- No. 4YE68 deluxe 10-piece Commercial 1.5 in. dia. tool set with 10 ft. Lock-On® hose.
- High efficiency disposable filter bag, foam sleeve and No. 4YE65 features heavy duty cartridge filter and No. 4YE66 and 4YE68 feature HEPA cartridge filter for maximum filtration efficiency.
- Heavy duty easy roll, non marking caster system. No. 4YE68 features an integral non-marking caster system with on-board tool storage caddy.



4YE65

4YE66

4YE68

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP <sup>†</sup>	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW <sup>‡</sup>	SEALED PRESSURE (In.) <sup>‡</sup>	AIR WATTS <sup>‡</sup>	POWER CORD LENGTH (Ft.)
<b>6 &amp; 10 Gallon Plastic Tank Vacuums</b>									
<b>4YE65</b>	6	Plastic	4.5	8.0	400	125	60	260	18
<b>4YE66</b>	6	Plastic	2.0	7.4	750	75	75	175	35
<b>4YE68</b>	10	Plastic	2.0	7.4	750	75	75	175	35

### 12 & 16 Gallon Plastic Tank Vacuums

Includes:

- Deluxe 10-piece 1.5 in. dia. tool set with 10 ft. Lock-On® hose.
- Powerful convertible blower port.
- Tank drain.
- HEPA cartridge filter, high efficiency disposable filter bag and foam sleeve.
- No. 6AKZ0 features integral non-marking heavy duty caster system and on-board tool storage caddy.
- Nos. 6AKZ1 and 6AKZ2 feature 4 wheel heavy duty dolly, large 10 in. non-marking rear wheels, metal transport handle and on-board tool storage basket.



6AKZ2

6AKZ0

6AKZ1

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP <sup>†</sup>	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW <sup>‡</sup>	SEALED PRESSURE (In.) <sup>‡</sup>	AIR WATTS <sup>‡</sup>	POWER CORD LENGTH (Ft.)
<b>12 &amp; 16 Gallon Plastic Tank Vacuums</b>									
<b>6AKZ2</b>	12	Plastic	3.0	11.5	750	90	75	235	35
<b>6AKZ0</b>	16	Plastic	4.0	12.0	800	90	90	275	35
<b>6AKZ1</b>	16	Plastic	4.0	12.0	800	90	90	275	35

### 6 & 10 Gallon Stainless Steel Tank Vacuums

Includes:

- HEPA cartridge filter, high efficiency disposable filter bag and foam sleeve.
- No. 22XJ51 deluxe 7-piece 1.25 in. dia. tool set with 10 ft. Lock-On® hose, heavy duty easy roll integral caster system.
- No. 6AKY9 deluxe 10-piece commercial 1.5 in dia. tool set with 10 ft. Lock-On® hose, 3-wheel heavy duty dolly, large 10 in. non-marking wheels.



22XJ51

6AKY9

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP <sup>†</sup>	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW <sup>‡</sup>	SEALED PRESSURE (In.) <sup>‡</sup>	AIR WATTS <sup>‡</sup>	POWER CORD LENGTH (Ft.)
<b>6 &amp; 10 Gallon Stainless Steel Tank Vacuums</b>									
<b>22XJ51</b>	6	Stainless Steel	2.0	7.4	750	75	75	175	35
<b>6AKY9</b>	10	Stainless Steel	3.0	11.5	750	90	75	235	35



## Commercial Long Life Brushless Motor Vacuums

Includes:

- Innovative, brushless by-pass motor design.
- Provides 5,000 hours of motor run time.
- Increased productivity and decreased downtime.
- Deluxe 10-piece commercial 1.5 in. dia. tool set with 12 ft. Lock-On® hose.
- Nos. 22XJ58 and 22XJ60 feature heavy duty 4-wheel Flip-N-Pour® dolly, on-board tool storage basket, large 10 in. non-marking wheels.
- HEPA cartridge filter, high efficiency disposable filter bag and foam sleeve.

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	AMPS @120V	CFM AIR FLOW†	SEALED PRESSURE (In.)‡	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>Commercial Long Life Brushless Motor Vacuums</b>							
<b>22XJ59</b>	12	Stainless Steel	12.0	90	100	260	35
<b>22XJ58</b>	16	Plastic	12.0	90	100	260	35
<b>22XJ60</b>	16	Stainless Steel	12.0	90	100	260	35



## 4 & 6 Gallon Hotel Long Life Motor Vacuums

Includes:

- Long life 2 stage by-pass motor design.
- Provides 1800 hours of motor run time.
- Increased productivity and decreased downtime.
- Deluxe 8-piece commercial 1.5 in. dia. tool set with 10 ft. Lock-On® hose.
- HEPA cartridge filter, disposable filter bag and foam sleeve.

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	AMPS @120V	CFM AIR FLOW†	SEALED PRESSURE (In.)‡	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>4 &amp; 6 Gallon Long Life Hotel Vacuums</b>							
<b>22XJ61</b>	4	Stainless Steel	8.0	65	70	155	35
<b>22XJ62</b>	6	Plastic	8.0	65	70	155	35



## Commercial Stick Vacuum

Lightweight and versatile design for added convenience and increased productivity. Adjusts to use on bare or carpeted floors. Dry pick up only.

Includes:

- Efficient and versatile 3 in 1 vacuum (converts to stick vacuum, shoulder vacuum and handheld portable vacuum).
- High efficiency disposable filter bag.
- 1.25" diameter tools with 4 ft. hose.
- Optional power nozzle (No. 4JMV1) attachment is available for deep down powered cleaning of carpeted floors.

ITEM NO.	CLEANING PATH (In.)	NET WEIGHT (Lbs.) (without power cord)	AMPS @120V	CFM AIR FLOW	SEALED PRESSURE (In.)	AIR WATTS	POWER CORD LENGTH (Ft.)
<b>Commercial Stick &amp; Upright Vacuums</b>							
<b>2YMT8</b>	10	6	6.4	55	52	95	20



## PORTABLE WET & DRY VACUUMS

Portable vacuums are designed to provide excellent cleaning maintenance where portability and versatility is required. For moderate frequency use in general purpose applications.

- Compact and lightweight.
- High performance, single-stage by-pass (wet/dry pick up) and “flow thru” (dry pick up only) motors.

### 1.5, 2.5 & 5 Gallon Plastic Tank Vacuums

Includes:

- Efficient by-pass motors for wet & dry pick up operation.
- No. 2NYE3 and 2NYE4 features 6 ft. x 1.25 in. hose, crevice tool, dusting brush, utility nozzle, dry disc filter, foam sleeve, on-board tool storage and 18 ft. power cord.
- No. 1VHF8 features 7 ft. x 1.5 in. Lock-On® hose, crevice tool, claw style utility nozzle, heavy duty cartridge filter and high efficiency disposable filter bag, on-board tool & cord storage, 20 ft. power cord.



ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP <sup>1</sup>	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW	SEALED PRESSURE (In.)	AIR WATTS	POWER CORD LENGTH (Ft.)
<b>1.5, 2.5 and 5 Gallon Plastic Tank Vacuums</b>									
<b>2NYE3</b>	1.5	Plastic	2.0	7.4	400	50	46	85	18
<b>2NYE4</b>	2.5	Plastic	2.5	8.0	400	60	56	110	18
<b>1VHF8</b>	5.0	Plastic	6.0	11.8	400	*140	*50	*235	20

### 4 & 10 Gallon Plastic Tank & Portable Handheld Vacuums

Includes:

- No. 48UH43 features lightweight, dry pick up only operation. 3 ft. x 1.25 in. hose, crevice tool, utility nozzle, removable soft snout with wide mouth for direct cleaning, dry filter disc and foam disc, adjustable shoulder strap for optional operation, 18 ft. power cord.
- No. 48UH44 features quiet operation motor housing wet/dry pick up operation. 7 ft. x 1.25 in. hose, (2) plastic extension wands, multi-surface floor nozzle, 10 in. wet/dry nozzle, crevice tool, dusting brush, utility nozzle, heavy duty cartridge filter, foam sleeve and disposable filter bag. Integral cord wrap, 4 wheel dolly, on board tool storage, top carry handle, wall mount bracket and 18 ft. power cord.
- No. 6AKY2 features a deluxe 6-piece 1.5 in dia. plastic tool set with 12 ft. Lock-On® hose. Rust proof and dent resistant plastic tank with high performance single-stage by pass motor for wet and dry pick up operation. Compact and lightweight with on-board tool holder and flexible quick release 4 wheel dolly. Ultra duty antimicrobial cartridge filter and high efficiency disposable filter bag.



ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP <sup>1</sup>	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW	SEALED PRESSURE (In.)	AIR WATTS	POWER CORD LENGTH (Ft.)
<b>4 &amp; 10 Gallon Plastic Tank &amp; Portable Hand Vacuums</b>									
<b>48UH43</b>	N/A	Plastic	1.0	6.3	400	40	43	65	18
<b>48UH44</b>	4	Plastic	4.0	8.9	400	75	56	160	18
<b>6AKY2</b>	10	Plastic	6.5	12.0	500	*140	*50	*250	20

#### Filters and Bags

<b>5X879</b>	Foam sleeve for Nos. 4TB90, 2NYE3, 2NYE4, 6AKY2 and 4UAC7
<b>6H008</b>	Dry disc filter for Nos. 2NYE3 and 2NYE4
<b>4TB95</b>	Portable vacuum cartridge filter & foam sleeve package for Nos. 1VHF8, 13J020, 13J021, 4YE74 and 1TFX2
<b>48UH45</b>	Collection bag filter for No. 48UH44
<b>4UAD2</b>	Wall mount bracket for No. 1VHF8
<b>3UP65</b>	Filter bag for No. 6AKY2

## BACK PACK VACUUMS

Back Pack vacuums are lightweight and ergonomically designed with special attention to cleaning productivity, indoor air quality, quiet performance and comfortable operation.

- Powerful single stage “by- pass” and two stage “flow thru” motors (dry pick up only)
- Quiet operation, deluxe tool make-up and Lock-On® positive connection hose system.



1TFX2

1UG82

### Back Pack Vacuums, Single-Stage Motor

Includes:

- 5 ft. x 1.5 in. dia. Lock-On® hose, (2) lightweight aluminum extension wands, wide floor nozzle, crevice tool, dusting brush and utility nozzle
- No. 1TFX2 features a heavy duty cartridge filter and high efficiency disposable filter bag
- No. 1UG82 features a permanent cloth filter and high efficiency disposable filter bag. This model can use optional HEPA filter kit (1UG88) for even greater filtration efficiency. Auto resetting thermo motor protection.
- Adjustable wide shoulder/waist harness, carry handle and easy access on/off switch.



ITEM NO.	TANK TYPE	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW†	SEALED PRESSURE (In.)‡	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>Back Pack Vacuums, Single-Stage Motor</b>							
1TFX2	Plastic	12.0	400	115	52	210	25
1UG82	Plastic	9.0	500	90	65	185	35



4TR09

4TR10

### Back Pack Vacuums, Two-Stage Motor

Includes:

- 5 ft. x 1.5 in. dia. Lock-On® hose, (2) lightweight aluminum extension wands and wide floor nozzle, crevice tool, dusting brush and utility nozzle.
- Efficient filtration with permanent cloth filter and high efficiency collection filter bag. These models can use optional HEPA filter kit (1UG88) for even greater filtration efficiency.
- Adjustable wide shoulder/waist harness, carry handle, easy access on/off switch and auto resetting thermo motor protection.
- No. 4TR10 operates on 400Hz frequency for aircraft cleaning.

ITEM NO.	TANK TYPE	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW†	SEALED PRESSURE (In.)‡	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>Back Pack Vacuums, Two-Stage Motor</b>							
4TR09	Plastic	10.0	750	75	90	255	50
4TR10	Plastic	7.5	750	65	60	120	50

#### Filters & Bags

4TR17	High-efficiency collection filter bags for Nos. 4TR09, 4TR10 and 1UG82, Package of 5
4TR18	Cloth filter for Nos. 4TR09, 4TR10 and 1UG82
1UG88	HEPA cartridge filter kit for Nos. 4TR09, 4TR10 and 1UG82
1UG89	HEPA cartridge filters (fits Dayton backpack vacuums with kit No. 1UG88 installed), Package of 4
1UFP3	High-efficiency collection filter bag for No. 1TFX2
4TB95	Portable vacuum cartridge filter for No. 1TFX2
1UG86	14in. Professional floor nozzle for Dayton Backpack Vacs
1UG87	Turbo brush carpet nozzle for Dayton Backpack Vacs



## SPECIALTY VACUUMS

Specialty vacuums feature a wide range of vacuums to tackle tough and unique cleaning applications.

- Powerful, single and two stage, by-pass (wet/dry pick up) and “flow thru” (dry pick up only) motors.
- Efficient filtration and deluxe accessory make-ups.

### Toolbox Vacuum with 2.5 Gallon Portable Wet/Dry Vacuum

Includes:

- 20 in. toolbox with removable tray and storage bins.
- Heavy duty aluminum handle and buckles.
- 4-piece 1.25 in. plastic tool kit with 4 ft. hose that stores directly inside the toolbox lid.
- Vac detaches from toolbox for added portability.
- Portable vacuum cartridge filter.



13J019



ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP†	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW	SEALED PRESSURE (In.)	AIR WATTS	POWER CORD LENGTH (Ft.)
<b>Toolbox Vac with 2.5 Gallon Portable Wet/Dry Vac</b>									
13J019	2.5	Plastic	3.5	7.5	450	75	55	150	18

### 18 Gallon Wet/Dry Vacuum with Portable Blower

Includes:

- Vacuum motor detaches for use as a powerful handheld blower.
- Deluxe 8-piece 2.5 in. dia. plastic tool set with 8 ft. Lock-On® hose.
- Blower delivers up to 265 MPH air velocity with concentrator nozzle.
- Heavy duty cartridge filter, foam sleeve and high efficiency disposable filter bag.



3VE22



ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP†	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW†	SEALED PRESSURE (In.)‡	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>18 Gallon Wet &amp; Dry Vacuum with Portable Blower</b>									
3VE22	18	Plastic	6.5	12.0	500	105	50	200	18

### 3.5 & 5 Gallon Plastic and 6 & 8 Gallon Stainless Steel Tank Hang Up® Vacuums

Includes:

- Nos. 13J020 features 18 ft. x 1.25 in. dia. Lock-On® hose, crevice tool, dusting brush and utility nozzle. Heavy duty cartridge filter and disposable filter bag (13J022).
- No. 4UAC7 features 20 ft. x 1.5 in. dia. Stretchable Lock-On® hose, (2) aluminum extension wands, 14 in. floor nozzle with squeegee & brush inserts, crevice tool, dusting brush and claw style utility/auto nozzle. HEPA cartridge filter and foam sleeve. Wall mounting bracket.
- No. 13J021 and 4TB90 feature 18 ft. x 1.5 in. dia. Lock-On® hose, crevice tool, dusting brush and claw style utility/auto nozzle. 13J021 includes (2) extension wands, 14 in. wet/dry floor nozzle, heavy duty cartridge filter, foam sleeve and disposable filter bag (13J023). 4TB90 includes HEPA cartridge filter and foam sleeve. Wall mounting bracket.
- Conveniently mount to the wall for easy, centralized accessibility.
- Ideal for garage, factory, workbench, computer room or wherever space is at a minimum.
- Heavy duty single-stage (Nos. 13J020 and 13J021) and two-stage (Nos. 4TB90 and 4UAC7) by-pass motors (wet/dry pick up).



13J020



13J021



4TB90



4UAC7

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP†	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW	SEALED PRESSURE (In.)	AIR WATTS	POWER CORD LENGTH (Ft.)
<b>3.5 &amp; 5 Gallon Plastic and 6 &amp; 8 Gallon Stainless Steel Tank Hang Up Vacuums</b>									
13J020	3.5	Plastic	3.5	7.5	450	52	50	105	6
13J021	5	Plastic	5.5	9.2	450	+120	+58	+235	6
4TB90	6	Stainless Steel	2	7.4	750	+85	+75	+165	18
4UAC7	8	Stainless Steel	2.5	8	750	+80	+85	+215	6



22XJ53

1VHF9

## 2 in 1 Wet/Dry Vacuum

Includes:

- Large capacity heavy duty vacuum and removable 2.5 Gal. portable vacuum all in one
- High efficiency disposable filter bag and tool holder
- 3-piece 1.25 in. dia. tool set (portable vacuum use)
- 7-piece 2.5 in. dia. tool set (large vacuum use)
- Heavy duty cartridge filter and portable vacuum cartridge filter
- 16 Gal. No. 22XJ53 has stainless steel tank and 4-wheel heavy duty dolly with on-board tool storage
- 20 Gal. No. 1VHF9 has deluxe wide stance caster system and tool holder



ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP†	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW‡	SEALED PRESSURE (In.)‡	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>2 in 1 Wet &amp; Dry Vacuum</b>									
<b>22XJ53</b>	16	Stainless Steel	6.0	11.8	500	120	52	225	18
<b>1VHF9</b>	20	Plastic	6.0	11.8	500	120	52	225	18



4TB87

## 18 Gallon Plastic Tank Pump Vacuum

Includes:

- Electric shutoff when liquid capacity is reached (no overflow)
- Deluxe 8-piece 2.5 in. dia. tool set with 8 ft. Lock-On® hose, heavy duty cartridge filter and foam sleeve
- Easily converts from wet/dry vacuum to pump operation
- Utility vacuum has a built-in pump to quickly pump non-hazardous liquids from its large capacity tank
- Self-priming, pumps up to 50 ft. high at 6 gpm, uses conventional garden hose (not included)
- Heavy duty vacuum cart with 8 in. rear wheels, metal transport handle and on-board tool storage



ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP†	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW‡	SEALED PRESSURE (In.)‡	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>18 Gallon Plastic Tank Pump Vacuum</b>									
<b>4TB87</b>	18	Plastic	6.0	11.8	500	135	52	270	18



3UP78

## Power On-Demand Vacuum

Includes:

- Power tool activated vacuum.
- Built-in receptacle for power tools.
- 3-position switch for on/off/auto operation.
- Auto power adjusts to maintain the maximum available vacuum power.
- 7 ft. x 1.5 in. dia. hose.
- 6 in. utility nozzle with brush insert.
- Universal tool adapter to fit hose to exhaust port of portable power tools.
- Heavy duty cartridge filter & high efficiency disposable filter bag.



ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	PEAK HP†	MOTOR AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM AIR FLOW‡	SEALED PRESSURE (In.)‡	AIR WATTS †	POWER CORD LENGTH (Ft.)
<b>Power On-Demand Vacuum</b>									
<b>3UP78</b>	8	Plastic	4.0	9.5	500	125	55	280	18



22XJ65

## Ash Vacuum

Includes:

- By-pass motor powerful enough to pick up large quantities of cold ash or fine dust. Dry pick up only.
- Thermal protective device shuts off vacuum should a preset temperature be exceeded.
- 1.25 in., dia. tool set: 4' vinyl covered Lock-On® flexible steel hose, metal intake nozzle and metal crevice tool.
- HEPA Cartridge filter and built-in 3 layer metal pre-filter.

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	AMPS @120V	CFM AIR FLOW	SEALED PRESSURE (In.)	AIR WATTS	POWER CORD LENGTH (Ft.)
<b>Ash Vacuum</b>							
<b>22XJ65</b>	5	Stainless Steel	6.3	70	40	95	6



## Rechargeable Vacuums

Includes:

- No. 26W721 features a detachable nozzle, utility nozzle with brush shoe, crevice tool, dusting brush, battery charger, cartridge filter and foam sleeve. Powerful motor provides quiet operation for efficient dry debris vacuuming.
- No. 26W722 features a 1.25 in., dia. hose, utility nozzle with brush shoe, dusting brush, crevice tool, wall mounting bracket, tool holder, battery charger, vehicle power cord, foam sleeve and disposable filter bag. Use for picking up wet or dry debris. Single stage, by-pass motor provides quiet operation for efficient wet/dry debris vacuuming.



26W721



26W722

ITEM NO.	TANK SIZE (Gal.)*	TANK TYPE	VOLTS	CFM AIR FLOW <sup>‡</sup>	SEALED PRESSURE (In.) <sup>‡</sup>	AIR WATTS †	USAGE
<b>Rechargeable Vacuums</b>							
26W721	N/A	Plastic	9.6	N/A	17	N/A	Dry Only
26W722	1	Plastic	12	N/A	22	N/A	Wet or Dry

## Industrial Walk Behind Push Sweeper

Includes:

- Easy-to-maneuver push sweeper will improve maintenance productivity with cleaner more efficient results.
- Cleans dirt, dust and debris from any hard surface including cement, tile, wood and asphalt.
- 27 in. wide cleaning path with 19 in. wide main broom & 12 in. dia. side broom. Side broom sweeps debris away from walls, curbs, etc. into cleaning path of main broom.
- Adjustable main and side brooms.
- Dent and rust resistant, structural foam frame and poly hopper.
- Large 10 in. rear wheels and heavy duty 3 in. front caster.
- Large 1.4 cu. ft. capacity, easy to empty hopper.



5Z042

ITEM NO.	CLEANING PATH (In.)	HOPPER CAPACITY (cu. ft.)*	MAIN BRUSH WIDTH (In.)	SIDE BROOM SIZE
<b>Industrial Walk Behind Push Sweeper</b>				
5Z042	27	1.4	19	12

## Industrial Indoor/Outdoor Vacuum

Includes:

- Quickly and easily cleans, collecting litter, dirt and debris from hard surface areas or low nap commercial carpeting.
- Large 8 gallon filter/collection bag has zipper for easy emptying (filtration designed for large materials such as sawdust, leaves and small sticks. Not meant for fine dust).
- Single-stage high airflow motor.
- Heavy duty nylon impeller mulches as it cleans.
- 19 in. wide nozzle with 1.5 in. dia. intake, two height settings, easy access on/off switch, built-in kickstand.
- Double insulated.



6H003

ITEM NO.	CLEANING PATH (In.)	BAG CAPACITY (Gal.)*	PEAK HP <sup>†</sup>	AMPS @120V	CFM AIR FLOW	SEALED PRESSURE (In.)	AIR WATTS
<b>Industrial Indoor/Outdoor Vacuum</b>							
6H003	19	8	1.25	6.0	200	9	145

## WET/DRY & DRY VACUUM ACCESSORIES AND FILTERS



5X879

### Foam Sleeve Filter

For general and large-volume wet pick up applications. Use with wet/dry vacuums only.



2W435

### Heavy Duty Cartridge Filter

Reusable filter provides efficient wet/dry filtration in general applications. Easy to install, remove and clean.



45UZ58

### Ultra Web® Cartridge Filter

Nanofiber filtration media by Donaldson. Up to 5 times more efficient than standard Dayton Cartridge Filter No. 2W435.

## High Efficiency Collection Filter Bags

Improve air quality in fine dust applications. Durable 2-ply construction with micro inner liner. Dry filtration only.



SIZE (Gal.)	BAGS/ PKG.	FILTER AREA	ITEM NO.
<b>High Efficiency Collection Filter Bags</b>			
6 Short	5	866 sq. in.	<b>3UP64</b>
5-8	5	915 sq. in.	<b>3UP65</b>
10-14	5	1560 sq. in.	<b>3UP66</b>
15-22	5	1560 sq. in.	<b>1UG85</b>
25-32	5	1560 sq. in.	<b>3UP67</b>

## Tear Resistant Collection Filter Bags

- Made of durable material that is resistant to tears.
- Plastic mounting collar that will not tear.
- Handle built into the collar to make removal of full bag easier.
- Cap to plug intake, so dust does not escape while changing.
- Bag fills to capacity.
- Three types: Standard, Wet/Dry and HEPA



SIZE (Gal.)	BAGS/ PKG.	FILTER AREA	ITEM NO.
<b>Tear Resistant Collection Filter Bags</b>			
5-10	2	Tear Resistant Standard Collection Bag	<b>45UZ59</b>
12-20	2	Tear Resistant Standard Collection Bag	<b>45UZ60</b>
5-10	2	Tear Resistant Wet/Dry Collection Bag	<b>45UZ61</b>
12-20	2	Tear Resistant Wet/Dry Collection Bag	<b>45UZ62</b>
5-10	2	Tear Resistant HEPA Collection Bag	<b>45UZ63</b>
12-20	2	Tear Resistant HEPA Collection Bag	<b>45UZ64</b>



**4TB93**

## HEPA Cartridge Filter

Abrasion-resistant with non-stick surface to resist clogging. This highly durable, reusable filter is easy to install, remove and clean. Not intended for hazardous materials. Up to 99.97% efficient down to 0.3 microns on wet/dry debris.



**6AKY8**

## Portable Vacuum HEPA Cartridge Filter

HEPA filtration media has a non-stick surface to resist clogging and help maintain suction power. Highly durable, reusable filter is easy to clean, install and remove. Not intended for hazardous materials. Up to 99.7% efficient down to 0.3 microns on wet/dry debris.

## 1½ in. ACCESSORIES

Fits wet/dry vacuums with 1 1/2 in. diameter hose systems



**6X887**  
Metal Pipe  
Cleaning Tool



**2NYE5**  
Plastic Pipe  
Cleaning Tool



**6X885**  
3 in. Metal Round  
Brush Tool  
(use with hose only)



**2NYE6**  
3 in. Plastic Round  
Brush Tool  
(use with hose only)



**6AKY6**  
Claw Utility Nozzle



**3W160**  
(2) 6 ft. Overhead  
Extension Wands



**6X884**  
15 in. Metal  
Crevice Tool  
(use with hose only)



**2NYE8**  
15 in. Plastic  
Crevice Tool  
(use with hose only)





**2NYE7**  
7 in. Plastic  
Gulper Tool  
(use with hose only)



**6X886**  
7 in. Metal  
Gulper Tool  
(use with hose only)



**6AKY7**  
Drain  
Maintenance Tool



## Hoses & Adapters

Fits Dayton, Contractor, Industrial and Commercial wet/dry vacuums. Also fits specialty vacuums 1VHF8, 6AKY2, 3VE22, 22XJ53, 1VHF9, 4TB87 and 3UP78.



**4YJ86**

DESCRIPTION	ITEM NO.
<b>Hoses &amp; Adapters</b>	
Universal Tool Adapter	<b>4YJ86</b>
1¼ in. x 8 ft. Crush-resistant Hose	<b>2Z290</b>
1¼ in. x 12 ft. Stretchable Hose	<b>4UAC8</b>
1½ in. x 7 ft. Crush-resistant Hose	<b>5X882</b>
1½ in. x 12 ft. Crush-resistant Hose	<b>3UP61</b>
1½ in. x 12 ft. Premium Crush-resistant Hose	<b>5AU40</b>
1½ in. x 12 ft. Stretchable Hose	<b>4UAD1</b>
1½ in. x 18 ft. Crush-resistant Hose	<b>6X077</b>
1½ in. x 25 ft. Crush-resistant Hose	<b>3UP59</b>
1½ in. x 25 ft. Premium Crush-resistant Hose	<b>5AU41</b>
2½ in. x 8 ft. Hose with 2½ in. Coupler	<b>2Z212</b>
2½ in. x 12 ft. Stretchable Hose	<b>4UAC9</b>

## WET/DRY VACUUM PICK UP KITS



**2Z976**

### 1¼ in. dia. Pick up Kit

(2) Plastic extension wands, deluxe 12 in. master nozzle brush insert, squeegee insert, crevice tool, dusting brush and utility nozzle. Fits vacuums with 1 1/4 in. diameter hoses.



**2Z975**

### 2½ in. dia. Pick up Kit

(2) 20 in. extension tubes, 6 ft. x 2½ in. hose, car tool, crevice tool, dusting brush and 14 in. floor nozzle. Fits Dayton, Contractor, Industrial and Commercial wet/dry vacuums. Also fits specialty vacuums 1VHF8, 6AKY2, 3VE22, 22XJ53, 1VHF9, 4TB87 and 3UP78.



3VE24

### Vehicle Detail/Cleaning Kit

12 ft x 1½ in. dia. hose, crevice tool, round dusting brush and efficient claw-style nozzle. Fits Dayton, Contractor, Industrial and Commercial wet/dry vacuums. Also fits specialty vacuums 1VHF8, 6AKY2, 3VE22, 22XJ53, 1VHF9, 4TB87 and 3UP78.



4YJ84

### Micro Cleaning Kit for 1¼ in. Hose

6-piece kit cleans keyboards, computers and small appliances. Fits vacuums with 1 1/4 in. diameter hoses.



6Z776

### 4-Piece 1½ in. dia. Floor Kit

(2) interlocking metal extension wands, 14 in. metal master nozzle (with brush) and squeegee insert. Fits vacuums with 1 1/2 in. diameter hoses.



6AKY5

### 7-piece 1½ in. dia. Poly Vacuum Accessory Kit

(2) plastic extension wands, 14 in. wet/dry floor nozzle, dusting brush, utility nozzle, crevice tool and curved elbow grip. Fits vacuums with 1 1/2 in. diameter hoses.



3UP63

### 9-Piece 1½ in. dia. Commercial Kit

(2) interlocking metal extension wands, 14 in. ABS master nozzle, brush, rug and squeegee shoes, crevice tool, dusting brush and utility nozzle. Fits vacuums with 1 1/2 in. diameter hoses.



2Z978

### 9-Piece 1½ in. dia. Professional Metal Kit

(2) 2 ft. interlocking metal extension wands, 14 in. master nozzle, brush, rug and squeegee shoes, utility nozzle, crevice tool and dusting brush. Fits vacuums with 1 1/2 in. diameter hoses.





4TB92

## Gutter Cleaning Kit

Durable Plastic attachments extend the reach of most Dayton Brand wet/dry vacuums. Fits 2½ in. dia. ports and hoses. (2) extension wands, 120° elbow, and concentrator nozzle.



3UP60

## Floating Floor Nozzle

Adjustable-height nozzle picks up wet and dry material in both forward and reverse directions. 20 in. wide vacuum nozzle front mounts easily to Nos. 22XJ56, 22XJ57, 22XJ58, 22XJ59, 22XJ60, 4YE62, 6AKZ1 and 6AKZ2. Variegated polyurethane squeegee blades and all necessary hose and mounting hardware.

## Dayton® Stick Vacuum Filters and Accessories

DESCRIPTION	ITEM NO.
<b>Dayton® Stick Vacuum Filters and Accessories</b>	
Vacuum Filter Bags, Package of 5	<b>2YMU3</b>
Turbo Brush Vacuum Nozzle, 1.25 in. dia.	<b>2YMU4</b>

## Additional Dayton® Vacuum Filters

DESCRIPTION	ITEM NO.
<b>Additional Dayton® Vacuum Filters</b>	
3.5 Gal. Hang Up® Vac Filter Bags, Package of 5	<b>13J022</b>
5 Gal. Hang Up® Vac Filter Bags, Package of 5	<b>13J023</b>
1.5 Gal. Filter Bag for No. 26W722	<b>26W723</b>

All specifications contained within are subject to change.

†“Peak Horsepower” (PHP) is a term used in the wet-dry vacuum industry for consumer comparison purposes. It does not denote the operational horsepower of a wet/dry vacuum but rather the horsepower output of a motor, including the motor’s inertial contribution, achieved in laboratory testing. In actual use, wet/dry vacuum motors do not operate at the peak horsepower shown.

\*Tank capacity refers to actual tank volume, and does not reflect capacity available during operation.

‡ASTM Tested with an 8' long x 2½" diameter hose.

Call or visit your local branch or go to [grainger.com/dayton](http://grainger.com/dayton) for complete product line information.

