

CORDED WINDOW COVERINGS



CATALOG OF CORDED WINDOW COVERINGS 2018





CHECK OUT OUR NEW CORDLESS WINDOW COVERINGS CATALOG! An innovative, safety-driven design improves upon the classics bringing a cleaner look, ease of installation and operation, along with the child-safe functionality you need.

EASY TO LIFT & LOWER

IMPROVED HEADRAIL & BRACKETS

LARGEST ASSORTMENT OF STOCKED SIZES AVAILABLE





VISIT LOTUSBLIND.COM TO DOWNLOAD THE 2018

CORDLESS CATALOG

- >> On January 12, 2018 the Window Covering Manufacturers Association announced the approval of a New Window Covering Safety Standard. The new standard ANSI/WCMA A100.1-2018 will require that ready-made window coverings manufactured after Dec 15, 2018 be cordless.
- >> Compliance with this standard is required and may be enforced by the US Consumer Product Safety Commission.
- >> The Consumer Product Safety Commission (CPSC) is urging the education of housing managers on the importance of installing only the window covering products that meet the new standards for stock products. Occupants of these housing units are unknown and can often include children and infants.
- >> Lotus & Windoware, Inc has the largest selection of stock, cordless blinds Available Now, putting you in the perfect position to lead your industry in all things safety!

Inquire for more information on specs sizes and how to use this exciting new product.

Look for



lotusblind.com

Table of Contents

1" Vinyl Mini Blind Pages 2-3

1" Vinyl Plus Mini Blind Pages 4-5

1" Aluminum Mini Blind Pages 6-7

1" Aluminum Business Class Mini Blind Pages 8-9

2" Vinyl Plus Blind Pages 10-11

2" Faux Wood Blind Pages 12-13

2" Wood Grain Faux Wood Blind Pages 14-15

2" Embossed Faux Wood Blind Pages 16-17

3 1/2" Economy Vertical Blind Page 18

Economy Steel Vertical Headrail Page 19

Options Ready-Made Vertical Blind Page 20

Options Aluminum Vertical Headrail Page 20

Vertical Vanes Page 21



Please note, slower moving inventory of corded blinds will be discontinued as the December 15, 2018 deadline approaches. Please visit lotusblind.com to download our 2018 Catalog of Cordless Window Coverings.

CORPORATE OFFICE

14450 Yorba Avenue Chino, CA 91710 TEL: 909-606-8866 FAX: 909-606-8804

MEMPHIS

4444 S. Mendenhall Rd., Ste 14 Memphis, TN 38141 TEL: 901-362-9093 FAX: 901-362-9674





Lotus & Windoware products are compliant with consumer product safety standards. Please contact your customer service representative or visit the websites of the US Consumer Product Safety Commission and the Window Coverings Safety Council for more information.

www.cpsc.gov www.windowcoverings.org

All Lotus & Windoware products have been tested and meet the United States CPSC total lead content for mini blinds and have passed the NFPA 701 Flame Test. Please feel free to contact your Lotus & Windoware representative to obtain a copy of these test results or download them from our website at www.lotusblind.com.

All Lotus & Windoware products are manufactured in an ISO 9000 certified factory.

FREQUENTLY ASKED QUESTIONS

ON THE NEW WINDOW COVERING SAFETY STANDARD

What does the new standard do?

The new safety standard, ANSI/ WCMA A100.1-2018, will ensure that a vast majority of window covering products sold in the United States and Canada will be cordless or have inaccessible or short cords by requiring that all stock products sold in stores and online-which account for more than 80 percent of all window covering products sold in the U.S. and Canada—to be cordless or have inaccessible cords. This approach is supported by a review of the hazard data that shows that a vast majority of incidents related to corded window coverings identified by the U.S. Consumer Product Safety Commission (CPSC) take place on stock products.

What is a stock product?

Most window covering products sold to consumers in retail stores or online are "stock" products, meaning that the products are completely or substantially fabricated in advance of being distributed in commerce. The SKU can either be sold "as is" or modified or adjusted by the seller, manufacturer, or distributor prior to being distributed in commerce in the U.S. and it would still be considered a stock blind, shade or shading product.

Why aren't custom products required to be cordless?

At this time, cordless products do not meet all the needs and desires of all consumers, including the elderly and users with disabilities. As a result, manufacturers need to be able to sell corded products to satisfy the needs of these customers and to certain applications. When purchasing custom products, a consumer is required to interact with a salesperson, installation specialist or online information and warnings, which provides window covering safety information, specifically regarding the fact that consumers should not use corded products in homes with young children. It should also be noted that many cordless options already exist for

What are the other updates from the last version of the safety standard? The

revised standard imposes new restrictions on these custom-order products such as requiring operating cords to have a default length of 40% of the blind height [currently it is unlimited] and a default to a tilt wand instead of a tilt cord. The new safety standard also includes a change in warning tags to more graphically depict the strangulation hazard.

When will the new standard go into effect? The effective date of the new standard is December 15, 2018.

Because they are voluntary standards, does that mean compliance is not mandatory? No. All companies who manufacture, distribute or sell window coverings in the U.S. must comply with the voluntary safetystandards or face enforcement action by the CPSC and/or be open to legal action if non-compliant products are sold. Almost all consumer products have voluntary rather than mandatory safety standards "Voluntary" simply signifies that industry worked cooperatively with the CPSC, safety experts, and others under the auspices of ANSI to develop the standard.

What products are covered under the new standard?

The standard applies to all types of window coverings sold or manufactured in the U.S. by all participants in the window coverings industry. How did the process for updating the safety standard work? The revised standard was updated in strict accordance with the internationally-respected American National Standards Institute (ANSI) process. ANSI requirements mandate an open and balanced process with public review opportunities. The 18 month process required assembling a consensus body (the canvass group), submitting the draft standard to the canvass group for ballot and comment, addressing the comments received, re-balloting, a public review period and then finally achieving approval of the

Will there be more updates to the standard? Yes. WCMA is creating a task force this month to study what else can be done to further enhance safety on corded custom products.

What if I want to buy a cordless window covering now? There are many cordless options available to consumers now and they are easily identifiable by the 'Best for Kids' label. Consumers today can look for the "Best for Kids" certification label to identify cordless window covering options. WCMA created the "Best for Kids" certification program in 2015 to make it easier for consumers shopping for window coverings to identify cordless products.





Most Complete Assortment of Stock Sizes Available

1" Wide Static Resistant. Fade Resistant PVC Slats

2-Year Warranty

Oversize Headrail on Blinds 69" Wide and Larger

Double Slat Valance and Hold Down Brackets Included With Every Blind





1" Vinyl Mini Blind

Our most cost-efficient window treatment solution. The attractive 1" Vinyl Mini Blind sets the standard for simplicity and functionality. Just like the leaves of the lotus flower, the easy to clean vinyl material naturally repels dust, water and grime.

Our 1" Vinyl Mini Blind can be easily adjusted for a custom fit so you don't have to maintain large, expensive inventories. Sizes 69" and wider ship standard with an oversized headrail offering added support. Pair this with a double-slat valance and you have the perfect mini blind for sensitive budgets.

AVAILABLE IN WHITE AND ALABASTER All widths are 1/2" less than stated size to allow for inside mounting.

Specifications

HEADRAIL

Extruded PVC
1.135" width x
.935" height x .070"
thick for widths up
to 68". At 69" and
wider the headrail
measures 1.500"
width x 1.500"
height x .070" thick.

BOTTOMRAIL

Extruded hollow PVC 1.035" width x .450" height x .055' thick.

WAN

Extruded PVC Hex shape, .315" across flats. Color coordinated.

SLAT

Extruded PVC .0157" thick x .970" width with crown of .160". 75% opacity. Flammability testing passed NFPA 701 small scale test.

TAPE ROLLER SUPPORT

Injection molded plastic with metal roller minimizing cord fray.

TAPE ROLLER

Injection molded plastic with ladder locking legs.

TILT ROD

Plated steel, "O" shape .150" x .125"

CORDLOCK

Injection molded plastic. Smooth brass fixed roller. Knurled floating brass roller.

TILTER

Injection molded plastic housing with steel wand hook. Gear ratio of 9 to 1. Metal rivet for added strength.

BOTTOMRAIL Anchors

Injection molded plastic face .500" diameter, stem .375" diameter.

BOTTOMRAIL Endcaps

Injection molded plastic.

SLAT CLIP

Injection Molded Clear Plastic.

CORD

Woven polyester .070" diameter.

LADDER

Woven polyester .840" spacing x 1.000" width.

CENTER SUPPORT Plated steel .040"

HOLD DOWN Brackets

Injection molded plastic.

TASSEL

Injection molded plastic - bell shaped.

MOUNTING

BRACKET

Color coordinated injection molded plastic. Suitable for inside or outside mount.



Headrail



Heavy duty tilter with metal rivet



Cordlock with brass roller

Customization

Call for Current Pricing

- Blinds measuring 10"-14" in width can be cut up to ½".
- Widths 15"-16" can be cut up to 1-1/2".
- Widths 16-½"-18" can be cut up to 3-½".
- Widths 19" and over can be cut up to 5-½".

Packaging

Up to 47" wide: 6 per carton 48" wide and larger: 4 per carton



Bottomrail of extruded hollow PVC



Child-safe tassel & Safety warning tag

00	48 × 48A,W	46.5 × 60W	59 × 64W	62 × 72W
- 36 -	51 × 48W	47 × 60 ^A ,W	60 × 64 ^W	$63 \times 72^{A,W}$
22 × 36W	52 × 48A,W	48 × 60 ^W	62 × 64W	70 × 72W
22.5 × 36W	54 × 48W	54 × 60W	63 × 64W	$70.5 \times 72^{\text{W}}$
23 × 36A,W	57 × 48W	58 × 60 ^A ,W	64 × 64A,W	71 × 72 ^A ,W
24 × 36W	58 × 48A,W	58.5 × 60 ^W	70 × 64A,W	$72 \times 72^{A,W}$
29 × 36 ^W	59 × 48 ^A ,W	59 × 60 ^A ,W	71 × 64 ^W	78 × 72 ^W
31 × 36 ^W	60 × 48 ^A ,W	60 × 60 ^W	72 × 64 ^A ,W	
32 × 36W	63 × 48W	62 × 60 ^W		- 84 -
34 × 36W	64 × 48W	63 × 60 ^A ,W	- 68 -	12 × 84W
35 × 36 ^A ,W	69 × 48A,W	69 × 60W	24 × 68W	14 × 84W
36 × 36 ^W	70 × 48 ^A ,W	70 × 60 ^A ,W	25 × 68 ^A ,W	16.5 × 84W
46 × 36W	71 × 48 ^A ,W	$70.5 \times 60^{\text{W}}$		23 × 84W
47 × 36A,W	72 × 48A,W	71 × 60 ^A ,W	- 72 -	24 × 84W
48 × 36W		72 × 60 ^W	10 × 72W	25 × 84W
59 × 36W	- 54 -	78 × 60 ^W	12 × 72W	27 × 84W
60 × 36 ^W	30 × 54W		13 × 72 ^W	29 × 84W
69 × 36W	31 × 54W	- 64 -	15 × 72 ^W	30 × 84W
70 × 36W	34 × 54W	16 × 64W	17 × 72A,W	31 × 84W
71 × 36 ^A ,W	35 × 54W	19 × 64W	18 × 72W	32 × 84W
	36 × 54W	23 × 64A,W	19 × 72 ^W	33 × 84W
- 42 -	39 × 54 ^W	24 × 64 ^A ,W	22 × 72A,W	34 × 84W
18 × 42W	43 × 54W	25 × 64W	23 × 72A,W	35 × 84W
23 × 42W	52 × 54W	27 × 64A,W	24 × 72A,W	36 × 84W
24 × 42W	63 × 54 ^A	29 × 64W	25 × 72A,W	38 × 84W
40	20	30 × 64A,W	26 × 72A,W	39 × 84W
- 48 -	- 60 -	31 × 64 ^A ,W	$27 \times 72^{A,W}$	40 × 84W
23×48 A,W	22 × 60W	32 × 64A,W	28 × 72W	42 × 84W
24 × 48W	23 × 60 ^A ,W	33×64 A,W	$29 \times 72^{A,W}$	46 × 84W
26 × 48W	24 × 60W	34 × 64A,W	30 × 72W	48 × 84A,W
27 × 48A,W	27 × 60W	$34.5 \times 64^{\text{W}}$	$31 \times 72^{A,W}$	52 × 84W
28 × 48W	28 × 60 ^W	35 × 64 ^{A,W}	32 × 72W	54 × 84W
29 × 48 ^A ,W	29 × 60 ^A ,W	$36 \times 64^{A,W}$	33 × 72W	60 × 84W
30 × 48W	30 × 60W	37 × 64W	$34 \times 72^{A,W}$	63 × 84W
31 × 48W	31 × 60 ^A ,W	38 × 64W	$34.5 \times 72^{\text{W}}$	72 × 84A,W
$32 \times 48^{A,W}$	$32 \times 60^{A,W}$	39 × 64 ^{A,W}	$35 \times 72^{A,W}$	00
33 × 48W	33 × 60 ^W	40 × 64W	$36 \times 72^{A,W}$	- 96 -
$34 \times 48^{A,W}$	34 × 60 ^{A,W}	41 × 64W	38 × 72W	34 × 96W
$34.5 \times 48^{A,W}$	34.5 × 60 ^{A,W}	42 × 64W	$39 \times 72^{A,W}$	35 × 96W
$35 \times 48^{A,W}$	35 × 60 ^A ,W	43 × 64A,W	40 × 72W	39 × 96W
$36 \times 48^{A,W}$	35.5 × 60 ^W	$44 \times 64^{A,W}$	42 × 72 ^W	43 × 96W
38 × 48W	36 × 60 ^{A,W}	45 × 64 ^A ,W	$43 \times 72^{A,W}$	
39 × 48W	38 × 60 ^A ,W	46 × 64W	45 × 72W	
$40 \times 48 \text{W}$	$38.5 \times 60^{\text{W}}$	47×64^{A_rW}	46×72^{W}	
42 × 48W	39×60^{A_rW}	48 × 64A,W	$47 \times 72^{A,W}$	
$43 \times 48^{A,W}$	40 × 60 ^W	52×64^{W}	48×72^{W}	
44 × 48W	41×60^{A_rW}	53 × 64 ^{A,W}	52 × 72 ^W	
$45 \times 48^{A,W}$	42 × 60W	$54 \times 64^{A,W}$	$54 \times 72^{\text{W}}$	
46 × 48A,W	43×60^{A_rW}	55×64^{A}	58 × 72W	
46.5 × 48W	45 × 60W	57 × 64W	$59 \times 72^{A,W}$	
$47 \times 48^{A,W}$	46×60^{A_rW}	$58 \times 64^{\text{W}}$	60 × 72 ^W	

Please note, slower moving inventory of corded blinds will be discontinued as the December 15, 2018 deadline approaches. Please visit lotusblind.com to download our 2018 Catalog of Cordless WindowCoverings.

A = Available in Alabaster.

W = Available in White.

A,W = Available in Alabaster and White.





Most Complete Assortment of Stock Sizes Available

1" Room Darkening PVC Slats With Static and Fade Resistant Formulation

2-Year Warranty

Heavy Duty Steel Headrail and Bottomrail

Double Slat Valance and Hold Down Brackets Included With Every Blind





1" Vinyl Plus Mini Blind

The reinforced 1" Vinyl Plus Mini Blind has all the same great features of our regular 1" Vinyl Mini Blind further enhanced with steel head and bottomrails and premium room darkening, warp resistant PVC slats.

Designed for durability, the 1" Vinyl Plus Mini Blind withstands heavyduty abuse without compromising design. That's why they are a favorite amongst Distributors, Fabricators and Dealers looking for the perfect combination of rugged performance with a pleasing aesthetic.

AVAILABLE IN WHITE AND ALABASTER All widths are 1/2" less than stated size to allow for inside mounting.

Specifications

HEADRAIL

steel 1.070" width x .950' height x .024" thick.

BOTTOMRAIL

Roll formed steel .765" width x .385" height x .030" thick.

Extruded PVC Hex shape, .315" across flats. Color

SLAT

.0165" thick x .970" width with crown of .160". 90% opacity. Titanium dioxide additive for greater light blocking. Flammability testing passed NFPA 701 small scale test.

TILT ROD

Plated steel, "O" shape .150" x .125".

TAPE ROLLER SUPPORT

Injection molded plastic minimizing cord fray.

TAPE ROLLER

Injection molded plastic with ladder locking legs.

CORDLOCK

Injection molded plastic. Smooth brass fixed roller. Knurled floating brass roller.

TILTER

plastic housing with steel wand hook. added strength.

BOTTOMRAIL

ANCHORS . diameter, stem .375" diameter.

BOTTOMRAIL ENDCAPS

Injection molded plastic.

SLAT CLIP

clear plastic.

CORD

Woven polyester .070" diameter.

LADDER

790" spacing x 1.000" width.

CENTER

SUPPORT Plated steel .040" thick.

HOLD DOWN **BRACKETS**

Injection molded plastic.

TASSEL

Injection molded plastic - bell shaped. MOUNTING

BRACKET

Painted steel with hinged locking front cover.









Customization CALL FOR CURRENT PRICING

- Blinds measuring 10"-14" in width can be cut up to ½".
- Widths 15"-16" can be cut up to 1-1/2".
- Widths 16-1/2"-18" can be cut up to 3-1/2".
- Widths 19" and over can be cut up to 5-1/2".



Child-safe tassel & Safety warning tag

Packaging

Up to 47" wide: 6 per carton 48" wide and larger: 4 per carton

3	h	
•	•	

 $23 \times 36^{\text{W}}$ $34 \times 36^{\text{W}}$

 $34.5 \times 36^{\text{W}}$

 $35 \times 36^{\text{W}}$

- 48 -

 $23 \times 48W$

 $45\,\times\,48\text{W}$

 $58.5 \times 48^{A,W}$

 60×48^{W}

 $72 \times 48W$

 $32 \times 54 W$

 $29 \times 60^{A,W}$

 $31 \times 60^{A,W}$

 35.5×60^{W} $36 \times 60^{\text{W}}$

 47×36^{W} $59 \times 36^{\text{W}}$

 $71 \times 36^{A,W}$ - 42 -

 25×42^{W}

29 × 48W $34 \times 48 W$

 $35 \times 48 \text{W}$

46 × 48W

 $46.5 \times 48^{A,W}$ 47×48 A,W

 $48 \times 48 W$ 58×48^{W}

 $59 \times 48^{A,W}$

 70×48^{W}

 70.5×48^{W} $71 \times 48A,W$

 $83 \times 48 W$ 95 × 48W

96 × 48W

- 54 -

 $35 \times 54 \text{W}$

- 60 -

 $23 \times 60^{\text{W}}$

 30×60^{W}

 $34 \times 60^{A,W}$

 $34.5 \times 60^{A,W}$ $35 \times 60^{A,W}$ $38 \times 60^{\text{W}}$

40 × 60W $43 \times 60^{\text{W}}$ $46 \times 60^{\text{W}}$

 46.5×60^{W} $47 \times 60^{A,W}$

 $52 \times 60^{\text{W}}$ $58.5 \times 60^{A,W}$

59 × 60W $63 \times 60^{\text{W}}$

70 × 60W $70.5 \times 60^{A,W}$ 71 × 60W

 80×60^{W} - 64 -

 $23 \times 64 \text{W}$ 30 × 64W

 $31 \times 64^{\text{W}}$ $32 \times 64^{\text{W}}$

 $33 \times 64^{\text{W}}$ 34×64 W

 $35 \times 64^{A,W}$ $36 \times 64^{\text{W}}$

 $39 \times 64^{\text{W}}$ $46 \times 64 ^{\text{W}}$

 $58 \times 64 \text{W}$ 70 × 64W

 $72 \times 64^{\text{W}}$

- 68 -

 $24.5 \times 68^{\text{W}}$ $25 \times 68 \text{W}$

- 72 -

10 × 72W 11 × 72W $22 \times 72^{\text{W}}$

 $23 \times 72^{A,W}$ $24 \times 72^{A,W}$ 24.5×72^{W}

 $25 \times 72^{\text{W}}$ $26 \times 72 \text{W}$ $27 \times 72^{A,W}$ $29 \times 72^{A,W}$ $30 \times 72^{\text{W}}$

 $31 \times 72^{\text{W}}$ $34 \times 72^{\text{W}}$ $34.5 \times 72^{\text{W}}$ $35 \times 72^{A,W}$

 $36 \times 72^{\text{W}}$ 39×72^{W} $43 \times 72^{A,W}$

 $47 \times 72^{A,W}$ $59 \times 72^{A,W}$

62 × 72W $63 \times 72^{A,W}$ $70 \times 72^{\text{W}}$

 70.5×72^{W} $71 \times 72^{A,W}$ $75 \times 72^{A,W}$

 $83 \times 72^{\text{W}}$ $89\times72^{\text{A,W}}$

 $95 \times 72^{A,W}$ 100×72^{W}

 105×72^{W} - 84 -

 16.5×84^{W} 23×84^{W} $24 \times 84^{\text{W}}$

> $27 \times 84W$ $28 \times 84A,W$ 29 × 84W

 $31 \times 84^{A,W}$ $35 \times 84 \text{W}$

 $43 \times 84W$ 48 × 84W 54×84 A,W

60 × 84W - 96 -

 $27 \times 96^{\text{W}}$ $31 \times 96^{\text{W}}$ $35 \times 96^{\text{W}}$

 $39 \times 96^{\text{W}}$ $43 \times 96^{\text{W}}$

 $48 \times 96^{A,W}$ $72 \times 96^{\text{W}}$

Please note, slower moving inventory of corded blinds will be discontinued as the December 15, 2018 deadline approaches. Please visit lotusblind.com to download our 2018 Catalog of Cordless WindowCoverings.

A = Available in Alabaster.

W = Available in White.

A,W = Available in Alabaster and White.



Most Complete Assortment of Stock Sizes Available

1" Wide 6 Gauge Crease Resistant, Static Resistant Aluminum Slat

2-Year Warranty

Heavy Duty Steel Headrail and Bottomrail

Double Slat Valance and Hold Down Brackets Included With Every Blind





1" Aluminum Mini Blind

The stalk of the lotus flower is easily bent but extremely difficult to break due to its incredibly strong fibers. Our 1" Aluminum Mini Blind is engineered using static and crease resistant aluminum slats, designed to spring back if pulled out of shape. Steel head and bottomrails provide maximum support.

The 1" Aluminum Mini Blind is easy to install and ships complete with hardware, inside/outside mounting brackets, double-slat valance and instructions. Our 1" Aluminum Mini Blinds offer a durable, economical option for your window treatment needs.

AVAILABLE IN WHITE AND ALABASTER All widths are 1/2" less than stated size to allow for inside mounting.

Specifications

HEADRAIL

Roll formed steel 1.070" width x .950" height x .024" thick.

BOTTOMRAIL

Roll formed steel .765" width x .385" height x .030" thick.

WAND

Extruded clear acrylic Hex shape, .270" across flats.

SLAT

Painted aluminum .006" thick x .970" width with a crown of .080".

TAPE ROLLER

SUPPORT Injection molded plastic with metal roller minimizing cord fray.

TAPE ROLLER

Injection molded plastic with ladder locking legs.

TILT ROD

Plated steel "O" shape .150" x .125".

CORDLOCK

Injection molded plastic. Smooth brass fixed roller. Knurled floating brass roller.

Customization

• Blinds measuring 10"-14" in width can be cut up to ½".

Widths 15"-16" can be cut up to 1-½".
Widths 16-½"-18" can be cut up to 3-½".
Widths 19" and over

TILTE

Injection molded plastic housing with steel wand hook. Gear ratio of 9 to 1. Metal rivet for added strength.

BOTTOMRAIL Anchors

Injection molded plastic face .500" diameter, stem .375" diameter.

BOTTOMRAIL Endcaps

Injection molded plastic.

SLAT CLIP

Injection Molded Clear Plastic.

CORD

Woven polyester .070" diameter.

LADDER

Woven polyester .840" spacing x 1.000" width.

CENTER

SUPPORT Plated steel .040" thick.

HOLD DOWN Brackets

Injection molded plastic.

TASSEL

Injection molded plastic - bell shaped.

MOUNTING

BRACKET Painted ste

Painted steel with hinged locking front cover.



Headrai



Heavy duty tilter with metal rivet



Cordlock with



Bottomrail of oll formed meta

Packaging

can be cut up to 5-1/2".

Up to 47" wide: 6 per carton 48" wide and larger: 4 per carton

WARNING WAR

Child-safe tassel & Safetv warning ta

-	36	-
23	× 3	36 ^{A,W}
34		36 ^W
34.5		36 ^A ,W
35		36 ^{A,W}
47		36 ^W
70.5		36 ^{A,W}
-	48	=
22.5	× Z	18A,W
22.5		18W
30		18W
34.5		18W
34.5		18A,W
		. •
39		18W
45		18W
46		18A,W
46.5		18A,W
47		18A,W
48		18A,W
58		18A,W
58.5		18A,W
59		18A,W
70		18A,W
70.5		18A,W
71		18A,W
83		18W
94.5	× Z	18A,W
-	54	-
51	× [54 ^A
-	60	-
17	× (60 ^A
22.5	× (60 ^{A,W}
23	× (60 ^{A,W}
27	× (60W
28	× (60W
29		60W
30	× (60 ^{A,W}
31		60 ^{A,W}
34	× (60 ^{A,W}
34.5	× (60 ^{A,W}
35	× (60 ^{A,W}

36	×	60 ^A ,W	
39	×	60W	
43	×	60 ^A ,W	
46	×	60 ^A ,W	
46.5	×		
47	×	60 ^A ,W	
54	×		
58		60 ^A ,W	
58.5		60 ^A ,W	
59			
63		60 ^A ,W	
70		60 ^A ,W	
70.5		60 ^A ,W	
71	×		
82.5		60 ^{A,W}	
95		60 ^A ,W	
107		60W	
	c/	1	
	64	-	
		64W	
34.5		64W	
35	×	64W	
00		01	
		3 -	
-	68		
- 25	68	68 ^{A,W}	
- 25	68 × 72	68 ^{A,W}	
- 25 -	68 × 72	68 ^{A,W}	
- 25 - 10	68 × 72 ×	68 ^{A,W} 2 - 72 ^W	
- 25 - 10 11 18 23	68 × 72 × × × ×	68 ^{A,W} 2 - 72 ^W 72 ^{A,W} 72 ^{A,W}	
- 25 - 10 11 18	68 × 72 × × × ×	68 ^{A,W} 2 - 72 ^W 72 ^{A,W} 72 ^{A,W}	
- 25 - 10 11 18 23	68 × 72 × × × ×	68 ^{A,W} 2 - 72 ^W 72 ^{A,W} 72 ^{A,W}	
- 25 - 10 11 18 23 24	68 × 72 × × × × ×	68A,W 2 - 72W 72W 72A,W 72A,W 72A,W	
- 25 - 10 11 18 23 24 25	68 × 72 × × × × × ×	68A.W - 72W 72W 72A.W 72A.W 72A.W 72A.W 72A.W 72Y 72W 72W	
- 25 - 10 11 18 23 24 25 26	68 × 72 × × × × × × ×	68A.W 2 - 72W 72W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72W 72W 72A.W	
- 25 - 10 11 18 23 24 25 26 27	68 × 72 × × × × × × ×	68A,W 2 - 72W 72W 72A,W 72A,W 72A,W 72A,W 72A,W 72A,W 72A,W	
25 - 10 11 18 23 24 25 26 27 29	68 × 72 × × × × × × ×	68A,W 2 - 72W 72W 72A,W 72A,W 72A,W 72A,W 72W 72W 72A,W 72A,W 72A,W 72A,W	
25 - 10 11 18 23 24 25 26 27 29 30	68 × 72 × × × × × × × × × × × × × × × × × × ×	68A,W 2 - 72W 72W, 72A,W 72A,W 72A,W 72A,W 72W, 72W, 72W, 72A,W 72W, 72A,W 72W, 72A,W 72W, 72A,W	
- 25 - 10 11 18 23 24 25 26 27 29 30 31 32 34	68 × 72 × × × × × × × × ×	68A.W 2 - 72W 72A.W 72A.W 72A.W 72A.W 72A.W 72W 72A.W 72W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W	
- 25 - 10 11 18 23 24 25 26 27 29 30 31 32	68 × 72 × × × × × × × × × ×	68A.W 2 - 72W 72A.W 72A.W 72A.W 72A.W 72A.W 72W 72A.W 72W 72A.W	
- 25 - 10 11 18 23 24 25 26 27 29 30 31 32 34	68 × 72 × × × × × × × × ×	68A.W 2 - 72W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W	
- 25 - 10 11 18 23 24 25 26 27 29 30 31 32 34 34.5	68 × 72 × × × × × × × × ×	68A.W 72W 72W 72A.W 72A.W 72A.W 72A.W 72W 72A.W 72W 72A.W 72W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W	
25 - 10 11 18 23 24 25 26 27 29 30 31 32 34 34.5 35	68 × 72 × × × × × × × × × × × × × × × × × × ×	68A.W 2 - 72W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W 72A.W	

46	×	72 ^{A,W}
47	×	72W
48	×	72 ^{A,W}
54	×	72 ^{A,W}
59	×	72 ^{A,W}
63	×	72 ^{A,W}
69.5	×	72 ^{A,W}
70	×	72W
71	×	72 ^{A,W}
72	×	72W
75	×	72W
83	×	72W
89	×	72 ^{A,W}
95	×	72W
-	84	ļ -
23	×	84W
25	×	84A,W
27	×	84W
36	×	84 ^A ,W
47	×	84 ^A ,W
59	×	84W
60	×	84A,W
-	96) -
31	×	96W
35	×	96 ^{A,W}
39	×	96 ^{A,W}
43	×	96W
48	×	96 ^{A,W}
58	×	96 ^A ,W
- '	10	8 -
31	×	108 ^{A,W}
47	×	108W
53	×	108 ^{A,W}
66	×	108W
72	×	108 ^{A,W}

Please note, slower moving inventory of corded blinds will be discontinued as the December 15, 2018 deadline approaches. Please visit lotusblind.com to download our 2018 Catalog of Cordless WindowCoverings.

A = Available in Alabaster.

W = Available in White.

A,W = Available in Alabaster and White.





Stocked Sizes of Most Common Office Sizes

1" Wide 6 Gauge, Crease and Static Resistant Aluminum slat

2-Year Limited Warranty

Heavy-duty Metal Headrail and Bottomrail

Double Slat Valance, Hold Down Brackets and Safety Cord Cleats Included with Every Blind





1" Aluminum Business Class Mini Blind

Lotus & Windoware carries a line of 1" Aluminum ready-made, fully customizable blinds called Business Class specifically for schools, offices, hospitals and so many other commercial settings calling for metallic or darker hues.

We don't believe that office and commercial setting blinds have to be a custom-order only business. We want to help you fill your orders as quickly as possible with a great line of frequently used widths and lengths.

Contact your Customer Service Representative today to find out how to get your business moving forward with popular Brushed Aluminum and Char Brown colors, in stock now!

Business Class blinds are easy to install and ship complete with all hardware and an elegant double valance.

Specifications

HEADRAIL

Roll formed steel 1.070" width x .950" height x .024" thick.

BOTTOMRAIL

Roll formed steel .765" width x .385" height x .030" thick.

Extruded clear acrylic Hex shape, .270" across flats.

SLAT

Painted aluminum .006" thick x .970" width with a crown of .080".

TAPE ROLLER **SUPPORT**

Injection molded plastic with metal roller minimizing cord fray.

TAPE ROLLER

Injection molded plastic with ladder locking legs.

TILT ROD

shape .150" x .12<u>5</u>"

CORDLOCK

Injection molded plastic.
Smooth brass fixed roller.
Knurled floating brass roller.

Injection molded plastic housing with steel wand hook. Gear ratio of 9 to 1. Metal rivet for added strength.

BOTTOMRAIL ANCHORS

Injection molded plastic face .500" diameter, stem .375" diameter.

BOTTOMRAIL ENDCAPS

Injection molded plastic.

SLAT CLIP

Painted aluminum

CORD

.070" diameter.

LADDER

Woven polyester .840" spacing x 1.000" width.

CENTER **SUPPORT**

Plated steel .040" thick.

HOLD DOWN BRACKETS

Injection molded plastic.

TASSEL

Injection molded plastic - bell shaped.

MOUNTING **BRACKET**

Painted steel with hinged locking front cover.











ALL SIZES AVAILABLE IN

PRODUCT CODE

BRUSHED ALUMINUM AND CHAR BROWN

- 36 -
23 × 36
- 48 -
46 × 48
46.5×48
48 × 48
- 60 -
29 × 60
35×60
36 × 60
46.5×60
47 × 60
54 × 60
59 × 60
72×60
- 72 -
23 × 72
25 × 72
29 × 72
34 × 72

35 × 72

36×72
40 × 72
43×72
45×72
59 × 72
66×72
71 × 72
72 × 72
- 80 -
23×80
47×80
- 84 -
22 × 84
- 96 -
21 × 96
25×96
34×96
35×96
36×96
39 × 96
46 × 96
48 × 96

52×96
59×96
72 × 96
- 108 -
36 × 108
39 × 108
44 × 108
48 × 108
96 × 108
- 126 -
25 × 126
25 × 126 29 × 126
29 × 126
29 × 126 34 × 126
29 × 126 34 × 126 48 × 126
29 × 126 34 × 126 48 × 126 58 × 126
29 × 126 34 × 126 48 × 126 58 × 126 63 × 126

Please note, slower moving inventory of corded blinds will be discontinued as the December 15, 2018 deadline approaches. Please visit lotusblind.com to download our 2018 Catalog of Cordless WindowCoverings.





Contemporary 2" Designer Look

2-Year Warranty

Sturdy Steel Headrail

Matching Valance





2" Vinyl Plus Blind

The Lotus & Windoware 2" Vinyl Plus Blind is the choice for Contractors on a limited budget who want an attractive, designer look. Our 2" Vinyl Plus Blind is made with a durable metal headrail and comes with a 2" valance.


The static-resistant slats of the 2" Vinyl Plus Blind won't warp or crack. They also have great cut-down capabilities for a custom fit so you don't have to maintain large, expensive inventories. The design of our 2" Vinyl Plus Blind paired with the most durable materials makes this blind blossom in any décor.


ALL SIZES AVAILABLE IN WHITE Limited Availability in Alabaster

All widths are lambda" less than stated size to allow for inside mounting

LOTUS & WINDOWARE TEL 800.338.8826 FAX 800.810.3220 WWW.LOTUSBLIND.COM

- 36 -	22.5×60	70 × 60	31 × 72
00	23×60	71 × 60	34 × 72
34.5×36	28 × 60	72 × 60	34.5×72
- 48 -	30.5×60	- 68 -	35 × 72
- 40 -	31 × 60		36 × 72
23 × 48	34×60		42 × 72
29 × 48	34.5×60	25 × 68	43 × 72
35 × 48	35 × 60	- 72 -	46 × 72
46 × 48	36 × 60		47 × 72
46.5 × 48	39 × 60	22.5 × 72	48 × 72
47×48	46 × 60	23 × 72	54 × 72
58 × 48	46.5×60	23 × 72 24 × 72	58 × 72
70 × 48	47 × 60	24 × 72 24.5 × 72	62 × 72
71 × 48	48 × 60	24.5 × 72 25 × 72	63 × 72
- 60 -	58 × 60	26 × 72	70 × 72
00	58.5 × 60		70.5×72
	59 × 60	29 × 72	71 × 72
	23 00		





Heavy duty tilter



Cordlock with



Bottomrail of extruded PVC



Child-safe tassel & Safety warning ta

Please note, slower moving inventory of corded blinds will be discontinued as the December 15, 2018 deadline approaches. Please visit lotusblind.com to download our 2018 Catalog of Cordless WindowCoverings.

A = Also Available in Alabaster.

Customization call for current pricing

- Blinds measuring 11-13" in width can be cut up to ¼".
- Widths 16-18" can be cut up to 1-1/2".
- 19" and wider can be cut up to 4"

Packaging

36" or below: 4 per carton 37"- 47": 3 per carton 48" or above: 2 per carton



HEADRAIL

Sturdy roll formed metal, 2.264" width x 1.465" height x .020" thick.

BOTTOMRAIL

Extruded PVC hollow 1.969" width x .650" height.

WAND

Extruded PVC round shape, 0.354" diameter.

SLAT

PVC. Room-darkening .0256" thick x 1.969" width.

TAPE ROLLER SUPPORT

Injection molded plastic with metal roller minimizing cord fray.

TAPE ROLLER

Injection molded plastic with ladder locking legs.

TILT ROD

Plated steel, hexagonal shape.

CORDLOCK

Injection molded plastic. Smooth brass fixed roller. Knurled floating brass roller.

TILTER Injection

molded plastic housing with steel wand hook. Gear ratio of 9 to 1. Metal rivet for added strength.

BOTTOMRAIL ANCHORS

Injection molded plastic.

BOTTOMRAIL ENDCAPS

Injection molded plastic.

SLAT CLIP

Injection Molded Clear Plastic.

CORD

Braided polyester .063" diameter.

LADDER

Braided polyester 2.126" spacing x 1.772" height.

CENTER Support

Plated steel.

TASSEL Injection molded plastic.

MOUNTING Bracket

Painted steel with hinged locking front cover.









Most Complete Assortment of Stock Sizes Available

2" Wide Slats for Designer Look

2-Year Warranty

3¼" Crown Valance

Heavy Duty Metal, High Profile Headrail

Cord Control

Static Resistant Slats Won't Warp or Crack





Crown Valance with high profile headrail



Bottomrail - solid foam wood

2" Faux Wood Blind

The beautiful Lotus & Windoware 2" Faux Wood Blind offers the warm look of wood at an affordable price. The 2" Faux Wood Blind is engineered using a unique steel headrail with new memory flexibility technology making it more durable. The solid bottomrail holds the slats in perfect position.

Our 2" Faux Wood Blind is made of a static and fade resistant synthetic material that won't crack, split or warp. The 2" Faux Wood Blinds are easy to clean so they're great for kids' rooms. The elegance, low maintenance and affordability of our 2" Faux Wood Blind makes it the perfect compliment to any window.



Slat - flat PVC foam



Child-safe tassel & Safety warning tag

AVAILABLE IN WHITE AND ALABASTER All widths are 1/2" less than stated size to allow for inside mounting.

LOTUS & WINDOWARE TEL 800.338.8826 FAX 800.810.3220 WWW.LOTUSBLIND.COM

CROWN VALANCES

Available in White and Alabaster

Mi	ter-Cut	PRODUCT CODE	CV_M	Stra	aigh	t-C	ut	PRODUCT	rv_s
23	36	CODE	C V-IVI	18.5	34.5	63	95	CODE	64-9
26	48			29	35	66	108		
28	72			31	46.5	70	120		
32				34	47	71			

MITER-CUT CROWN **VALANCE RETURN SETS**

Available in White and Alabaster

5/8"

1-5/8" 2-1/2"

Customization call for current pricing

Blinds measuring 14" in width can be cut up to ½" Widths 16-18" can be cut up to 11/2". 19" and wider can be cut up to 4".

Specifications

HEADRAIL

Sturdy roll formed steel 2.264" width x 2.019' height x 0.02" thick.

BOTTOMRAIL

Sturdy Extruded PVC solid trapezoid of downward flat 1.875" width of bottom flat 1.00", 0.57" height.

Plain finish Faux wood .114" thick x 1.969" width.

VALANCE

Plain finish Faux wood crown valance 0.590" thick x 3.25" width.

TAPE ROLLER SUPPORT

Injection molded plastic with metal roller minimizing cord fray.

TAPE ROLLER

Injection molded plastic with ladder locking legs.

TILT ROD

Plated steel square shape. 0.1575" X 0.1575"

Zinc plated metal cordlock, metal rivet for added strength.

Injection molded plastic wheel with plastic hood.

BOTTOMRAIL ANCHORS

Injection molded plastic.

Braided polyester .063" diameter.

Braided polyester 2.126" spacing x 1.772" height.

CENTER SUPPORT

Painted steel.

TASSEL

Injection molded plastic.

MOUNTING BRACKET

Painted steel with hinged locking front cover.

Packaging

36" or below: 4 per carton. 37"-47": 3 per carton. 48" or above: 2 per carton.

	43 × 54	27 04	40 70
- 36 -		27 × 64	48 × 72
	71 × 54	30 × 64	52.5 × 72
22 × 36	- 60 -	31 × 64	54 × 72 ^A
22.5 × 36		32 × 64	57 × 72
23×36^{A}	16.5×60	34 × 64	58 × 72
27 × 36	17 × 60	34.5×64	58.5×72
28.5×36	18×60	35×64	59×72
29×36	19×60	36×64	62×72^{A}
30 × 36	22 × 60	39×64^{A}	63×72^{A}
31 × 36	22.5×60	43 × 64	66 × 72
34 × 36	23×60^{A}	47 × 64	69 × 72
34.5×36^{A}	24 × 60	52 × 64 ^A	70 × 72
35 × 36	25 × 60	70 × 64	70.5 × 72
36 × 36	27 × 60 ^A	71 × 64	71×72^{A}
46 × 36	28 × 60		72×72^{A}
46.5 × 36		- 68 -	
	28.5 × 60		75 × 72
47 × 36	29 × 60 ^A	23 × 68	83 × 72
59 × 36	30×60^{A}	24 × 68	84 × 72
70 × 36	30.5×60	24.5×68	89 × 72
70.5×36	31 × 60	- 72 -	95 × 72
71 × 36	31.5×60	- —	- 78 -
- 42 -	32 × 60	10 × 72	- 70 -
	33×60	11 × 72	31 × 78
24 × 42	34×60^{A}	13 × 72	36×78
- 48 -	34.5×60^{A}	16×72	0.4
- 40 -	35×60^{A}	17 × 72	- 84 -
22 × 48	35.5×60	18 × 72	9 × 84
22.5 × 48	36 × 60 ^A	19 × 72	12 × 84
23 × 48 ^A	37 × 60	22 × 72	14 × 84
27 × 48	38 × 60	22.5 × 72	16.5 × 84
29 × 48	39 × 60	23 × 72 ^A	23 × 84
30 × 48		24 × 72 ^A	24 × 84
30 × 48	40 × 60		
	40.5 × 60	24.5 × 72	25 × 84 ^A
34 × 48	42 × 60	25×72^{A}	27 × 84
34.5 × 48	43 × 60 ^A	25.5 × 72	29 × 84
35 × 48 ^A	45 × 60	26 × 72	31 × 84
36 × 48	46×60^{A}	26.5×72	34×84^{A}
42 × 48	46.5×60^{A}	27 × 72	34.5×84
45 × 48	47×60^{A}	28 × 72	35×84
46 × 48	48×60^{A}	28.5×72	36×84
46.5×48^{A}	54 × 60	29×72^{A}	39 × 84
47×48^{A}	58×60^{A}	30×72^{A}	43×84
48 × 48	58.5×60^{A}	30.5×72	47 × 84
58 × 48	59 × 60 ^A	31×72^{A}	58 × 84
58.5 × 48	61 × 60	32 × 72	63 × 84
59 × 48 ^A	62 × 60	33 × 72	71 × 84
60 × 48	63×60^{A}	34 × 72 ^A	
63 × 48	69 × 60	34.5×72^{A}	- 96 -
70 × 48	69.5 × 60	35×72^{A}	23 × 96
70.5 × 48	70×60^{A}	35.5×72	27 × 96
71 × 48	70.5 × 60	36×72^{A}	29 × 96
71 × 48 72 × 48	70.5 × 60 ^A		31 × 96
95 × 48	$71 \times 60^{\text{A}}$ 72×60	37 × 72 38 × 72	35 × 96 ^A
		38 × 72 39 × 72	
- 54 -	75 × 60		36 × 96
	81 × 60	40 × 72	48×96^{A}
23 × 54	81.5 × 60	40.5 × 72	
29 × 54	82.5 × 60	42 × 72	
31 × 54	93 × 60	43 × 72	
34 × 54	95×60	45 × 72	
34.5×54	- 64 -	46 × 72	
36 × 54		46.5×72	
39 × 5/	23 × 64	17 × 72A	

Please note, slower moving inventory of corded blinds will be discontinued as the December 15, 2018 deadline approaches. Please visit lotusblind.com to download our 2018 Catalog of Cordless WindowCoverings.

 47×72^{A}

23 × 64

 39×54





We are excited to introduce the newest member of the 2" Faux Wood family - the instant classic, Wood Grain! With the same sturdy build as its predecessor, this blind brings an added stately profile with two sizes of return corners to seamlessly complete the mitered crown valance. And unlike real wood, these are easy to clean, making them perfect for any room or facility.



NATURAL



GOLDEN OAK



MAHOGANY



Great Assortment of Popular Sizes

2" Wide Slats for Designer Look

2-Year Warranty

3¼" Crown Valance & 2 Sizes of Returns

Heavy Duty Metal, High Profile Headrail

Cord Control

Static Resistant Slats Won't Warp or Crack



AVAILABLE IN NATURAL, GOLDEN OAK AND MAHOGANY

Warehouse and Container
All widths are ½" less than stated size to allow for inside mounting

Blinds measuring 11-13" in width can be cut up to ¼".

Blinds measuring 14" in width can be cut up to ½".

Widths 16-18" can be cut up to 11/2". 19" and wider can be cut up to 4".



- 36 -
23 × 36
29 × 36
34 × 36
35×36
- 48 -
23 × 48
27 × 48
35×48
36×48
42 × 48
46×48
46.5×48
47×48
48 × 48
58×48
58.5 × 48
59 × 48
70 × 48
71 × 48
72 × 48

- 60 -	30 × 64 36 × 64
23 × 60	52 × 64
27×60	- 72 -
29 × 60	- /2 -
31×60	11 × 72
34×60	17 × 72
34.5×60	19 × 72
35×60	22.5×72
36×60	23 × 72
43×60	24 × 72
46×60	25 × 72
46.5×60	27 × 72
47×60	29 × 72
48×60	30 × 72
54×60	30.5×72
59×60	31 × 72
70×60	32×72
71×60	34 × 72
72×60	34.5×72
- 64 -	35 × 72
- 04 -	36 × 72
23 × 64	39 × 72

42 × 72
47×72
48 × 72
54×72
59 × 72
63×72
66 × 72
72 × 72
- 84 -
25 × 84
31 × 84
39×84
- 96 -
27 × 96
29×96
31 × 96
39×96
43×96
48 × 96

Customization call for current pricing

Specifications

Sturdy roll formed steel 2.264" width x 2.019" height x 0.02" thick.

BOTTOMRAIL

Sturdy Extruded PVC solid trapezoid of downward flat width of upper flat 1.875", width of bottom flat 1.00", 0.57" height.

Smooth finish Faux Wood .114" thick x 1.95" width.

VALANCE

Smooth finish Faux Wood crown valance 0.590" thick x 3.25" height. 45° Mitered.

VALANCE RETURNS

0.75" and 2.75" measured on flat; 45° Mitered.

TAPE ROLLER SUPPORT

Injection molded plastic with metal roller minimizing cord fray.

TAPE ROLLER

Injection molded plastic with ladder locking legs.

Plated steel square shape. 0.1575" X 0.1575"

CORDLOCK

Zinc plated metal cordlock, metal rivet for added strength.

Injection molded plastic wheel with plastic hood.

BOTTOMRAIL ANCHORS

Injection molded plastic.

CORD

Braided polyester .063" diameter.

LADDER

Braided polyester 2.126" spacing x 1.772" height.

CENTER SUPPORT

Painted steel.

TASSEL

Injection molded plastic.

MOUNTING BRACKET

Painted steel with hinged locking front cover.



Crown Valance with high profile headrail



Slat - flat PVC foam



Bottomrail - solid foam wood



Child-safe tassel & Safety warning tag

Packaging: 30 UI DELOW: 1 PO. 12. 1. 37"-47": 3 per carton. 48" or above: 2 per carton.





2" Wide Slats for Designer Look

2-Year Warranty

3¼" Crown Valance

Heavy Duty Steel Headrail

Cord Control Opening and Raising

Static Resistant Slats Won't Warp or Crack





2" Embossed Faux Wood

You spoke and we listened – our beautiful 2" Faux Wood Blind is now available in Wood Grain finish! This solid blind is still as functional and sturdy as ever, but with a more natural look for cozier settings. With a smooth grain finish, the slats are still easy to clean making them perfect for high-traffic areas. Another affordable compliment to a wide array of settings.

AVAILABLE IN WHITE All widths are ½" less than stated size to allow for inside mounting.

LOTUS & WINDOWARE TEL 800.338.8826 FAX 800.810.3220 WWW.LOTUSBLIND.COM



AVAILABLE IN WHITE

PRODUCT CODE

FE

- 36 -
31 × 36
- 48 -
35 × 48
46.5×48
47 × 48
71×48
72 × 48
- 60 -
23 × 60
27×60
30 × 60
30.5×60
31 × 60
34×60

34.5	×	60	
35	×	60	
39	×	60	
40	×	60	
43	×	60	
46.5	×	60	
47	×	60	
48	×	60	
58.5	×	60	
63	×	60	
70	×	60	
70.5	×	60	
75	×	60	
- 7	72	2 -	
23	×	72	
24	×	72	
25	×	72	

29	× 7	2
31	× 7	2
34	× 7	2
35	× 7	2
36	× 7	2
39	× 7	2
43	× 7	2
47	× 7	2
59	× 7	2
63	× 7	2
71	× 7	2
72	× 7	2
- 8	34	-
39	× 8	4

Packaging:

36" or below: 4 per carton. 37"-47": 3 per carton, 48" or above: 2 per carton.

Specifications

HEADRAIL Sturdy roll formed steel 2.264" width x 2.019" height x 0.02" thick.

BOTTOMRAIL

Sturdy Extruded PVC solid trapezoid of downward flat 2.264" (width of upper flat 1.28") X 0.787" height.

SLAT

Delicate wood grain finish .114" thick x 1.969" width.

VALANCE Plain finish Faux wood crown valance 0.570" thick x 3.25" width.

TAPE ROLLER SUPPORT

Injection molded plastic with metal roller minimizing cord fray.

TAPE ROLLER

Injection molded plastic with ladder locking legs.

Plated steel square shape. 0.1575" X 0.1575"

Zinc plated metal cordlock, metal rivet for added strength.

Injection molded plastic wheel with plastic hood.

BOTTOMRAIL ANCHORS Injection molded plastic.

Braided polyester .063" diameter.

LADDER

Braided polyester 2.126" spacing x 1.772" height.

CENTER SUPPORT Plated steel.

TASSEL

Injection molded plastic.

MOUNTING BRACKET

Painted steel with hinged locking front cover.









Customization

CALL FOR CURRENT PRICING

Blinds measuring 11-13" in width can be cut up to ¼". Blinds measuring 14" in width can be cut up to ½". Widths 16-18" can be cut up to $1-\frac{1}{2}$ ". 19" and wider can be cut up to 4".

- 46 -	- 72 -
46×46	34 × 72
- 48 -	47 × 72
- 40 -	59 × 72
35×48	72 × 72
47×48	- 84 -
59 × 48	
63×48	54 × 84
71 × 48	59 × 84
72 × 48	66×84^{A}
- 58 -	71 × 84
- 30 -	72 × 84
34 × 58	78×84^{A}
46×58	85 × 84
58 × 58	102×84^{A}
- 60 -	104 × 84 ^A
- 00 -	110×84^{A}
23 × 60	116 × 84
35×60	- 96 -
43 × 60	- 30 -
47×60	78 × 96
59 × 60	102×96
63×60	
70 × 60	
71 × 60	
72 × 60	
78 × 60	

Packaging: 2 per carton

All Sizes Available in Smooth Finish White
A = Also Available in Smooth Finish Alabaster.
All Sizes are Outside Mounts.



3-1/2" Economy Vertical Blind

All Sizes Available in the Most Popular Smooth Finish White

Child Safe Wand Control

Stack Left or Right

Heavy Duty Roll Formed Steel Headrail

2-Year Warranty

Complete with Matching Valance







End Control - PVC Idle End



Carriers - Injection Molded PVC



30" Wand

Specifications

HEADRAIL

Headrail is made of roll formed steel 1-½" wide by 1-¼" high with a minimum thickness of .024". Headrail matches color of slats.

CARRIERS

Injection molded PVC with eight prong rotation system carriers have self-lubricating wheels for reduced friction. Carriers allow for 180 degree simultaneous rotation.

END CONTROL

Each end is equipped with an injection molded PVC idle end which supports the pinion rod.

PINION ROD

The pinion rod is an 8-prong system made of extruded aluminum. The pinion rod passes through each carrier and allows for simultaneous rotation.

WAND

30" wand.

VANES

Made of extruded, non-leaded rigid PVC. Vane thickness is .019" to .021". Vanes are 3-1/2" wide and are flame retardant.

STACK

Available in one way draw that will stack left or right.



Economy Steel Vertical Headrails

HEADRAIL

Headrail is made of roll formed steel 1-1/2" wide by 1-1/4" high with a minimum thickness of .024".

CARRIERS

Injection molded PVC with eight- prong rotation system carriers have self-lubricating wheels for reduced friction. Carriers allow for 180 degree simultaneous rotation.

END CONTROL

Each end is equipped with an injection molded PVC idle end which supports the pinion rod.

PINION ROD

The pinion rod is an 8-prong system made of extruded aluminum. The pinion rod passes through each carrier and allows for simultaneous rotation.

WAND

29" wand.

BRACKET Painted Steel

Available in one way draw that will stack left or right.



Headrail Only makes boosting inventory easy - just add vanes!

22.5	45.5	60	78 ^A
28.5	46	63	85
29	46.5	66 ^A	86
34	47	69.5	94
34.5	48	70	94.5
35	54	70.5	96
36	57	71 ^A	102 ^A
38	58 ^A	72	104
41	58.5	75	110
43	59 ^A	76	118

All Sizes Available in White. A = Also Available in Alabaster.

Bulk packed, individually wrapped Packaging: Widths less than 32", 12 pieces per carton Widths 32" and above, 6 pieces per carton



VANES SOLD SEPARATELY

Optional Length Wands

WHITE AND ALABASTER

PRODUCT

VS-WAND

length in inches 48 | 60 | 72

Options Ready-Made Vertical Blind 78 x 84

Complete with vanes and valance!

Headrails constructed of Sturdy Aluminum with Brackets for inside or Outside Mounting

Stocked in White and Alabaster with Smooth Finish PVC Vanes

Wand-Control

One-Way Draw, Stack Left or Right

2-Year Warranty

Complete with Matching Valance

We took your favorite aluminum headrails and added the hardware and vanes into one package to help you sell and install much faster, keeping your inventories ready and your customers happy. The headrail is reversible making left or right stacking available. Complete with the easy-care room-darkening vanes you already know. Make room for more Options!

OPTIONS READY-MADE PRODUCT **VERICAL BLIND**

VNOW

- 84 -

78 × 84

Available in White and Alabaster in Smooth Finish

Packaging: 2 per carton

Options Aluminum Vertical Headrails



All sizes available in White Only unless noted. Outside Mount, Width in Inches.



ONE-WAY, DRAW WAND-CONTROL

PRODUCT CODE



CENTER-DRAW, WAND-CONTROL

PRODUCT CODE

VNCW

60	106	144
78	116	156
96	126	

34 58 126 70 85 110 38 66 72 94 112 144 48 69.5 78^A 102 120

Available in White Only unless noted. A = Available in Alabaster also.

Specifications

HFADRAII

Extruded Aluminum 1.736" width x 1.259" height x .043" thick.

Injection molded plastic carrier with self-aligning clutch system.

BRACKET

Painted steel.

VANE HANGER

Injection molded plastic with single opening.

PINION ROD

4-Prong Extruded Aluminum.

WAND CONTROL

Attached Injection molded plastic swivel tilter with 36" metal wand, .31" diameter





3-1/2" Room-Darkening Vertical Vanes

Made of extruded nonleaded rigid PVC. Vane thickness is .019" to .021". Vanes are 3-1/2" wide and are flame retardant.

.020" Vertical Vanes Smooth White

100 pieces per carton

36	56.5	81.5	97.5
44.5	58	82.5	98.5
45	58.5	84	100
46	60	92.5	120
47	64	93.5	
48	69	94.5	
51.5	78	96	



PRODUCT CODE

.020" Vertical Vanes Smooth Alabaster

100 pieces per carton

46	84
56.5	96
60	120
82.5	



PRODUCT VV6PACK

RETAIL PACKS OF 6 VANES MAKE REPLACEMENTS A BREEZE!

6-Packs of 82-1/2" Smooth White or Alabaster Vanes!

.020" Vertical Vanes Smooth Ivory 100 pieces per carton

82.5



Ivory





4444 S. Mendenhall Rd., Ste 14, Memphis, TN 38141





PHONE // 800-338-8826

FAX // 800-810-3220

LOTUSBLIND.COM