

One-Light LED Pendant Kit

Ceiling stem hung mounted • Dry location listed



Description:

The Markor Series is a modular pendant system. The versatile series allow the choice of shades and stem kits. This one-light LED stem mounted pendant for use with Markor Shades. Shades sold separately. This stem may be used with all Markor shades 9"-22" sizes. Includes one 6", four 12" and a 90° swivel. Brushed Nickel finish.

Specifications:

- Brushed Nickel (-09) (plated)
- Steel Construction
- LED Module is replaceable (part # 93053641)
- The Markor Series is a modular pendant system.
- One-light LED stem mounted pendant for use with Markor Shades.
- Shades sold separately.
- Includes one 6", four 12" and a 90° swivel.
- Dimmable to 10% with many ELV dimmers
- 1,211 lumens 71.2 lumens/watt per module (source)
- 3000K color temperature, 90+ CRI.
- Dimmable to 10% brightness (See Dimming Notes)
- Canopy covers a standard 4" octagonal recessed outlet box
- Mounting strap for outlet box included
- 10 feet of wire supplied
- One 6", four 12" lengths of stem included
- ENERGY STAR® qualified

Performance:

| | |
|------------------------|--|
| Number of Modules | 1 |
| Input Power | 17w |
| Input Voltage | 120 V |
| Input Frequency | 60 Hz |
| Lumens/LPW (Source) | 1211/71.2 (LM-82) |
| Lumens/LPW (Delivered) | 1039/62.6 (LM-79) |
| CCT | 3000 K |
| CRI | 90 CRI |
| Life (hours) | 60,000 (L70/TM-21) |
| FCC | Meets FCC Title 47, Part 15 Class B |
| Min. Start Temp | -30 °C |
| Max. Operating Temp | 30 °C |
| Warranty | 5 year warranty |
| Labels | cCSAus Dry location listed ENERGY STAR® qualified |

P5198-0930K9

Images:



Dimensions:

Diameter: 5-3/4"
 Height: 5-3/8"
 Overall Ht. W/Stem: 62"

P5198-0930K9

Dimming Notes:

P5198 is designed to be compatible with many ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls

| | | |
|---------|---------------|------------|
| Lutron | Nova T | NTELV-300 |
| Lutron | Vierti | VTELV-600 |
| Lutron | Maestro | MAELV-600 |
| Lutron | spacer/system | SPSELV-600 |
| Leviton | Renoir II | AWRMG-EAW |

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.