

# Tef-Stef

## PRODUCT DESCRIPTION:

JAX Tef-Stef is used for applications that require a clean, dry, non-silicone-based powder-style lubricant. The powder clings to all surfaces when dry and gives greater lubricity than graphite and even silicone. Non-staining and non-oily, this product is practically invisible in use and retains its lubricity even at temperatures up to 400°F (204°C).

## PRODUCT BENEFITS:

- Nearly Invisible in Use
- No Chlorinated Solvents or Ozone Depleters
- Great Lubricity when Dry
- Non-Oily and Non-Staining
- Safe for Surfaces to be Painted
- Performs Well at Temperatures up to 400°F (204°C)

## APPLICATIONS:

Safe to use on all plastic, metals, rubber, glass, wood and paper. Can be used on hinges, rollers, fittings, production machinery, conveyors, cutters, binders and punch presses. Typical applications include:

- Locks and Key Slots
- Industrial Plants
- Bottling Plants
- Packaging Plants
- Maintenance Departments
- Printing Plants
- Dairy-processing Plants
- Manufacturing Plants
- Assembly Operations

## TECHNICAL DATA:

Propellant:	Butane and Propane
Flash Point:	Extremely flammable
Spray Pattern:	Mist
Texture:	Dry, Very Fine, Solid PTFE Particulate Powder
Appearance:	White Powdery Liquid
Consistency:	White Powdery Liquid

## AEROSOL PACKAGING:



Aerosol, 10 oz. net wt. (12/cs) - #JAX145



**PRESSURE-LUBE**  
America's Finest Lubricants





NSF International / Nonfood Compounds Registration Program

Nonfood Compounds  
Program Listed

September 3, 2008

Ms. Patty Riek  
PRESSURE-LUBE, INC. JAX  
W134 N5373 CAMPBELL DRIVE  
MENOMONEE FALLS, WI 53051  
UNITED STATES

RE: JAX TEF-STEF (Aerosol)  
Category Code: H1  
NSF Registration No. 141073

Dear Ms. Patty Riek:

NSF has processed the application for Registration of **JAX TEF-STEF (Aerosol)** to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2008), which are available at [www.nsfwhitebook.org](http://www.nsfwhitebook.org). The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

**This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.**

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the Registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website ([www.nsfwhitebook.org](http://www.nsfwhitebook.org)). The NSF Registration Mark can be downloaded by clicking the "Download Registration Mark" link on the NSF website ([www.nsfwhitebook.org](http://www.nsfwhitebook.org)).

NSF Listing of all Registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at [www.nsfwhitebook.org](http://www.nsfwhitebook.org). Changes in formulation or label, without the prior written consent of NSF, will void Registration, and will supersede the on-line listing.

Sincerely,

Jennifer De France  
NSF Nonfood Compounds Registration Program

Company No: N05625

Distributed By:



W134 N5373 Campbell Drive • Menomonee Falls, WI 53051  
262.781.8850 • 800.782.8850 • FAX 262.781.3906  
Sacramento, CA • Nashville, TN  
[www.jax.com](http://www.jax.com)