Product Bulletin

DOC04045

DIVERSITECH

March 2014 http://media.diversitech.com/doc/DOC04045.pdf

Page 1 of 6



Black Nylon Wire Ties

These wire ties are perfect for securing wires. You can choose from an assortment of sizes.

			WTB11	
Catalog No.	Description	UOM	Order Multiple	List Price
WTB11C	Black wire ties, 11in. nylon, 50 tensile strength, 100pk	PK	1	\$23.76

SpeediChannel™ Line Set Cover System

SpeediChannel[™] Line Set Cover System is a system used to cover line sets, drain lines, and control cables when they can not be installed in a wall. Featuring the unique SpeediClip[™], DiversiTech's SpeediChannel[™] system can be installed extremely quickly by one person.

SpeediChannel™

The DiversiTech SpeediChannelSpeediChannel™ is available in three widths, all in 6-1/2 feet lengths.

Description

3in. SpeediChannel™

4in. SpeediChannel™

6in. SpeediChannel™

	230-D3	
IOM	Order Multiple	List Price
EA	6	\$56.80
EA	6	\$81.04
EA	5	\$107.60

U

Fittings

Catalog No.

230-D3

230-D4

230-D6

Adjustable Flat Bend

Adjustable flat bends flex from 45 to 90 degrees and make it easy to route the SpeediChannel™ around an obstacle. Each adjustable bend is individually packed and includes stainless steel screws.

Catalog No.	Description	UOM	Order Multiple
230-AFB3	3in. Adjustable Flat Bend	EA	10
230-AFB4	4in. Adjustable Flat Bend	EA	10



Soffit Fitting

Ideal for outdoor applications where the SpeediChannel[™] runs up an exterior wall and enters the house vertically through the soffit. Its large flat surface area easily covers the rough opening cut in the soffit. Furnished in two parts, the Soffit Fitting easily snaps onto the SpeediChannel[™] for a clean installation.

Catalog No.	Description	UOM
230-SF3	3in. Soffit Fitting	EA
230-SF4	4in. Soffit Fitting	EA



Order Multiple	List Price
10	\$24.72
10	\$40.04
	Multiple 10

Wall Penetration

Wall sleeves and penetration covers are used to transition from the SpeediChannel[™] system to a through wall penetration. The wall sleeve creates a neat hole through the wall, and the line set is covered by the wall cover. DiversiTech's wall covers are designed to allow for easy installation - even after the line set has been installed. A unique hooking and fastening arrangement allows for quick and easy installation. Each wall cover is individually packed, and is furnished complete with stainless steel screws to attach the wall cover to the base. Three screws (supplied by others) are needed to fasten the wall cover to whatever type of wall construction the system is being installed on.

Catalog No.	Description	UOM	Order Multiple	List Price
230-WC3	3in. Wall Penetration Cover	EA	10	\$25.84
230-WC4	4in. Wall Penetration Cover	EA	10	\$44.08
230-WC6	6in. Wall Penetration Cover	EA	10	\$54.92
230-WS2	2-1/2in. Wall Sleeve	EA	10	\$19.36

90° Flat Bend

90 degree flat bends are used to route the SpeediChannel[™] around an obstacle. Each bend is individually packed, and is furnished complete with stainless steel screws.

Catalog No.	Description	UOM	Order Multiple
230-FB3	3in. 90 degree Flat Bend	EA	10
230-FB3	3in. 90 degree Flat Bend	EA	10
230-FB4	4in. 90 degree Flat Bend	EA	10
230-FB4	4in. 90 degree Flat Bend	EA	10
230-FB6	6in. 90 degree Flat Bend	EA	10



10 10 10	\$44.08 \$54.92 \$19.36

List Price \$23.56 \$23.56 \$43.84 \$43.84 \$49.44

230-FB3

90° Long Radius Bend

90 degree long radius flat bends are used to route the SpeediChannel[™] around an obstacle. The long radius of the elbow allows a gentle bending radius on the copper line set. Each elbow is individually packed, and is furnished complete with stainless steel screws.

Catalog No.	Description	UOM	Ord Multi
230-LFB3	3in. 90 degree Long Radius Bend	EA	1
230-LFB4	4in. 90 degree Long Radius Bend	EA	1
230-LFB6	6in. 90 degree Long Radius Bend	EA	1
230-LFB6	6in. 90 degree Long Radius Bend	EA	1



М	Order Multiple	List Price
4	10	\$29.60
4	10	\$35.60
4	10	\$50.88
4	10	\$50.88

230-FB453 Order

Multiple

10 10

10

45° Flat Bend

45 degree flat bends are used to route the SpeediChannel[™] around an obstacle. Each bend is individually packed, and is furnished complete with stainless steel screws.

Catalog No.	Description	UOM
230-FB453	3in. 45 degree Flat Bend	EA
230-FB454	4in. 45 degree Flat Bend	EA
230-FB456	6in. 45 degree Flat Bend	EA

90° Inside Elbow

90 degee inside elbows are used to route the SpeediChannel™ around an inside corner. Each elbow is individually packed, and is furnished complete with stainless steel screws.

Catalog No.	Description	UOM
230-EB3	3in. 90 degree Inside Elbow	EA
230-EB4	4in. 90 degree Inside Elbow	EA
230-EB6	6in. 90 degree Inside Elbow	EA

90° Outside Elbow

90 degree outside elbows are used to route the SpeediChannel™ around an outside corner. Each elbow is individually packed, and is furnished complete with stainless steel screws.

Catalog No.	Description	UOM	Order Multiple
230-EIN3	3in. 90 degree Outside Elbow	EA	10
230-EIN4	4in. 90 degree Outside Elbow	EA	10
230-EIN6	6in. 90 degree Outside Elbow	EA	10



List Price

\$23.56

\$43.84

\$49.44





	230-EIN3	
-	rder Iltiple	List Price
	10	\$21.08

\$44.68 \$53.76

Union Coupling

Used for joining two pieces of SpeediChannel[™] — each cover being the same size. Each coupling is individually packed, and is furnished complete with stainless steel screws.

Catalog No.	Description	UOM
230-CP3	3in. Union Coupling	EA
230-CP4	4in. Union Coupling	EA
230-CP6	6in. Union Coupling	EA

T-Joint

Used for creating a tee connection between three pieces of SpeediChannel[™] – all covers being the same size. The tee can be combined with the reducing coupling to join SpeediChannel[™] of different sizes. Each tee is individually packed, and 230-TJ4

is furnished complete with stainless steel screws.

Catalog No.	Description	UOM
230-TJ4	4in. T-Joint	EA
230-TJ6	6in. T-Joint	EA

Flex Joint

An accordion style piece of SpeediChannel[™], the flex joint can be extremely flexible routing a SpeediChannel[™] system around virtually any type of obstacle. Each joint is 20in. long and can be combined together for longer flex runs. Unlike competitor systems, the DiversiTech flex joint does NOT require the use of a union coupling. The DiversiTech flex joint slides tightly inside the SpeediChannel[™] system.

Catalog No.	Description	UOM	O Mu
230-FJ3	3in. Flex Joint	EA	
230-FJ4	4in. Flex Joint	EA	

Reducer Coupling

Used for joining two pieces of SpeediChannel[™] — each cover being a different size. Each coupling is individually packed, and is furnished complete with stainless steel screws.

Catalog No.	Description	UOM	Order Multiple
230-TC34	3in. x 4in. Reducer Coupling	EA	10
230-TC46	4in. x 6in. Reducer Coupling	EA	10



Ν	Order Multiple	List Price
	10	\$8.68
	10	\$17.28
	10	\$20.88



Order Multiple	List Price
10	\$91.36
10	\$104.28
	Multiple 10



JOM	Order Multiple	List Price
EA	10	\$16.44
EA	10	\$32.68



Duct End

The duct end is used to terminate a run of SpeediChannel[™] to a small opening – just large enough for the line set and condensate drain line to pass through. Gives a neat/clean installation.

Catalog No.	Description	UOM
230-DE3	3in. Duct End	EA
230-DE4	4in. Duct End	EA
230-DE6	6in. Duct End	EA

Cap

Used to cap the end of a SpeediChannel[™] run. Easily snaps into the end of the SpeediChannel™.

Catalog No.	Description	UOM
230-DC3	3in. Cap	EA
230-DC4	4in. Cap	EA
230-DC6	6in. Cap	EA

Flat Wall Escutcheon

Typically used to cover a rough opening in a soffit, wall, or ceiling penetration. One side of the escutcheon is flat to allow for a SpeediChannel™ run going along a wall, and penetrating through an adjacent wall or ceiling. This is the most common type of wall penetration. Furnished in two parts, the escutcheon easily snps onto the SpeediChannel™.

Catalog No.	Description	UOM
230-FR3	3in. Flat Wall Escutcheon	EA
230-FR4	4in. Flat Wall Escutcheon	EA
230-FR6	6in. Flat Wall Escutcheon	EA

Wall Escutcheon

Typically used to cover a rough opening in a wall or ceiling penetration. The hole in the escutcheon is centered to allow for a free standing SpeediChannel™ to penetrate through a wall or ceiling. This is the fairly un-common type of wall or ceiling penetration. Check carefully, as you may need the Flat Wall Escutcheon. Furnished in two parts, the escutcheon easily snaps onto the SpeediChannel™.

Catalog No.	Description	UOM	Order Multiple	List
230-WR3	3in. Wall Escutcheon	EA	10	\$1
230-WR4	4in. Wall Escutcheon	EA	10	\$1
230-WR6	6in. Wall Escutcheon	EA	10	\$1



M	Order Multiple	List Price
A	10	\$13.48
A	10	\$21.40
A	10	\$23.68



Л	Order Multiple	List Price
	10	\$11.80
	10	\$13.72
	10	\$13.92



JOM	Order Multiple	List Price
EA	10	\$11.04
EA	10	\$13.00
EA	10	\$14.24



MO	Order Multiple	List Price
A	10	\$12.36
A	10	\$14.52
A	10	\$16.52

SpeediChannel[™] Accessories

A variety of accessories that are complementary or required for installing DiversiTech's SpeediChannel[™] system.

Catalog No.	Description	UOM	Orde Multip
230-DCLIP	SpeediClip™, pack of 50	PK	1
230-DCLIP-10	SpeediClip™ and 11in. Cable Ties, pack of 10	PK	1
230-DSCREW	SpeediChannel™, pack of 100	PK	1

SpeediChannel[™] Fitting Kits

The SpeediChannel™ Fitting Kits provides a simple mix of the basic fittings used in a typical SpeediChannel[™] installation job. Included in the basic kits are one coupling, one wall penetration, one inside elbow, one long radius flat bend, and one pack of ten SpeediClips and 11in. cable ties. The 230-IKC3 and 230-IKC4 Installation kits include three 48" pieces of channel and selected fittings.

Catalog No.	Description	UOM	Order Multiple	List Price
230-IK3	3in. SpeediChannel™ Fitting Kit	EA	1	\$83.24
230-IK4	4in. SpeediChannel™ Fitting Kit	EA	1	\$130.04
230-IKC3	SpeediChannel 3" Installation Kit with 3 pieces of 48" channel	EA	1	\$203.40
230-IKC4	SpeediChannel 4" Installation Kit with 3 pieces of 48" channel	EA	1	\$291.40

Merchandising

Counter Mats

Each counter mat has a specific product focus. The mats are encapsulated with a tough wearing clear plastic cover, and a non-skid rubber back. Most mats are 20in. by 16in.



Catalog No.	Description	UOM	Order Multiple	L
MKT-MAT-MSPLIT	SpeediChannel™ Counter Mat	EA	1	



Λ	Multiple	List Price
	1	\$27.68
	1	\$11.56
	1	\$40.20

