

72" SHEBA

ACRYLIC DOUBLE-SLIPPER TUB

SKU: 919180



FEATURES

Design: Modern
Product Finish: White
Features: Integral Drain & Overflow
Overflow Hole: Yes
Integral Drain & Overflow: Yes
Shape: Oval
Material: Acrylic
Tap Deck: No
Drain Included: Yes
Drain Placement: Center
Faucet Included: No
Faucet Drillings: No Drillings
Built-In Adjusters: Yes

CONTENTS


72" TUB	PAGE 2
AIR TUB	PAGE 3
72" AIR TUB	PAGE 4

REVISED 08/17/2020

72" SHEBA

ACRYLIC DOUBLE-SLIPPER TUB

SKU: 919180



FEATURES

- Length: 72"
- Width: 28-1/4"
- Height: 28-1/2"
- Tub Interior Length: 43-3/4"
- Tub Interior Width: 16-1/2"
- Water Depth to Overflow: 14-3/4"
- Water Capacity With Overflow: 49 gallons
- Tub Weight Uncrated (lbs): 100
- Tub Weight Crated (lbs): 210

PRODUCT IMAGE



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 2

72" SHEBA AIR TUB

ACRYLIC DOUBLE-SLIPPER TUB

SKU: 919180

COMPONENTS LIST

- BM-TWP BALL CHECK VALVE JETS
- MANI-SD-A SECURITY DEVICE
- MAN-A-4-AC MANIFOLD
- SILVER SLS+ VARIABLE SPEED BLOWER

INSTALLATION

Install blower behind a wall (with an access panel) or in a closet. Blower can also be installed under floor. Ensure the security device, MANI-DS-A, is at least:

- 2" Above the tub rim

Security device and hose can be mounted in wall

REMOTE CONTROL

- CG+/RTC-SENSOR-WP
- 12 – 15 YEAR BATTERY LIFE

INSIDE OF BATH



- (12) MAXI AIR JETS WITH 24 OPENINGS



ELBOWS FOR
AIR JETS



TEES FOR
AIR JETS




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 3

72" SHEBA AIR TUB

ACRYLIC DOUBLE-SLIPPER TUB

SKU: 919180



FEATURES

- Length: 72"
- Width: 28-1/4"
- Height: 28-1/2"
- Tub Interior Length: 43-3/4"
- Tub Interior Width: 16-1/2"
- Water Depth to Overflow: 14-3/4"
- Water Capacity With Overflow: 49 gallons
- Tub Weight Uncrated (lbs): 100
- Tub Weight Crated (lbs): 210

PRODUCT IMAGE



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 4