


PRODUCTDESCRIPTION

- Brushed Stainless Steel Vessel
- For Above counter Use Only
- Meets or Exceeds: CSA B45.0-02, CSA B45.4-02, ASME A112.19.3-2000



PRODUCT MEASUREMENTS

Width: 17 inches (43.18 cm)
Depth: 17 inches (43.18 cm)
Height: 5.63 inches (14.3 cm)

RECOMMENDED ACCESSORIES

- DECOLAV 9296 Grid Drain
- DECOLAV 9298 Push Button Closing Umbrella Drain

THANK YOU

Dear Valued Customer,

DECOLAV would like to take this opportunity to thank you for your purchase – It is our sincere hope that you are completely satisfied with your new product. We welcome and look forward to helping you create another unique look for your next bathroom project.

Prior to installation, please take a moment to review all provided materials and hardware. For assistance with your new product, please contact our dedicated DECOLAV® customer service staff.

Sincerely,

Robert H. Mayer

Chief Executive Officer and President




CHANGING THE WAY YOU VIEW THE BATHROOM®

BEFORE YOU BEGIN


- 1. Prior to installation, unpack your new DECOLAV product and inspect it. Keep the product in its original package until you are ready to install it.
- 2. The wall must be square, plumb and level.
- 3. Shut the water supply off when replacing an existing fixture. Preparation of the floors and walls, including all additional wall supports, may be required.
- 4. Observe all local plumbing and building codes.
- 5. It is recommended that this installation be done with a minimum of two people. Do not install this fixture alone.

Customer Service: 561-274-2110 www.decolav.com

RECOMMENDED TOOLS




ROUGHING-IN DIMENSIONS



PARTS

ltem	Description	Qty
Α	SS Vessel	1
В	Flange	1


NOTE: Cut out template provided




INSTALLATION INSTRUCTIONS

• STEP #1

- o Affix Template provided to Countertop at desired location with Cellophane Tape.
- o Mark guidelines on Countertop in several places.
- o Drill a clearance hole approximately 1/4" to 1/2" inside the perimeter line of Template.
- o Cut opening following the perimeter line of Template



Clearance Hole



Cut Opening

INSTALLATION INSTRUCTIONS

• STEP #2

- o Apply clear silicone around the bottom of SS Vessel (A).
- o Wipe off excess silicone.
- o Securely tighten Flange (B) under countertop to the bottom of SS Vessel (A).
- o Install Drain according to manufacturer's installation instructions.
- o <u>NOTE:</u> DRAIN SHOWN, DECOLAV® 9298 UMBRELLA DRAIN, IS A RECOMMENDED ACCESORY AND NOT INCLUDED!
- o NOTE: DO NOT OVERTIGHTEN DRAIN!
- o <u>NOTE:</u> ALLOW SILICONE TO SET BEFORE PROCEEDING. CHECK SILICONE MANUFACTURER FOR RECOMEMENDED CURING TIME.
- o Refer to Figure 1.




Figure 1

INSTALLATION INSTRUCTIONS

• STEP #3

Install Waste System according to manufacturer's installation instructions.

- o NOTE: WASTE SYSTEM NOT INCLUDED!
- o Install faucet and water supply according to manufacturer's installation instructions.
- o NOTE: FAUCET AND WATER SUPPLY NOT INCLUDED!
- o Check for leakage.
- o Refer to Figure 2 for finished vessel.




Figure 2

CARE AND CLEANING

- DO NOT OVERTIGHTEN DRAIN. Overtightening of the drain can damage your DECOLAV product.
- DO NOT clean the product with Detergents, Acid, Abrasives, Harsh Cleaners or a cloth with a coarse surface (S.O.S. Pads, Scotch Brite Pads). This is good advice for any plumbing fixture regardless of material.
- DO NOT leave any cleaning agents other than water on your DECOLAV product.
- DO NOT allow your DECOLAV product to unnecessarily encounter other solid objects.
- DO clean your DECOLAV product. Wipe with a damp cloth and dry with a soft cloth. If necessary, a general mild soap and water solution can be used.
- DO clean underside of your DECOLAV product with mild soap and water ONLY.
- DO wipe your DECOLAV product with a clean, dry, soft cloth after each use, as it will limit water spots, especially in hard water areas.

FULL LIFETIME WARRANTY

Any Deco Lav, Inc. ("DECOLAV") product(s), sold after January 1, 2006, will be warranted to the original end consumer to be free of true defect(s) in material and workmanship for life of the product(s) subject to the following restrictions:

- DECOLAV is notified promptly in writing, via fax or mail, by the Retail/Wholesale Purchaser upon discovery of any alleged defect(s) in the product(s), including a detailed description of the alleged defect(s).
- Proof of purchase (original sales receipt) from the original end consumer must be made available to DECOLAV for all warranty claims.
- Authorized DECOLAV personnel has inspected the product(s) and determined the product(s) to have true manufacturing defect(s).
- Such product(s) are returned to DECOLAV (unless other arrangements satisfactory to DECOLAV have been agreed upon).

This Lifetime Warranty is non-transferable and applies only to the original end consumer and to the original installation of the product(s). This Lifetime Warranty is void if the product(s) has been moved from its initial installation site or if ownership of the product(s) has changed.

THISLIFETIMEWARRANTYDOESNOTCOVERANYDAMAGESCAUSEDBYSHIPPING,MISUSE,ABUSE,ACCIDENTS,NEGLECT,UNAUTHORIZEDREPAIRSORALTERATIONS,MODIFICATIONS, USEOFOTHERTHANGENUINEDECOLAVREPLACEMENTPARTS,DIRT,LIMESCALE,ANDOTHERMINERALS,SCUFFSANDSCRATCHES,EXPOSURETOMARINEAREAS,ABNORMAL USAGE,ANDNORMALWEARANDTEAR.ANYIMPROPERINSTALLATION,IMPROPERMAINTENANCE,IMPROPERHANDLING,IMPROPERANDCONTRARYUSESNOTSTATEDWITHIN INSTRUCTIONS, AND ALL ACTS BEYOND DECOLAV'S CONTROL WILL VOID THIS LIFETIME WARRANTY.

DECOLAV's product(s) are produced from natural raw materials and there is a slight color variance. This is NOT a manufacturing defect(s) and will not be covered under this Lifetime Warranty.

This Lifetime Warranty does not apply to local building code compliance. Since local building codes vary considerably, the original end consumer of the product(s) should check with a local building or plumbing contractor to ensure local code compliance before installation.

This Lifetime Warranty does not cover any mechanical pieces of any DECOLAV product(s). These mechanical pieces will be covered under a One Year Warranty, based on the same criteria as this Lifetime Warranty, from the date of the initial purchase.

Upon satisfaction of each of the foregoing conditions and requirements, DECOLAV shall, at its option, either repair or replace such defective product(s). DECOLAV shall return any product(s) repaired or replaced under this Lifetime Warranty to the original end consumer transportation prepaid. All Closeout/Discontinued product(s), at time of claim, will either be repaired or replaced with a comparable item.

DECOLAV's option to repair or replace the product(s) under this Lifetime Warranty does not cover any cost of labor to remove or install the DECOLAV product, usage and delay time, or other costs of removal or installation whatsoever. IN NO EVENTWILL DECOLAV BELIABLE FORTHE COST OF REPAIR OR REPLACEMENT OF ANY INSTALLATION MATERIALS, INCLUDING BUT NOT LIMITED TO, TILES, MARBLE, ETC.

This Lifetime Warranty does not cover any liability for consequential or incidental damages, all of which are hereby expressly disclaimed, or the extension beyond the duration of this Lifetime Warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

THE WARRANTIES HEREIN (A) ARE EXCLUSIVE AND STATED IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS, STATUTORY, OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR AN INTENDED PURPOSE, ALL OF WHICH ARE HEREBY EXPRESSLY DISCLAIMED; (B) NEITHER ASSUME NOR AUTHORIZE PURCHASER NOR ANY OTHER PARTY TO ASSUME FOR DECOLAV ANY OTHER LIABILITIES IN CONNECTION WITH THE MANUFACTURE OR SALE OF PRODUCTS; AND (C) ARE SUBJECT TO THE LIMITATIONS ON DAMAGES AS SET FORTH ABOVE