





Comfort flame
**Vent-Free
Gas &
Electric
Hearth**



ZONE HEATING CAN SAVE YOU UP TO \$312 A YEAR.




Keep your favorite area warm...so the main thermostat can be set lower.

By providing extra heat to a “zone”—family room, dining room, den or other area—you can set your main thermostat lower, producing remarkable energy savings.

With zone heating, you save 3% on your energy bill for every 1°-thermostat set-back. That's 15% for every 5°! Your savings can total \$312* annually.

* Cost savings based on a 5° thermostat set-back. Calculations established on average natural gas/propane heating costs published by U.S. Department of Energy.



GAS IS STILL A BETTER VALUE THAN WOOD OR ELECTRICITY!





Electric Fireplaces

4

Ideal for any season, new LED flame. Approved for use in any room of the home. Easy operation - Great value – Unparalleled beauty.



Vent-Free Gas Logs

6

Beauty of wood fire - without the work. No mess from ashes. 99% heating efficiency.



Vent-Free Fireboxes

9

Easily installed. Choose your favorite gas logs.



Mini & Compact Vent-Free Fireplaces

12

Space saving heater that can be installed virtually anywhere. Easily and inexpensively installed. Provides 3 times more heat than vented gas logs or wood.



32" Full-Size Vent-Free Fireplace Systems

14

Easily installed, ready-made combination of gas logs and firebox. 99% heating efficiency.



Accessories

16

Choose among our beautiful selection of cabinet mantels to frame your electric or gas fireplace.



Vent-Free Gas Stoves

18

Heat wherever you want it. Traditional appearance. Fine craftsmanship and design.

Fireplace Planning Guide

19

ComfortFlame[™]
by FMI PRODUCTS, LLC

Electric Fireplaces

New LED Patented Flame!



CGEF23B Shown with W21TP mantel

23" Mini Electric

- Fits anywhere!
- Random flame appearance
- Undulating glowing ember bed
- Natural looking logs
- Energy efficient: Less energy spent in LED lights, more devoted heat
- 5,000 BTUs
- Elegant design: Looks great whether it's on or off
- U.S. Patent no. 7,219,456



CGEF26B Shown with W26G0 mantel

26" Compact Electric

- Convenient embedded remote storage
- Top LED control panel to quickly view settings
- Back light highlights the logs, barks and ember bed beauty
- Brick liners for increased realism

Hassle free installation, operation and maintenance!

- Plug and play
- Easy to carry handles
- No bulbs to replace
- Remote allows independent adjustment of heat, flames and ember bed with four settings each: high, medium, low or off



CGEF32D Shown with W32D0 mantel

Comfort flame[™]
by FMI PRODUCTS, LLC

Electric Fireplaces

New LED patented flame!

32" Full-Size Electric

- Convenient embedded remote storage
- Top LED control panel to quickly view settings
- Back light highlights the logs, barks and ember bed beauty
- Brick liners for increased realism

PRODUCT SPECIFICATIONS – Check website (www.fmiproducts.com) for latest product specifications.

FIREPLACE	MODEL #	SIZE	DESCRIPTION	BTU OUTPUT	SHIPPING WEIGHT
23" MINI ELECTRIC FIREPLACE	CGEF23B	23"	Mini Electric Fireplace with Heater, LED Flame, Glass Front, and Remote Control	5,000	38 lbs.
26" COMPACT ELECTRIC FIREPLACE	CGEF26B	26"	Compact Electric Fireplace with Heater, LED Flame, Glass Front, and Remote Control	5,000	60 lbs.
32" FULL-SIZE ELECTRIC FIREPLACE	CGEF32D	32"	Electric Fireplace with Heater, LED Flame, Glass Front, and Remote Control	5,000	90 lbs.
36" FULL-SIZE ELECTRIC FIREPLACE	EL36LD	36"	Electric Fireplace with Heater, LED Flame, Black Bi-Fold Glass Doors, and Remote Control	5,000 or 10,000	136 lbs.

* For cabinet mantels and other accessories, see F-16 – F-17. For product dimensions, please see F-19.



100%
Efficient

Comfort Flame[™]
by FMI PRODUCTS, LLC

Vent-Free Gas Log Heaters

A Size And Control For Every Need...

Variable Manually Controlled Models –

Allow the user to choose any heat setting and flame height they desire by simply turning a control knob.

Thermostatically Controlled Models –

The heat output and flame height modulate automatically from high to low settings, or pilot in order to maintain a consistent room temperature.

Hand-Held Remote Control Ready Models –

Optional on/off and thermostatic control kits available.



River Canyon Oak

- Three full size logs with accents
- The innovative dual slanted burner system that offers a superior glowing ember bed and dancing yellow flames.
- Light-weight fiber ceramic logs feature realistic wood texture.
- “Auto-light” push button ignition
- Includes thermostatic remote control

Heat For Pennies An Hour

Clean Burning Design Allows You To Operate The Logs Vent-Free With The Fireplace Damper Closed.

Versatile installation options install in any masonry, UL listed solid fuel burning fireplace or universal vent-free firebox certified by PFS Corporation.

MINIMUM FIREBOX SIZES			FRONT WIDTH		REAR WIDTH AT 13.5" DEPTH	
LOG SIZE	HEIGHT	DEPTH	GLOW MODELS	YELLOW FLAME MODELS	GLOW MODELS	YELLOW FLAME MODELS
18"	17"	13.5"	20"	24"	14"	20"
24"	17"	13.5"	26"	28"	18"	21"
30"	17"	13.5"	32"	34"	22"	24"

Comfort Flame[™]
by FMI PRODUCTS, LLC

Vent-Free Gas Log Heaters



White Mountain Oak

Features state-of-the-art "Turn-Down Control." No other vent-free gas log looks this good... and lets you stay cozy! You can lower heat output to 10,000 Btu so the room never overheats.

The White Mountain Oak log features a triple burner design and is packed with powerful performance including a unique 75% heat turn-down and independent burner control with multiple heat settings. This realistic three-dimensional log look features random dancing yellow flame pattern, beautiful glowing ember bed and a decorative cast iron grate.




Biltmore Split Oak

- Full size logs with accents
- Dual burner provides dancing yellow flames, even at the lowest settings
- Concrete logs feature deep bark texture and realistic split areas

Seasonal Oak

- Four full-size logs with accents
- Single burner provides dancing yellow flames
- 4 unique log arrangements – a look for each season



PRODUCT SPECIFICATIONS – Check website (www.fmiproducts.com) for latest product specifications.

RIVER CANYON OAK MODELS – SUPER GLOW WITH YELLOW FLAME DESIGN – CERAMIC FIBER LOGS

LOG SIZE	FUEL TYPE	MODEL #	HEATING SETTING (BTU/HR.)		AVG. LENGTH OF OPERATION W/ 100 LB. PROPANE TANK		HEATING CAPACITY (SQ. FT)	CARTON DIMENSIONS (WxHxD)	SHIPPING WEIGHT
			LOW	HIGH	ON LOW SETTING	ON HIGH SETTING			
REMOTE CONTROLLED MODELS									
24"	Natural Gas Propane/LP Gas	CRB3624NRA CRB3624PRA	25,000	36,000	87+ hrs.	60+ hrs.	1,200	26" x 21 1/4" x 14"	34 lbs.

WHITE MOUNTAIN OAK MODELS – SUPER GLOW DESIGN – CERAMIC FIBER LOGS

LOG SIZE	FUEL TYPE	MODEL #	HEATING SETTING (BTU/HR.)		AVG. LENGTH OF OPERATION W/ 100 LB. PROPANE TANK		HEATING CAPACITY (SQ. FT)	CARTON DIMENSIONS (WxHxD)	SHIPPING WEIGHT
			LOW	HIGH	ON LOW SETTING	ON HIGH SETTING			
THERMOSTATICALLY CONTROLLED MODELS									
24"	Natural Gas Propane/LP Gas	CSG3924NTB CSG3924PTB	25,000	36,000	87+ hrs.	60+ hrs.	1,300	26" x 22 3/4" x 14"	36 lbs.
REMOTE READY MODELS			LOW	HIGH	ON LOW SETTING	ON HIGH SETTING	HEATING CAPACITY (SQ. FT)	CARTON DIMENSIONS (WxHxD)	SHIPPING WEIGHT
24"	Natural Gas Propane/LP Gas	CSG3924NRC CSG3924PRC	14,000	36,000	156+ hrs.	60+ hrs.	1,300	26" x 22 3/4" x 14"	36 lbs.

BILTMORE SPLIT OAK MODELS – YELLOW FLAME DESIGN – CONCRETE LOGS

LOG SIZE	FUEL TYPE	MODEL #	HEATING SETTING (BTU/HR.)		AVG. LENGTH OF OPERATION W/ 100 LB. PROPANE TANK		HEATING CAPACITY (SQ. FT)	CARTON DIMENSIONS (WxHxD)	SHIPPING WEIGHT
			LOW	HIGH	ON LOW SETTING	ON HIGH SETTING			
THERMOSTATICALLY CONTROLLED MODELS									
18"	Natural Gas Propane/LP Gas	CCL3018NTA CCL3018PTA	16,000	30,000	137+ hrs.	73+ hrs.	1,000	22 1/4" x 21 1/4" x 14"	61 lbs.
24"	Natural Gas Propane/LP Gas	CCL3924NTA CCL3924PTA	20,000	39,000	109+ hrs.	56+ hrs.	1,300	26" x 21 1/4" x 14"	66 lbs.
REMOTE READY MODELS			LOW	HIGH	ON LOW SETTING	ON HIGH SETTING	HEATING CAPACITY (SQ. FT)	CARTON DIMENSIONS (WxHxD)	SHIPPING WEIGHT
24"	Natural Gas Propane/LP Gas	CCL3924NRA CCL3924PRA	20,000	39,000	109+ hrs.	56+ hrs.	1,300	26" x 21 1/4" x 14"	66 lbs.
30"	Natural Gas Propane/LP Gas	CCL3930NRA CCL3930PRA	20,000	39,000	109+ hrs.	56+ hrs.	1,300	30 1/4" x 21 1/4" x 14"	70 lbs.

SEASONAL OAK MODELS – YELLOW FLAME DESIGN – CONCRETE LOGS


LOG SIZE	FUEL TYPE	MODEL #	HEATING SETTING (BTU/HR.)		AVG. LENGTH OF OPERATION W/ 100 LB. PROPANE TANK		HEATING CAPACITY (SQ. FT)	CARTON DIMENSIONS (WxHxD)	SHIPPING WEIGHT
			LOW	HIGH	ON LOW SETTING	ON HIGH SETTING			
VARIABLE MANUALLY CONTROLLED MODELS									
18"	Natural Gas Propane/LP Gas	CRL2718NA CRL2718PA	16,000	27,000	137+ hrs.	81+ hrs.	925	22 1/4" x 21 1/4" x 14"	48 lbs.
24"	Natural Gas Propane/LP Gas	CRL3124NA CRL3124PA	16,000	31,500	137+ hrs.	69+ hrs.	1,050	26" x 21 1/4" x 14"	52 lbs.

* See page 17 for Gas Log Heater Accessories.

FIREPLACE HOOD AND LOG ACCESSORIES

A fireplace hood accessory may be required to deflect heat away from the mantel shelf. Fits fireplace openings from 28" to 48" wide. Installs easily with glass doors or to the lintel of the fireplace opening. Refer to owners manual for more details.

Optional Decorative Ash Bed/Control Cover Kit includes five log pieces featuring realistic bark, split and charred areas plus a matching control cover.





Comfort Flame[™]
by FMI PRODUCTS, LLC

32" Vent-Free Fireboxes

Your vent-free firebox can be placed against a wall by using one of the optional mantels.

Create Your Own Vent-Free Gas Fireplace



+



+



=



Oakridge

CGFB32CC

Shown with custom mantel

Easy And Inexpensive to Install

- No chimney or venting required
- Install against or recess into any wall accessible to a gas line
- As low as 1/3 the cost of wood burning fireplace

† See Page 16 for cabinet mantels

Great Value... Firebox Features:

- Full size zero-clearance 32" firebox
- Fiber ceramic brick liner
- Black hood
- Wire mesh fireplace screen
- Vent-free gas logs must be purchased separately





32" Vent-Free Fireboxes

Your vent-free firebox can be placed against a wall by using one of the optional mantels.

Pair Your Firebox* With A Comfort Flame Vent-Free Gas Log**

*All Comfort Flame Fireboxes are approved as Universal Fireboxes and can be paired with any manufacturer's ANSI Z21.11.2 approved vent-free gas log (physical size limitations apply).

36" Fireboxes can be paired with any size Comfort Flame log. The 32" Firebox will accept any 18" or 24" model.

** All Logs Sold Separately.



CGFB32CC



WHITE MOUNTAIN OAK LOGS
RIVER CANYON OAK LOGS



SEASONAL OAK LOGS



BILTMORE SPLIT OAK LOGS





Cumberland

Comfort Flame[™]
by FMI PRODUCTS, LLC

36" Vent-Free Fireboxes

Your vent-free firebox can be placed against a wall by using one of the optional mantels.




CUVF36C

CUVF36C Shown with custom mantel and Biltmore Split Oak Logs (Sold separately)

Great Value... Firebox* Features:

- Zero-clearance firebox
- Herringbone fireplace brick liner
- Black hood
- Wire mesh fireplace screen
- Optional mantels with brass trim featuring full hearth base available
- Vent-free gas logs must be purchased separately



SHOWN RECESSED

Upgradeable Louver, Panel and Trim Options

Customize your firebox with black, brushed brass, polished brass, or platinum finished louver, filigree panel and perimeter trim options. Smooth face panel available for custom installation. See Page 16 & 17 for accessories.

*All Comfort Flame Fireboxes are approved as Universal Fireboxes and can be paired with any manufacturer's ANSI Z21.11.2 approved vent-free gas log (physical size limitations apply). 36" Fireboxes can be paired with any size Comfort Flame vent-free log. The 32" Firebox will accept any 18" or 24" model.

PRODUCT SPECIFICATIONS – Check website (www.fmiproducts.com) for latest product specifications.

FIREBOX	MODEL #	SIZE	DESCRIPTION	SHIP. WEIGHT
32" FIREBOX = 18" OR 24" LOG	CGFB32CC	32"	Circulating Louvered Firebox includes Black Hood, Red Concrete Brick Liner and Wire Mesh Fireplace Screen	63 lbs.
36" FIREBOX = 24" or 30" LOG	CUVF36C	36"	Circulating Louvered Firebox includes Black Hood, Herringbone Brick Liner and Floor, Wire Mesh Fireplace Screen, Duplex Outlet	184 lbs.
42" FIREBOX = 24" or 30" LOG	CUVF42C	42"	Circulating Louvered Firebox includes Black Hood, Herringbone Brick Liner and Floor, Wire Mesh Fireplace Screen, Duplex Outlet	224 lbs.

* For product dimensions, please see F-19. Please see F-16 for blower accessories.

ComfortFlame[™]
by FMI PRODUCTS, LLC

Vent-Free Fireplace Systems


Includes:

- Zero-clearance firebox
- High efficiency vent-free logs
- 10,000 Btus
- Ideal for bedroom
(Check local codes)

Chelsea



MINI FIREPLACE SYSTEM
CGMFN/CGMFP Shown with W21T0 Mantel



Easy & Inexpensive to Install

- No chimney or venting required
- Heater may be recessed or paired with a cabinet or corner mantel and base.

Easy Economical Heat... Even During Power Outages

- Requires no electricity to operate
- Optional cabinet and corner mantels feature a hearth base

Brookhill



SINGLE COMPACT FIREPLACE SYSTEM
CGCFTNA/CGCFTPA Shown with custom mantel



Vent-Free Fireplace Systems

Add a Compact Fireplace System to Your Home Instantly!

- Thermostatically controlled; modulates flames and heat output automatically
- Provides 3 times more heat than vented gas logs or wood

Concord



DUAL COMPACT FIREPLACE SYSTEM
CDCFNRB/CDCFPRB Shown with custom mantel



Great Value... System Comes Complete

- Zero-clearance firebox
- High efficiency vent-free logs
- Thermostatic controls modulate flames and heat output automatically
- Can be operated with optional hand-held remotes
- Optional mantels with black trim featuring full hearth base available
- Deeper firebox features larger viewing area with two levels of dancing yellow flames


† See Pages 16 for cabinet mantels



Remote Control Vent-Free 32" Gas Fireplace Systems

Remote Control Fireplace System Includes:

- Zero-clearance firebox
- Vent-free gas logs
- Hand-held thermostatic remote control



Westerly



REMOTE CONTROL VENT-FREE FIREPLACE - CGEFP33NRC/CGEFP33PRC Shown with custom mantel

The remote senses the room temperature and modulates the flame to maintain the room to your comfort level.





CGCFTNA/CGCFTPA Shown with custom mantel

Comfort Flame[™]
by FMI PRODUCTS, LLC

Vent-Free Fireplace Systems



PRODUCT SPECIFICATIONS – Check website (www.fmiproducts.com) for latest product specifications.

MODEL #	FUEL TYPE	OPERATION	GAS CONNECTION	HEAT (BTU/HR) LOW TO HIGH	AVG. LENGTH OF OPERATION W/ 100 LB. PROPANE CYLINDER	PRODUCT DIMENSIONS (WxHxD)	SHIPPING WEIGHT
21" MINI FIREPLACE SYSTEM							
CGMFN	Natural	Manual	3/8" Female Flare	10,000	N/A	20 1/2" x 23 3/4" x 10 1/2"	35 lbs.
CGMFP	Propane/LP				215+ hrs.		
26" COMPACT FIREPLACE SYSTEM							
SINGLE BURNER							
CGCFTNA	Natural	Thermostat	3/8" Female Flare	14,000 to 26,000	N/A	26" x 25 1/2" x 8 1/4"	40 lbs.
CGCFTPA	Propane/LP				154+ hrs. on low/83+ hrs. on high		
DUAL BURNER							
CDCFNRB	Natural	Remote Control Ready	3/8" Female Flare	17,000 to 26,000	N/A	26" x 25 1/2" x 13"	57 lbs.
CDCFPRB	Propane/LP				127+ hrs. on low/83+ hrs. on high		

MODEL #	DESCRIPTION	FUEL TYPE	COMFORT SETTING	BTU OUTPUT	GAS CONNECTION	PRODUCT DIMENSIONS (WxHxD)	SHIPPING WEIGHT
32" FIREPLACE SYSTEM							
CGEFP33NRC	Zero-Clearance Firebox with Yellow Flame Gas Logs Featuring Pro Flame Thermostatic Remote (included)	Natural	From Low to High	20,000 to 33,000	3/8" Female Flare	Outside Firebox 34 3/8" x 32 1/4" x 16 1/2"	122 lbs.
CGEFP33PRC		Propane/LP					

* See page 17 for Fireplace System Accessories.

For specifications on all Comfort Flame fireplaces, see the Fireplace Planning Guide, F-19.



Mantels and Accessories

26" Face Kits for Units pg F-15



DFK26P1

Victorian Design

Finishes: Platinum (shown),
Hammered Copper




DFK26C2

Classic Design

Finishes: Platinum,
Hammered Copper (shown)

Perimeter Trim



**TRADITIONAL DESIGN
UNFINISHED OAK STAIN**



**GEORGIAN DESIGN
MEDIUM OAK STAIN**



**CLASSIC DESIGN
DARK OAK STAIN**

MODEL #	DESCRIPTION
W21TO	21" Wall Mantel, Medium Oak Stain, Traditional Design
C21TO	21" Corner Mantel, Medium Oak Stain, Traditional Design
W21TP	21" Wall Mantel, White, Traditional Design
C21TP	21" Corner Mantel, White, Traditional Design

MODEL #	DESCRIPTION
W26TU	26" Wall Mantel, Unfinished, Traditional Design
C26TU	26" Corner Mantel, Unfinished, Traditional Design
W26TO	26" Wall Mantel, Medium Oak Stain, Traditional Design
C26TO	26" Corner Mantel, Medium Oak Stain, Traditional Design
W26GO	26" Wall Mantel, Medium Oak Stain, Georgian Design
C26GO	26" Corner Mantel, Medium Oak Stain, Georgian Design

MODEL #	DESCRIPTION
W32TU	32" Wall Mantel, Unfinished, Traditional Design
C32TU	32" Corner Mantel, Unfinished, Traditional Design
W32TO	32" Wall Mantel, Medium Oak Stain, Traditional Design
C32TO	32" Corner Mantel, Medium Oak Stain, Traditional Design
W32CO	32" Wall Mantel, Dark Oak Stain, Classic Design
C32CO	32" Corner Mantel, Dark Oak Stain, Classic Design
W32GO	32" Wall Mantel, Medium Oak Stain, Georgian Design
C32GO	32" Corner Mantel, Medium Oak Stain, Georgian Design
W32DO	32" Wall Mantel, Medium Oak Stain, Traditional/Dentil Design

MODEL #	DESCRIPTION
W36TU	36" Wall Mantel, Unfinished, Traditional Design
C36TU	36" Corner Mantel, Unfinished, Traditional Design
W36TO	36" Wall Mantel, Medium Oak Stain, Traditional Design
C36TO	36" Corner Mantel, Medium Oak Stain, Traditional Design

* All mantels come with a base & include black perimeter trim.

** All products require some assembly.

Remote Controls



CMRC



CTRC

BK Blower



**Variable Speed,
Magnetic Manual Control**

PRODUCT SPECIFICATIONS – Check website (www.fmiproducts.com) for latest product specifications.

MODEL #	DESCRIPTION	PRODUCT DIMENSIONS (WXHxD)	SHIPPING WEIGHT
GAS LOG HEATER ACCESSORIES			
GA6050	Black Fireplace Hood	4" x 28" to 48"	5.25 lbs.
GA6053	Brushed Brass Fireplace Hood	4" x 28" to 48"	5.25 lbs.
GA6060	Volcanic Rock (Order when additional rock is desired)	N/A	2 lbs.
CMRC	Receiver and Hand-Held On/Off Remote Control Kit	N/A	2 lbs.
CTRC	Receiver and Hand-Held Thermostat Remote Control Kit	N/A	8 lbs.
CDABKA	Decorative Ash Bed/Control Cover Kit	N/A	18 lbs.
CIKA	Gas Appliance Installation Kit	N/A	2 lbs.
GWMT1	Thermostat Wall Switch	N/A	1 lb.
MODEL #	DESCRIPTION	PRODUCT DIMENSIONS (WXHxD)	SHIPPING WEIGHT
26" COMPACT FIREPLACE SYSTEM ACCESSORIES			
SINGLE AND DUAL BURNER ACCESSORIES			
DFK26P1	Compact Face Kit, Platinum Finish, Victorian Design	N/A	5 lbs.
DFK26C1	Compact Face Kit, Hammered Copper Finish, Victorian Design	N/A	5 lbs.
DFK26P2	Compact Face Kit, Platinum Finish, Classic Design	N/A	5 lbs.
DFK26C2	Compact Face Kit, Hammered Copper Finish, Classic Design	N/A	5 lbs.
GAB6094	3-Piece Firebox Perimeter Black Trim (Covers Unfinished Edges Around Firebox)	N/A	2 lbs.
GAP6094	3-Piece Firebox Platinum Perimeter Trim (Covers Unfinished Edges Around Firebox)	N/A	2 lbs.
GA6095	4-Piece Firebox Perimeter Brass Trim (For Recessed Installations, Covers Unfinished Edges Around Firebox)	N/A	2 lbs.
GA3450TA	Thermostatically Controlled Blower	N/A	2 lbs.
CIKA	Gas Appliance Installation Kit	N/A	2 lbs.
LPA6100	Two-Stage LP Regulator with Cover	N/A	2 lbs.
DUAL BURNER ACCESSORIES ONLY			
HFL200	Dual Burner Compact Fireplace Brick Liner, Standard Brick Pattern (Aged Almond)	N/A	6 lbs.
HFL201	Dual Burner Compact Fireplace Brick Liner, Standard Brick Pattern (Aged Red)	N/A	6 lbs.
GWMT1	Thermostat Wall Switch		
GWMS2	Wall Mount On/Off Switch		
32" FIREPLACE SYSTEM ACCESSORIES			
PT32	32" Perimeter Trim Kit - Black	N/A	2 lbs.
PT32B	32" Perimeter Trim Kit - Brushed Brass	N/A	2 lbs.
PT32P	32" Perimeter Trim Kit - Platinum	N/A	2 lbs.
HFL300	Fireplace Brick Liner, Stacked Brick Pattern, Off White	N/A	6 lbs.
HFL301	Fireplace Brick Liner, Stacked Brick Pattern, Red	N/A	6 lbs.
HFL310	Fireplace Brick Liner, Herringbone Pattern, Off White	N/A	6 lbs.
HFL311	Fireplace Brick Liner, Herringbone Pattern, Red	N/A	6 lbs.
GA3650TB	Blower, Thermostatically Controlled	N/A	5 lbs.
GA3750A	Blower, Variable Speed	N/A	5 lbs.
GA3555	Outlet Kit w/ Cover (For Hard Wiring Blower in Recessed Fireplaces)	N/A	2 lbs.
CIKA	Gas Appliance Installation Kit	N/A	2 lbs.
LPA6100	Two-Stage LP Regulator with Cover	N/A	2 lbs.
MODEL #	DESCRIPTION	PRODUCT DIMENSIONS (WXHxD)	SHIPPING WEIGHT
32" FIREBOX ACCESSORIES			
PT32	32" Perimeter Trim Kit - Black	N/A	2 lbs.
PT32B	32" Perimeter Trim Kit - Brushed Black	N/A	2 lbs.
PT32P	32" Perimeter Trim Kit - Platinum	N/A	2 lbs.
SP32	32" Smooth Faced Panel Kit - Black	N/A	5 lbs.
FP32	32" Filigree Panel Kit - Black	N/A	5 lbs.
FP32B	32" Filigree Panel Kit - Brushed Brass	N/A	5 lbs.
FP32P	32" Filigree Panel Kit - Platinum	N/A	5 lbs.
36" FIREBOX ACCESSORIES			
BK	On/Off Manual (Squirrel Cage) Blower	N/A	5 lbs.
FP36	Custom 36" Black Filigree Panel Kit	N/A	5 lbs.
FP36B	Custom 36" Brushed Brass Filigree Panel Kit	N/A	5 lbs.
FP36P	Custom 36" Platinum Filigree Panel Kit	N/A	5 lbs.
SP36	36" Clean Face Panel	N/A	5 lbs.
PT36	36" Perimeter Trim, Black	N/A	3 lbs.
PT36B	36" Perimeter Trim, Brushed Brass	N/A	3 lbs.
PT36P	36" Perimeter Trim, Platinum	N/A	3 lbs.
42" FIREBOX ACCESSORIES			
BK	On/Off Manual (Squirrel Cage) Blower	N/A	5 lbs.
FP42	Custom 42" Black Filigree Panel Kit	N/A	5 lbs.
FP42B	Custom 42" Brushed Brass Filigree Panel Kit	N/A	5 lbs.
FP42P	Custom 42" Platinum Filigree Panel Kit	N/A	5 lbs.
SP42	42" Clean Face Panel	N/A	5 lbs.
PT42	42" Perimeter Trim, Black	N/A	3 lbs.
PT42B	42" Perimeter Trim, Brushed Brass	N/A	3 lbs.
PT42P	42" Perimeter Trim, Platinum	N/A	3 lbs.



Cast Iron Stoves

The Newcastle is patterned after an American style stove popular in the early to mid 1800's. It features dual operating doors for an open fireplace look.


- Thermostat control automatically modulates the heat output and flame height from 16,000 to 30,000 Btu, in order to maintain a consistent room temperature.
- Heats up to 1,000 square feet.

Newcastle



**Low Cost Installation...
No Venting Required**

**Beautiful stove that can be installed virtually anywhere...
Easily & Inexpensively!**



**The pedestal stove offers beautiful styling....
a bayfront stove body with accent trim,
realistic logs and active yellow flames.**


PRODUCT SPECIFICATIONS – Check website (www.fmiproducts.com) for latest product specifications.

MODEL #	DESCRIPTION		PRODUCT DIMENSIONS (WxHxD)	SHIPPING WEIGHT
CISB*	Cast Iron Stove, Flat Black Finish		26 7/8" x 28" x 18 1/2"	198 lbs.
CISAW*	Cast Iron Stove, Antique White Finish		26 7/8" x 28" x 18 1/2"	198 lbs.
CISNI*	Cast Iron Stove, Natural Iron Finish		26 7/8" x 28" x 18 1/2"	198 lbs.
CISAS*	Cast Iron Stove, Aged Silver Finish		26 7/8" x 28" x 18 1/2"	198 lbs.
MODEL #	FUEL TYPE	DESCRIPTION	HEAT (BTU/HR) LOW TO HIGH	SHIPPING WEIGHT
SVYD18NRA	Natural Gas	Burner System for Cast Iron Stove, Vent-Free, Natural Gas	24,000 to 35,000	45 lbs.
SVYD18PRA	Propane	Burner System for Cast Iron Stove, Vent-Free, Propane	21,000 to 31,000	45 lbs.
MODEL #	DESCRIPTION		HEAT (BTU/HR) LOW TO HIGH	SHIPPING WEIGHT
CIKA	Gas Appliance Installation Kit		N/A	2 lbs.
LP6100	Two-Stage LP Regulator with Cover		N/A	2 lbs.


* No Blowers Available.



Fireplace Planning Guide




Mini
CGMFN/CGMFP




Single Burner Compact
CGCFTNA/CGCFTPA

GAS




Dual Burner Compact
CDCFNRB/CDCFPRB




32"
CGEFP33NRC/CGEFP33PRC

FIREBOXES




32"
CGFB32CC




36"
CUVF36C


ELECTRIC



Mini
CGEF23B



Compact
CGEF26B



32"
Full-Size
CGEF32D

All measurements are estimates.

Check actual products for size.


Electric Fireplaces

Page
4-5



Vent-Free Gas Log Heaters

Page
6-8



Vent-Free Fireboxes

Page
9-11



Vent-Free Fireplace Systems

Page
12-15



Vent-Free Gas & Electric Hearth Products

Mantels & Accessories

Page
16-17



Vent-Free Gas Stoves

Page
18



IMPORTANT

Installation must be done by qualified service persons.
 Read Owner's Manual before using.
 Check local codes and ordinances for permitted uses.
 Vent-free gas products are prohibited for bedroom and bathroom installation in Massachusetts.
 All products approved for manufactured (mobile) home installation.
 We reserve the right to amend product specifications without notice.
 Operating heater at very high elevations could cause nuisance outages.
 Use with adequate air (ventilation) only. Humidifies while it heats. Provides water vapor in the area heated.
 Refer to owner's manual for specifics.
 Product cannot be converted between fuel types.
 The only warranty we offer is our standard warranty. Please read the warranty for any limitations or disclaimers.
 All parts have a limited two year warranty.
 Stainless Steel burners carry a limited five year warranty. All accessories have a one year warranty.