

Features

- Vitreous china.
- With bedpan lugs.
- 10" (254 mm) or 12" (305 mm) rough-in.
- 1-1/2" top spud.
- 11-3/8" (289 mm) x 10-3/8" (264 mm) water area.
- 2-1/4" (57 mm) passageway.
- 1.6 gpf (6 lpf).
- 26" (660 mm) x 14-1/2" (368 mm) x 16-1/2" (419 mm).

Recommended Accessories

- K- 4670-C Commercial Toilet Seat
- K- 4670-CA Commercial Toilet Seat
- K- 10674 Wave DC 1.6 GPF WC Flushometer
- K- 10957 Tripoint™ DC 1.6 GPF WC Flushometer
- K- 13516 Manual 1.6 GPF WC Flushometer

Components

Additional included component/s: Spud, and Bolt cap accessory pack.



ADA CSA B651 OBC

Codes/Standards ASME A112.19.2/CSA B45.1

DOE - Energy Policy Act 1992 ADA ICC/ANSI A117.1 CSA B651 OBC

KOHLER® One-Year Limited Warranty

See website for detailed warranty information.

Available Color/Finishes

Color tiles intended for reference only.

Color Code Description


- 0 White
- 96 Biscuit
- 47 Almond



Highcrest[™] Bowl K-4302-L



Highcrest[™] Bowl K-4302-L



Technical Information

All product dimensions are nominal.

Bowl shape:	Elongated front
Flush type:	Siphon jet
Spud size:	1-1/2", Inlet, Top
Trap passageway:	2-1/4" (57 mm)
Water surface size:	11-3/8" x 10-3/8" (289 mm x 264 mm)
Rim to water surface:	6" (152 mm)
Rough-in:	10" or 12" (254 or 305 mm)
Seat-mounting holes:	5-1/2" (140 mm)

Fixture Supply Requirements

Min static pressure:	35 psi (241.3 kPa)
Max static pressure:	80 psi (551.6 kPa)
Min flow rate:	25 gpm (94.6 lpm)

Notes

Install this product according to the installation guide.

Refer to manufacturer and local codes for flush valve requirements.

For back-to-back toilet installations: Use only a 45° double wye fitting.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

The Model Plumbing Codes require the installation of elongated open-front toilet seats on public bathrooms.

