

MODEL BDQ DRAIN VALVE QUARTER-TURN BALL TYPE

35-300 SERIES				
Contractor:				
P.O. Number:				
Representative:				
Wholesale Distributor:				
	Contractor: P.O. Number: Representative:			

DESCRIPTION

The Apollo International[®] Model BDQ drain valve features a chrome plated forged brass body and cast aluminum handle for corrosion resistance and long lasting service. The new 45° spout design allows for easier hose connection access. The heavy pattern design with optimized flow passage is ideal for boiler and tank drains and quick dispensing or drainage applications.

RATINGS

Maximum Pressure 200 psig (13.7 bar) Maximum Temperature 250° F (121°C)


Part Name	Material
Acorn Nut	ASTM B16 Brass, Chrome Plated
Handle	Cast Aluminum, Yellow Epoxy
Body	ASTM B124 Brass C37700 Chr Plt
Ball	ASTM B124 Brass C37700 Chr Plt
Seat	PTFE
O-ring	EPDM
Stem	ASTM B16 Brass

MATERIAL SPECIFICATIONS



DIMENSIONS

Model	Part	Size	"A"	Wt.
Number	Number	(in.)	(in.)	(Lb)
BDQ-12	3530103	1/2	1-1/2	.38
BDQ-34	3530203	3/4	1-3/4	.45



Conbraco Industries, Inc. 701 Matthews Mint Hill Rd. Matthews NC 28105 USA; www.apollovalves.com ; 704-841-6000

Conbraco Industries can accept no responsibility for possible errors in this document and reserves the right to alter its product design or construction without notice and without incurring any obligation to make such changes on Conbraco products previously or subsequently sold. All product specifications are approximate and are provided for reference only.