

Westwood



- Exact Replacement for popular CAST IRON top filters
- Heavy gage canister with EPOXY COATING on the inside FIRST in the industry!
- UL GPH and pressure ratings EXCEED comparable OEM filters
- 360° screwdriver slot makes disassembly for element changing easy







COMPLETE CAST IRON TOP FILTERS with EPOXY coated canister

W P No.	Element Type	GPH	PSI	Exact Replacement for:
F20 F25	Pure-Oil [™] CLASSIC FELT [™]	17	52	General 1A-25A
F65 F70	Pure-Oil [™] CLASSIC FELT [™]	32	52	General 2A-700A

All filters have 3/8"- NPT pipe connections



UL Recognized CANISTER UPGRADE KITS on page F11
Individual FILTER GASKETS on page F10

Please order by W P No.


F1


Westwood

HIGH CAPACITY CAST IRON TOP FUEL FILTERS




- UL GPH and pressure ratings EXCEED comparable OEM filters
- 360° screwdriver slot makes disassembly for element changing easy
- BIG GUY[™] element holds twice as much as standard elements





COMPLETE CAST IRON TOP FILTERS with EPOXY coated canister



All filters have 3/8"- NPT pipe connections




UL Recognized CANISTER UPGRADE KITS on page F11 Individual FILTER GASKETS on page F10

Please order by P No

Westwood

the NEW industry leader in Spin-Ons!





Please order by P No. rev. 6-4-07

All Westwood Spin-On filters and replacement elements are either UL Listed or UL Recognized Components

All Spin-On filters have 3/8"-NPT pipe connections and a 1/8"-NPT bleeder/gauge port

RESIDENTIAL - 17 GPH, 40 PSI, 10 Micron





No. F100
Complete Filter





No. F100-2
Complete Filter with bracket kit





No. F100-4
Complete Filter with
bleeder fitting and FLi





No. F100-6
Complete Filter with

bracket kit, bleeder fitting and **FLi**™ gauge



biofuels

COMPATIBLE



₩ No. F100-10

Replacement Element, individually boxed with "O" ring

COMMERCIAL - 37 GPH, 20 PSI, 30 Micron





No. F100-1





No. F100-3
Complete Filter with bracket kit





No. F100-5

Complete Filter with bleeder fitting and FLi

gauge





No. F100-7
Complete Filter with bracket kit, bleeder fitting

and **FLi**™ gauge





No. F100-11
Replacement Element, individually boxed with "O" ring

SPIN-ON PARTS & ACCESSORIES



No. F100-8
Replacement filter top only with holes for bracket



No. F100-12

Mounting bracket Kit
(includes screws)



No. F100-14
FLi™ (Filter Life Indicator)
color coded vacuum gauge

1/8"- NPT

Standard 8-32
bleed screw
with gasket

1/8"- NPT

No. F100-16
Gauge mount and bleeder fitting (allows filter bleeding without removing gauge)



No. F100-18 Spin-On filter wrench (fits all popular filters)

Need help identifying what you need? See cross reference on next page.

SPIN-ON CROSS REFERENCE - Westwood to others							
P No.	Description	Gar-Ber	Sid Harvey (Mitco)	Crown			
F100	Filter - Residential	11V-R	290, 264-SO	41439			
F100-1	Filter - Commercial	-	292-2, 264-92	-			
F100-2	Filter - Residential w/bracket	11BV-R	-	-			
F100-3	Filter - Commercial w/bracket	11BV-M	292-2B, 264-92B	-			
F100-4	Filter - Residential w/gauge	11V-RK	-	-			
F100-5	Filter - Commercial w/gauge	-	292-2G, 264-92G	-			
F100-6	Filter - Residential w/bracket & gauge	11BV-RK	-	-			
F100-7	Filter - Commercialw/bracket & gauge	11BV-MK	292-2GB, 264-92GB	-			
F100-8	Replacement spin-on filter top only	-	290-SO, 290-SOM	-			
F100-10	Spin-On element only - Residential	R	290-6, 264-91	41436			
F100-11	Spin-On element only - Commercial	M	292-1, 264-93	-			
F100-14	Filter Life Indicator (FLI) color coded vac guage, 1/8"-NPT	F.R.I.	-	-			
F100-16	Gauge mount and bleeder fitting	-	-	-			
F100-18	Spin-on filter wrench	-	-	-			

This cross-reference is provided as an aid in identifying which Westwood part numbers most closely replace those part numbers shown. It was accurate at the time it was created, to the extent that the information was publically available. Since manufacturers may sometimes change specs or discontinue products altogether, some inaccuracies may develop over time. Further, the Westwood parts shown will provide an equivelant, or superior, level of performance and service. However, due to differences among manufacturers, physical size and dimensions may vary.



FILTER LIFE INDICATOR GAUGE AND FITTINGS


The **FLi**[™] gauge is a color coded vacuum gauge that predicts filter life by showing the running vacuum as the filter loads up. The fittings may also be used as a diagnostic tool wherever a gauge needs to be inserted into the system.














Piping: 3/8" Copper Use at: Pump, OSV, Tigerloop



No. F100-60

Piping: 3/8" Copper Use at: Filter



No. F100-70

Piping: Flexible oil Line Use at: Pump, OSV, Tigerloop



No. F100-80

Piping: Buderus flexible oil line between Tigerloop and pump inlet port



No. F100-85

System Piping

Piping: Buderus fle. oil line between pu return port and Tige.

exible ump erloop	<u> </u>
	ically lled At
•	V, Tigerloop V, Tigerloop
Filter Pump, OS	V, Tigerloop

l ——			
F100-14	FLi ™ Filter Life Indicator color coded gauge, 1/8″-NPT	-	-
F100-50	FLi [™] fitting, 3/8" flare x 1/4"- NPT(M)	3/8" OD Copper	Pump, OSV, Tigerloop
F100-55	F100-50 fitting with FLi ™ gauge	3/8" OD Copper	Pump, OSV, Tigerloop
F100-60	FLi [™] fitting, 3/8" flare x 3/8"- NPT(M)	3/8" OD Copper	Filter
F100-65	F100-60 fitting with FLi ™ gauge	3/8" OD Copper	Filter
F100-70	FLi [™] fitting, 1/4"- NPT(F) x 1/4"- NPT(M)	Flexible Oil Line	Pump, OSV, Tigerloop
F100-75	F100-70 fitting with FLi ™ gauge	Flexible Oil Line	Pump, OSV, Tigerloop
F100-80	FLi [™] fitting, 3/8"- BSPP* x 1/4"- NPT(M), with FLi [™] gauge	Buderus Oil Line	Tigerloop to pump
F100-85	Buderus-Tigerloop pump return fitting, 3/8"- BSPP* x 1/4"- NPT(M)	Buderus Oil Line	Pump to Tigerloop

^{*}BSPP = British Standard Pipe Parallel. The thread used on Buderus flexible oil lines.

Description


Please order by P No.

Westwood

SECONDARY FILTRATION ASSEMBLIES

Fully assembled filter assemblies combining Westwood's premium cast iron top filters with Westwood's ultra fine spin-on filter. Connected in series, the **PRIMARY** filter catches most contamination; the **SECONDARY** filter traps the small nozzle plugging particles. All filters used in the secondary filtration assemblies are UL Listed.












W No.	Primary	Primary	Secondary	Secondary
	Filter No.	Element	Filter No.	Element
F20-100 F65-100 F80-100	F20 F65 F80	Pure-Oil [™]	F100 F100 F100	10 micron spin-on




All filters have 3/8"- NPT pipe connections



UL Recognized CANISTER UPGRADE KITS on page F11 Individual FILTER GASKETS on page F10







- ► Latest Computer Designed Shape
- ► Largest surface area with most filtering ribs
- Greater capacity highest in it's class!
- ► Fiber-welded for shed free performance
- Environmentally friendly processed plant fiber
- ▶ Popular elements UL Recognized Components

The Most Advanced Design...
With the Most Advanced Material!



W _P No.	Reference No.	Description	Fits	QTY PKG
F10-48*	PA-25	Pure-Oil [™] Individually bagged with gaskets	General 1A-25A; Unifilter 77;	48
F30-24*	-	Pure-Oil [™] Individually bagged with gaskets	Westwood F10, F12, F15, F20, F25; Sid Harvey (Mitco) 264, 264F General 2A-700A; Unifilter 99; Westwood F30, F32, F35, F65, F70; Sid Harvey (Mitco) 265, 265F	24
F80-24*	-	Pure-Oil [™] BIG GUY [™] Ind. bag w/gaskets	Fulflo FB4; Westwood F80, F84	24
F80-30*	-	Pure-Oil [™] bulk packed less gaskets	Fulflo FB4; Westwood F80, F84	30
F80-36*	P4FO-IB	Pure-Oil [™] Individually boxed with gaskets	Fulflo FB4; Westwood F80, F84	36
F80-48*	-	Pure-Oil [™] Individually bagged with gaskets	Fulflo FB4; Westwood F80, F84	48
F81-10	-	Pure-Oil [™] Individually bagged with gaskets	Fulflo FB6	10
F82-6	-	Pure-Oil [™] Individually bagged with gaskets	Fulflo FB8	6
F83-4	-	Pure-Oil [™] Individually bagged with gaskets	Fulflo FB10	4
F90-6*	-	Pure-Oil [™] Individually bagged with gaskets	Firomatic C-40 (RC-20)	6
F90-12*	-	Pure-Oil [™] BIG GUY [™] Ind. bag w/gaskets	Firomatic C-40 (RC-20)	12
F90-36*	PF-20	Pure-Oil [™] Individually bagged with gaskets	Firomatic C-40 (RC-20)	36
F91-6*	-	Pure-Oil [™] Individually bagged with gaskets	Firomatic C-50 (RC-30)	6
F91-12*	-	Pure-Oil [™] BIG GUY [™] Ind. bag w/gaskets	Firomatic C-50 (RC-30)	12
F91-36*	PF-30	Pure-Oil [™] Individually bagged with gaskets	Firomatic C-50 (RC-30)	36
F92-6	-	Pure-Oil [™] Individually bagged with gaskets	Purolator PF2002	6
F92-36	PP-20	Pure-Oil [™] Individually bagged with gaskets	Purolator PF2002	36


^{*} UL Recognized Component



AS MUCH!

Individual FILTER GASKETS on page F10

F8





10 MICRON FILTER ELEMENTS

Upgrades any standard filter to the performance of a SPIN-ON!



- ▶ 10 Micron rating for super fine filtration
- ► Same type element as used in Spin-Ons
- ► Advanced collapse-proof design
- ▶ UL Recognized Component







No. **F12-12**

№No. **F32-12**


W P No.	Description	Fits	QTY PKG
F12-12*	Ultra-10 [™] Indiv. bagged with gaskets	General 1A-25A; Unifilter 77; Westwood F10, F12, F15, F20, F25; Sid Harvey (Mitco) 264, 264F	12
F32-12*	Ultra-10 [™] Indiv. bagged with gaskets	General 2A-700A; Unifilter 99; Westwood F30, F32, F35, F65, F70; Sid Harvey (Mitco) 265, 265F	12


^{*} UL Recognized Component




STACKED SEGMENT ELEMENTS















№ No. **F15-36, -48**

₩_{No.} **F35-12, -24**

W P No.	Reference No.	Description	Fits	QTY PKG
F15-36*	A025	CLASSIC FELT™ Indiv. boxed with gaskets	General 1A-25A; Unifilter 77; Westwood F10, F12, F15, F20, F25;	36
F15-48*	A025B	CLASSIC FELT $^{\text{\tiny{TM}}}$ Indiv. bagged with gaskets	Sid Harvey (Mitco) 264, 264F	48
F35-12*	-	CLASSIC FELT [™] Indiv. bagged with gaskets	General 2A-700A; Unifilter 99;	12
F35-24*	A070	CLASSIC FELT [™] Indiv. boxed with gaskets	Westwood F30, F32, F35, F65, F70; Sid Harvey (Mitco) 265, 265F	24

^{*} UL Recognized Component

COMMERCIAL ELEMENT for General Filters 2A-300


▶ Original Hard to find sealed can design

W No.	Reference No.	Description	Fits	QTY PKG
F75-12	AO30	Original sealed can design, individually boxed with gaskets	General 2A-300	12



No. **F75-12**

Individual FILTER GASKETS on page F10





SEE STATEMENT ON INSIDE COVER

WOUND ELEMENTS



- ► Premium quality tightly wound yarn
- ► Economical time proven design
- ► Popular elements UL Recognized

W P No.	Reference No.	Description	Fits	QTY PKG
F84-30*	4FO-30	Bulk wo/gaskets	Fulflo FB4;	30
F84-36*	4FO-IB	Boxed w/gaskets	Westwood	36
F84-48*	4FO-IBG	Bagged w/gaskets	F80, F84	48
F85-10	-	Bagged w/gaskets	Fulflo FB6	10
F85-30	6FO-30	Bulk wo/gaskets		30
F86-6	-	Bagged w/gaskets	Fulflo FB8	6
F86-30	8FO-30	Bulk wo/gaskets		30
F87-4	-	Bagged w/gaskets	Fulflo FB10	4
F87-30	10FO-30	Bulk wo/gaskets		30




No. **F84** (SERIES) for Fulflo FB4; Westwood F80, F84



No. **F86** (SERIES) for Fulflo FB8



No. **F85** (SERIES) for Fulflo FB6



No. **F87** (SERIES) for Fulflo FB10

FUEL FILTER GASKETS

UL Recognized material - Same as used in Westwood's UL Listed filters



	W P No.	Reference No.	Description / Filter Manufacturer and Model Information	Where Used	Material	QTY PKG
W Ne	F80-60 ew! 3	-	Gasket set for Fulflo FB4, FB6, FB8, FB10; Westwood F80, F84 filters; (1 ea. cover, bolt, vent), bagged	Cover Bolt Vent	Rubber Fiber Fiber	1 1 1
	F10-50 F10-52 F10-54	CG-25 BG-25 -	General 1A-25A; Unifilter 77; Westwood F10, F12, F15, F20, F25; Sid Harvey (Mitco) 264, 264F	Cover Bolt Vent	Rubber Fiber Fiber	100 100 100
	F10-55	VG-25	Westwood S-254	Vent	Fiber	100
	F30-50 F10-52 F10-54	CG-70 BG-25 -	General 2A-700A; Unifilter 99; Westwood F30, F32, F35, F65, F70; Sid Harvey (Mitco) 265, 265F	Cover Bolt Vent	Rubber Fiber Fiber	100 100 100
	F75-50 F75-56	CG-300 LG-300	General 2A-300	Cover Lower Can	Rubber Rubber	100 100
	F80-50 F80-52 F80-54	CG-B4 BG-4 VG-4	Fulflo FB4, FB6, FB8, FB10; Westwood F80, F84	Cover Nut Vent	Rubber Fiber Fiber	100 100 100
	F90-50 F90-52	CG-20 BG-20	Firomatic C-40 (RC-20), C-50 (RC-30)	Cover Bolt	Rubber Fiber	100 100
	F92-50 F92-52 F92-54	CG-2002 BG-2002 VG-2002	Purolator PF2002	Cover Bolt Vent	Rubber Rubber Fiber	100 100 100

Please order by P No.

F10

^{*} UL Recognized Component



CANISTER UPGRADE KITS*

Epoxy coated canister, element, center bolt, gasket, fiber washers



^{*} All kits contain UL Recognized Component canisters and elements

biofuels [