



Overall Product Dimensions
JFC2290VE – 35⁵/₈" w x 71⁷/₈" h x 29⁵/₈" d[†]
JFC2290VP – 35⁵/₈" w x 71⁷/₈" h x 29⁷/₈" d
JFC2290VT – 35⁵/₈" w x 71⁷/₈" h x 28¹/₈" d[‡]

72" Counter-Depth French Door Refrigerator with Internal Water Dispenser

- JFC2290VE** – 72" Style Options*: P, M
JFC2290VP – 72" Style Options*: Y, F
JFC2290VT – 72" Custom Overlay Design: B – *Does Not Include Custom Panels or Handles*

- 72-inch counter-depth design
- TriSensor™ electronic climate control
- One-hand internal water dispenser
- Glide-out freezer drawer with triple-tiered storage and SmoothClose™ drawer track system

JFC2290VE Style Options*



P Pro-Style® Stainless



M Euro-Style Stainless

JFC2290VP Style Options*



Y Black Floating Glass



F White Floating Glass



B Custom Panels and Handles

JFC2290VT Custom Overlay Design

Requires custom panels and handles, not included.
Custom panels and handles must be ordered separately from a cabinet maker or other manufacturer.



One-Hand Internal Water Dispenser

The design of this dispenser features a touch pad that allows you to use it with one hand. This creates convenient access to fresh, filtered water while maintaining the refrigerator's sleek, uninterrupted exterior.

* For cabinet color, see page 155. / † For Pro-Style® Stainless model JFC2290VEP, d = 30¹/₄". / ‡ Depth does not include custom panels and handles.



Overall Product Dimensions
35⁵/₈" w x 70¹/₈" h x 29⁷/₈" d[†]

69" Counter-Depth French Door Refrigerator with Internal Water Dispenser

- JFC2089BE** – 69" Style Options*: P, M
- TriSensor™ electronic climate control
 - MicroEtch™ spill control shelves
 - Contoured door with hidden hinge
 - Temperature-controlled Gourmet Bay™ drawer with self-opening lid and wine hold
 - Produce Preserver

Style Options*



P Pro-Style® Stainless



M Euro-Style Stainless



Add Supplemental Refrigeration Where You Need It

Built-in, flush installation for Jenn-Air® under counter refrigerators adds a stylish option and sophisticated convenience to any room of your home. Use the extra storage as a prep area for foods waiting to be cooked or to store beverages and refreshments in a home theater. Options include double-refrigerator and refrigerator/freezer drawer configurations as well as a refrigerator, beverage center or wine cellar. See pages 162-164 for more details.

* For cabinet color, see page 156. / † For Pro-Style® Stainless model JFC2089BEP, d = 29³/₈".





Overall Product Dimensions
JFI2089AE – 35⁵/₈" w x 70" h x 29³/₈" d
JFI2089WE – 35⁵/₈" w x 70" h x 28³/₄" d
JFI2089WT – 36" w x 70" h x 28³/₄" d

69" Counter-Depth French Door Refrigerator with Ice & Water Dispenser

- JFI2089AE** – 69" Style Option*: P
JFI2089WE – 69" Style Option*: S
JFI2089WT – 69" Panel-Ready Design: S – *Includes Handles, Does Not Include Custom Panels*
- Quad Sensor™ climate control system
 - Stainless steel clad ice-and-water dispenser
 - LCD dispenser display with touch-activated controls
 - ExpressFill™ function



Overall Product Dimensions
35⁷/₈" w x 69⁵/₈" h x 33³/₄" d

69" Standard-Depth French Door Refrigerator with Ice & Water Dispenser

- JFX2597AE** – 69" Style Options*: P, M
- Quad Sensor™ climate control system
 - Glide-out refrigerator drawer with adjustable temperature control
 - Flush ice-and-water dispenser with white LED lights
 - Ramp-up LED theater lighting

Style Options*



Overall Product Dimensions
35³/₄" w x 71³/₈" h x 29¹/₂" d

72" Counter-Depth Side-by-Side Refrigerator with Ice & Water Dispenser

- JSC24C8EA** – 72" Style Option: M
- 72-inch counter-depth design
 - Twin Fresh™ climate control system with sequential dual evaporators
 - Flush cubed/crushed ice-and-water dispenser with white LED lights
 - Ramp-up LED theater lighting

Style Options*



Pro-Style® Stainless Handle Kit
W10214147A (see page 154)



Door-Mounted Ice Dispenser with Removable Bin

The door-mounted ice dispenser is an ideal feature for those who love to entertain. You have easy access to large quantities of fresh, filtered ice, while its location in the freezer door increases usable storage space. The removable bin features a handle and flat bottom, making it easy to serve guests.




Flush Cubed/Crushed Ice & Water Dispenser

Select cubed ice, crushed ice or chilled water. The Measured Fill feature allows you to have the water dispensed in precise amounts of ounces, cups or liters. And the dispenser has the same ramp-up lighting found inside the refrigerator.

* For cabinet color, see page 157 (JFI2089AE/WE/WT) or page 158 (JSC24C8EA). / † Requires custom panels, not included. Custom panels must be ordered separately from a cabinet maker or other manufacturer. Ships with slightly curved, Euro-Style Stainless handles as shown.



* For cabinet color, see page 159.



Pro-Style® Stainless Handle Kit

W10214147A

- For use with model JSC24C8EA



Replacement Water Filter Cartridge

UKF8001

- For use with freestanding French door refrigerators
- Replace every 6 months for optimal performance



Deluxe Replacement Water Filter Cartridge

W10295370A

- For use with freestanding side-by-side refrigerators
- Replace every 6 months for optimal performance

FREESTANDING COUNTER-DEPTH FRENCH DOOR REFRIGERATORS (INTERNAL WATER DISPENSER)

MODEL #	JFC2290VE ^B	JFC2290VP ^B	JFC2290VT ^B
Overall Product Dimensions – w x h x d (in) ^A	35 ⁵ / ₈ x 71 ⁷ / ₈ x 29 ⁵ / ₈	35 ⁵ / ₈ x 71 ⁷ / ₈ x 29 ⁷ / ₈	35 ⁵ / ₈ x 71 ⁷ / ₈ x 28 ¹ / ₈
Opening/Clearance Dimensions – w x h x d (in)	36 ⁵ / ₈ x 71 ⁷ / ₈ x 24	36 ⁵ / ₈ x 71 ⁷ / ₈ x 24	36 ⁵ / ₈ x 71 ⁷ / ₈ x 24
Approximate Shipping Weight (lb)	360	362	360
Volts/Amps Required	115/15–20	115/15–20	115/15–20
SPECIFICATIONS			
Total Volume (cu. ft. AHAM)	21.94	21.94	21.94
Refrigerator Compartment Volume (cu. ft. AHAM)	16.35	16.35	16.35
Freezer Compartment Volume (cu. ft. AHAM)	5.59	5.59	5.59
Total Refrigerator Shelf Area (sq. ft.)	24.1	24.1	24.1
Kilowatt Hours per Year	459	459	459
ENERGY STAR® Qualified	—	—	—
PERFORMANCE FEATURES			
TriSensor™ Electronic Climate Control	■	■	■
Electronic Controls with LED Display	■	■	■
Automatic Moisture Control	■	■	■
Automatic Adaptive Defrost	■	■	■
Max Cold	■	■	■
REFRIGERATOR FEATURES			
One-Hand Internal Water Dispenser	■	■	■
Sealed Crisper Drawers with Adjustable Humidity Control	2	2	2
Temperature-Controlled Gourmet Bay™ Drawer with Self-Opening Lid	■	■	■
Adjustable Cantilevered Glass Shelves	■	■	■
Spill-Proof Shelves	4	4	4
Adjustable Storage Rack	■	■	■
Covered Dairy Compartment	■	■	■
Adjustable Door Bins	5	5	5
Gallon Door Storage	■	■	■
Covered Lights	2	2	2
FREEZER FEATURES			
Automatic Ice Maker with Storage Bin and Ice Scoop	■	■	■
Glide-Out Drawer with SmoothClose™ Drawer Track System	■	■	■
Slide-Out Upper Basket	■	■	■
Slide-Out Middle Basket	■	■	■
Slide-Out Lower Basket	■	■	■
Covered Light	■	■	■
OPTIONAL ACCESSORY			
Replacement Water Filter Cartridge	UKF8001	UKF8001	UKF8001
DESIGN FEATURES			
72-Inch Counter-Depth Design	■	■	■
2-Point Front Leveling	■	■	■
Style Options (add letter to end of model number)			
Pro-Style® Stainless with Apollo Grey Cabinet ^C	P	—	—
Euro-Style Stainless with Apollo Grey Cabinet ^D	M	—	—
Black Floating Glass with Black Cabinet ^E	—	Y	—
White Floating Glass with White Cabinet ^E	—	F	—
Custom Overlay Design with Black Cabinet and Trim ^F	—	—	B

A. Depth includes handles. Depth on model JFC2290VT does not include custom panels and handles.
B. Per energy specifications, effective 9/15/2014. @ENERGY STAR is a U.S. registered mark.
C. Includes stainless steel handles with diamond etching.
D. Includes slightly curved, stainless steel handles.
E. Includes slightly curved, color-coordinating handles.
F. Requires custom panels and handles, not included.

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product *before* selecting cabinetry, making cutouts or beginning installation. All Jenn-Air® appliances are appropriately UL, CUL or CSA approved.



FREESTANDING COUNTER-DEPTH FRENCH DOOR REFRIGERATORS (INTERNAL WATER DISPENSER)

MODEL #	JFC2089BE®
Overall Product Dimensions – w x h x d (in) ^A	35 ⁵ / ₈ x 70 ¹ / ₈ x 29 ⁷ / ₈
Opening/Clearance Dimensions – w x h x d (in)	36 ⁵ / ₈ x 70 ¹ / ₄ x 24
Approximate Shipping Weight (lb)	350
Volts/Amps Required	115/15–20
SPECIFICATIONS	
Total Volume (cu. ft. AHAM)	20.0
Refrigerator Compartment Volume (cu. ft. AHAM)	14.38
Freezer Compartment Volume (cu. ft. AHAM)	5.62
Kilowatt Hours per Year	563
ENERGY STAR® Qualified	■
PERFORMANCE FEATURES	
TriSensor™ Electronic Climate Control	■
Electronic Controls with LED Display	■
Automatic Adaptive Defrost	■
Max Cool	■
Max Ice	■
Ice/Water Filter	■
REFRIGERATOR FEATURES	
Internal Water Dispenser	■
Crisper Drawers with Adjustable Humidity Control	2
Produce Preserver	■
Temperature-Controlled Gourmet Bay™ Drawer with Self-Opening Lid and Wine Hold	■
Adjustable Cantilevered Glass Shelves	■
MicroEtch™ Spill Control Shelves	■
Adjustable Storage Rack	■
Covered Dairy Compartment	■
Adjustable, Lift-Off Door Bins	■
Gallon Door Storage	■
Covered LED Lights	■
FREEZER FEATURES	
Automatic Ice Maker with Storage Bin	■
Glide-Out Drawer with SmoothClose™ Drawer Track System	■
Stability-Enhanced Freezer Basket	■
Covered LED Lights	■
OPTIONAL ACCESSORY	
Replacement Water Filter Cartridge	UKF8001
Produce Preserver Keep Fresh Packet Refill	P1KC6R1
DESIGN FEATURES	
Contoured Door	■
2-Point Front Leveling	■
Style Options (add letter to end of model number) Pro-Style® Stainless with Apollo Grey Cabinet ^C	P
Euro-Style Stainless with Apollo Grey Cabinet ^D	M

A. Depth includes handles.
B. Per energy specifications, effective 9/15/2014. ®ENERGY STAR is a U.S. registered mark.
C. Includes stainless steel handles with diamond etching.
D. Includes slightly curved, stainless steel handles.

FREESTANDING COUNTER-DEPTH FRENCH DOOR REFRIGERATORS (ICE & WATER DISPENSER)

MODEL #	JFI2089AE®	JFI2089WE®	JFI2089WT®
Overall Product Dimensions – w x h x d (in) ^A	35 ⁵ / ₈ x 70 x 29 ³ / ₈	35 ⁵ / ₈ x 70 x 28 ³ / ₄	36 x 70 x 28 ³ / ₄
Opening/Clearance Dimensions – w x h x d (in)	36 ⁵ / ₈ x 70 x 24	36 ⁵ / ₈ x 70 x 24	37 x 70 x 24
Approximate Shipping Weight (lb)	375	375	375
Volts/Amps Required	115/15–20	115/15–20	115/15–20
SPECIFICATIONS			
Total Volume (cu. ft. AHAM)	19.72	19.72	19.72
Refrigerator Compartment Volume (cu. ft. AHAM)	14.68	14.68	14.68
Freezer Compartment Volume (cu. ft. AHAM)	5.04	5.04	5.04
Kilowatt Hours per Year	523	523	523
ENERGY STAR® Qualified	—	—	—
PERFORMANCE FEATURES			
Quad Sensor™ Climate Control System	■	■	■
LCD Dispenser Display with Touch-Activated Controls	■	■	■
Automatic Moisture Control	■	■	■
Automatic Adaptive Defrost	—	■	■
Automatic Pre-Emptive Defrost	■	■	■
ExpressFill™ Function	■	■	■
Max Cold	■	■	■
Ice/Water Filter	■	■	■
REFRIGERATOR FEATURES			
Sealed Crisper Drawers with Adjustable Humidity Control	■	■	■
Temperature-Controlled Gourmet Bay™ Drawer with Self-Opening Lid	■	■	■
Adjustable Cantilevered Glass Shelves	■	■	■
Spill-Proof Shelves	4	4	4
Slide-Out Shelves	3	3	3
Beverage Chiller™ Compartment	■	■	■
Covered Dairy Compartment	■	■	■
Adjustable, Lift-Off Door Bins	■	■	■
Fixed Door Bin	■	■	■
Gallon Door Storage	■	■	■
Covered Lights	3	3	3
Automatic Ice Maker	■	■	■
FREEZER FEATURES			
Glide-Out Drawer with SmoothClose™ Drawer Track System	■	■	■
Slide-Out Upper Baskets	■	■	■
Stability-Enhanced Freezer Basket	—	■	■
Covered Light	■	■	■
OPTIONAL ACCESSORY			
Replacement Water Filter Cartridge	UKF8001	UKF8001	UKF8001
DESIGN FEATURES			
Stainless Steel Clad Ice-and-Water Dispenser	■	■	■
2-Point Front Leveling	■	■	■
Style Options (add letter to end of model number) Pro-Style® Stainless with Black Cabinet ^C	P	—	—
Euro-Style Stainless with Black Cabinet ^D	—	S	—
Panel-Ready Design with Black Cabinet and Stainless Steel Trim ^E	—	—	S

A. Depth includes handles. Depth on model JFI2089WT does not include custom panels and handles.
B. Per energy specifications, effective 9/15/2014. ®ENERGY STAR is a U.S. registered mark.
C. Includes stainless steel handles with diamond etching.
D. Includes slightly curved, stainless steel handles.
E. Requires custom panels, not included. Ships with slightly curved, stainless steel handles.

