

Jerritt

Two-Piece Elongated Bowl Toilet



Product Features

- 1.0 GPF
- Gravity-fed Siphon Jet Flush
- Vitreous China
- 17" Elongated ADA Bowl
- Rough-in: 10"
- Flush Valve: 2"
- Trapway: 2" Fully Glazed
- Water Spot: 7" x 6"
- Front Mounted Color Match Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt "tank-to-bowl" installation

Optional Accessories/Available Parts

- PF2312FLPK** Fill Valve Assembly
- PF2312FVPK** Flush Valve Assembly
- PF5112TLCPPK** Chrome Flush Lever



Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines

Available Colors: White (WH)

Tank

PF2310WH 10" Rough-in Tank

Bowl


PF1403TWH Elongated ADA Bowl - 17"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit ferguson.com for detailed warranty information.




Jerritt

Two-Piece Elongated Bowl Toilet



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

Jerritt

Two-Piece Elongated Bowl Toilet



Product Features

- 1.0 GPF
- Gravity-fed Siphon Jet Flush
- Vitreous China
- 17" Elongated ADA Bowl
- Rough-in: 12"
- Flush Valve: 2"
- Trapway: 2" Fully Glazed
- Water Spot: 7" x 6"
- Front Mounted Color Match Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt "tank-to-bowl" installation

Optional Accessories/Available Parts

- PF2312FLPK** Fill Valve Assembly
- PF2312FVPK** Flush Valve Assembly
- PF5112TLCPPK** Chrome Flush Lever



Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines

Available Colors: White (WH)

Tank

PF2312WH 12" Rough-in Tank

Bowl


PF1403TWH Elongated ADA Bowl - 17"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit ferguson.com for detailed warranty information.




Jerritt

Two-Piece Elongated Bowl Toilet



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

Jerritt

Two-Piece Elongated Bowl Toilet



Product Features

- 1.28 GPF
- Gravity-fed Siphon Jet Flush
- Vitreous China
- 17" Elongated ADA Bowl
- Rough-in: 10"
- Flush Valve: 2"
- Trapway: 2" Fully Glazed
- Water Spot: 7" x 6"
- Front Mounted Color Match Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt "tank-to-bowl" installation

Optional Accessories/Available Parts

- PF5112FLPK** Fill Valve Assembly
PF5112FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever



Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines

Available Colors: White (WH)

Tank

PF5110HEWH 10" Rough-in Tank

PF5110RHEWH 10" Rough-in Right Hand Tank

Bowl


PF1403TWH Elongated ADA Bowl - 17"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit ferguson.com for detailed warranty information.




Jerritt

Two-Piece Elongated Bowl Toilet



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

Jerritt

Two-Piece Elongated Bowl Toilet



Product Features

- 1.6 GPF
- Gravity-fed Siphon Jet Flush
- Vitreous China
- 17" Elongated ADA Bowl
- Rough-in: 10"
- Flush Valve: 2"
- Trapway: 2" Fully Glazed
- Water Spot: 7" x 6"
- Front Mounted Color Match Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt "tank-to-bowl" installation

Optional Accessories/Available Parts

- PF5112FLPK** Fill Valve Assembly
- PF5112FVPK** Flush Valve Assembly
- PF5112TLCPPK** Chrome Flush Lever



Codes and Certifications



- IAPMO/cUPC
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines

Available Colors: White (WH)

Tank

PF5110WHM 10" Rough-in Tank

PF5110RWHM 10" Rough-in Right Hand Tank

Bowl


PF1403TWH Elongated ADA Bowl - 17"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit ferguson.com for detailed warranty information.




Jerritt

Two-Piece Elongated Bowl Toilet



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

Jerritt

Two-Piece Elongated Bowl Toilet



Product Features

- 1.28 GPF
- Gravity-fed Siphon Jet Flush
- Vitreous China
- 17" Elongated ADA Bowl
- Rough-in: 12"
- Flush Valve: 2"
- Trapway: 2" Fully Glazed
- Water Spot: 7" x 6"
- Front Mounted Trip Lever (Chrome/White Available)
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt "tank-to-bowl" installation

Optional Accessories/Available Parts

- PF5112FLPK** Fill Valve Assembly
- PF5112FVPK** Flush Valve Assembly
- PF5112TLCPPK** Chrome Flush Lever



Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines

Available Colors: White (WH), Biscuit (BS)

Tank

PF5112HEWH	12" Rough-in Tank - White
PF5112RHEWH	12" Rough-in Right Hand Tank
PF5112UHEWH	12" Rough-in Insulated Tank
PF5112NHEWH	12" Rough-in Tank with Chrome Lever
PF5112HEBS	12" Rough-in Tank - Biscuit

Bowl


PF1403TWH	Elongated ADA Bowl - 17" - White
PF1403TBS	Elongated ADA Bowl - 17" - Biscuit

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit ferguson.com for detailed warranty information.




Jerritt

Two-Piece Elongated Bowl Toilet



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

Jerritt

Two-Piece Elongated Bowl Toilet



Product Features

- 1.28 GPF
- Gravity-fed Siphon Jet Flush
- Vitreous China
- 17" Elongated ADA Bowl
- Rough-in: 12"
- Flush Valve: 2"
- Trapway: 2" Fully Glazed
- Water Spot: 7" x 6"
- Front Mounted Color Match Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt "tank-to-bowl" installation

Optional Accessories/Available Parts

- PF5112FLPK** Fill Valve Assembly
- PF5112FVPK** Flush Valve Assembly
- PF5112TLCPPK** Chrome Flush Lever



Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines

Available Colors: White (WH)

Tank

PF5112BHEWH 12" Rough-in Tank, Low Profile

Bowl


PF1403TWH Elongated ADA Bowl - 17"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit ferguson.com for detailed warranty information.




Jerritt

Two-Piece Elongated Bowl Toilet



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

Jerritt

Two-Piece Elongated Bowl Toilet



Product Features

- 1.6 GPF
- Gravity-fed Siphon Jet Flush
- Vitreous China
- 17" Elongated ADA Bowl
- Rough-in: 12"
- Flush Valve: 2"
- Trapway: 2" Fully Glazed
- Water Spot: 7" x 6"
- Front Mounted Color Match Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt "tank-to-bowl" installation

Optional Accessories/Available Parts

- PF5112FLPK** Fill Valve Assembly
PF5112FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever



Codes and Certifications



- IAPMO/cUPC
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines

Available Colors: White (WH), Biscuit (BS)

Tank

PF5112WHM	12" Rough-in Tank - White
PF5112RWHM	12" Rough-in Right Hand Tank
PF5112UWHM	12" Rough-in Insulated Tank
PF5112BSM	12" Rough-in Tank - Biscuit

Bowl


PF1403TWH	Elongated ADA Bowl - 17" - White
PF1403TBS	Elongated ADA Bowl - 17" - Biscuit

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit ferguson.com for detailed warranty information.




Jerritt

Two-Piece Elongated Bowl Toilet



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

Jerritt

Two-Piece Elongated Bowl Toilet



Product Features

- 1.28 GPF
- Gravity-fed Siphon Jet Flush
- Vitreous China
- 17" Elongated ADA Bowl
- Rough-in: 14"
- Flush Valve: 2"
- Trapway: 2" Fully Glazed
- Water Spot: 7" x 6"
- Front Mounted Color Match Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt "tank-to-bowl" installation

Optional Accessories/Available Parts

- PF5112FLPK** Fill Valve Assembly
- PF5112FVPK** Flush Valve Assembly
- PF5112TLCPPK** Chrome Flush Lever



Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines

Available Colors: White (WH)

Tank

PF5114HEWH 14" Rough-in Tank

Bowl


PF1403TWH Elongated ADA Bowl - 17"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit ferguson.com for detailed warranty information.




Jerritt

Two-Piece Elongated Bowl Toilet



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

Jerritt

Two-Piece Elongated Bowl Toilet



Product Features

- 1.6 GPF
- Gravity-fed Siphon Jet Flush
- Vitreous China
- 17" Elongated ADA Bowl
- Rough-in: 14"
- Flush Valve: 2"
- Trapway: 2" Fully Glazed
- Water Spot: 7" x 6"
- Front Mounted Color Match Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt "tank-to-bowl" installation

Optional Accessories/Available Parts

- PF5112FLPK** Fill Valve Assembly
- PF5112FVPK** Flush Valve Assembly
- PF5112TLCPPK** Chrome Flush Lever



Codes and Certifications



- IAPMO/cUPC
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines

Available Colors: White (WH)

Tank

PF5114WHM 14" Rough-in Tank

Bowl


PF1403TWH Elongated ADA Bowl - 17"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit ferguson.com for detailed warranty information.




Jerritt

Two-Piece Elongated Bowl Toilet



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.