

### **Features**

- Solid brass construction
- Face plate with handle escutcheon and ADA compliant diverter pull-knob
- 1.8 gallons (6.7 liters) per minute maximum flow rate showerhead
- Lever handle is ADA compliant when used with Tub and Shower Trim
- Intended for use with Newport Brass rough valve(s) as specified (Required Accessory)

## **Codes / Standards Compliance**

Meets or exceeds the following at date of manufacture:

- ASME A112.18.1/CSA B125.1
- IAPMO/cUPC
- IPC
- ADA
- ICC/ANSI A117.1
- ASSE 1016
- Energy Policy Act of 1992
- All applicable US Federal and State material regulations

## **Colors / Finishes**

- 15: Polished Nickel
- 15S: Satin Nickel PVD
- 26: Polished Chrome

## **Specified Model**

Model	Description	Colors   Finishes
FE-3-8702BP	Tub and Shower Trim	□ 15 □ 15S □ 26

#### **Required Accessory:** Trim, above, and Rough Valve Kit, below, must both be specified

Application	Tub & Shower Valve
Description	BP w/Diverter
Inlet/Outlet	1/2"
Part Number	1-685
Image	

#### **Product Specification** Add "Length Indicator and Color / Finish" suffix to Model number, below.

The single-control Tub and Shower Trim shall be made of solid brass construction. Tub and Shower Trim shall include showerhead with arm and flange, tub spout and faceplate with escutcheon and ADA compliant diverter pull-knob. Lever handle is ADA compliant when used with Tub and Shower Trim. Showerhead shall have a maximum flow rate of 1.8 gallons (6.7 liters) per minute. Tub and Shower Trim shall be Fergson Model FE-3-8702BP/\_\_\_\_ and single-control Tub and Shower rough valve shall be Newport Brass Model 1-685.

## Tub and Shower Trim FE-3-8702BP






**BLAYNE** 



# FE-3-8702BP

## **PRODUCT DIMENSIONS** (Units are in inches)



t: 949.417.5207 | www.newportbrass.com ©2018 Brasstech, Inc.

Blayne Shower Trim **FE-3-8702BP** 

Page 2 of 2 Spec\_FE-3-8702BP