

Vent-Free Gas Fireplaces Indoor/Outdoor



Standard Mini Classic Standard Compact Classic

Premium Classic Pro Fireplace Insert Performance Odyssey Outdoor



Vent-Free Gas Fireplaces

FIREPLACE BEAUTY WITH THE EFFICIENCY OF VENT-FREE TECHNOLOGY!

Vantage Hearth's Traditional Series Vent-Free Gas Fireplace Systems provide clean, quiet, odorless heat, for only pennies an hour. With clean burning, 99% heat efficient burner design, the gas fireplace operates without a chimney. No outside venting is required. Eliminate heat loss and cold air drafts!



A Vantage Hearth Traditional Vent-Free Gas Fireplace System gives you the attractiveness of a real wood burning fireplace with the heating efficiency and warmth of vent-free gas space heating. No chimney or venting is required so installation is a fraction of the cost of installing a wood burning fireplace. Also, since the fireplace operates without electricity, it is the perfect alternative for emergency heat during power outages. These complete systems include a zero-clearance firebox, high efficiency vent-free gas logs, black louvers and concealed controls. Choose from remote control and thermostatic models. Select models feature brick liners in stacked or herringbone brick patterns. Not to mention, a variety of Vantage Hearth accessories to dress up



the fireplaces. With a Vantage Hearth Traditional Vent-Free Gas Fireplace, you get the most economical and convenient way to add the beauty of a fireplace to your home.

The Ultimate In Heating Control

There are a variety of models so you can select the comfort setting that best suits your needs. Classic Hearth Traditional Series Fireplaces that are remote control ready allow you to use one of our optional remote controls or the built-in variable manual control to operate the fireplace, while thermostatically controlled models modulate automatically to maintain your desired heat output.

Safety Features Built Into Every Fireplace

Vantage Hearth's Classic Hearth Vent-Free Gas Fireplace Systems are designed certified to meet or exceed all regulations and safety performance standards for vent-free gas appliances. Additionally, these fireplaces perform well within nationally recognized guidelines for indoor air quality.

The dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply. If either occurs, it shuts off the gas flow to the burner turning the heater off. An internal pressure regulator controls fluctuations in your gas pressure. These features ensure clean and reliable heat.

Vantage Hearth Vent-Free Gas Products Meet or Exceed Nationally Recognized Standards/Guidelines for Indoor Air Quality.+ + Per the findings of the American Gas Association Research when installed and operated per FMI's instructions.

Vent-Free Gas Fireplaces


Accessories To Complete The Look!

Customize your Vantage Hearth Vent-Free Gas Fireplace with a variety of optional doors, cabinet mantels, blowers or perimeter trim. Select models can be paired with beautiful rolled louvers in black finish. Filigree and louver trim are also available.

The perimeter trim, glass doors, louver trim and filigree are offered in three finishes: brushed brass, platinum and black. The bi-fold glass doors are easy to install and operate. They offer a beautiful view of the fire while reducing heat loss. An optional blower can be added to louvered/ circulating models to increase the air flow and maximize heat distribution. Remote Controls can also be used with Remote Ready Fireplaces.







Bi-Fold Glass Doors



See pages 10-12 for more details.



TRC T-Stat Remote Control



Optional Black Perimeter Trim, Smooth Face Panel & Glass Doors



Optional Platinum Perimeter Trim, Glass Doors & Black Filigree



Optional Platinum Perimeter Trim, Filigree & Glass Doors



Optional Wall Mantels in a variety of styles and finishes (Medium Oak Shown)



Optional Sienna Screen Doors in Aged Copper





Optional Valencia Screen Doors in Antique White

Indoor Vent-Free Gas Fireplaces



21" Standard Mini Classic Indoor Vent-Free Fireplace System (VGMR):

In many homes, finding enough space to have a fireplace can be challenging. The Vantage Hearth Standard Mini Classic is the perfect solution. It is a small 10,000 Btu, remote-ready gas fireplace that will take up very little room. The 10,000 Btu output is a perfect heat range to provide comfortable heat for one or two rooms. This fireplace is approved for bedroom applications.

Custom sized cabinet mantels are available as well, in both wall and corner versions. Attractive red ceramic fiber liner and arched screen come standard.

- Zero clearance construction
- Approved for bedroom use
- 99% efficient
- Up to 10,000 Btu
- Arched screen
- Options include remote controls and cabinet mantels

26" Standard Compact Classic Single Flame Indoor Vent-Free Fireplace System (VMH26):

When space is at a premium, a Vantage Hearth Single Burner Standard Compact Classic Fireplace System is the perfect choice. Enjoy all of the same features and benefits of a full-size Classic Hearth. Realistic dancing yellow flames are achieved by the vent-free split oak gas logs. These complete systems include a zero-clearance compact firebox, black louvers and concealed controls.

- Up to 26,000 Btu
- 99% efficient
- Either thermostatic or remote models available
- Accessories include cabinet mantels, remote controls and blowers





26" Standard Compact Classic Dual Flame Indoor Vent-Free Fireplace System (VDCF):

Vantage Hearth's Dual Burner Standard Compact Classic Fireplace System offers a nice "step-up" from the single burner and is ideal for mid-size rooms. The deeper firebox, full-size log set and two rows of flames provides a more realistic fireplace appearance. The optional cabinet mantel/base

combination gives the appearance of a full-size mantel and base. Add in the arched screen, a look borrowed from the full-size Classic Hearth, and you have a perfectly priced and positioned fit between the single burner compact and full-size Classic Hearth line.

- Up to 26,000 Btu
- Thermostatic or remote models available
- 99% efficient
- Options include designer face kits, cabinet mantels and blowers

Indoor Vent-Free Gas Fireplaces



36" Performance Classic Hearth Indoor Vent-Free Fireplace System (VL36LE): The Performance Classic Hearth now comes in a 36" model! (VL36LE shown above).

32" Performance Classic Hearth Indoor Vent-Free Fireplace System (VSGF28/VSGF33/VYGF33):

The Vantage Hearth Performance Classic Hearth Fireplace is a full-sized 32" fireplace system complete with zero-clearance firebox, gas log set and concealed controls. 32" Classic Hearth Performance models are available with Golden Oak logs with two rows of dancing yellow flame, or Blaze n' Glow Logs with an innovative ramp burner that more closely replicates a wood fire.

VSGF models allow you to enjoy the realism of full size Blaze n' Glow logs and glowing coals featuring outstanding log aesthetics. A full set of black upper and lower louvers is standard with these models.

The Performance Classic Hearth Fireplace System (VYGF33 and VSGF28/33) is a complete package; it includes the zero-clearance fireplace, plus a set of either Golden Oak or Blaze n' Glow gas logs. A series of cabinet mantels are available as accessories.

VSGF28 models are thermostatically controlled and equipped with an automatic variable speed blower. Thermostatically controlled models offer 28,000 Btu, enough to heat up to 1,000 square feet.

VSGF33 and VYGF33 models are equipped with remote ready controls. The optional manual or automatic blower can be installed to improve heat distribution. These fireplaces offer 33,000 Btu, enough to heat up to 1,100 square feet.

36" Performance Classic Hearth models offer 33,000 Btu, enough to heat up to 1,100 square feet. The manually controlled gas log set provides a bright wood-like flame. A white refractory brick liner with stacked brick pattern add to the realistic fireplace feel.

36" Premium Classic Pro Indoor Vent-Free Fireplace System (VSGF36):

The 36" Premium Classic Pro will be a showpiece in any setting! Our largest vent-free fireplace system, the 36" Premium Classic Pro features a handsome arched screen front and Blaze n' Glow logs, with its innovative ramp burner for greater glow. In addition, Premium Classic Pro models include the ProFlame "Smart" Remote (shown right). This beautifully designed remote senses the room temperature and modulates the flame accordingly.

A variable speed blower comes standard for greater heat distribution. Specialized accessories include decorative doors, and cabinet mantels.





Indoor Vent-Free Gas Fireplaces

FIREPLACE BEAUTY WITH THE EFFICIENCY OF VENT-FREE TECHNOLOGY!

A Vantage Hearth Traditional Series Vent-Free Fireplace Insert is an ideal way to turn an unsightly, sooted or damaged wood burning masonry fireplace into a beautiful, 99.9% heating efficient vent-free appliance.

Simply slide into a wood burning fireplace, hook to gas, and presto! You will have a beautiful, efficient gas fireplace.

The vent-free design requires no chimney and offers safe, reliable heat for pennies an hour.

The Vantage Hearth Fireplace Insert features a beautiful charcoal textured paint finish, heat circulating louvers and concealed



The Vent-Free Gas Fireplace Insert simply slides into a wood burning fireplace. (Minimum Fireplace Opening 26" H x 34 3/4" W x 15 3/4" D)

remote-ready controls. The fiber ceramic logs have realistic bark, detailed split and charred areas. The revolutionary one-piece multi-log design ensures proper placement.

There are several accessories available to further enhance the performance or appearance of your Vantage Hearth Vent-Free Gas Insert. The GB38 and GB43 surrounds feature black trim. All surrounds conceal the installation opening around the fireplace. In addition, there are four remote controls available, see page 12 for more details.

CONVERT YOUR OLD WOOD BURNER TO

AN EFFICIENT VENT-FREE APPLIANCE!





Before


After


| MODEL # | DESCRIPTION | BTU CAPACITY | FUEL | WEIGHT |
|-------------|--|------------------|---------|------------|
| 21" Standar | d Mini Classic Indoor Vent-Free Fireplace System | | | |
| VGMRN | 21" Zero-Clearance Single Burner Firebox, Remote Ready Gas Logs | 10,000 | Natural | 45.0 lbs. |
| VGMRP | 21" Zero-Clearance Single Burner Firebox, Remote Ready Gas Logs | 10,000 | Propane | 45.0 lbs. |
| 26" Standar | d Compact Classic Single Flame Indoor Vent-Free Fireplace System | | | Í. |
| /MH26TNC | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 14,000 to 26,000 | Natural | 41.0 lbs. |
| /MH26TPC | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 14,000 to 26,000 | Propane | 41.0 lbs. |
| /MH26NRB | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 14,000 to 26,000 | Natural | 41.0 lbs. |
| /MH26PRB | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 14,000 to 26,000 | Propane | 41.0 lbs. |
| 26" Standar | d Compact Classic Dual Flame Indoor Vent-Free Fireplace System | | | |
| /DCFTNB | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 17,000 to 26,000 | Natural | 55.0 lbs. |
| /DCFTPB | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 17,000 to 26,000 | Propane | 55.0 lbs. |
| /DCFRNB | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 17,000 to 26,000 | Natural | 56.0 lbs. |
| /DCFRPB | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 17,000 to 26,000 | Propane | 56.0 lbs. |
| 32" Perform | ance Classic Hearth Indoor Vent-Free Fireplace System | | | |
| /SGF28NTF | 32" Zero-Clearance Firebox with Blower and Blaze n' Glow Logs, Both T'Stat Controlled | 20,000 to 28,000 | Natural | 83.0 lbs. |
| SGF28PTF | 32" Zero-Clearance Firebox with Blower and Blaze n' Glow Logs, Both T'Stat Controlled | 20,000 to 28,000 | Propane | 83.0 lbs. |
| SGF33NRC | 32" Zero-Clearance Firebox with Remote Ready Blaze n' Glow Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Natural | 80.0 lbs. |
| /SGF33PRC | 32" Zero-Clearance Firebox with Remote Ready Blaze n' Glow Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Propane | 80.0 lbs. |
| YGF33NRC | 32" Zero-Clearance Firebox with Remote Ready Golden Oak Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Natural | 76.0 lbs. |
| /YGF33PRC | 32" Zero-Clearance Firebox with Remote Ready Golden Oak Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Propane | 76.0 lbs. |
| 36" Perform | ance Classic Hearth Indoor Vent-Free Fireplace System | | | |
| L36LEN | 36" Zero-Clearance Firebox with Manual Control Logs and Refractory Brick Liners | 20,000 to 33,000 | Natural | 212.0 lbs. |
| L36LEP | 36" Zero-Clearance Firebox with Manual Control Logs and Refractory Brick Liners | 20,000 to 33,000 | Propane | 212.0 lbs. |
| 86" Premiun | n Classic Pro Indoor Vent-Free Fireplace System | | | |
| SGF36NRC | 36" Zero-Clearance Firebox with Pro-Flame Remote Blaze n' Glow Logs and Variable Speed Blower | 21,500 to 33,000 | Natural | 120.0 lbs. |
| SGF36PRC | 36" Zero-Clearance Firebox with Pto-Flame Remote Blaze n' Glow Logs and Variable Speed Blower | 21,500 to 33,000 | Propane | 120.0 lbs. |
| ndoor Firep | ace Insert | | | |
| (133NRB** | Fireplace Insert with Remote-Ready Golden Oak Logs and T'Stat Blower | 15,000 to 33,000 | Natural | 75.0 lbs. |
| /I33PRB** | Fireplace Insert with Remote-Ready Golden Oak Logs and T'Stat Blower | 15,000 to 33,000 | Propane | 75.0 lbs. |

See pages 10 - 12 for cabinet mantels and accessories. ** Not approved for manufactured fireplaces.

Fireplace Dimensions

| MODEL # | A | В | С | D | X | Y | Ζ |
|--------------------|---------------------------|---------------------------------------|--------------------|---------------------------|---------------------------|--------------------|---------------------------|
| 21" Mini Classic | 16 ¹ /4 | 19 ³ /4 | 19 ³ ⁄4 | 8 ⁷ /8 | 16 ³ ⁄4 | 23 ¹ /4 | 23 ¹ /4 |
| 26" Compact Single | 25 ⁷ /8 | 26 ³ /4 | 26 ³ /4 | 9 ¹ /2 | 12 ¹ /2 | 26 | 26 |
| 26" Compact Dual | 25 ⁷ /8 | 26 ³ /4 | 26 ³ /4 | 14 ¹ /4 | 12 ¹ /2 | 26 | 26 |
| 32" Classic Hearth | 31 ⁵ /8 | 34 ¹ /4 | 22 ³ /8 | 16 ⁵ /8 | 18 ¹ /2 | 32 ³ /8 | 32 ³ ⁄8 |
| 36" Classic Hearth | 35 | 41 | 29 | 21 | 21 | 36 | 40 ⁵ /8 |
| 36" Classic Pro | 41 ⁵ /8 | 43 | 29 | 21 ¹ /8 | 19 ¹ /2 | 36 | 40 ¹ /4 |
| Fireplace Insert | 32 | 34 ¹ / ₂ | 22 ³ /8 | 18 ³ /8 | - | 25 ³ /4 | 27 |





Note: All measurements are in inches. Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.







Outdoor Vent-Free Gas Fireplaces

CLASSIC BEAUTY ULTIMATE FLEXIBILITY!

America is moving outdoors. Vantage Hearth's Performance Odyssey Outdoor Vent-Free Fireplace Systems can transform just about any backyard into a private year 'round oasis.

The Performance Odyssey offers the ambiance of a real wood outdoor fire, but without the smoke, hassle and mess. They can be installed virtually anywhere, and come in one beautiful and complete package



with all the conveniences and new features homeowners will love!

Note: Not intended for indoor installation.

Features:

• Eye Dazzling Beauty: The Performance Odyssey Outdoor Fireplace System features clean, brushed stainless steel faces and stainless mesh spark screens. The screens tuck out of sight behind hidden side pockets to maximize the beauty of the fireplace. They also include the industry's finest colored and textured refractory brick liner for brick liner for a true masory look. Integrated gas log sets feature intricately detailed bark, split wood and charred textures. Random dancing yellow flames with a deep glowing ember bed complete the full and realistic flame picture.

• Variety of Sizes & Features: Available in 36" and 42" sizes in natural white or warm red brick, Performance Odyssey Outdoor is perfect for any outdoor room. All controls are hidden to eliminate hearth clutter and maximize the real woodburning feel. All models feature glowing ember bed burner with remote ready control and push button ignition.

• Versatility & Economy: A Performance Odyssey Outdoor is extremely economical installation since it requires no venting or chimney construction whatsoever. Not only does that reduce cost, but may also be allowed where restrictions prohibit typical vented outdoor fireplaces.



Odyssey log and burner systems feature intricately detailed log arrangements with random, dancing flames with glowing coals and embers.



Stainless steel mesh spark screens tuck out of sight in hidden side pockets behind the stainless steel face


Sureplaces Outdoor Vent-Free Gas Fireplaces


| Odyssey Pe | Ddyssey Performance Outdoor Vent-Free Fireplace System | | | | | | | |
|-------------|---|--------------|---------|-----------|--|--|--|--|
| MODEL # | DESCRIPTION | BTU CAPACITY | FUEL | WEIGHT | | | | |
| 36" Odyssey | Performance Outdoor Vent-Free Fireplace System | | | | | | | |
| VO36NRA | 36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner | 46,000 | Natural | 45.0 lbs. | | | | |
| VO36PRA | 36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner | 47,000 | Propane | 45.0 lbs. | | | | |
| VO36NRHA | 36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner | 46,000 | Natural | 41.0 lbs. | | | | |
| VO36PRHA | 36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner | 47,000 | Propane | 41.0 lbs. | | | | |
| VO36NRRA | 36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner | 46,000 | Natural | 41.0 lbs. | | | | |
| VO36PRRA | 36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner | 47,000 | Propane | 41.0 lbs. | | | | |
| V036NRRHA | 36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner | 46,000 | Natural | 55.0 lbs. | | | | |
| VO36PRRHA | 36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner | 47,000 | Propane | 55.0 lbs. | | | | |
| 42" Odyssey | Performance Outdoor Vent-Free Fireplace System | | | | | | | |
| VO42NRA | 42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner | 46,000 | Natural | 45.0 lbs. | | | | |
| VO42PRA | 42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner | 47,000 | Propane | 45.0 lbs. | | | | |
| VO42NRHA | 42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner | 46,000 | Natural | 41.0 lbs. | | | | |
| VO42PRHA | 42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner | 47,000 | Propane | 41.0 lbs. | | | | |
| VO42NRRA | 42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner | 46,000 | Natural | 41.0 lbs. | | | | |
| VO42PRRA | 42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner | 47,000 | Propane | 41.0 lbs. | | | | |
| VO42NRRHA | 42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner | 46,000 | Natural | 55.0 lbs. | | | | |
| VO42PRRHA | 42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner | 47,000 | Propane | 55.0 lbs. | | | | |

See page 12 for accessories.

Fireplace Dimensions

| MODEL # | Α | В | С | D | X | Y | Ζ |
|---------|----|----|----|----|----|----|---------------------------|
| V036 | 35 | 41 | 29 | 21 | 21 | 36 | 40 ⁵ /8 |
| V042 | 42 | 48 | 36 | 23 | 24 | 40 | 44 ¹ /4 |





Note: All measurements are in inches. Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.



Cabinet Mantels





Traditional 21" Wall (w21TO) Medium Oak Stain



Traditiona



Georgian 26" Corner (C26GO) Medium Oak Stain



Classic 32" Wall (W32C0) Dark Oak Stain



Traditional 36" Wall (W36TU) Unfinished


| Cabinet Mante | els | | | | | |
|-----------------|----------|--------------------|------------|-----------------------------------|--|--|
| MODEL # | LOCATION | STYLE | FINISH | COMPATIBLE FIREPLACE | | |
| 21" Mini | | | | | | |
| W21TP | Wall | Traditional | White | | | |
| C21TP | Corner | Traditional | White | 21" Standard Mini Classic | | |
| W21T0 | Wall | Traditional | Medium Oak | | | |
| C21TO | Corner | Traditional | Medium Oak | | | |
| 26" Compact | | | | | | |
| W26TU | Wall | Traditional | Unfinished | | | |
| C26TU | Corner | Traditional | Unfinished | | | |
| W26T0 | Wall | Traditional | Medium Oak | 26" Standard Compact Classic | | |
| C26T0 | Corner | Traditional | Medium Oak | Single & Dual Flame | | |
| W26G0 | Wall | Georgian | Medium Oak | | | |
| C26G0 | Corner | Georgian | Medium Oak | | | |
| 32" Large | | | | | | |
| W32TU | Wall | Traditional | Unfinished | | | |
| C32TU | Corner | Traditional | Unfinished | | | |
| W32T0 | Wall | Traditional | Medium Oak | | | |
| C32TO | Corner | Traditional | Medium Oak | | | |
| W32C0 | Wall | Classic | Dark Oak | 32" Performance Classic Hearth | | |
| C32C0 | Corner | Classic | Dark Oak | | | |
| W32D0 | Wall | Traditional/Dentil | Medium Oak | | | |
| W32G0 | Wall | Georgian | Medium Oak | | | |
| C32G0 | Corner | Georgian | Medium Oak | | | |
| 36" Extra Large | | | | | | |
| W36TU | Wall | Traditional | Unfinished | | | |
| С36ТU | Corner | Traditional | Unfinished | 36" Performance Classic Heath | | |
| W36TO | Wall | Traditional | Medium Oak | & 36" Premium Classic Pro | | |
| C36TO | Corner | Traditional | Medium Oak | 1 | | |

Cabinet Mantels


Vantage Hearth Cabinet Mantels are available in all five sizes in the Traditional style. The smaller sizes, 21" and 26", are designed with a single molding detail on the header, while the larger sizes, 32" and 36", portray a picture frame design. Georgian and Classic styles are also available in select sizes and finishes.

Mantel Dimensions

| MODEL # | A | В | С | D | E | F | G | н | 1 | J |
|-----------------|--------------------|---------------------------|--------------------|---------------------------------------|--------------------|--------------------|--------------------|-------------------|---------------------------|---------------------------|
| 21" Mini | | | | | | | | | | |
| W21TP/T0 | 34 | 13 ¹ /2 | 34 ³ /4 | 15 ¹ /2 | 37 ³ /8 | 22 ¹ /2 | 17 ⁷ /8 | 2 | - | - |
| C21TP/TO | 34 ³ /8 | - | 34 ³ /4 | 15 ¹ /2 | 37 ³ /8 | 22 ¹ /2 | 17 ⁷ /8 | 2 | 25 ³ /8 | 26 |
| 26" Compact | | | | | | | | | | |
| W26TU/T0 | 44 ⁷ /8 | 17 | 39 ¹ /4 | 19 ¹ /2 | 48 | 26 | 27 | 4 ¹ /4 | - | - |
| C26TU/T0 | 44 ⁷ /8 | - | 39 ¹ /4 | 8 ⁷ /8 | 48 | 26 | 27 | 4 ¹ /4 | 31 ³ /4 | 30 |
| W26G0 | 46 | 18 ³ /8 | 43 ¹ /2 | 22 | 50 | 26 | 27 | 4 ¹ /4 | - | - |
| C26G0 | 46 | - | 43 ¹ /2 | 22 | 50 | 26 | 27 | 4 ¹ /4 | 33 ¹ /2 | 33 ¹ /2 |
| 32" Large | | | | | | | | | | |
| W32TU/T0 | 54 ⁵ /8 | 20 ³ /8 | 49 | 24 ¹ /2 | 58 ¹ /2 | 33 | 35 ¹ /2 | 4 ¹ /4 | - | - |
| C32TU/T0 | 55 ¹ /2 | - | 53 | 22 ³ /4 | 60 ¹ /8 | 33 | 35 ¹ /2 | 4 ¹ /4 | 39 | 35 ⁷ /8 |
| W32C0 | 60 ³ /8 | 23 ¹ /8 | 49 | 26 | 58 ¹ /2 | 33 | 35 ¹ /2 | 4 ¹ /4 | - | - |
| C32CO | 60 ³ /8 | - | 53 | 25 ⁵ /8 | 58 ¹ /2 | 33 | 35 ¹ /2 | 4 ¹ /4 | 38 ³ /4 | 38 ¹ /2 |
| W32D0 | 55 | 21 ³ /4 | 49 ³ /4 | 25 ⁵ /8 | 53 | 33 | 35 ¹ /2 | 4 ¹ /4 | - | - |
| W32G0 | 51 | 23 ¹ /8 | 44 ³ /4 | 20 ¹ /2 | 55 | 33 | 35 ¹ /2 | 4 ¹ /4 | - | - |
| C32G0 | 56 ¹ /2 | - | 49 | 24 ¹ / ₂ | 58 ³ /4 | 33 | 35 ¹ /2 | 4 ¹ /4 | 40 | 38 ¹ /4 |
| 36" Extra Large | | | | | | | | | | |
| W36TU/TO | 61 ¹ /4 | 28 ¹ /2 | 56 | 30 ¹ /2 | 61 ¹ /4 | 36 ⁵ /8 | 42 | 4 ¹ /4 | - | - |
| C36TU/T0 | 61 ¹ /4 | - | 56 | 30 ⁵ /8 | 61 ¹ /4 | 36 ⁵ /8 | 42 | 4 ¹ /4 | 47 ¹ /2 | 42 ¹ /2 |



Note: All measurements are in inches. Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.





Accessories

| MODEL # | DESCRIPTION | WEIGHT |
|------------------|--|-----------|
| Perimeter Trim I | Kits | THE REAL |
| GAB6094 | 3-Piece Firebox Perimeter Trim - Black | 2.0 lbs. |
| GAP6094 | 3-Piece Firebox Perimeter Trim - Platinum | 2.0 lbs. |
| Extruded Louve | | |
| GAB9092 | Extruded Louvers - Black | 2.0 lbs. |
| GAP9092 | Extruded Louvers - Platinum | 2.0 lbs. |
| | (Dual Flame Standard Compact Classic Fireplaces Only) | |
| HFL200 | Stacked Brick Pattern - Aged Almond | 6.0 lbs. |
| HFL201 | Stacked Brick Pattern - Aged Red | 6.0 lbs. |
| Blower Kits | | 0.0 1.00. |
| GA3450TA | Thermostatically Controlled Blower | 4.0 lbs. |
| | s (for Remote-Ready Models) | 4.0 103. |
| MRC | Receiver and Hand-Held On/Off Remote Control Kit | 1.0 lb. |
| TRC | Receiver and Hand-Held T-Stat Remote Control Kit | 1.0 lb. |
| GWMS2 | | 1.0 lb. |
| GWMT1 | Wall Mount On/Off Switch Kit Wall Mount Thermostatic Control Kit | 1.0 lb. |
| 30010111 | | 1.0 10. |
| Accessories f | or 32" & 36" Performance Classic Hearth/Premium C | lassic P |
| MODEL # | DESCRIPTION | WEIGH |
| Perimeter Trim | Kits | |
| PT32 | 32" Perimeter Trim Kit - Black | 2.0 lbs. |
| PT32B | 32" Perimeter Trim Kit - Brushed Brass | 2.0 lbs. |
| PT32P | 32" Perimeter Trim Kit - Platinum | 2.0 lbs. |
| PT36 | 36" Perimeter Trim Kit - Black | 3.0 lbs. |
| PT36B | 36" Perimeter Trim Kit - Brushed Brass | 3.0 lbs. |
| PT36P | 36" Perimeter Trim Kit - Platinum | 3.0 lbs. |
| Panel Kits | | |
| GABB9094 | 32" Firebox Extruded Louvers - Brushed Brass (For VSGF28/VSGF33) | 3.0 lbs. |
| GAB9094 | 32" Firebox Extruded Louvers - Black (For VSGF28/VSGF33) | 3.0 lbs. |
| GAP9094 | 32" Firebox Extruded Louvers - Platinum | 3.0 lbs. |
| SP36 | 36" Smooth Face Panel Kit - Black | 6.0 lbs. |
| 5L36 | 36" Stamped Louver Panel Kit - Black | 6.0 lbs. |
| RL36 | 36" Rolled Louver Panel Kit - Black | 9.0 lbs. |
| FP36 | 36" Filigree Panel Kit - Black | 5.0 lbs. |
| FP36B | 36" Filigree Panel Kit - Brushed Brass | 5.0 lbs. |
| FP36P | 36" Filigree Panel Kit - Platinum | 5.0 lbs. |
| | s (for 36" Fireplaces *Requires Rolled Louver Panel Kit, Sold Se | |
| LT36B | 4-pc. 36" Rolled Louver Trim Kit - Brushed Brass | 3.0 lbs. |
| LT36P | 4-pc. 36" Rolled Louver Trim Kit - Platinum | 3.0 lbs. |
| | Doors (36" Classic Hearth/Pro Fireplaces) | 5.0 103. |
| CD36RC-2IS | 36" Common Chassis Door - Natural Iron | 51.0 lbs. |
| CD36RC-2IS | 36" Common Chassis Door - Aged Copper | 51.0 lbs. |
| CD36RC-2CS | 36" Common Chassis Door - Antique White | 51.0 lbs. |
| | Doors (36" Classic Hearth/Pro Fireplaces) | 51.0 105. |
| | | 46 0 lba |
| CD36RC-1/S | 36" Common Chassis Door - Natural Iron | 46.0 lbs |
| CD36RC-1SS | 36" Common Chassis Door - Aged Silver | 46.0 lbs |
| CD36RC-1WS | 36" Common Chassis Door - Antique White | 46.0 lbs |
| | ssic Hearth/Pro Fireplaces) | |
| H36RC-I | 36" Deflection Hood, Common Chassis - Natural Iron | 4.0 lbs. |
| H36RC-C | 36" Deflection Hood, Common Chassis - Aged Copper | 4.0 lbs. |
| H36RC-S | 36" Deflection Hood, Common Chassis - Aged Silver | 4.0 lbs. |
| | 2011 Deflection Used Oceaning Observice Antique M/hits | 4.0 lbs. |
| H36RC-W | 36" Deflection Hood, Common Chassis - Antique White | 4.0 105. |

| MODEL # | DECODIPTION | |
|-------------------------------------|--|--------------------|
| MODEL # | DESCRIPTION | WEIGHT |
| Fan Kits | | |
| GA3750A | Manual Blower, Variable Speed Control (For VSGF33/VYGF33) | 14.0 lbs. |
| GA3650TB | Automatic Thermostatic Blower (For VSGF33/VYGF33) | 14.0 lbs. |
| Brick Liner Kits | | |
| HFL300 | 32" Brick Liner, Stacked Brick Pattern - Aged Almond | 6.0 lbs. |
| HFL301 | 32" Brick Liner, Stacked Brick Pattern - Aged Red | 6.0 lbs. |
| HFL310 | 32" Brick Liner, Herringbone Brick Pattern - Aged Almond | 6.0 lbs. |
| HFL311 | 32" Brick Liner, Herringbone Brick Pattern - Aged Red | 6.0 lbs. |
| HFL400 | 36" Brick Liner, Stacked Brick Pattern - Aged Almond (For VSGF36) | 8.0 lbs. |
| HFL401 | 36" Brick Liner, Stacked Brick Pattern - Aged Red (For VSGF36) | 8.0 lbs. |
| | s (for Remote-Ready Models) | |
| MRC | Receiver and Hand-Held On/Off Remote Control Kit | 1.0 lb. |
| TRC | Receiver and Hand-Held T-Stat Remote Control Kit | 1.0 lb. |
| GWMS2 | Wall Mount On/Off Switch Kit | 1.0 lb. |
| GWMT1 | Wall Mount Thermostatic Control Kit | 1.0 lb. |
| Accessories f | or Fireplace Inserts | |
| MODEL # | DESCRIPTION | WEIGUT |
| Perimeter Trim | | WEIGHT |
| GB38 | 30" h x 38" w Surround and Trim Kit - Black | 6.0 lbs. |
| | | |
| GB43 | 36 3/4" h x 43" w Surround and Trim Kit - Black | 8.0 lbs. |
| GA3555 | Duplex Receptacle/Outlet Kit | 1.0 lb. |
| | s (for Remote-Ready Models) | 1.0 # |
| MRC | Receiver and Hand-Held On/Off Remote Control Kit | 1.0 lb. |
| TRC | Receiver and Hand-Held T-Stat Remote Control Kit | 1.0 lb. |
| GWMS2 | Wall Mount On/Off Switch Kit | 1.0 lb. |
| GWMT1 | Wall Mount Thermostatic Control Kit | 1.0 lb. |
| Accessories f | for Performance Odyssey Outdoor | |
| MODEL # | DESCRIPTION | WEIGHT |
| Perimeter Trim | Kits | |
| PT36 | 36" Perimeter Trim Kit - Black | 3.0 lbs. |
| PT36B | 36" Perimeter Trim Kit - Brushed Brass | 3.0 lbs. |
| PT36P | 36" Perimeter Trim Kit - Platinum | 3.0 lbs. |
| PT42 | 42" Perimeter Trim Kit - Black | 4.0 lbs. |
| PT42B | 42" Perimeter Trim Kit - Brushed Brass | 4.0 lbs. |
| PT42P | 42" Perimeter Trim Kit - Platinum | 4.0 lbs. |
| Face Covers | | 4.0 103. |
| 0C36 | 36" Fireplace Cover | 13.0 lbs. |
| 0C42 | | 16.0 lbs. |
| Fuel Conversion | 42" Fireplace Cover | 10.0 lbs. |
| PCVM-360 | Natural Gas to Propane Fuel Conversion Kit (for 36" Odyssey) | 1.0 lb. |
| | | |
| NCVM-360 | Propane to Natural Gas Fuel Conversion Kit (for 36" Odyssey) | 1.0 lb. 1.0 lb. |
| PCVM-420 | Natural Gas to Propane Fuel Conversion Kit (for 42" Odyssey) | |
| NCVM-420 | Propane to Natural Gas Fuel Conversion Kit (for 42" Odyssey) | 1.0 lb. |
| Heat Deflection | | 4.5.11. |
| HS36 | 36" Stainless Steel Hood with 4" Brow | 4.5 lbs. |
| HS42 | 42" Stainless Steel Hood with 4" Brow | 5.5 lbs. |
| Glass Doors | | |
| BD036 | 36" Outdoor Bi-Fold Door - Black | 15.0 lbs. |
| | 36" Outdoor Bi-Fold Door - Brushed Brass | 15.0 lbs. |
| | | 15.0 lbs. |
| | 36" Outdoor Bi-Fold Door - Platinum | 15.0 lbs. |
| BD036P | 36" Outdoor Bi-Fold Door - Platinum 42" Outdoor Bi-Fold Door - Black | 17.0 lbs. |
| BD036B BD036P BD042 BD042B | | |







Look For Us Online: www.fmiproducts.com

IMPORTANT

| Installation must be done by | We reserve the right to amend |
|-----------------------------------|---------------------------------|
| qualified service persons. | product specifications without |
| Read Owner's Manual before using. | notice. |
| Check local codes and ordinances | For warranty information please |
| for permitted uses. | consult the owner's manual. |
| | |